



FCC ID: AS5BBTRX-28

**Timco Engineering Inc.**  
**FCC Authorized Telecommunications**  
**Certification Body (TCB)**

**Alcatel-Lucent USA Inc.**  
Building 5B-111  
600 Mountain Avenue  
Murray Hill, NJ 07974

January 12, 2017

**Sid Sanders - President**  
**Timco Engineering Inc.**  
849 N.W. State Road 45  
P.O. Box 370  
Newberry, Florida 32669

Dear Mr. Sanders:

The Alcatel-Lucent **AWS LTE B66a RRH 4x45W** was previously authorized for both single and dual carrier operation over the AWS-1/AWS-3 spectrum 2110 – 2180 MHz. **The purpose of this Class II Permissive Change application, under AS5BBTRX-28, is to obtain FCC authorization to add three-carrier operation over the 2110 – 2180 MHz spectrum.** This change is by software only.

The LTE B66a RRH (Remote Radio Head) can operate either as 4x45W MIMO (4T4R) or as 2x90W MIMO (2T4R), with a total composite RF power of 180 W (52.55 dBm). With this Class II Permissive Change, both single carriers and dual carriers (contiguous and non-contiguous), with bandwidths (BW) of 5, 10, 15 and 20 MHz; and three carriers (contiguous and non-contiguous) with BW of 5 MHz, 10 MHz and 15 MHz, are supported with corresponding emission designators 5M00F9W, 10M0F9W, 15M0F9W and 20M0F9W, respectively. Supported operation is under the 3GPP Long Term Evolution (LTE) communication standard (ETSI TS 36.104). Three LTE modulation schemes are also supported: QPSK (Quadrature Phase-Shift Keying), 16QAM and 64QAM (Quadrature Amplitude Modulation).

**This authorization request is for AWS LTE B66a RRH 4x45W operation with three carriers** utilizing the bandwidths (BW), modulations and emission designators previously cited, and over the AWS-1/AWS-3 spectrum 2110 – 2180 MHz (AWS Blocks A, B, C, D, E, F, G, H, I, J), subject to PART 27—MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES, Subpart C—Technical Standards, §27.53 Emission Limits, (h) AWS Emission Limits. The measurement exhibits attached to this application demonstrate full compliance with FCC Part 27, Subpart C, 27.53 (h), following the procedural requirements specified in FCC Part 2, Subpart J – Equipment Authorization Procedures. The data, summarized below, is in the form presently used by the Commission's Radio Equipment List.

<b>Equipment Identification:</b>	<b>AS5BBTRX-28</b>
<b>Rules Part Number:</b>	<b>Part 27 Subpart C, Part 27.53 (h) AWS Emission Limits</b>
<b>Frequency Range:</b>	<b>Transmit 2110-2180 MHz (Blocks A-B-C-D-E-F-G-H-I-J)</b>
<b>Output Power:</b>	<b>90 Watts Maximum per Antenna Port 2T4R; and 45 W for 4T4R</b>
<b>Frequency Tolerance:</b>	<b>± 0.05 ppm</b>
<b>Emission Designator:</b>	<b>5M00F9W, 10M0F9W, 15M0F9W and 20M0F9W</b>

**Confidential**

Use pursuant to Company Instructions.

© Nokia 2016

**FCC ID: AS5BBTRX-28**

Attached are the FCC Form 731 (Application for Equipment Authorization – Radio Frequency Devices), the required measurement data and exhibits specific to this **request for three-carrier authorization** of the **AWS LTE B66a RRH 4x45W**. The technical or non-technical contact at Alcatel-Lucent will comply with any request for additional information should the need arise. The attached exhibits with the applicable FCC Rule section are assembled and presented in accordance with the *Table of Contents* attachment.

The notes on the Grant of Equipment Authorization should include:

*This Class II Change authorizes three-carrier operation over the AWS spectrum 2110 – 2180 MHz, for both 2x90W MIMO (2T4R) and 4x45W MIMO (4T4R) configurations.*

Should there be any questions or procedural issues please feel free to contact me by email and/or phone.

Sincerely,



Raymond J. Johnson  
Technical Manager  
Global Product Compliance Laboratory  
Phone: 908-582-5575  
email: [ray.johnson@nokia-bell-labs.com](mailto:ray.johnson@nokia-bell-labs.com)

Primary Administrative Contact

Raymond J. Johnson  
Technical Manager  
Global Product Compliance Laboratory  
Building 5B-111  
600 Mountain Avenue  
Murray Hill, NJ 07974  
Phone: 908-582-5575  
email: [ray.johnson@nokia-bell-labs.com](mailto:ray.johnson@nokia-bell-labs.com)

Filing Engineer

Michael P. Farina  
Global Product Compliance Laboratory  
Building 28-114M  
600 Mountain Avenue  
Murray Hill, NJ 07974  
Phone 908-582-3857  
email: [michael.farina@nokia-bell-labs.com](mailto:michael.farina@nokia-bell-labs.com)

**Confidential**

© Nokia 2016

Use pursuant to Company Instructions.



**FCC ID: AS5BBTRX-28**

Att. Table of Contents for the **AWS LTE B66a RRH 4x45W** Product Certification Report

**Confidential**

Use pursuant to Company Instructions.

© Nokia 2016

## TABLE OF CONTENTS

### Cover Letter

<u>Exhibit #</u>	<u>FCC Rule Number</u>	<u>Description</u>
Exhibit 1	Section 2.1033(a)	FCC Form 731
Exhibit 2	Section 2.911 (d)	Qualifications and Certifications
Exhibit 3	Section 2.1033(c) (1,2,4,5,6,7)	Manufactures, FCC Identifier, Emission, Frequency Range and RF Power Range
Exhibit 10		Test Report
Exhibit 11		Test Setup Photographs
Exhibit 12		Tune-Up Procedure
Exhibit 13		MPE Statement

### Test Report Exhibit 10

<u>Section #</u>	<u>FCC Rule Number</u>	<u>Description of Test Report Exhibits</u>
2.	Section 2.1033(c) (14)	Listing of Required Measurements
4.1	Section 2.1046	Measurement of Radio Frequency Power Output
4.2	Section 2.1047	Measurement of Modulation Characteristics
4.3	Section 2.1049	Measurement of Occupied Bandwidth
4.4	Section 2.1051	Measurement of Spurious Emissions at Antenna
4.5	Section 2.1053	Field Strength of Spurious Radiation
4.6	Section 2.1055	Measurement of Frequency Stability