

Appendix A - Conducted Power Measurements

BT 4.0 / 5.0 Tune-up Power			
Mode	Channel	Frequency (MHz)	ANT 1
			Tune-Up Limit
LE 1Mbps (GFSK)	0	2402	8.00
	19	2440	8.00
	39	2480	8.00
LE 2Mbps ($\pi/4$ DQPSK)	1	2404	8.00
	19	2440	8.00
	38	2478	8.00
LR 1Mbps C2	1	2404	8.00
	19	2440	8.00
	38	2478	8.00
LR 1Mbps C8	1	2404	8.00
	19	2440	8.00
	38	2478	8.00

BT 4.0 / 5.0				
Mode	Channel	Frequency (MHz)	ANT 1	
			Average power (dBm)	Tune-Up Limit
LE 1Mbps (GFSK)	0	2402	7.67	8.00
	19	2440	7.35	8.00
	39	2480	6.88	8.00
LE 2Mbps ($\pi/4$ DQPSK)	1	2404	7.68	8.00
	19	2440	7.36	8.00
	38	2478	6.89	8.00
LR 1Mbps C2	1	2404	7.67	8.00
	19	2440	7.35	8.00
	38	2478	6.88	8.00
LR 1Mbps C8	1	2404	7.68	8.00
	19	2440	7.36	8.00
	38	2478	6.89	8.00