

Ref 20 dBm *Att 30 dB SMT 20 ns

Offset 14.3 dB

Bandwidth 1 MHz

Marker 1 [F1] -13.05 dBm

Delta F [F1] 10.49 dB

Center 5.71 GHz 10 MHz Span

Span 10 MHz

Y-axis: dBm (0, -10, -20, -30, -40, -50, -60, -70, -80)

X-axis: Frequency (5.69 GHz, 5.71 GHz, 5.73 GHz)

Signal: C1 7.10 dBm, C2 -0.28 dBm

Date: 4.MAR.2025 16:23:16

Ref 30 dBm *Att 30 dB *BW 1 MHz Marker 1 [T] 12.30 dBm 5.709460000 GHz

*VMW 3 MHz SWT 20 ns

USB 24.600000000 MHz Tspan 1 [T] 0.000000000 GHz

5.692325000 GHz Temp 2 [T] 0.000000000 GHz

5.727880000 GHz


Center 5.71 GHz 10 MHz/ Span 100 MHz

Date: 4.MAR.2025 16:40:33

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	79.400	75.200
122	5610	80.000	75.200
138	5690	74.600	75.200

CH106




Date: 24.FEB.2025 15:06:58

CH122
26 dB Bandwidth




Date: 24.FEB.2025 15:08:21

CH138




Date: 4.MAR.2025 16:28:26


99 % Occupied Bandwidth



Date: 24.FEB.2025 15:06:10



Date: 24.FEB.2025 15:07:33




Date: 4.MAR.2025 16:41:23

Test Mode	UNII-2C_TX BE(EHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.100	18.800
116	5580	20.150	18.800
140	5700	20.150	18.800
144	5720	15.000	18.800

CH100




Date: 24.FEB.2025 15:58:53

CH116
26 dB Bandwidth




Date: 24.FEB.2025 15:56:42

CH140




Date: 24.FEB.2025 15:57:48


99 % Occupied Bandwidth



Date: 24.FEB.2025 15:58:20




Date: 24.FEB.2025 15:56:09




Date: 24.FEB.2025 15:57:14

CH144 26 dB Bandwidth




Date: 4.MAR.2025 16:18:23

99 % Occupied Bandwidth




Date: 4.MAR.2025 16:38:24

CH142 26 dB Bandwidth



Date: 4.MAR.2025 16:22:12

99 % Occupied Bandwidth




Date: 4.MAR.2025 16:39:50

Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.600	76.800
122	5610	81.000	76.400
138	5690	75.000	76.800

CH106




Date: 24.FEB.2025 16:19:34

CH122
26 dB Bandwidth




Date: 24.FEB.2025 16:20:51

CH138




Date: 4.MAR.2025 16:27:32


99 % Occupied Bandwidth



Date: 24.FEB.2025 16:18:48



Date: 24.FEB.2025 16:20:06




Date: 4.MAR.2025 16:41:54

Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	162.000	156.000

CH114 26 dB Bandwidth



Date: 15.MAR.2025 11:00:57

99 % Occupied Bandwidth




Date: 15.MAR.2025 11:00:15

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.790	16.500	0.5	Complies
157	5785	15.990	16.500	0.5	Complies
165	5825	15.800	16.500	0.5	Complies

CH149




Date: 15.MAR.2025 10:06:36

CH157
6 dB Bandwidth




Date: 15.MAR.2025 10:08:11

CH165




Date: 15.MAR.2025 10:09:44


99 % Occupied Bandwidth



Date: 15.MAR.2025 10:06:00



Date: 15.MAR.2025 10:07:32




Date: 15.MAR.2025 10:09:05

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.289	17.500	0.5	Complies
157	5785	15.799	17.600	0.5	Complies
165	5825	16.850	17.600	0.5	Complies

CH149




Date: 15.MAR.2025 10:19:43

CH157
6 dB Bandwidth




Date: 15.MAR.2025 10:18:32

CH165




Date: 15.MAR.2025 10:17:19


99 % Occupied Bandwidth



Date: 15.MAR.2025 10:19:07



Date: 15.MAR.2025 10:17:53




Date: 15.MAR.2025 10:16:43

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	32.700	35.800	0.5	Complies
159	5795	31.590	36.000	0.5	Complies

CH151




Date: 15.MAR.2025 10:44:20

CH159 6 dB Bandwidth




Date: 15.MAR.2025 10:42:43

99 % Occupied Bandwidth



Date: 15.MAR.2025 10:43:29




Date: 15.MAR.2025 10:41:47

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	73.000	75.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 15.MAR.2025 10:48:54

99 % Occupied Bandwidth




Date: 15.MAR.2025 10:48:05

Test Mode	UNII-3_TX BE(EHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.290	18.900	0.5	Complies
157	5785	17.900	18.800	0.5	Complies
165	5825	17.099	18.800	0.5	Complies

CH149




Date: 15.MAR.2025 10:25:03

CH157
6 dB Bandwidth




Date: 15.MAR.2025 10:26:04

CH165




Date: 15.MAR.2025 10:28:31


99 % Occupied Bandwidth



Date: 15.MAR.2025 10:24:27




Date: 15.MAR.2025 10:25:30



Date: 15.MAR.2025 10:27:53


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	32.498	37.800	0.5	Complies
159	5795	33.900	37.800	0.5	Complies

CH159
6 dB Bandwidth



Date: 15-MAR-2025 10:37:10

99 % Occupied Bandwidth




Date: 15 MAR 2025 10:36:13

Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.200	77.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 15.MAR.2025 10:53:46

99 % Occupied Bandwidth



Date: 15.MAR.2025 10:52:58

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.32	0.19	19.51	30.00	1.0000	Complies
40	5200	19.34	0.19	19.53	30.00	1.0000	Complies
48	5240	18.99	0.19	19.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.15	0.19	19.34	30.00	1.0000	Complies
40	5200	19.28	0.19	19.47	30.00	1.0000	Complies
48	5240	19.19	0.19	19.38	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.40	0.19	19.59	30.00	1.0000	Complies
40	5200	19.53	0.19	19.72	30.00	1.0000	Complies
48	5240	19.06	0.19	19.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.26	30.00	1.0000	Complies
40	5200	24.35	30.00	1.0000	Complies
48	5240	24.05	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.09	0.16	19.25	30.00	1.0000	Complies
40	5200	19.37	0.16	19.53	30.00	1.0000	Complies
48	5240	18.86	0.16	19.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.20	0.16	19.36	30.00	1.0000	Complies
40	5200	19.30	0.16	19.46	30.00	1.0000	Complies
48	5240	18.91	0.16	19.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.20	0.16	19.36	30.00	1.0000	Complies
40	5200	19.27	0.16	19.43	30.00	1.0000	Complies
48	5240	18.69	0.16	18.85	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.10	30.00	1.0000	Complies
40	5200	24.25	30.00	1.0000	Complies
48	5240	23.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.63	0.32	19.95	30.00	1.0000	Complies
46	5230	21.04	0.32	21.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.70	0.32	20.02	30.00	1.0000	Complies
46	5230	21.31	0.32	21.63	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.76	0.32	20.08	30.00	1.0000	Complies
46	5230	21.51	0.32	21.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.79	30.00	1.0000	Complies
46	5230	26.38	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.20	0.79	19.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.35	0.79	20.14	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.18	0.79	19.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.15	0.69	19.84	30.00	1.0000	Complies
40	5200	19.43	0.69	20.12	30.00	1.0000	Complies
48	5240	19.38	0.69	20.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.26	0.69	19.95	30.00	1.0000	Complies
40	5200	19.27	0.69	19.96	30.00	1.0000	Complies
48	5240	19.44	0.69	20.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.29	0.69	19.98	30.00	1.0000	Complies
40	5200	19.31	0.69	20.00	30.00	1.0000	Complies
48	5240	19.29	0.69	19.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.69	30.00	1.0000	Complies
40	5200	24.80	30.00	1.0000	Complies
48	5240	24.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.60	0.80	20.40	30.00	1.0000	Complies
46	5230	20.56	0.80	21.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.64	0.80	20.44	30.00	1.0000	Complies
46	5230	20.85	0.80	21.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.78	0.80	20.58	30.00	1.0000	Complies
46	5230	21.01	0.80	21.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.25	30.00	1.0000	Complies
46	5230	26.38	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.70	0.78	19.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.83	0.78	19.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.89	0.78	19.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.36	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.86	0.19	14.05	23.98	0.2500	Complies
60	5300	14.23	0.19	14.42	23.98	0.2500	Complies
64	5320	14.35	0.19	14.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.50	0.19	13.69	23.98	0.2500	Complies
60	5300	14.18	0.19	14.37	23.98	0.2500	Complies
64	5320	14.14	0.19	14.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.07	0.19	14.26	23.98	0.2500	Complies
60	5300	14.58	0.19	14.77	23.98	0.2500	Complies
64	5320	14.53	0.19	14.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.78	23.98	0.2500	Complies
60	5300	19.30	23.98	0.2500	Complies
64	5320	19.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.15	0.16	14.31	23.98	0.2500	Complies
60	5300	14.65	0.16	14.81	23.98	0.2500	Complies
64	5320	14.49	0.16	14.65	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.72	0.16	13.88	23.98	0.2500	Complies
60	5300	14.34	0.16	14.50	23.98	0.2500	Complies
64	5320	14.34	0.16	14.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.76	0.16	13.92	23.98	0.2500	Complies
60	5300	14.18	0.16	14.34	23.98	0.2500	Complies
64	5320	14.35	0.16	14.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.81	23.98	0.2500	Complies
60	5300	19.33	23.98	0.2500	Complies
64	5320	19.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.13	0.32	15.45	23.98	0.2500	Complies
62	5310	15.65	0.32	15.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.67	0.32	15.99	23.98	0.2500	Complies
62	5310	15.68	0.32	16.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.88	0.32	16.20	23.98	0.2500	Complies
62	5310	16.44	0.32	16.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.66	23.98	0.2500	Complies
62	5310	21.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.59	0.79	16.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.17	0.79	15.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.95	0.79	16.74	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.36	0.69	15.05	23.98	0.2500	Complies
60	5300	14.12	0.69	14.81	23.98	0.2500	Complies
64	5320	14.10	0.69	14.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.71	0.69	14.40	23.98	0.2500	Complies
60	5300	13.96	0.69	14.65	23.98	0.2500	Complies
64	5320	13.88	0.69	14.57	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.84	0.69	14.53	23.98	0.2500	Complies
60	5300	13.74	0.69	14.43	23.98	0.2500	Complies
64	5320	13.93	0.69	14.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.44	23.98	0.2500	Complies
60	5300	19.40	23.98	0.2500	Complies
64	5320	19.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.15	0.80	15.95	23.98	0.2500	Complies
62	5310	15.19	0.80	15.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.34	0.80	16.14	23.98	0.2500	Complies
62	5310	15.24	0.80	16.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.91	0.80	16.71	23.98	0.2500	Complies
62	5310	15.91	0.80	16.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.05	23.98	0.2500	Complies
62	5310	21.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.53	0.78	16.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.14	0.78	15.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.99	0.78	16.77	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.12	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.79	1.22	19.01	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.89	1.22	19.11	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.92	1.22	19.14	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.86	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.50	0.77	18.27	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.16	0.77	17.93	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.26	0.77	18.03	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.85	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.97	0.19	14.16	23.98	0.2500	Complies
116	5580	14.04	0.19	14.23	23.98	0.2500	Complies
140	5700	14.96	0.19	15.15	23.98	0.2500	Complies
144	5720	14.92	0.19	15.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.60	0.19	13.79	23.98	0.2500	Complies
116	5580	14.09	0.19	14.28	23.98	0.2500	Complies
140	5700	14.53	0.19	14.72	23.98	0.2500	Complies
144	5720	13.89	0.19	14.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.25	0.19	14.44	23.98	0.2500	Complies
116	5580	14.18	0.19	14.37	23.98	0.2500	Complies
140	5700	14.99	0.19	15.18	23.98	0.2500	Complies
144	5720	14.71	0.19	14.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.91	23.98	0.2500	Complies
116	5580	19.07	23.98	0.2500	Complies
140	5700	19.80	23.98	0.2500	Complies
144	5720	19.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.15	0.16	14.31	23.98	0.2500	Complies
116	5580	14.12	0.16	14.28	23.98	0.2500	Complies
140	5700	15.07	0.16	15.23	23.98	0.2500	Complies
144	5720	15.02	0.16	15.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.68	0.16	13.84	23.98	0.2500	Complies
116	5580	13.93	0.16	14.09	23.98	0.2500	Complies
140	5700	14.99	0.16	15.15	23.98	0.2500	Complies
144	5720	14.10	0.16	14.26	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.01	0.16	14.17	23.98	0.2500	Complies
116	5580	13.92	0.16	14.08	23.98	0.2500	Complies
140	5700	14.88	0.16	15.04	23.98	0.2500	Complies
144	5720	14.98	0.16	15.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.88	23.98	0.2500	Complies
116	5580	18.92	23.98	0.2500	Complies
140	5700	19.91	23.98	0.2500	Complies
144	5720	19.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.59	0.32	16.91	23.98	0.2500	Complies
110	5550	16.71	0.32	17.03	23.98	0.2500	Complies
134	5670	16.22	0.32	16.54	23.98	0.2500	Complies
142	5710	16.85	0.32	17.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.02	0.32	17.34	23.98	0.2500	Complies
110	5550	17.01	0.32	17.33	23.98	0.2500	Complies
134	5670	16.15	0.32	16.47	23.98	0.2500	Complies
142	5710	16.06	0.32	16.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.74	0.32	17.06	23.98	0.2500	Complies
110	5550	16.76	0.32	17.08	23.98	0.2500	Complies
134	5670	16.27	0.32	16.59	23.98	0.2500	Complies
142	5710	16.82	0.32	17.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.88	23.98	0.2500	Complies
110	5550	21.92	23.98	0.2500	Complies
134	5670	21.30	23.98	0.2500	Complies
142	5710	21.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.81	0.79	16.60	23.98	0.2500	Complies
122	5610	16.22	0.79	17.01	23.98	0.2500	Complies
138	5690	16.16	0.79	16.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.82	0.79	16.61	23.98	0.2500	Complies
122	5610	15.95	0.79	16.74	23.98	0.2500	Complies
138	5690	16.13	0.79	16.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.25	0.79	17.04	23.98	0.2500	Complies
122	5610	16.05	0.79	16.84	23.98	0.2500	Complies
138	5690	16.59	0.79	17.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.53	23.98	0.2500	Complies
122	5610	21.64	23.98	0.2500	Complies
138	5690	21.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.81	1.22	19.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.69	1.22	18.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.77	1.22	18.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.19	0.69	14.88	23.98	0.2500	Complies
116	5580	13.99	0.69	14.68	23.98	0.2500	Complies
140	5700	14.10	0.69	14.79	23.98	0.2500	Complies
144	5720	15.05	0.69	15.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.63	0.69	14.32	23.98	0.2500	Complies
116	5580	13.88	0.69	14.57	23.98	0.2500	Complies
140	5700	13.84	0.69	14.53	23.98	0.2500	Complies
144	5720	14.21	0.69	14.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.04	0.69	14.73	23.98	0.2500	Complies
116	5580	13.97	0.69	14.66	23.98	0.2500	Complies
140	5700	13.93	0.69	14.62	23.98	0.2500	Complies
144	5720	15.12	0.69	15.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.42	23.98	0.2500	Complies
116	5580	19.41	23.98	0.2500	Complies
140	5700	19.42	23.98	0.2500	Complies
144	5720	20.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.71	0.80	16.51	23.98	0.2500	Complies
110	5550	16.27	0.80	17.07	23.98	0.2500	Complies
134	5670	16.31	0.80	17.11	23.98	0.2500	Complies
142	5710	16.56	0.80	17.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.14	0.80	16.94	23.98	0.2500	Complies
110	5550	16.51	0.80	17.31	23.98	0.2500	Complies
134	5670	16.20	0.80	17.00	23.98	0.2500	Complies
142	5710	15.82	0.80	16.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.90	0.80	16.70	23.98	0.2500	Complies
110	5550	16.07	0.80	16.87	23.98	0.2500	Complies
134	5670	16.30	0.80	17.10	23.98	0.2500	Complies
142	5710	16.56	0.80	17.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.49	23.98	0.2500	Complies
110	5550	21.86	23.98	0.2500	Complies
134	5670	21.84	23.98	0.2500	Complies
142	5710	21.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.89	0.78	16.67	23.98	0.2500	Complies
122	5610	16.06	0.78	16.84	23.98	0.2500	Complies
138	5690	16.73	0.78	17.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.87	0.78	16.65	23.98	0.2500	Complies
122	5610	15.82	0.78	16.60	23.98	0.2500	Complies
138	5690	16.01	0.78	16.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.17	0.78	16.95	23.98	0.2500	Complies
122	5610	15.97	0.78	16.75	23.98	0.2500	Complies
138	5690	16.37	0.78	17.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.53	23.98	0.2500	Complies
122	5610	21.50	23.98	0.2500	Complies
138	5690	21.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.26	0.77	18.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.24	0.77	18.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.34	0.77	18.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.82	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.66	0.19	23.85	29.19	0.8299	Complies
157	5785	23.70	0.19	23.89	29.19	0.8299	Complies
165	5825	23.81	0.19	24.00	29.19	0.8299	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.78	0.19	23.97	29.19	0.8299	Complies
157	5785	23.81	0.19	24.00	29.19	0.8299	Complies
165	5825	23.77	0.19	23.96	29.19	0.8299	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.91	0.19	24.10	29.19	0.8299	Complies
157	5785	23.97	0.19	24.16	29.19	0.8299	Complies
165	5825	23.63	0.19	23.82	29.19	0.8299	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.75	29.19	0.8299	Complies
157	5785	28.79	29.19	0.8299	Complies
165	5825	28.70	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.89	0.16	24.05	29.19	0.8299	Complies
157	5785	23.81	0.16	23.97	29.19	0.8299	Complies
165	5825	23.76	0.16	23.92	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.69	0.16	23.85	29.19	0.8299	Complies
157	5785	23.73	0.16	23.89	29.19	0.8299	Complies
165	5825	23.72	0.16	23.88	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.81	0.16	23.97	29.19	0.8299	Complies
157	5785	23.83	0.16	23.99	29.19	0.8299	Complies
165	5825	24.02	0.16	24.18	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.73	29.19	0.8299	Complies
157	5785	28.72	29.19	0.8299	Complies
165	5825	28.77	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.54	0.32	23.86	29.19	0.8299	Complies
159	5795	23.49	0.32	23.81	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.61	0.32	23.93	29.19	0.8299	Complies
159	5795	23.42	0.32	23.74	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.66	0.32	23.98	29.19	0.8299	Complies
159	5795	23.53	0.32	23.85	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.69	29.19	0.8299	Complies
159	5795	28.57	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.12	0.79	23.91	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.06	0.79	23.85	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.31	0.79	24.10	29.19	0.8299	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.73	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.71	0.69	24.40	29.19	0.8299	Complies
157	5785	23.76	0.69	24.45	29.19	0.8299	Complies
165	5825	23.72	0.69	24.41	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.69	0.69	24.38	29.19	0.8299	Complies
157	5785	23.35	0.69	24.04	29.19	0.8299	Complies
165	5825	23.67	0.69	24.36	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.71	0.69	24.40	29.19	0.8299	Complies
157	5785	23.65	0.69	24.34	29.19	0.8299	Complies
165	5825	23.72	0.69	24.41	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.16	29.19	0.8299	Complies
157	5785	29.05	29.19	0.8299	Complies
165	5825	29.16	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.65	0.80	24.45	29.19	0.8299	Complies
159	5795	23.56	0.80	24.36	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.38	0.80	24.18	29.19	0.8299	Complies
159	5795	23.45	0.80	24.25	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.34	0.80	24.14	29.19	0.8299	Complies
159	5795	23.67	0.80	24.47	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.03	29.19	0.8299	Complies
159	5795	29.14	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.11	0.78	23.89	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.06	0.78	23.84	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.22	0.78	24.00	29.19	0.8299	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.68	29.19	0.8299	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.59	0.19	8.78	13.84	Complies
40	5200	8.68	0.19	8.87	13.84	Complies
48	5240	8.08	0.19	8.27	13.84	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.67	0.19	8.86	13.84	Complies
40	5200	8.83	0.19	9.02	13.84	Complies
48	5240	8.57	0.19	8.76	13.84	Complies




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.45	0.19	8.64	13.84	Complies
40	5200	8.64	0.19	8.83	13.84	Complies
48	5240	8.49	0.19	8.68	13.84	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.54	13.84	Complies
40	5200	13.68	13.84	Complies
48	5240	13.35	13.84	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.45	0.16	8.61	13.84	Complies
40	5200	8.66	0.16	8.82	13.84	Complies
48	5240	8.53	0.16	8.69	13.84	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.57	0.16	8.73	13.84	Complies
40	5200	8.79	0.16	8.95	13.84	Complies
48	5240	8.48	0.16	8.64	13.84	Complies

