


Lowest Channel

Frequency 2402MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average


Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Remark
1	2310.0000	36.01	39.49	3.48	54.00	14.51	200	225	Horizontal	/
2	2389.1920	37.58	41.38	3.80	54.00	12.62	100	218	Horizontal	/
3	2390.0000	36.29	40.10	3.81	54.00	13.90	200	177	Horizontal	/
4	2401.8270	93.43	97.42	3.99	54.00	-43.42	200	142	Horizontal	No limit
1	2310.0000	35.89	39.37	3.48	54.00	14.63	100	184	Vertical	/
2	2385.1640	37.37	41.10	3.73	54.00	12.90	100	359	Vertical	/
3	2390.0000	35.62	39.43	3.81	54.00	14.57	200	33	Vertical	/
4	2401.9980	91.11	95.10	3.99	54.00	-41.10	100	218	Vertical	No limit


Highest Channel
Frequency 2480MHz
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Remark
1	2480.0450	95.86	100.18	4.32	74.00	-26.18	200	357	Horizontal	No limit
2	2483.5000	46.43	50.76	4.33	74.00	23.24	100	218	Horizontal	/
3	2484.9975	49.11	53.44	4.33	74.00	20.56	100	218	Horizontal	/
4	2500.0000	46.60	50.98	4.38	74.00	23.02	100	218	Horizontal	/
1	2479.8575	93.53	97.85	4.32	74.00	-23.85	200	149	Vertical	No limit
2	2483.5000	46.38	50.71	4.33	74.00	23.29	200	7	Vertical	/
3	2483.8125	48.98	53.31	4.33	74.00	20.69	200	53	Vertical	/
4	2500.0000	47.57	51.95	4.38	74.00	22.05	100	142	Vertical	/

Highest Channel

Frequency 2480MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Remark
1	2479.9950	95.48	99.80	4.32	54.00	-45.80	200	357	Horizontal	No limit
2	2483.5000	36.31	40.64	4.33	54.00	13.36	200	142	Horizontal	/
3	2483.8575	38.16	42.49	4.33	54.00	11.51	200	142	Horizontal	/
4	2500.0000	35.99	40.37	4.38	54.00	13.63	100	12	Horizontal	/
1	2479.9550	93.17	97.49	4.32	54.00	-43.49	200	149	Vertical	No limit
2	2483.5000	36.56	40.89	4.33	54.00	13.11	200	3	Vertical	/
3	2484.1175	37.75	42.08	4.33	54.00	11.92	200	74	Vertical	/
4	2500.0000	36.36	40.74	4.38	54.00	13.26	200	129	Vertical	/


3DH5

Lowest Channel

Frequency 2402MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Remark
1	2310.0000	46.09	49.57	3.48	74.00	24.43	100	80	Horizontal	/
2	2378.7120	48.12	51.74	3.62	74.00	22.26	100	124	Horizontal	/
3	2390.0000	47.18	50.99	3.81	74.00	23.01	200	280	Horizontal	/
4	2402.1360	98.98	102.97	3.99	74.00	-28.97	100	274	Horizontal	No limit
1	2310.0000	45.50	48.98	3.48	74.00	25.02	200	314	Vertical	/
2	2376.8280	48.66	52.25	3.59	74.00	21.75	100	280	Vertical	/
3	2390.0000	46.59	50.40	3.81	74.00	23.60	200	263	Vertical	/
4	2402.1720	89.08	93.07	3.99	74.00	-19.07	200	80	Vertical	No limit

Lowest Channel

Frequency 2402MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Remark
1	2310.0000	35.86	39.34	3.48	54.00	14.66	100	193	Horizontal	/
2	2349.9840	38.99	42.12	3.13	54.00	11.88	100	276	Horizontal	/
3	2390.0000	36.26	40.07	3.81	54.00	13.93	100	309	Horizontal	/
4	2402.0880	98.03	102.02	3.99	54.00	-48.02	100	264	Horizontal	No limit
1	2310.0000	35.79	39.27	3.48	54.00	14.73	200	127	Vertical	/
2	2375.5680	37.39	40.95	3.56	54.00	13.05	200	302	Vertical	/
3	2390.0000	36.16	39.97	3.81	54.00	14.03	200	210	Vertical	/
4	2401.9200	88.64	92.63	3.99	54.00	-38.63	200	360	Vertical	No limit

Highest Channel

Frequency 2480MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Remark
1	2480.0975	98.33	102.65	4.32	74.00	-28.65	100	61	Horizontal	No limit
2	2483.5000	47.51	51.84	4.33	74.00	22.16	200	357	Horizontal	/
3	2491.1825	48.76	53.11	4.35	74.00	20.89	100	47	Horizontal	/
4	2500.0000	47.41	51.79	4.38	74.00	22.21	100	68	Horizontal	/
1	2480.0775	87.62	91.94	4.32	74.00	-17.94	100	300	Vertical	No limit
2	2483.5000	46.15	50.48	4.33	74.00	23.52	100	279	Vertical	/
3	2491.1100	48.07	52.42	4.35	74.00	21.58	100	169	Vertical	/
4	2500.0000	47.99	52.37	4.38	74.00	21.63	100	306	Vertical	/

Highest Channel

Frequency 2480MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Remark
1	2479.9875	98.12	102.44	4.32	54.00	-48.44	100	55	Horizontal	No limit
2	2483.5000	36.96	41.29	4.33	54.00	12.71	100	95	Horizontal	/
3	2492.5850	37.42	41.78	4.36	54.00	12.22	200	142	Horizontal	/
4	2500.0000	36.17	40.55	4.38	54.00	13.45	100	14	Horizontal	/
1	2479.9625	87.47	91.79	4.32	54.00	-37.79	100	300	Vertical	No limit
2	2483.5000	36.12	40.45	4.33	54.00	13.55	200	177	Vertical	/
3	2491.7450	37.37	41.73	4.36	54.00	12.27	200	218	Vertical	/
4	2500.0000	35.52	39.90	4.38	54.00	14.10	100	150	Vertical	/

Remark:

- 1) Max field strength in 3m distance. No any other emission which falls in restricted bands can be detected and be reported.
- 2) As the Transmit Power of GFSK and 8DPSK is larger than $\pi/4$ -DQPSK, Therefore, restricted bands of operation recorded the worst case results in this report.

APPENDIX A. PHOTOGRAPH OF THE TEST CONNECTION DIAGRAM

Please refer to the attached document E20220126055701-10-Test photo.

APPENDIX B. PHOTOGRAPH OF THE EUT

Please refer to the attached document E20220126055701-8-EUT photo.

----- End of Report -----