


5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1482G	62.85	74.00	-11.15	55.95	3	Horizontal	293.2	1.79	-	32.80	6.64	32.54				
AV	5.0984G	46.74	54.00	-7.26	39.95	3	Horizontal	293.2	1.79	-	32.70	6.65	32.56				
PK	5.2062G	102.93	Inf	-Inf	95.93	3	Horizontal	293.2	1.79	-	32.90	6.63	32.53				
AV	5.2076G	90.02	Inf	-Inf	83.02	3	Horizontal	293.2	1.79	-	32.90	6.63	32.53				

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3794G	59.63	68.20	-8.57	42.70	3	Vertical	261	1.65	-	38.74	10.71	32.52			
PK	15.57086G	64.14	74.00	-9.86	44.74	3	Vertical	224	1.13	-	38.52	13.61	32.73			
AV	15.56965G	50.13	54.00	-3.87	30.73	3	Vertical	224	1.13	-	38.52	13.61	32.73			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37967G	59.28	68.20	-8.92	42.35	3	Horizontal	34	1.11	-	38.74	10.71	32.52			
PK	15.57098G	63.68	74.00	-10.32	44.28	3	Horizontal	122	1.76	-	38.52	13.61	32.73			
AV	15.57007G	50.15	54.00	-3.85	30.75	3	Horizontal	122	1.76	-	38.52	13.61	32.73			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1451G	64.11	74.00	-9.89	57.23	3	Vertical	203	3.00	-	32.79	6.64	32.55			
AV	5.1493G	47.96	54.00	-6.04	41.06	3	Vertical	203	3.00	-	32.80	6.64	32.54			
PK	5.2258G	115.12	Inf	-Inf	108.11	3	Vertical	203	3.00	-	32.90	6.64	32.53			
AV	5.2252G	101.95	Inf	-Inf	94.94	3	Vertical	203	3.00	-	32.90	6.64	32.53			
PK	5.3545G	60.30	74.00	-13.70	52.96	3	Vertical	203	3.00	-	33.12	6.71	32.49			
AV	5.3599G	46.73	54.00	-7.27	39.37	3	Vertical	203	3.00	-	33.14	6.71	32.49			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1421G	59.76	74.00	-14.24	52.89	3	Horizontal	294	1.50	-	32.78	6.64	32.55			
AV	5.104G	46.74	54.00	-7.26	39.94	3	Horizontal	294	1.50	-	32.71	6.65	32.56			
PK	5.2441G	106.92	Inf	-Inf	99.89	3	Horizontal	294	1.50	-	32.90	6.65	32.52			
AV	5.2459G	93.28	Inf	-Inf	86.25	3	Horizontal	294	1.50	-	32.90	6.65	32.52			
PK	5.3581G	59.92	74.00	-14.08	52.57	3	Horizontal	294	1.50	-	33.13	6.71	32.49			
AV	5.3773G	46.50	54.00	-7.50	39.06	3	Horizontal	294	1.50	-	33.21	6.72	32.49			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46009G	59.02	68.20	-9.18	41.84	3	Vertical	143	2.27	-	38.84	10.79	32.45			
PK	15.68927G	64.31	74.00	-9.69	45.26	3	Vertical	19	2.03	-	38.18	13.62	32.75			
AV	15.6895G	50.93	54.00	-3.07	31.88	3	Vertical	19	2.03	-	38.18	13.62	32.75			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45958G	59.27	68.20	-8.93	42.09	3	Horizontal	190	1.51	-	38.84	10.79	32.45			
PK	15.68937G	64.55	74.00	-9.45	45.50	3	Horizontal	355	1.16	-	38.18	13.62	32.75			
AV	15.6895G	50.96	54.00	-3.04	31.91	3	Horizontal	355	1.16	-	38.18	13.62	32.75			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.129G	60.44	74.00	-13.56	53.59	3	Vertical	206	2.81	-	32.76	6.64	32.55			
AV	5.1479G	47.39	54.00	-6.61	40.49	3	Vertical	206	2.81	-	32.80	6.64	32.54			
PK	5.264G	115.87	Inf	-Inf	108.80	3	Vertical	206	2.81	-	32.93	6.66	32.52			
AV	5.2664G	102.53	Inf	-Inf	95.46	3	Vertical	206	2.81	-	32.93	6.66	32.52			
PK	5.351G	68.73	74.00	-5.27	61.42	3	Vertical	206	2.81	-	33.10	6.71	32.50			
AV	5.3513G	47.68	54.00	-6.32	40.36	3	Vertical	206	2.81	-	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	59.63	74.00	-14.37	52.76	3	Horizontal	250.8	1.64	-	32.78	6.64	32.55			
AV	5.1263G	46.58	54.00	-7.42	39.74	3	Horizontal	250.8	1.64	-	32.75	6.64	32.55			
PK	5.2646G	107.33	Inf	-Inf	100.26	3	Horizontal	250.8	1.64	-	32.93	6.66	32.52			
AV	5.2709G	94.03	Inf	-Inf	86.93	3	Horizontal	250.8	1.64	-	32.94	6.67	32.51			
PK	5.3537G	60.16	74.00	-13.84	52.84	3	Horizontal	250.8	1.64	-	33.11	6.71	32.50			
AV	5.4191G	47.02	54.00	-6.98	39.35	3	Horizontal	250.8	1.64	-	33.38	6.77	32.48			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54031G	59.68	68.20	-8.52	42.14	3	Vertical	321	1.76	-	39.08	10.87	32.41			
PK	15.80999G	63.42	74.00	-10.58	44.16	3	Vertical	163	2.48	-	38.40	13.63	32.77			
AV	15.81054G	49.67	54.00	-4.33	30.41	3	Vertical	163	2.48	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53968G	59.31	68.20	-8.89	41.77	3	Horizontal	64	2.52	-	39.08	10.87	32.41			
PK	15.81083G	63.13	74.00	-10.87	43.87	3	Horizontal	53	2.79	-	38.40	13.63	32.77			
AV	15.81035G	49.70	54.00	-4.30	30.44	3	Horizontal	53	2.79	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2948G	112.42	Inf	-Inf	105.26	3	Vertical	164	1.80	-	32.99	6.68	32.51			
AV	5.2922G	98.74	Inf	-Inf	91.59	3	Vertical	164	1.80	-	32.98	6.68	32.51			
PK	5.3516G	71.44	74.00	-2.56	64.12	3	Vertical	164	1.80	-	33.11	6.71	32.50			
AV	5.3516G	48.42	54.00	-5.58	41.10	3	Vertical	164	1.80	-	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3088G	104.35	Inf	-Inf	97.16	3	Horizontal	250.5	1.80	-	33.02	6.68	32.51			
AV	5.2998G	90.67	Inf	-Inf	83.50	3	Horizontal	250.5	1.80	-	33.00	6.68	32.51			
PK	5.3538G	62.14	74.00	-11.86	54.81	3	Horizontal	250.5	1.80	-	33.12	6.71	32.50			
AV	5.4068G	46.86	54.00	-7.14	39.27	3	Horizontal	250.5	1.80	-	33.33	6.74	32.48			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61973G	60.02	74.00	-13.98	42.34	3	Vertical	335	1.88	-	39.14	10.95	32.41			
AV	10.61913G	46.06	54.00	-7.94	28.38	3	Vertical	335	1.88	-	39.14	10.95	32.41			
PK	15.9305G	62.87	74.00	-11.13	43.48	3	Vertical	63	1.12	-	38.54	13.64	32.79			
AV	15.92934G	49.65	54.00	-4.35	30.26	3	Vertical	63	1.12	-	38.54	13.64	32.79			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61906G	60.15	74.00	-13.85	42.47	3	Horizontal	254	2.10	-	39.14	10.95	32.41			
AV	10.6208G	46.01	54.00	-7.99	28.33	3	Horizontal	254	2.10	-	39.14	10.95	32.41			
PK	15.92904G	63.39	74.00	-10.61	44.00	3	Horizontal	348	2.12	-	38.54	13.64	32.79			
AV	15.93073G	49.60	54.00	-4.40	30.21	3	Horizontal	348	2.12	-	38.54	13.64	32.79			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4542G	64.97	74.00	-9.03	57.08	3	Vertical	195	2.87	-	33.53	6.83	32.47			
AV	5.459G	48.73	54.00	-5.27	40.81	3	Vertical	195	2.87	-	33.55	6.84	32.47			
PK	5.469G	67.71	68.20	-0.49	59.71	3	Vertical	195	2.87	-	33.61	6.86	32.47			
PK	5.4984G	113.71	Inf	-Inf	105.47	3	Vertical	195	2.87	-	33.79	6.91	32.46			
AV	5.5216G	100.19	Inf	-Inf	91.86	3	Vertical	195	2.87	-	33.84	6.95	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4204G	60.25	74.00	-13.75	52.58	3	Horizontal	302.7	1.80	-	33.38	6.77	32.48			
PK	5.4662G	64.41	68.20	-3.79	56.43	3	Horizontal	302.7	1.80	-	33.60	6.85	32.47			
AV	5.456G	47.58	54.00	-6.42	39.68	3	Horizontal	302.7	1.80	-	33.54	6.83	32.47			
PK	5.5124G	106.44	Inf	-Inf	98.14	3	Horizontal	302.7	1.80	-	33.82	6.94	32.46			
AV	5.5126G	93.66	Inf	-Inf	85.35	3	Horizontal	302.7	1.80	-	33.83	6.94	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02086G	60.16	74.00	-13.84	42.18	3	Vertical	81	1.98	-	39.06	11.36	32.44			
AV	11.02049G	45.67	54.00	-8.33	27.69	3	Vertical	81	1.98	-	39.06	11.36	32.44			
PK	16.5303G	65.86	68.20	-2.34	44.90	3	Vertical	44	2.33	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01924G	60.16	74.00	-13.84	42.18	3	Horizontal	56	1.20	-	39.06	11.36	32.44			
AV	11.01978G	45.74	54.00	-8.26	27.76	3	Horizontal	56	1.20	-	39.06	11.36	32.44			
PK	16.52948G	65.46	68.20	-2.74	44.50	3	Horizontal	50	2.18	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4528G	63.25	74.00	-10.75	55.37	3	Vertical	158	2.15	-	33.52	6.83	32.47			
AV	5.4464G	48.39	54.00	-5.61	40.55	3	Vertical	158	2.15	-	33.49	6.82	32.47			
PK	5.4692G	62.62	68.20	-5.58	54.61	3	Vertical	158	2.15	-	33.62	6.86	32.47			
PK	5.5372G	115.78	Inf	-Inf	107.39	3	Vertical	158	2.15	-	33.87	6.98	32.46			
AV	5.5364G	102.80	Inf	-Inf	94.41	3	Vertical	158	2.15	-	33.87	6.98	32.46			
PK	5.742G	62.03	68.20	-6.17	53.10	3	Vertical	158	2.15	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	60.44	74.00	-13.56	52.57	3	Horizontal	255.8	2.17	-	33.51	6.83	32.47			
AV	5.46G	47.63	54.00	-6.37	39.70	3	Horizontal	255.8	2.17	-	33.56	6.84	32.47			
PK	5.4688G	60.92	68.20	-7.28	52.92	3	Horizontal	255.8	2.17	-	33.61	6.86	32.47			
PK	5.534G	109.94	Inf	-Inf	101.55	3	Horizontal	255.8	2.17	-	33.87	6.98	32.46			
AV	5.5336G	97.23	Inf	-Inf	88.84	3	Horizontal	255.8	2.17	-	33.87	6.98	32.46			
PK	5.746G	61.41	68.20	-6.79	52.48	3	Horizontal	255.8	2.17	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09911G	60.61	74.00	-13.39	42.63	3	Vertical	326	1.27	-	39.00	11.44	32.46			
AV	11.10026G	46.21	54.00	-7.79	28.23	3	Vertical	326	1.27	-	39.00	11.44	32.46			
PK	16.6508G	64.77	68.20	-3.43	43.48	3	Vertical	144	2.89	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09997G	60.87	74.00	-13.13	42.89	3	Horizontal	144	1.08	-	39.00	11.44	32.46			
AV	11.10019G	46.16	54.00	-7.84	28.18	3	Horizontal	144	1.08	-	39.00	11.44	32.46			
PK	16.64919G	65.76	68.20	-2.44	44.47	3	Horizontal	248	2.26	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 18
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6784G	113.34	Inf	-Inf	104.53	3	Vertical	194	2.76	-	34.06	7.20	32.45			
AV	5.688G	101.14	Inf	-Inf	92.30	3	Vertical	194	2.76	-	34.08	7.21	32.45			
PK	5.7264G	67.94	68.20	-0.26	59.03	3	Vertical	194	2.76	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 18
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6592G	106.24	Inf	-Inf	97.50	3	Horizontal	248	1.79	-	34.02	7.17	32.45			
AV	5.6589G	93.45	Inf	-Inf	84.71	3	Horizontal	248	1.79	-	34.02	7.17	32.45			
PK	5.7561G	61.88	68.20	-6.32	52.92	3	Horizontal	248	1.79	-	34.11	7.30	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 18
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33926G	60.73	74.00	-13.27	42.49	3	Vertical	43	1.72	-	39.08	11.69	32.53			
AV	11.33922G	46.27	54.00	-7.73	28.03	3	Vertical	43	1.72	-	39.08	11.69	32.53			
PK	17.00905G	65.73	68.20	-2.47	43.21	3	Vertical	95	2.05	-	40.65	13.94	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 18
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34011G	60.36	74.00	-13.64	42.12	3	Horizontal	324	2.74	-	39.08	11.69	32.53			
AV	11.33918G	46.42	54.00	-7.58	28.18	3	Horizontal	324	2.74	-	39.08	11.69	32.53			
PK	17.00988G	66.35	68.20	-1.85	43.82	3	Horizontal	7	1.87	-	40.66	13.94	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.416G	61.06	74.00	-12.94	53.42	3	Vertical	150	1.80	-	33.36	6.76	32.48			
AV	5.4195G	47.97	54.00	-6.03	40.30	3	Vertical	150	1.80	-	33.38	6.77	32.48			
PK	5.4615G	60.68	68.20	-7.52	52.74	3	Vertical	150	1.80	-	33.57	6.84	32.47			
PK	5.7037G	115.06	Inf	-Inf	106.18	3	Vertical	150	1.80	-	34.10	7.23	32.45			
AV	5.7002G	101.96	Inf	-Inf	93.08	3	Vertical	150	1.80	-	34.10	7.23	32.45			
PK	5.9333G	63.25	68.20	-4.95	53.24	3	Vertical	150	1.80	-	35.00	7.45	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	59.98	74.00	-14.02	52.06	3	Horizontal	252	1.80	-	33.55	6.84	32.47
AV	5.4545G	47.52	54.00	-6.48	39.63	3	Horizontal	252	1.80	-	33.53	6.83	32.47
PK	5.4636G	60.23	68.20	-7.97	52.27	3	Horizontal	252	1.80	-	33.58	6.85	32.47
PK	5.7009G	108.22	Inf	-Inf	99.34	3	Horizontal	252	1.80	-	34.10	7.23	32.45
AV	5.6995G	94.92	Inf	-Inf	86.05	3	Horizontal	252	1.80	-	34.10	7.22	32.45
PK	5.9165G	63.37	68.20	-4.83	53.47	3	Horizontal	252	1.80	-	34.90	7.44	32.44

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42032G	60.78	74.00	-13.22	42.51	3	Vertical	191	2.26	-	39.06	11.77	32.56			
AV	11.42004G	47.05	54.00	-6.95	28.78	3	Vertical	191	2.26	-	39.06	11.77	32.56			
PK	17.12912G	66.60	68.20	-1.60	43.46	3	Vertical	271	1.86	-	41.16	13.98	32.00			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41993G	60.79	74.00	-13.21	42.52	3	Horizontal	88	1.41	-	39.06	11.77	32.56			
AV	11.42003G	46.83	54.00	-7.17	28.56	3	Horizontal	88	1.41	-	39.06	11.77	32.56			
PK	17.13021G	67.29	68.20	-0.91	44.15	3	Horizontal	285	2.55	-	41.16	13.98	32.00			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.641G	65.79	68.20	-2.41	57.11	3	Vertical	150	1.80	-	33.98	7.15	32.45			
PK	5.757G	114.48	Inf	-Inf	105.52	3	Vertical	150	1.80	-	34.11	7.30	32.45			
AV	5.7615G	101.60	Inf	-Inf	92.63	3	Vertical	150	1.80	-	34.12	7.30	32.45			
PK	5.9565G	62.68	68.20	-5.52	52.52	3	Vertical	150	1.80	-	35.13	7.47	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	62.16	68.20	-6.04	53.46	3	Horizontal	260.9	1.38	-	33.99	7.16	32.45			
PK	5.75G	106.07	Inf	-Inf	97.13	3	Horizontal	260.9	1.38	-	34.10	7.29	32.45			
AV	5.742G	93.37	Inf	-Inf	84.44	3	Horizontal	260.9	1.38	-	34.10	7.28	32.45			
PK	5.9485G	62.78	68.20	-5.42	52.67	3	Horizontal	260.9	1.38	-	35.09	7.46	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50911G	60.94	74.00	-13.06	42.74	3	Vertical	258	2.80	-	38.92	11.86	32.58			
AV	11.509G	46.76	54.00	-7.24	28.56	3	Vertical	258	2.80	-	38.92	11.86	32.58			
PK	17.26468G	67.70	68.20	-0.50	44.03	3	Vertical	202	2.51	-	41.56	14.02	31.91			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51001G	60.84	74.00	-13.16	42.64	3	Horizontal	190	2.08	-	38.92	11.86	32.58			
AV	11.50945G	46.78	54.00	-7.22	28.58	3	Horizontal	190	2.08	-	38.92	11.86	32.58			
PK	17.26509G	67.08	68.20	-1.12	43.41	3	Horizontal	143	2.78	-	41.56	14.02	31.91			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6235G	62.78	68.20	-5.42	54.16	3	Vertical	167	1.80	-	33.95	7.13	32.46
PK	5.811G	115.01	Inf	-Inf	105.83	3	Vertical	167	1.80	-	34.27	7.36	32.45
AV	5.8025G	101.24	Inf	-Inf	92.12	3	Vertical	167	1.80	-	34.22	7.35	32.45
PK	5.9785G	63.52	68.20	-4.68	53.27	3	Vertical	167	1.80	-	35.21	7.48	32.44

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.581G	62.11	68.20	-6.09	53.61	3	Horizontal	222	1.78	-	33.90	7.06	32.46			
PK	5.777G	108.05	Inf	-Inf	99.03	3	Horizontal	222	1.78	-	34.15	7.32	32.45			
AV	5.7815G	93.84	Inf	-Inf	84.80	3	Horizontal	222	1.78	-	34.16	7.33	32.45			
PK	6.04G	62.69	68.20	-5.51	52.23	3	Horizontal	222	1.78	-	35.38	7.52	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59065G	60.40	74.00	-13.60	42.16	3	Vertical	359	1.08	-	38.92	11.94	32.62			
AV	11.58978G	46.53	54.00	-7.47	28.29	3	Vertical	359	1.08	-	38.92	11.94	32.62			
PK	17.38579G	67.58	68.20	-0.62	43.42	3	Vertical	42	1.53	-	41.94	14.05	31.83			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58978G	60.46	74.00	-13.54	42.22	3	Horizontal	31	1.09	-	38.92	11.94	32.62			
AV	11.58901G	46.54	54.00	-7.46	28.30	3	Horizontal	31	1.09	-	38.92	11.94	32.62			
PK	17.38423G	67.29	68.20	-0.91	43.13	3	Horizontal	318	1.25	-	41.94	14.05	31.83			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1435G	72.87	74.00	-1.13	65.99	3	Vertical	197	2.99	-	32.79	6.64	32.55			
AV	5.15G	52.65	54.00	-1.35	45.75	3	Vertical	197	2.99	-	32.80	6.64	32.54			
PK	5.182G	114.65	Inf	-Inf	107.70	3	Vertical	197	2.99	-	32.86	6.63	32.54			
AV	5.2265G	98.98	Inf	-Inf	91.97	3	Vertical	197	2.99	-	32.90	6.64	32.53			
PK	5.45G	62.15	74.00	-11.85	54.30	3	Vertical	197	2.99	-	33.50	6.82	32.47			
AV	5.4585G	48.00	54.00	-6.00	40.08	3	Vertical	197	2.99	-	33.55	6.84	32.47			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	64.76	74.00	-9.24	57.89	3	Horizontal	295	1.75	-	32.78	6.64	32.55			
AV	5.149G	47.65	54.00	-6.35	40.75	3	Horizontal	295	1.75	-	32.80	6.64	32.54			
PK	5.245G	101.14	Inf	-Inf	94.11	3	Horizontal	295	1.75	-	32.90	6.65	32.52			
AV	5.2115G	88.09	Inf	-Inf	81.08	3	Horizontal	295	1.75	-	32.90	6.64	32.53			
PK	5.435G	60.26	74.00	-13.74	52.51	3	Horizontal	295	1.75	-	33.44	6.79	32.48			
AV	5.46G	47.39	54.00	-6.61	39.46	3	Horizontal	295	1.75	-	33.56	6.84	32.47			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41951G	59.04	68.20	-9.16	42.03	3	Vertical	20	1.30	-	38.74	10.75	32.48			
PK	15.62915G	63.94	74.00	-10.06	44.84	3	Vertical	41	2.08	-	38.23	13.61	32.74			
AV	15.62986G	50.47	54.00	-3.53	31.38	3	Vertical	41	2.08	-	38.22	13.61	32.74			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42034G	58.87	68.20	-9.33	41.86	3	Horizontal	35	1.11	-	38.74	10.75	32.48			
PK	15.6299G	63.91	74.00	-10.09	44.82	3	Horizontal	265	1.98	-	38.22	13.61	32.74			
AV	15.63036G	50.55	54.00	-3.45	31.46	3	Horizontal	265	1.98	-	38.22	13.61	32.74			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0805G	60.23	74.00	-13.77	53.40	3	Vertical	193	2.94	-	32.74	6.65	32.56			
AV	5.1475G	47.62	54.00	-6.38	40.73	3	Vertical	193	2.94	-	32.79	6.64	32.54			
PK	5.268G	111.92	Inf	-Inf	104.84	3	Vertical	193	2.94	-	32.94	6.66	32.52			
AV	5.2685G	98.24	Inf	-Inf	91.16	3	Vertical	193	2.94	-	32.94	6.66	32.52			
PK	5.373G	73.49	74.00	-0.51	66.07	3	Vertical	193	2.94	-	33.19	6.72	32.49			
AV	5.353G	50.50	54.00	-3.50	43.18	3	Vertical	193	2.94	-	33.11	6.71	32.50			
PK	5.5145G	62.01	68.20	-6.19	53.70	3	Vertical	193	2.94	-	33.83	6.94	32.46			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
Setting 19
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1015G	59.55	74.00	-14.45	52.76	3	Horizontal	253	1.39	-	32.70	6.65	32.56
AV	5.0725G	46.77	54.00	-7.23	39.91	3	Horizontal	253	1.39	-	32.76	6.66	32.56
PK	5.263G	102.17	Inf	-Inf	95.10	3	Horizontal	253	1.39	-	32.93	6.66	32.52
AV	5.261G	89.65	Inf	-Inf	82.59	3	Horizontal	253	1.39	-	32.92	6.66	32.52
PK	5.3515G	61.26	74.00	-12.74	53.94	3	Horizontal	253	1.39	-	33.11	6.71	32.50
PK	5.4975G	61.25	68.20	-6.95	53.02	3	Horizontal	253	1.39	-	33.78	6.91	32.46
AV	5.4575G	47.47	54.00	-6.53	39.55	3	Horizontal	253	1.39	-	33.55	6.84	32.47

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57973G	59.87	68.20	-8.33	42.27	3	Vertical	325	1.80	-	39.10	10.91	32.41			
PK	15.87002G	62.68	74.00	-11.32	43.34	3	Vertical	128	1.11	-	38.48	13.64	32.78			
AV	15.86927G	49.37	54.00	-4.63	30.03	3	Vertical	128	1.11	-	38.48	13.64	32.78			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57906G	60.18	68.20	-8.02	42.58	3	Horizontal	9	1.78	-	39.10	10.91	32.41			
PK	15.86955G	62.94	74.00	-11.06	43.60	3	Horizontal	43	2.99	-	38.48	13.64	32.78			
AV	15.86923G	49.43	54.00	-4.57	30.09	3	Horizontal	43	2.99	-	38.48	13.64	32.78			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.296G	59.48	68.20	-8.72	52.32	3	Vertical	190	2.98	-	32.99	6.68	32.51			
PK	5.4585G	66.38	74.00	-7.62	58.46	3	Vertical	190	2.98	-	33.55	6.84	32.47			
AV	5.4595G	49.92	54.00	-4.08	41.99	3	Vertical	190	2.98	-	33.56	6.84	32.47			
PK	5.4645G	67.22	68.20	-0.98	59.25	3	Vertical	190	2.98	-	33.59	6.85	32.47			
PK	5.5025G	111.06	Inf	-Inf	102.80	3	Vertical	190	2.98	-	33.80	6.92	32.46			
AV	5.53G	98.93	Inf	-Inf	90.56	3	Vertical	190	2.98	-	33.86	6.97	32.46			
PK	5.7415G	61.88	68.20	-6.32	52.95	3	Vertical	190	2.98	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2865G	59.64	68.20	-8.56	52.51	3	Horizontal	304	1.80	-	32.97	6.67	32.51			
PK	5.4415G	61.92	74.00	-12.08	54.11	3	Horizontal	304	1.80	-	33.47	6.81	32.47			
PK	5.47G	61.63	68.20	-6.57	53.62	3	Horizontal	304	1.80	-	33.62	6.86	32.47			
AV	5.4585G	47.79	54.00	-6.21	39.87	3	Horizontal	304	1.80	-	33.55	6.84	32.47			
PK	5.5135G	105.39	Inf	-Inf	97.08	3	Horizontal	304	1.80	-	33.83	6.94	32.46			
AV	5.5125G	92.20	Inf	-Inf	83.90	3	Horizontal	304	1.80	-	33.82	6.94	32.46			
PK	5.7485G	62.36	68.20	-5.84	53.42	3	Horizontal	304	1.80	-	34.10	7.29	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06082G	59.68	74.00	-14.32	41.73	3	Vertical	43	2.95	-	39.00	11.40	32.45			
AV	11.05908G	45.88	54.00	-8.12	27.93	3	Vertical	43	2.95	-	39.00	11.40	32.45			
PK	16.58916G	65.68	68.20	-2.52	44.65	3	Vertical	229	2.78	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05967G	60.09	74.00	-13.91	42.14	3	Horizontal	38	1.60	-	39.00	11.40	32.45			
AV	11.06085G	45.87	54.00	-8.13	27.92	3	Horizontal	38	1.60	-	39.00	11.40	32.45			
PK	16.59071G	65.44	68.20	-2.76	44.41	3	Horizontal	102	1.86	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 20
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	65.58	74.00	-8.42	57.71	3	Vertical	182	2.98	-	33.51	6.83	32.47			
AV	5.46G	48.74	54.00	-5.26	40.81	3	Vertical	182	2.98	-	33.56	6.84	32.47			
PK	5.4695G	65.72	68.20	-2.48	57.71	3	Vertical	182	2.98	-	33.62	6.86	32.47			
PK	5.5855G	113.86	Inf	-Inf	105.35	3	Vertical	182	2.98	-	33.90	7.07	32.46			
AV	5.573G	99.50	Inf	-Inf	91.01	3	Vertical	182	2.98	-	33.90	7.05	32.46			
PK	5.7255G	67.48	68.20	-0.72	58.57	3	Vertical	182	2.98	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 20
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.448G	61.33	74.00	-12.67	53.49	3	Horizontal	298.5	1.75	-	33.49	6.82	32.47			
PK	5.4635G	59.95	68.20	-8.25	51.99	3	Horizontal	298.5	1.75	-	33.58	6.85	32.47			
AV	5.4585G	47.58	54.00	-6.42	39.66	3	Horizontal	298.5	1.75	-	33.55	6.84	32.47			
PK	5.603G	106.48	Inf	-Inf	97.93	3	Horizontal	298.5	1.75	-	33.91	7.10	32.46			
AV	5.6045G	93.40	Inf	-Inf	84.84	3	Horizontal	298.5	1.75	-	33.91	7.11	32.46			
PK	5.789G	62.57	68.20	-5.63	53.50	3	Horizontal	298.5	1.75	-	34.18	7.34	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21907G	59.36	74.00	-14.64	41.46	3	Vertical	102	2.92	-	38.84	11.56	32.50			
AV	11.22084G	45.68	54.00	-8.32	27.77	3	Vertical	102	2.92	-	38.84	11.57	32.50			
PK	16.82919G	65.32	68.20	-2.88	43.32	3	Vertical	115	1.26	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22043G	60.23	74.00	-13.77	42.33	3	Horizontal	253	2.91	-	38.84	11.56	32.50			
AV	11.2193G	45.62	54.00	-8.38	27.72	3	Horizontal	253	2.91	-	38.84	11.56	32.50			
PK	16.83089G	65.37	68.20	-2.83	43.37	3	Horizontal	330	2.00	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4506G	61.93	74.00	-12.07	54.08	3	Vertical	186	3.00	-	33.50	6.82	32.47
PK	5.4608G	61.04	68.20	-7.16	53.11	3	Vertical	186	3.00	-	33.56	6.84	32.47
AV	5.4596G	48.44	54.00	-5.56	40.51	3	Vertical	186	3.00	-	33.56	6.84	32.47
PK	5.675G	112.36	Inf	-Inf	103.57	3	Vertical	186	3.00	-	34.05	7.19	32.45
AV	5.7146G	99.01	Inf	-Inf	90.12	3	Vertical	186	3.00	-	34.10	7.24	32.45
PK	5.855G	63.17	68.20	-5.03	53.70	3	Vertical	186	3.00	-	34.53	7.39	32.45

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.423G	60.91	74.00	-13.09	53.23	3	Horizontal	250.4	1.80	-	33.39	6.77	32.48			
PK	5.4608G	59.82	68.20	-8.38	51.89	3	Horizontal	250.4	1.80	-	33.56	6.84	32.47			
AV	5.4548G	47.47	54.00	-6.53	39.58	3	Horizontal	250.4	1.80	-	33.53	6.83	32.47			
PK	5.702G	104.85	Inf	-Inf	95.97	3	Horizontal	250.4	1.80	-	34.10	7.23	32.45			
AV	5.6996G	92.48	Inf	-Inf	83.61	3	Horizontal	250.4	1.80	-	34.10	7.22	32.45			
PK	5.9588G	62.31	68.20	-5.89	52.14	3	Horizontal	250.4	1.80	-	35.14	7.47	32.44			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38076G	60.82	74.00	-13.18	42.53	3	Vertical	291	2.29	-	39.10	11.73	32.54			
AV	11.37966G	46.63	54.00	-7.37	28.34	3	Vertical	291	2.29	-	39.10	11.73	32.54			
PK	17.07078G	66.41	68.20	-1.79	43.50	3	Vertical	252	2.43	-	40.98	13.96	32.03			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3805G	60.76	74.00	-13.24	42.47	3	Horizontal	157	2.82	-	39.10	11.73	32.54			
AV	11.3808G	46.58	54.00	-7.42	28.29	3	Horizontal	157	2.82	-	39.10	11.73	32.54			
PK	17.06975G	66.45	68.20	-1.75	43.55	3	Horizontal	144	2.99	-	40.98	13.96	32.04			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 20
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	66.15	68.20	-2.05	57.45	3	Vertical	173.2	1.80	-	33.99	7.16	32.45			
PK	5.7495G	113.77	Inf	-Inf	104.83	3	Vertical	173.2	1.80	-	34.10	7.29	32.45			
AV	5.758G	98.74	Inf	-Inf	89.77	3	Vertical	173.2	1.80	-	34.12	7.30	32.45			
PK	5.9905G	62.59	68.20	-5.61	52.28	3	Vertical	173.2	1.80	-	35.26	7.49	32.44			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 20
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5935G	61.43	68.20	-6.77	52.90	3	Horizontal	252.4	1.33	-	33.90	7.09	32.46			
PK	5.7415G	104.87	Inf	-Inf	95.94	3	Horizontal	252.4	1.33	-	34.10	7.28	32.45			
AV	5.7655G	90.71	Inf	-Inf	81.72	3	Horizontal	252.4	1.33	-	34.13	7.31	32.45			
PK	5.9415G	63.35	68.20	-4.85	53.28	3	Horizontal	252.4	1.33	-	35.05	7.46	32.44			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5498G	60.69	74.00	-13.31	42.39	3	Vertical	178	1.88	-	39.00	11.90	32.60			
AV	11.54953G	46.61	54.00	-7.39	28.31	3	Vertical	178	1.88	-	39.00	11.90	32.60			
PK	17.32501G	68.17	68.20	-0.03	44.26	3	Vertical	274	2.02	-	41.75	14.03	31.87			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54906G	60.77	74.00	-13.23	42.47	3	Horizontal	162	2.53	-	39.00	11.90	32.60			
AV	11.54904G	46.54	54.00	-7.46	28.24	3	Horizontal	162	2.53	-	39.00	11.90	32.60			
PK	17.32517G	68.16	68.20	-0.04	44.25	3	Horizontal	208	1.00	-	41.75	14.03	31.87			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 21
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1462G	70.34	74.00	-3.66	63.45	3	Vertical	170.1	1.80	-	32.79	6.64	32.54			
AV	5.1396G	52.60	54.00	-1.40	45.73	3	Vertical	170.1	1.80	-	32.78	6.64	32.55			
PK	5.1726G	113.42	Inf	-Inf	106.47	3	Vertical	170.1	1.80	-	32.85	6.64	32.54			
AV	5.175G	95.91	Inf	-Inf	88.97	3	Vertical	170.1	1.80	-	32.85	6.63	32.54			
PK	5.3994G	71.91	74.00	-2.09	64.36	3	Vertical	170.1	1.80	-	33.30	6.73	32.48			
AV	5.3814G	51.60	54.00	-2.40	44.14	3	Vertical	170.1	1.80	-	33.23	6.72	32.49			
PK	5.4924G	65.86	68.20	-2.34	57.67	3	Vertical	170.1	1.80	-	33.75	6.90	32.46			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 21
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1348G	60.48	74.00	-13.52	53.62	3	Horizontal	252	1.80	-	32.77	6.64	32.55			
AV	5.1438G	47.32	54.00	-6.68	40.44	3	Horizontal	252	1.80	-	32.79	6.64	32.55			
PK	5.3034G	101.03	Inf	-Inf	93.85	3	Horizontal	252	1.80	-	33.01	6.68	32.51			
AV	5.3016G	88.39	Inf	-Inf	81.22	3	Horizontal	252	1.80	-	33.00	6.68	32.51			
PK	5.424G	61.70	74.00	-12.30	54.01	3	Horizontal	252	1.80	-	33.40	6.77	32.48			
AV	5.4306G	48.15	54.00	-5.85	40.42	3	Horizontal	252	1.80	-	33.42	6.79	32.48			
PK	5.5134G	61.66	68.20	-6.54	53.35	3	Horizontal	252	1.80	-	33.83	6.94	32.46			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 21
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50394G	58.68	68.20	-9.52	41.25	3	Vertical	249	2.45	-	39.01	10.83	32.41			
PK	15.75146G	64.84	74.00	-9.16	45.57	3	Vertical	218	1.80	-	38.40	13.63	32.76			
AV	15.74G	50.82	54.00	-3.18	31.60	3	Vertical	218	1.80	-	38.36	13.62	32.76			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 21
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50968G	58.46	68.20	-9.74	41.01	3	Horizontal	200	1.60	-	39.02	10.84	32.41			
PK	15.74338G	64.42	74.00	-9.58	45.19	3	Horizontal	359	1.80	-	38.37	13.62	32.76			
AV	15.74004G	50.81	54.00	-3.19	31.59	3	Horizontal	359	1.80	-	38.36	13.62	32.76			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 20
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3138G	61.28	68.20	-6.92	54.06	3	Vertical	150.1	2.07	-	33.03	6.69	32.50			
PK	5.453G	69.45	74.00	-4.55	61.57	3	Vertical	150.1	2.07	-	33.52	6.83	32.47			
PK	5.462G	67.18	68.20	-1.02	59.24	3	Vertical	150.1	2.07	-	33.57	6.84	32.47			
AV	5.46G	51.89	54.00	-2.11	43.96	3	Vertical	150.1	2.07	-	33.56	6.84	32.47			
PK	5.5496G	108.65	Inf	-Inf	100.20	3	Vertical	150.1	2.07	-	33.90	7.01	32.46			
AV	5.5406G	95.83	Inf	-Inf	87.42	3	Vertical	150.1	2.07	-	33.88	6.99	32.46			
PK	5.7494G	64.85	68.20	-3.35	55.91	3	Vertical	150.1	2.07	-	34.10	7.29	32.45			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 20
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	60.30	68.20	-7.90	53.04	3	Horizontal	299	1.80	-	33.06	6.70	32.50			
PK	5.45G	62.28	74.00	-11.72	54.43	3	Horizontal	299	1.80	-	33.50	6.82	32.47			
PK	5.4656G	62.67	68.20	-5.53	54.70	3	Horizontal	299	1.80	-	33.59	6.85	32.47			
AV	5.46G	48.66	54.00	-5.34	40.73	3	Horizontal	299	1.80	-	33.56	6.84	32.47			
PK	5.498G	105.80	Inf	-Inf	97.56	3	Horizontal	299	1.80	-	33.79	6.91	32.46			
AV	5.6042G	90.55	Inf	-Inf	81.99	3	Horizontal	299	1.80	-	33.91	7.11	32.46			
PK	5.828G	62.16	68.20	-6.04	52.87	3	Horizontal	299	1.80	-	34.37	7.37	32.45			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14228G	60.07	74.00	-13.93	42.22	3	Vertical	226	1.27	-	38.83	11.49	32.47			
AV	11.14102G	45.96	54.00	-8.04	28.11	3	Vertical	226	1.27	-	38.84	11.48	32.47			
PK	16.71224G	66.01	68.20	-2.19	44.60	3	Vertical	32	1.80	-	39.85	13.86	32.30			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1395G	59.81	74.00	-14.19	41.96	3	Horizontal	216	1.80	-	38.84	11.48	32.47			
AV	11.14022G	45.96	54.00	-8.04	28.11	3	Horizontal	216	1.80	-	38.84	11.48	32.47			
PK	16.70346G	66.49	68.20	-1.71	45.14	3	Horizontal	33	2.04	-	39.81	13.85	32.31			



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.70178G	35.04	54.00	-18.96	Horizontal

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.7131G	30.33	74.00	-43.67	-3.47	3	Vertical	33	180	-	33.80	25.60	4.15	33.22		
AV	1.751G	34.36	54.00	-19.64	-3.56	3	Vertical	33	180	"Worst"	37.92	25.41	4.21	33.18		

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.6867G	36.60	74.00	-37.40	-3.59	3	Horizontal	48	1.80	-	40.19	25.53	4.12	33.24		
AV	1.70178G	35.04	54.00	-18.96	-3.64	3	Horizontal	48	1.80	"Worst"	38.68	25.44	4.14	33.22		