

Smart Phone

A65

Thunks for choosing Foxx products



# Microsophic channels (the FERRS amort phone, fed on Relow II) before

#### Make a prises not

- Pitting try 16am.
- \*You can die by reputing number, or search person fromigh the "Common".
- \* The can extrag call waiting and call transferring through and accord.
- \* Menage your contacts.
- When using mobile phone for the ball tree, you upe nick as the center of marties, to manage the center information, including edit over yorker, manage young promise. Also pile one of manage also contactly in EMM 1 or SSM 2 or in the desire.

### I. Nephoard function

- \* total without of each traffer.
- Chartery to the previous many or set the program-
- Harpers to the main menu.
- COppet the restricted the parties.
- \*Please the passed bay, by close or highersp the scenario
- \*Prope the power bullow and returns down key at the same to combine screen.

#### 3. Becard the moment

- \*The group with HC nameral, provide discrete the size and quality of the photon and inapper offered make. Elementous Asiana, Nigl. Asia, Norma, Petrari, perhassipe. \*Color sthat support Mann, Nappers, Japa, Colot, Artissa.
- "Mind margaret arters \$4000000. HDR

#### 8. Ross moving pieces

- "Open the 'common' Sentati to your works...
- "MS vision and bring you are unprecedented vision experiences." "Recording reported represents to your life.

#### \$. Were the extend plottered.

- "Digen dra "gallery"
- "Brown pictures at any lone, manufact more transmit-
- "Choose a photo obser, "shak alter" device will show you photos and by one automatically.
- "Breave a photom will make you can call the size or adjust colors, and the filter offsets and insouthoutes appendix."

#### S. Stated an Elevant.

"Open the "E-mail"
"Bet I've email answers, process eard and receive E-mail
brough the doubling phone, heap in touch with therefore sustainman, analysis and anywhere.

#### 7. Every the wonderful music

- "Dieta the "made"
- "particing "Separa officials +", parties establised by the optimization of the Bootes one's amplitude engineering with only) extraord country, feel investigation of the Australia of the Australia of the Committee of the Committ

#### 8. Use the Internet

- "Open the exercise page of the broads; seeks and excess one organized by the BERL and its processors, butters and daried pages the hairy best bloom builts to specify page there may be the page of th
- This pullet is for reference any and some net possition any
- Toron of commitment to product 3 holosting that that became to Cotto: attainment desprise, also 3 please in Alter provide

Other acceptable entiting for you to find. He us exprise the myalaries of the mobile phone layerier.

In the process of cell place and have problems?
Then he get more user quite?

FERRY (Farmer, and sold bases)

Process and the android is official waters.

High invest android some Death the contexpending interpolation in the works internal contexpending and one of the contexpending and contexpending a



FCC Warning 15.19 Labeling requirements. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. 15.21 Information to user. Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. 15.105 Information to the user. Note: This equipment has been tested and	found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on,	correct the interference by one or more of the following measures: -Reorient or relocate the receiving antennaIncrease the separation between the equipment and receiverConnect the equipment into an outlet on a circuit different from that to which the receiver is connectedConsult the dealer or an experienced radio/TV technician for help.  Absorption Rate (SAR) information: This device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough	standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.  FCC RF Exposure Information and Statement The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. This device was tested for typical body-worn operations with the back of the device kept 10mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a appropriate separation distance between the user's body and the back of the device.	The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided. Use only the supplied or an approved antenna.
--	--	---	--	--

the user is encouraged to try to

evaluation of scientific studies. The

## ANSI C63.19:2011 HAC RF Categories

The ANSI Standard presents performance requirements for acceptable interoperability of hearing with wireless communications devices. When these parameters are met, a hearing aid operates acceptably in close proximity to a wireless communications device.

WD RF audio Interference level categories in logarithmic units-

Emission categories	<960MHz Limits for E-field emissions	>960604s Limits for 8-field emissions
MS-	50 to 55 d8 (K/m)-	40 to 45 d8 (V/m)-
M2-	45 to 50 d8 (K/m)-	35 to 40 d8 (V/m)-
Mile	40 to 45 d8 (K/m)-	30 to 35 d8 (V/m)-
M4-	< 40 d8 (V/m)-	< 30 dB (W/m)/

HAC Rate Category: M3

### ANSI C63.19:2011 HAC T-coil Categories

Category	Telephone parameters WD signal quality: [(signal + noise) - to - noise ratio in decibels]:
Category T1-	0 68 to 10 68-
Category T2-	10 d8 to 20 d8-
Catagory T3-	20 d9 to 30 d9-
Category T4-	>30 d8/

### **HAC Rate Category: T3**

FCC Hearing Aid Compatibility (HAC) Regulations for Wireless Devices
The U.S. Federal Communications Commission (FCC) has established
requirements for digital wireless mobile devices to be compatible with
hearing aids and other assistive hearing devices. When individuals employing
some assistive hearing devices (hearing aids and cochlear implants) use
wireless mobile devices, they may detect a buzzing, humming, or whining
noise. Some hearing devices are more immune than others to this
interference noise, and mobile devices also vary in the amount of interference
they generate.

The wireless telephone industry has developed a rating system for wireless mobile devices to assist hearing device users find mobile devices that may be compatible with their hearing devices. Not all mobile devices have been rated. Mobile devices that are rated have the rating on their box or a label located on the box.

The ratings are not guarantees. Results will vary depending on the user's hearing device and hearing loss. If your hearing device happens to be vulnerable to interference, you may not be able to use a rated mobile device successfully. Trying out the mobile device with your hearing device is the best way to evaluate it for your personal needs.