

**INDEX OF SUBMITTED MEASURED DATA**

This exhibit contains the measured data for this equipment as follows:

**EXHIBIT 6A** - RF Power Output (Table)

**EXHIBIT 6F** - Conducted Spurious Emissions (3 Graphs)

6F-1 – 1 Watts, 450.000 MHz

6F-2 – 1 Watts, 470.000 MHz

6F-3 – 4 Watts, 450.000 MHz

6F-4 – 4 Watts, 470.000 MHz

**EXHIBIT 6G** - Radiated Spurious Emissions

6G-1 – 1 Watts (Graph), 461.000 MHz

6G-2 – 4 Watts (Graph), 461.000 MHz

**EXHIBIT 6K** - Transient Frequency Behavior (2 Graphs)

6K-1 – 25 kHz Key-Up Attack Time


6K-2 – 25 kHz De-Key Attack Time


**HIGH-POWER SETTING, FREQUENCY 450.000 MHz**


Measured RF Output Power:	4.58 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	1.75 Amperes
Measured DC Input Power:	13.13 Watts


**HIGH -POWER SETTING, FREQUENCY 470.000 MHz**


Measured RF Output Power:	4.53 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	1.74 Amperes
Measured DC Input Power:	13.05 Watt

















**Transient Frequency Behavior – 25 kHz Turn On Characteristic**

**Transient Frequency Behavior – 25 kHz Turn Off Characteristic**