LIST OF EXHIBITS

DESCRIPTION		EXHIBIT	REFERENCE
l.	Identification Label Information & General Information 1. Production Plans 2. Application References 3. Data Submittal Procedure	1 1A	2.1033-(c) 11 2.1033-(c) 2.1061
II.	Certification of Data	2	2.1517-(g)
III.	External Photographs	3	2.1033-(c) 12
IV.	Circuit Descriptions	4	
V.	Schematic Diagrams	5	2.1033-(c) 10
VI.	Test Report		
	 Data Index RF Output Data Modulation Characteristics 	6 6A	2.1046
	A. Audio Response & Low Pass Filter Response B. Modulation Limiting Cocupied Bandwidth Conducted Spurious Emissions Radiated Spurious Emissions Frequency Stability	6B(*), 6C(*) 6D(*) 6E(*) 6F 6G	2.1047-(a) 2.1047-(b) 2.1049 2.1051 2.1053
	A. Frequency Stability vs. TemperatureB. Frequency Stability vs. Supply VoltageTransient Frequency Behavior	6H-1 6H-2 6I(*)	2.1055 2.1055 90.214
VII.	Test Set-up Procedures	7	2.1041
VIII.	Instruction Manuals	8	2.1033-(c) 3
IX.	Internal Photographs	9	2.1033-(c) 11, 12
X.	Parts List and Tune-up Procedures	10	2.1033-(c) 9, 10
XI.	RF Exposure Information	11	2.1091
XII.	Operational Description	12	2.1033-(c) 4, 5
	 Technical Characteristics Application 		
XIII.	Cover Letter	13	

NOTE: Items marked with (*) are from FCC filing ID ABZ99FT4080

IDENTIFICATION LABEL

Pursuant to 47 CFR 2.1033(c)

LOCATION

A nameplate of the type presented below will be affixed to every transmitter. It will be placed on the left rear portion of the unit. Shown below is a photo of the actual label affixed to the cast chassis of the transmitter.

TYPE

The label is a paper polyester film laminated with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with a minimum peel strength of 40 oz/inch.

MODEL: ANM27QPR9JA7AN
FCC ID: ABZ99FT4025
IC: 109AB - 99FT4025
2 YEAR WARRANTY. Covered by one or more US patents. See operator manual.
Made in Malaysia by MOTOROLA
SUPER TANAPA: PMUE2390AAN

MOTOROLA INC FCC ID: ABZ99FT4025

EXHIBIT 1A – GENERAL INFORMATION

1. Production Plans – Pursuant 2.1033 (c)

Quantity production is planned.

2. Application References:

TIA/EIA-603 Land Mobile FM or PM Communications Equipment Measurement and Performance Standards

Code of Federal Regulations Title 47, Part 2, Sec. 2.1033-2.1057, and Part 90 Sec. 90.210.

3. Data Submittal Procedure:

Data is supplied in accordance with Part 2, Sub-part J of the Commissions' rules.

The intended use of this transceiver includes applications covered in the Code of Federal Regulations Title 47, Part 90. Maximum transmitter power shall **not** be adjustable by the user.