

Page: 1 of 36

## FCC CERTIFICATION REPORT

Test Report No. : MH/2018/90204

: Sharp Corporation, Mobile Communication B.U. **Applicant** 

**Address** : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima

739-0192, Japan

Manufacturer : Sharp Corporation

: 1 Takumi-cho, Sakai-ku, Sakai-Shi, Osaka 590-8522, Japan **Address** 

**Equipment Under Test (EUT): Product Name** : Smart Phone

**Standards** : FCC Part 15, Subpart B, Class B

FCC Designation Numbers: 916890 / TW1087

Date of Receipt: Sep. 20, 2018

Date of Test: Sep. 20 ~ Oct. 12, 2018

Date of Issue : Oct. 18, 2018

Test Result: **PASS** 

In the configuration tested, the EUT complied with the standards specified above.

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report shall not be reproduced except in full, without the written approval of the laboratory. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

Tested By:

Thomas Liu (Engineer)

Date Oct. 18, 2018

Approved By

Date

Oct. 18, 2018





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd.



Page: 2 of 36

## **Revision History**

Report Number	Revision	Description	Issue Date
MH/2018/90204	Rev.00	Initial creation of document	Oct. 18, 2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 3 of 36

## **Contents**

1.	GENERAL INFORMATION	4
	1.1 APPLICANT & MANUFACTURER INFORMATION	4
	1.2 GENERAL DESCRIPTION OF EUT	4
	1.3 DETAILS OF EUT	4
	1.4 OPERATION PROCEDURE	5
	1.5 DESCRIPTION OF SUPPORT UNITS	6
	1.6 MODIFICATION LIST	6
	1.7 ACCESSORIES CABLE LIST	6
	1.8 Test Set-Up Configuration	7
	1.9 MEASUREMENT PROCEDURE	8
	1.10 STANDARDS APPLICABLE FOR TESTING	8
	1.11 SUMMARY OF RESULTS	8
2.	EMISSION	9
	2.1 Test Results	9
	2.2 FREQUENCY RANGE	9
	2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	9
	2.3.1 LIMITS OF CONDUCTED EMISSION	9
	2.3.2 LIMITS OF RADIATED EMISSIONS	10
	2.4.Test of Conducted Emission	11
	2.4.1 TEST EQUIPMENTS	11
	2.4.2 OPERATING ENVIRONMENT	11
	2.4.3 MEASUREMENT LEVEL CALCULATION	11
	2.4.4 MEASUREMENT DATA:	12
	2.5 TEST OF RADIATED EMISSION	16
	2.5.1 TEST EQUIPMENTS	16
	2.5.2 OPERATING ENVIRONMENT	18
	2.5.3 MEASUREMENT LEVEL CALCULATION	18
	2.5.4 MEASUREMENT DATA	19
3.	PHOTOGRAPHS OF TEST	. 錯誤! 尚未定義書籤。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com



Page: 4 of 36

# 1. General Information

## 1.1 Applicant & Manufacturer Information

**Applicant** : Sharp Corporation, Mobile Communication B.U.

Address of Applicant : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-

shi, Hiroshima 739-0192, Japan

Manufacturer : Sharp Corporation

Address of Manufacturer: 1 Takumi-cho, Sakai-ku, Sakai-Shi, Osaka 590-

8522, Japan

## 1.2 General Description of EUT

**Product Name** : Smart Phone

#### 1.3 Details of EUT

Power Supply : AC 100~240V,50/60Hz

Highest operate description : 1886 MHz

**Battery** : 3.85V, 3130mAh, 12.05Wh

Worst case : CE, Below / Above RE worst case : Config 2

	FCC ID : APYHRO00263
1 <sup>ST</sup> Source (eMCP memory, UFS memory, Sub camera)	Worst case
2 <sup>nd</sup> Source (eMCP memory, UFS memory, Sub camera)	V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 5 of 36

Accessories List: AC Charger : Salom/XN-2QC25 Data Cable : Luxshare-ICT/L6KU2007-CS-H Conversion plug : Hosiden/RUITZA508AFZZ PHF : Sony / MDR-EX15AP	Config 1	Config2	Config 3	
Applicable standard		FCC 15B		
Accessories	H AC Adaptor	EUT +USB Cable	EUT +Conversion plug +PHF	
Main function	Speech	Data Link	Camera	
Additional function	BT+WiFI +GPS+NFC			
Description				
radiated emission	GSM 850/1900 WCDMA BII/IV LTE B02/04/12/17	Data R/W	MP3/ ;REC mode (Front/Back) ;play REC	
conducted emission (DC Power)	NA	NA	NA	
conducted emission (AC Power)	GSM 850/1900 WCDMA BII/IV LTE B02/04/12/17	Data R/W	NA	

## 1.4 Operation Procedure

## Config 1

- 1. Let EUT plug in SIM Card, connect to Adapter with USB cable and turn it on.
- 2. Execute 1k audio source.
- 3. NB & EUT link AP-WiFi (5G/2.4G), NB ping EUT IP.
- 4. BT Link BT Speaker and turn on NFC function.
- 5. Set up base station, set channel (GSM 850/1900, WCDMA B2/B4, LTE B2/B4/B12/B17) and transmitting data.
- 6. Set up GPS simulator and turn on GPS test app.
- 7. Start the test.

#### Config 2

- 1. Let EUT plug in SIM Card, connect to NB\_1 with USB cable and turn it on.
- 2. Execute 1k audio source.
- 3. NB\_2 & EUT link AP-WiFi Worst(5G/2.4G), NB ping EUT IP..
- 4. BT Link BT Speaker and turn on NFC function.
- 5. Set up GPS simulator and turn on GPS test app.
- 6. NB 1 execute Data Read/Write with EUT.
- 7. Start the test...

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Page: 6 of 36



### Confia 3

- 1. Let EUT plug in SIM Card, Connect the Audio Transfer Cable to the Earphonne.
- 2. Execute 1k audio source.
- 3. NB\_2 & EUT link AP-WiFi Worst(5G/2.4G), NB ping EUT IP..
- 4. BT Link BT Speaker and turn on NFC function.
- 5. Set up GPS simulator and turn on GPS test app.
- 6. Turn on Camera (Front/Rear) and execute Record.
- 7. Start the test.

### 1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
SIM Card	R&S	CMW-Z05	8952530076180138474
BT Speaker	Creative	MF8090	YFMF8090245R00855Y
Radio Communication Analyzer	R&S	CMU200	102189
Radio Communication Analyzer	R&S	CMW500	1201.002K50-152303-Zr
AP	BUFFALO	WZR-HP-G300NH2	44066221202559[[G]]
GPS Signal Generator	Spectracom	GSG53 GNSS4	200218
Mouse	Logitech	M-U0026	1738HS05FH98
Notebook	DELL	Latitude E6440	CYRVQ32
Earphone	SONY	MDR-EX15AP	N/A
Adapter	Salom	XN-2QC25	N/A
Conversion plug	Hosiden	RUITZA508AFZZ	N/A
Printer	HP	VCVRA-1004	CN33K19J3F

#### **Support Equipment Used in Tested Cable**

Cable Type	Core	Length	Shielding/Non-shielding
USB Cable*2	N/A	1.8m	Shielding

#### 1.6 Modification List

No modification was made by SGS Taiwan Electronics & Communication Laboratory.

#### 1.7 Accessories Cable List

Cable Type	Core	Length	Shielding/Non-shielding
USB Cable	N/A	1m	Shielding
Earphone Cable	N/A	1.25m	Non-shielding

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Report No.: MH/2018/90204 Page: 7 of 36




## 1.8 Test Set-Up Configuration


## Config 1



## Config 2



## Config 3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report No.: MH/2018/90204 Page: 8 of 36



#### 1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

## 1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15. Subpart B/CISPR 22

Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation


#### 1.11 Summary of Results

Highest Emission					
Standard	Test Type	Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	PASS	Line	0.3940	-10.33 (AVG
		F A33	Neutral	0.3820	-12.42 (AVG
	Radiated Emission	PASS	Ver.	39.3630	-5.40 (QP)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 9 of 36



## 2. EMISSION

#### 2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	Pass

## 2.2 Frequency Range

## FCC Part 15, Subpart B:

Conducted Emission : 150 kHz - 30 MHz Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement used in the device or on which the range (MHz)

device operates or tunes (MHz)

Below 1.705 30 1.705 - 1081000 108 - 500 2000 500 - 1000 5000

Above 1000 5th harmonic of the highest frequency or 40 GHz, whichever is lower

## 2.3 Limits of Conducted and Radiated Emission

#### 2.3.1 Limits of Conducted Emission

## FCC Part 15, Subpart B/CISPR 22:

FREQUENCY	Class A (dBuV)		Class B	(dBuV)
(MHz)	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note: (1) The lower limit shall apply at the transition frequencies.

- (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
- (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 10 of 36

#### 2.3.2 Limits of Radiated Emissions

## FCC Part 15, Subpart B Limit:

Detector Function : Quasi – Peak

- Botootor run	- Botostor i dilottori. Quadri i bak			
FREQUENCY	Class A (at 10m)	Class B (at 3m)		
(MHz)	dBuV/m	dBuV/m		
30~88	39	40		
88~216	43.5	43.5		
216~960	46.44	46		
Above 960	49.54	54		

Detector Function: Peak, Average

FREQUENCY	Class A (dBu	uV/m) (at 3m)	Class B (dBuV/m) (at 3m)		
(MHz)	Peak	Average	Peak	Average	
Above 1000	79.3	59.3	73.9	53.9	

#### **CISPR 22 Limit:**

Detector Function : Quasi – Peak

FREQUENCY	Class A (at 10m)	Class B (at 10m)
(MHz)	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY	Class A (dB	BuV/m) (at 3m)	Class B (dBuV/m) (at 3m)			
(GHz)	Average	Peak	Average	Peak		
1~3	56	76	50	70		
3~6	60	80	54	74		

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



FCC ID: APYHRO00263

Report No.: MH/2018/90204

Page: 11 of 36



#### 2.4.Test of Conducted Emission

## 2.4.1 Test Equipments

	SGS Conduc	ted_Emission HWAYA Co	onducted Room N	lo.B_EMC	
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 3	101300	2017/11/1	2018/10/31
Coaxial Cable	EMC Instruments Corp.	EMC5D-BM-BM-3000	1401004	2018/5/25	2019/5/24
LISN	LISN TESEQ NNB 51		36061	2018/2/26	2019/2/25
Pulse Limiter	R&S	ESH3Z2	102099	2018/6/8	2019/6/7
LISN	TESEQ	NNB 51	36062	2018/3/30	2019/3/29
(*)LISN	TESEQ	NNB 51	36076	2018/2/14	2019/2/13
Communication Tester	R&S	CMU200	119988	2018/2/22	2019/2/21
Communication Tester	R&S	CMW500	152303	2018/2/21	2019/2/20
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory

No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)

Measurement Uncertainty of Conducted Emission

Expanded uncertainty Ulab (K=2) of conducted emission is 2.25 dB

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of AC mains Conducted Emission is 3.44dB

## 2.4.2 Operating Environment

Temperature: 23 degree C Humidity: 64 %RH

Atmospheric Pressure: 992 mBar

#### 2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter Insertion Loss Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level - Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



FCC ID: APYHRO00263

Report No.: MH/2018/90204

Page: 12 of 36




#### 2.4.4 Measurement Data:

## Config\_1\_L

23 0 Temperature: Conduction Room Phase: Site : 11 AC 120V/60Hz Humidity: 64 % Limit: FCC Class B Conduction(QP) Power:

Mode: config 1 Note: WCDMA BII



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.2020	12.50	19.74	32.24	63.53	-31.29	QP	
2		0.2020	3.60	19.74	23.34	53.53	-30.19	AVG	
3	1	0.3420	9.90	19.97	29.87	59.15	-29.28	QP	
4		0.3420	3.10	19.97	23.07	49.15	-26.08	AVG	
5		0.4340	12.48	20.12	32.60	57.18	-24.58	QP	
6	*	0.4340	5.24	20.12	25.36	47.18	-21.82	AVG	
7		3.0340	9.52	20.36	29.88	56.00	-26.12	QP	
8		3.0340	2.67	20.36	23.03	46.00	-22.97	AVG	
9	1	4.5940	11.78	20.07	31.85	56.00	-24.15	QP	
10		4.5940	3.35	20.07	23.42	46.00	-22.58	AVG	
11		9.7540	14.32	19.95	34.27	60.00	-25.73	QP	
12		9.7540	5.32	19.95	25.27	50.00	-24.73	AVG	

<sup>\*:</sup> Maximum data x:Over limit

File :MH-2018-90204\Data :#18

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 13 of 36



## Config\_1\_N

23 0 Site: Conduction Room Phase: Temperature: AC 120V/60Hz Humidity: 64 % Limit: FCC Class B Conduction(QP) Power:

Mode: config 1 Note: WCDMA BII



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.2060	15.60	19.73	35.33	63.37	-28.04	QP	
2		0.2060	6.80	19.73	26.53	53.37	-26.84	AVG	
3		0.3420	12.80	19.96	32.76	59.15	-26.39	QP	
4		0.3420	4.80	19.96	24.76	49.15	-24.39	AVG	
5		0.4140	13.81	20.08	33.89	57.57	-23.68	QP	
6	*	0.4140	6.90	20.08	26.98	47.57	-20.59	AVG	
7		3.0980	10.30	20.33	30.63	56.00	-25.37	QP	
8		3.0980	2.30	20.33	22.63	46.00	-23.37	AVG	
9		4.0700	11.43	20.15	31,58	56.00	-24.42	QP	
10		4.0700	3.65	20.15	23.80	46.00	-22.20	AVG	
11		14.2300	13.30	19.99	33.29	60.00	-26.71	QP	
12		14.2300	2.90	19.99	22.89	50.00	-27.11	AVG	

<sup>\*:</sup> Maximum data x:Over limit !:over margin

File :MH-2018-90204\Data :#17

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 36



## Config\_2\_L

23 0 Site : Conduction Room Phase: L1 Temperature: AC 120V/60Hz Humidity: 64 % Limit: FCC Class B Conduction(QP) Power:

Mode: config 2 Note: Data R/W read

Conducted Emission File: MH-2018-90204 Data :#27 Date: 2018/9/28 Time: 上午 11:43:50 80.0 dBuV FCC Class B Conduction(QP) 0.0 30.000 0.150 0.5 (MHz)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1500	27.80	19.65	47.45	66.00	-18.55	QP	
2		0.1500	13.70	19.65	33.35	56.00	-22.65	AVG	
3		0.1900	22.50	19.72	42.22	64.04	-21.82	QP	
4		0.1900	16.30	19.72	36.02	54.04	-18.02	AVG	
5		0.2500	25.20	19.82	45.02	61.76	-16.74	QP	
6		0.2500	17.50	19.82	37.32	51.76	-14.44	AVG	
7		0.3940	22.80	20.05	42.85	57.98	-15.13	QP	
8	*	0.3940	17.60	20.05	37.65	47.98	-10.33	AVG	
9		1.2740	12.50	20.04	32.54	56.00	-23.46	QP	
10		1.2740	4.60	20.04	24.64	46.00	-21.36	AVG	
11		24.2380	14.84	20.13	34.97	60.00	-25.03	QP	
12		24.2380	6.65	20.13	26.78	50.00	-23.22	AVG	

<sup>\*:</sup> Maximum data x:Over limit !:over margin

File MH-2018-90204\Data :#27

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 15 of 36



## Config\_2\_N

23 0 Site: Conduction Room Phase: Temperature: AC 120V/60Hz Humidity: 64 % Limit: FCC Class B Conduction(QP) Power:

Mode: config 2 Note: Data R/W read



Vo.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1500	28.50	19.64	48.14	66.00	-17.86	QP	
2		0.1500	14.90	19.64	34.54	56.00	-21.46	AVG	
3	1	0.2460	21.30	19.80	41.10	61.89	-20.79	QP	
4		0.2460	9.90	19.80	29.70	51.89	-22.19	AVG	
5		0.3820	19.20	20.02	39.22	58.24	-19.02	QP	
6	*	0.3820	15.80	20.02	35.82	48.24	-12.42	AVG	
7		1.4220	9.80	20.13	29.93	56.00	-26.07	QP	
8		1.4220	4.30	20.13	24.43	46.00	-21.57	AVG	
9		7.6260	16.90	19.96	36.86	60.00	-23.14	QP	
10		7.6260	10.50	19.96	30.46	50.00	-19.54	AVG	
11		22.7140	20.30	20.12	40.42	60.00	-19.58	QP	
12		22.7140	12.30	20.12	32.42	50.00	-17.58	AVG	

<sup>\*:</sup> Maximum data x:Over limit !:over margin

File MH-2018-90204\Data :#28

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Report No.: MH/2018/90204 Page: 16 of 36



#### 2.5 Test of Radiated Emission

## 2.5.1 Test Equipments

#### **Below 1GHz**

	SGS	Radiated Below 1GHz H	IWAYA 10m EMO	<u> </u>	
EQUIPMENT TYPE	Manufacturer	Model Number	_	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100950	2017/12/12	2018/12/11
EMI Test Receiver	R&S	ESCI 3	101343	2018/1/31	2019/1/30
Broadband Antenna	SCHWAZBECK	VULB9168	9168-628	2018/9/7	2019/9/6
Broadband Antenna	SCHWAZBECK	VULB9168	9168-629	2018/9/7	2019/9/6
Pre Amplifier	EMC Instruments Corp.	EMC330	980178	2018/3/31	2019/3/30
Pre Amplifier	EMC Instruments Corp.	EMC330	980179	2018/3/31	2019/3/30
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150917	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150919	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150820	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150918	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150821	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150822	2018/9/18	2019/9/17
Universal Digital Radio Communication Tester	niversal Digital Radio communication R&S		119988	2018/2/22	2019/2/21
Wideband Radio Communication Tester	R&S	CMW 500	152303	2018/2/21	2019/2/20
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site NSA	Chance Most	10M Chamber	10M SAC	2017/12/31	2018/12/30
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory

No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (K=2) of radiated emission is 4.09 dB. (30MHz ~ 1000MHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission is 5.22 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 17 of 36



#### Above 1GHz

	SGS F	Radiated_Above_1GHz H	WAYA 966A_EMC		
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV 40	101419	2018/5/15	2019/5/14
<b>EMI Test Receiver</b>	R&S	ESR 7	101459	2018/2/21	2019/2/20
Horn Antenna	SCHWARZBECK	BBHA9120D	BBHA9120D673	2017/10/16	2018/10/15
Horn Antenna	Schwarzbeck	BBHA9170	BBHA9170-184	2017/12/12	2018/12/11
Pre Amplifier	EMC Instruments Corp.	EMC012645B	980216	2018/3/31	2019/3/30
Pre Amplifier	EMC Instruments Corp.	EMC184045B	980135	2017/10/27	2018/10/26
Coaxial Cable	JUNFLOW	MWX221-NMSNMS	J0778929	2018/4/23	2019/4/22
Coaxial Cable	Huber+Suhner	SUCCOFLEX 104PEA	30255/4PEA	2018/4/23	2019/4/22
Coaxial Cable	<b>EMC Instruments</b>	EMC104-SM-SM	140927	2018/4/23	2019/4/22
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2651/2	2018/6/5	2019/6/4
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2153/2	2018/6/5	2019/6/4
Universal Digital Radio Communication Tester	R&S	CMU 200	119988	2018/2/22	2019/2/21
Wideband Radio Communication Tester	R&S	CMW 500	152303	2018/2/21	2019/2/20
Controller	MF	MF-7802	N.C.R.	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site VSWR	SGS	966 Chamber A	SAC-A	2018/1/12	2019/1/11
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory

No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty (k=2) of radiated emission measurement is 5.05 dB. (1-6GHz)

Expanded uncertainty (k=2) of radiated emission measurement is 5.07 dB. (6-18GHz)

Expanded uncertainty Ulab (k=2) of radiated emission measurement is 5.19 dB. (18-26GHz)

Expanded uncertainty Ulab (k=2) of radiated emission measurement is 5.14 dB. (26-40GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is 5.18 dB.(1-6GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is 5.48 dB.(6-18GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is ---- dB.(18-26GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is ---- dB.(26-40GHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms-e-document.htm">www.sqs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



S

Report No.: MH/2018/90204

Page: 18 of 36

## 2.5.2 Operating Environment

Temperature: 24 degree C Humidity: 66 %RH

Atmospheric Pressure: 996 mBar

#### 2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain Measurement Level = Reading Level + Correction Factor Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣具負責,同時什樣具僅保留的子。木報生去概太公司惠而許可,不可部份複數。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



FCC ID: APYHRO00263

Report No.: MH/2018/90204

Page: 19 of 36



#### 2.5.4 Measurement Data

#### **Below 1GHz**

## Config\_1\_H

Site SGS 10m Chamber

Limit: CISPR22 Class B 10M Radiation

Mode: Config\_1

Polarization: Horizontal Power: AC 120V/60Hz

Temperature: 24 ℃

Humidity: 66 %

Distance: 10m

Note: WCDMA\_B4

Radiated Emission Date: 2018/10/2 File: MH-2018-90204 Data :#32 Time: ±+ 01:32:12 80.0 dBuV/m Margin 40 224.00 321.00 418.00 515.00 612.00 709.00 806.00 1000.00 MHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		30.2990	25.31	-12.41	12.90	30.00	-17.10	QP	
2		45.4860	23.50	-11.10	12.40	30.00	-17.60	QP	
3		147.1010	24.37	-10.97	13.40	30,00	-16.60	QP	
4		760,3300	23,43	0.77	24.20	37.00	-12.80	QP	
5		927.9520	23.31	2.89	26.20	37.00	-10.80	QP	
6	*	966.6020	23.50	3.10	26.60	37.00	-10.40	QP	


\*: Maximum data x:Over limit !:over margin

File MH-2018-90204\Data #32

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 36

## Config\_1\_V

Site SGS 10m Chamber

Limit: CISPR22 Class B 10M Radiation

Mode: Config 1 Note: WCDMA\_B4 Polarization: Vertical

Power: AC 120V/60Hz

Distance: 10m

24 % Temperature: Humidity: 66 %



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		32.3740	28.05	-12.05	16.00	30.00	-14.00	QP	
2	*	40.3320	30.07	-11 47	18.60	30.00	-11.40	QP	
3		55.7880	27.12	-11.02	16.10	30,00	-13 90	QP	
4		933.0100	22.63	1.97	24.60	37.00	-12.40	QP	
5	100	978,0040	22.34	2.06	24.40	37.00	-12.60	QP	
6		987.8160	22.38	2.12	24.50	37.00	-12.50	QP	

\*: Maximum data x:Over limit !:over margin


File MH-2018-90204\Data #31

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 21 of 36



Site SGS 10m Chamber

Limit: CISPR22 Class B 10M Radiation

Mode: Config\_2 Note: data write Polarization: Horizontal

Power: AC 120V/60Hz

Distance: 10m

24 °C Temperature:

Humidity: 66 %

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		32.3790	30.89	-12.29	18.60	30.00	-11.40	QP	
2		119.2400	32.00	-13.50	18 50	30.00	-11.50	QP	
3		824.2960	23.41	1.19	24.60	37.00	-12.40	QP	
4		913.4100	23.62	2.28	25.90	37.00	-11.10	QP	
5	*	952.3510	23.28	3.22	26.50	37.00	-10.50	QP	
6		987.0760	23.40	2.90	26.30	37.00	-10,70	QP	


\*: Maximum data x:Over limit !:over margin

File MH-2018-90204\Data #52

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.



Report No.: MH/2018/90204 FCC ID: APYHRO00263

Page: 22 of 36

## Config\_2\_V

Site SGS 10m Chamber

Limit: CISPR22 Class B 10M Radiation

Mode: Config\_2 Note: data write Polarization: Vertical

Power: AC 120V/60Hz

Distance: 10m

24 % Temperature:

Humidity: 66 %



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	39.3630	36.09	-11.49	24.60	30.00	-5.40	QP		
2	E -	45.7960	25.38	-10.88	14.50	30.00	-15.50	QP		
3		96.2530	35.38	-16 48	18.90	30,00	-11.10	QP		
4		259.6460	37.91	-11.71	26.20	37.00	-10.80	QP		
5		927.1350	22.73	1.87	24.60	37.00	-12.40	QP		
6	i i	956,2750	22.58	1.92	24.50	37.00	-12.50	QP		


\*: Maximum data x:Over limit !:over margin

File MH-2018-90204\Data #51

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 23 of 36

## Config\_3\_H

Site SGS 10m Chamber

Limit: CISPR22 Class B 10M Radiation

Mode: Config\_3 Note: MP3


Polarization: Horizontal

Power: AC 120V/60Hz

Distance: 10m

24 % Temperature:

Humidity: 66 %



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.5040	26.68	-12.28	14.40	30.00	-15.60	QP	
2		787.7310	23.30	0.80	24.10	37.00	-12.90	QP	
3		839.0700	23.51	1.39	24.90	37.00	-12 10	QP	
4		936.4630	23,39	3.01	26.40	37.00	-10.60	QP	
5	*	973.0790	23.42	3.08	26.50	37.00	-10.50	QP	
6		988.4290	23.29	2.91	26.20	37.00	-10.80	QP	


\*: Maximum data x:Over limit !:over margin

File MH-2018-90204\Data #44

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 24 of 36

## Config\_3\_V

Site SGS 10m Chamber

Limit: CISPR22 Class B 10M Radiation

Mode: Config\_3 Note: MP3

Polarization: Vertical

Power: AC 120V/60Hz

Distance: 10m

24 % Temperature:

Humidity: 66 %



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment	
1		42,4020	24.04	-11.14	12.90	30.00	-17.10	QP		
2		152.9500	23.99	-10.79	13.20	30,00	-16.80	QP		
3		908.4910	22.58	1.72	24.30	37.00	-12 70	QP		
4	*	943.2340	22.56	1.94	24.50	37.00	-12.50	QP		
5	17 17 17	966.2790	22.41	1.89	24.30	37.00	-12.70	QP		
6		984.1580	22.26	2.04	24.30	37.00	-12.70	QP		

\*: Maximum data x:Over limit !:over margin

File MH-2018-90204\Data #43

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FCC ID: APYHRO00263

Report No.: MH/2018/90204

Page: 25 of 36



#### **Above 1GHz**

## 1GMz-18GMz Config 1 H

Site SGS 966 Chamber A

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

Mode: Config 1


Note:

Polarization: Horizontal Power: AC 120V/60Hz

Temperature: 24 °C

Humidity: 60 %

Distance:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.0	2581.000	58.35	-11.35	47.00	74.00	-27.00	peak	
2		3533.000	58.84	-10.45	48.39	74.00	-25.61	peak	
3		4281.000	58.24	-7.97	50.27	74.00	-23.73	peak	
4	11.	4995.000	57.98	-7.10	50.88	74.00	-23.12	peak	
5		5369.000	57.43	-6.36	51.07	74.00	-22.93	peak	
6		5369.000	44.47	-6.36	38.11	54.00	-15.89	AVG	
7		5845.000	57.53	-5.07	52.46	74.00	-21.54	peak	
8	*	5845.000	43.50	-5.07	38.43	54.00	-15.57	AVG	

\*: Maximum data x:Over limit l:over margin

File: 90204\Data:#10

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 36

## Config\_1\_V

Site SGS 966 Chamber A

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

Mode: Config 1


Note:

Polarization: Vertical Power: AC 120V/60Hz

Temperature: 24 °C

Humidity: 60 %

Distance:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		2598.000	58.71	-11.36	47.35	74.00	-26.65	peak	
2		4043.000	57.74	-8.25	49.49	74.00	-24.51	peak	
3		4332.000	57.67	-7.91	49.76	74.00	-24.24	peak	
4		5012.000	57.88	-7.08	50.80	74.00	-23.20	peak	
5		5726.000	57.10	-5.41	51.69	74.00	-22.31	peak	
6		5726.000	43.29	-5.41	37.88	54.00	-16.12	AVG	
7		6049.000	56.68	-4.24	52.44	74.00	-21.56	peak	
8	*	6049.000	42.78	-4.24	38.54	54.00	-15.46	AVG	


Page: 1

\*:Maximum data x:Over limit !:over margin

File: 90204\Data:#9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 36

## Config\_2\_H

Site SGS 966 Chamber A

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

Mode: Config 2

Note:


Polarization: Horizontal

Power: AC 120V/60Hz

Temperature: 24 °C

Humidity: 60 %

Distance



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		2870.000	58.59	-11.87	46.72	74.00	-27.28	peak	
2		4332.000	57.35	-7.91	49.44	74.00	-24.56	peak	
3		4808.000	58.81	-7.34	51.47	74.00	-22.53	peak	
4	11.	4808.000	45.29	-7.34	37.95	54.00	-16.05	AVG	
5		5284.000	57.62	-6.53	51.09	74.00	-22.91	peak	
6		5284.000	44.67	-6.53	38.14	54.00	-15.86	AVG	
7	- 61	5777.000	57.31	-5.26	52.05	74.00	-21.95	peak	
8		5777.000	43.49	-5.26	38.23	54.00	-15.77	AVG	
9		6049.000	57.13	-4.24	52.89	74.00	-21.11	peak	
10	*	6049.000	42.75	-4.24	38.51	54.00	-15,49	AVG	

\*: Maximum data x:Over limit Lover margin


File :90204\Data :#8

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 28 of 36

## Config\_2\_V

Site SGS 966 Chamber A

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

Mode: Config 2


Note:

Polarization: Vertical

Power: AC 120V/60Hz

Distance:

Temperature: 24 °C Humidity: 60 %



Mk. Freq. MHz	Reading Level dBuV	Correct Factor	Measure- ment	Limit	Over			
47.40		dB/m	24 W 470 I					
2292 000			dBuV/m	dBuV/m	dB	Detector	Comment	
	60.12	-13.84	46.28	74.00	-27.72	peak		
2581.000	58.22	-11.35	46.87	74.00	-27.13	peak		
4009.000	58.32	-8.29	50.03	74.00	-23.97	peak		
4434.000	58.01	-7.78	50.23	74.00	-23.77	peak		
5029.000	57.59	-7.04	50.55	74.00	-23.45	peak		
5658.000	59.07	-5.63	53.44	74.00	-20.56	peak		
5658.000	44.44	-5.63	38.81	54.00	-15.19	AVG		
-	2581.000 4009.000 4434.000 5029.000 5658.000	4009.000 58.32 4434.000 58.01 5029.000 57.59 5658.000 59.07	2581.000 58.22 -11.35 4009.000 58.32 -8.29 4434.000 58.01 -7.78 5029.000 57.59 -7.04 5658.000 59.07 -5.63	2581,000 58.22 -11.35 46.87 4009,000 58.32 -8.29 50.03 4434,000 58.01 -7.78 50.23 5029,000 57.59 -7.04 50.55 5658,000 59.07 -5.63 53.44	2581,000     58.22     -11.35     46.87     74.00       4009,000     58.32     -8.29     50.03     74.00       4434,000     58.01     -7.78     50.23     74.00       5029,000     57.59     -7.04     50.55     74.00       5658,000     59.07     -5.63     53.44     74.00	2581.000     58.22     -11.35     46.87     74.00     -27.13       4009.000     58.32     -8.29     50.03     74.00     -23.97       4434.000     58.01     -7.78     50.23     74.00     -23.77       5029.000     57.59     -7.04     50.55     74.00     -23.45       5658.000     59.07     -5.63     53.44     74.00     -20.56	2581.000 58.22 -11.35 46.87 74.00 -27.13 peak 4009.000 58.32 -8.29 50.03 74.00 -23.97 peak 4434.000 58.01 -7.78 50.23 74.00 -23.77 peak 5029.000 57.59 -7.04 50.55 74.00 -23.45 peak 5658.000 59.07 -5.63 53.44 74.00 -20.56 peak	2581.000 58.22 -11.35 46.87 74.00 -27.13 peak 4009.000 58.32 -8.29 50.03 74.00 -23.97 peak 4434.000 58.01 -7.78 50.23 74.00 -23.77 peak 5029.000 57.59 -7.04 50.55 74.00 -23.45 peak 5658.000 59.07 -5.63 53.44 74.00 -20.56 peak

\*: Maximum data x:Over limit Lover margin

File: 90204\Data:#7

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 29 of 36



Distance:

Site SGS 966 Chamber A

Limit: FCC Class B 3M Radiation(1G-40G)(Pea


Mode: Config 3

Note:

Polarization: Horizontal Power: AC 120V/60Hz

Temperature: 24 °C

Humidity: 60 %




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		2666.000	57.73	-11.49	46.24	74.00	-27.76	peak	
2		3686.000	58.16	-9.74	48.42	74.00	-25.58	peak	
3		4264.000	58.12	-7.99	50.13	74.00	-23.87	peak	
4	1 4 7	4876.000	58.08	-7.24	50.84	74.00	-23.16	peak	
5		5743.000	57.46	-5.37	52.09	74.00	-21.91	peak	
6		5743.000	43.18	-5.37	37.81	54.00	-16.19	AVG	
7		6134.000	56.79	-3.65	53.14	74.00	-20.86	peak	
8	*	6134.000	42.21	-3,65	38.56	54.00	-15.44	AVG	

\*:Maximum data x:Over limit l:over margin

File: 90204\Data:#12 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: MH/2018/90204 FCC ID: APYHRO00263

Page: 30 of 36

## Config\_3\_V

Distance:

Site SGS 966 Chamber A

1000.000 2700.00

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

Mode: Config 3

Note:

Polarization: Vertical Power: AC 120V/60Hz

Temperature: 24 °C Humidity: 60 %

18000.00 MHz

Radiated Emission File :90204 Data #11 Date: 2018/10/1 Time: 下午 05:51:28 100.0 dBuV/m FCC Class B 3M Radiation(16-40G)(Pea FCC Class B 3M Rad n/16-486 HAVE

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			-
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment	
1		3193.000	60.32	-11.52	48.80	74.00	-25.20	peak		
2	100	4026.000	57.49	-8.27	49.22	74.00	-24.78	peak		
3	1 1 7	4264.000	57.66	-7.99	49.67	74.00	-24.33	peak		
4		4757.000	58.52	-7.40	51.12	74.00	-22.88	peak		
5		4757.000	44.84	-7.40	37.44	54.00	-16.56	AVG		
6		5403.000	57.72	-6.30	51.42	74.00	-22.58	peak		
7	- 11	5403.000	44.40	-6.30	38.10	54.00	-15.90	AVG		
8		5811.000	57.05	-5.17	51.88	74.00	-22.12	peak		
9	*	5811.000	43.70	-5.17	38.53	54.00	-15.47	AVG		

9500.00

11200.00 12900.00

7800.00

\*: Maximum data x:Over limit l:over margin

File: 90204\Data:#11 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.



FCC ID: APYHRO00263

Report No.: MH/2018/90204

Page: 31 of 36

## 18GMz-30GMz Config\_1\_H

Site SGS 966 Chamber A

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

Mode: Config 1

Note:

Polarization: Horizontal Power: AC 120V/60Hz

Temperature:

30000.00 MHz

Humidity: 60 %

Distance:

Radiated Emission File :90204 Date: 2018/10/1 Time: 下午 06:12:17 Data :#20 100.0 dBuV/m FCC Class B 1M Radiation(16-406)[Pea FCC Clase D 1M Hodio HIG-40GBAVG 50

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Defector	Comment	
1	3	18804.000	54.35	1.26	55.61	83.50	-27.89	peak		
2	3 - 5	19620.000	53.74	1.94	55.68	83.50	-27.82	peak		
3		21912.000	53.17	4.83	58.00	83.50	-25.50	peak		
4	- 3	23700.000	51.74	5.90	57.64	83.50	-25.86	peak		
5	*	25236.000	53.04	5.78	58.82	83.50	-24.68	peak		
6		26304.000	50.98	5.96	56.94	83.50	-26.56	peak		

24000.00

25200.00

26400.00

21600.00

22800.00

\*:Maximum data x:Over limit Lover margin

File: 90204\Data:#20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 1



Page: 32 of 36

## Config\_1\_V

Distance:

Site SGS 966 Chamber A

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

Mode: Config 1

Note:


Polarization: Vertical Power: AC 120V/60Hz

Temperature: 24 °C

Humidity: 60 %

Radiated Emission Data #19

Time: 下午 06:10:00




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		19740.000	53.59	2.18	55.77	83.50	-27.73	peak	
2	7 0	20796.000	53.86	2.99	56.85	83.50	-26.65	peak	
3		22068.000	52.53	5.05	57.58	83.50	-25.92	peak	
4	*	22548.000	52.85	5.41	58.26	83.50	-25.24	peak	
5		25044.000	51.61	6.20	57.81	83.50	-25.69	peak	
6		26292.000	50.85	5.96	56.81	83.50	-26.69	peak	

\*:Maximum data x:Over limit !:over margin

File: 90204\Data:#19 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: MH/2018/90204 FCC ID: APYHRO00263

Page: 33 of 36

## Config\_2\_H

Site SGS 966 Chamber A

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

Mode: Config 2


Note:

Polarization: Horizontal Power: AC 120V/60Hz

Temperature: 24 °C

Humidity: 60 %

Distance:




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over	4 7	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.0	18804.000	53.85	1.26	55.11	83.50	-28.39	peak	
2		21024.000	52.28	3.25	55.53	83.50	-27.97	peak	
3		21912.000	52.17	4.83	57.00	83.50	-26.50	peak	
4		22464.000	51.26	5.38	56.64	83.50	-26.86	peak	
5		24552.000	50.96	6.21	57.17	83.50	-26.33	peak	
6	*	25236.000	52.54	5.78	58.32	83.50	-25.18	peak	

\*:Maximum data x:Over limit Lover margin

File: 90204\Data:#22 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 34 of 36



Distance:

Site SGS 966 Chamber A

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

Mode: Config 2

Note:

Polarization: Vertical Power: AC 120V/60Hz

Temperature: 24 °C Humidity: 60 %

Radiated Emission Data #21



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1	- 1	19368.000	52.65	1.59	54.24	83.50	-29.26	peak	
2		20796.000	52.36	2.99	55.35	83.50	-28.15	peak	
3	3	22068.000	50.53	5.05	55.58	83.50	-27.92	peak	
4	3	22548.000	51.35	5.41	56.76	83.50	-26.74	peak	
5	*	24768.000	50.98	6.25	57.23	83.50	-26.27	peak	
6		25260.000	51.34	5.73	57.07	83.50	-26.43	peak	

\*:Maximum data x:Over limit Lover margin


File: 90204\Data:#21 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Report No.: MH/2018/90204 FCC ID: APYHRO00263

Page: 35 of 36

## Config\_3\_H

Site SGS 966 Chamber A

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

Mode: Config 3


Note:

Polarization: Horizontal Power: AC 120V/60Hz

Temperature: 24 °C

Humidity: 60 %

Distance:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		18804.000	53.35	1.26	54.61	83.50	-28.89	peak	
2	0.00	20052.000	52.35	2.70	55.05	83.50	-28.45	peak	
3	3	21912.000	51.67	4.83	56.50	83.50	-27.00	peak	
4	3	23700.000	50.74	5.90	56.64	83.50	-26.86	peak	
5	*	25236.000	52.54	5.78	58.32	83.50	-25.18	peak	
6	- 3	26304.000	51.98	5.96	57.94	83.50	-25.56	peak	

\*:Maximum data x:Over limit Lover margin

File: 90204\Data:#24 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 36 of 36

## Config\_3\_V

Site SGS 966 Chamber A

Limit: FCC Class B 1M Radiation(1G-40G)(Pea


Mode: Config 3

Note:

Polarization: Power: AC 120V/60Hz Temperature: 24 °C

Humidity: 60 %

Distance:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	Comment
1		18792.000	52.60	1.26	53.86	83.50	-29.64	peak	
2	70 00 5	19740.000	51.59	2.18	53.77	83.50	-29.73	peak	
3	1	20796.000	52.86	2.99	55.85	83.50	-27.65	peak	
4	*	22548.000	52.35	5.41	57.76	83.50	-25.74	peak	
5		24072.000	51.52	5.95	57.47	83.50	-26.03	peak	
6		24552.000	50.72	6.21	56.93	83.50	-26.57	peak	

\*: Maximum data x:Over limit l:over margin

File: 90204\Data:#23 Page: 1

## \*\* End of Report \*\*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indepinitation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.