






Mode	55																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>55.28</td><td>37.77</td><td>14.31</td><td>61.64</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.72	74.00	-28.28	55.28	37.77	14.31	61.64	0.00	300	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>55.42</td><td>37.77</td><td>14.31</td><td>61.64</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.86	74.00	-28.14	55.42	37.77	14.31	61.64	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10620.00	45.72	74.00	-28.28	55.28	37.77	14.31	61.64	0.00	300	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10620.00	45.86	74.00	-28.14	55.42	37.77	14.31	61.64	0.00	100	0 PEAK																																																																																						



		56																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																																								
Pol.	Horizontal											Fundamental																																																																																																														
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.84</td><td>54.28</td><td>74.00</td><td>-19.72</td><td>41.46</td><td>34.80</td><td>9.99</td><td>31.97</td><td>0.00</td><td>182</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>54.83</td><td>68.30</td><td>-13.47</td><td>41.99</td><td>34.80</td><td>10.03</td><td>31.99</td><td>0.00</td><td>182</td><td>180</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.84	54.28	74.00	-19.72	41.46	34.80	9.99	31.97	0.00	182	180	PEAK	2	5462.00	54.83	68.30	-13.47	41.99	34.80	10.03	31.99	0.00	182	180	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.40</td><td>-----</td><td>-----</td><td>91.52</td><td>34.80</td><td>10.10</td><td>32.02</td><td>0.00</td><td>182</td><td>180</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.40	-----	-----	91.52	34.80	10.10	32.02	0.00	182	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5433.84	54.28	74.00	-19.72	41.46	34.80	9.99	31.97	0.00	182	180	PEAK																																																																																																														
2	5462.00	54.83	68.30	-13.47	41.99	34.80	10.03	31.99	0.00	182	180	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5510.00	104.40	-----	-----	91.52	34.80	10.10	32.02	0.00	182	180	PEAK																																																																																																														
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.84</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>31.85</td><td>34.80</td><td>10.02</td><td>31.99</td><td>0.00</td><td>182</td><td>180</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	44.68	54.00	-9.32	31.85	34.80	10.02	31.99	0.00	182	180	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>95.31</td><td>-----</td><td>-----</td><td>82.43</td><td>34.79</td><td>10.11</td><td>32.02</td><td>0.00</td><td>182</td><td>180</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	95.31	-----	-----	82.43	34.79	10.11	32.02	0.00	182	180	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5457.84	44.68	54.00	-9.32	31.85	34.80	10.02	31.99	0.00	182	180	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5510.00	95.31	-----	-----	82.43	34.79	10.11	32.02	0.00	182	180	AVERAGE																																																																																																														




Mode	56																																																																																	
	Band Edge - R																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4" rowspan="2"></th></tr><tr><td>1</td><td>5762.96</td><td>54.68</td><td>68.30</td><td>-13.62</td><td>41.73</td><td>34.57</td><td>10.38</td><td>32.00</td><td>0.00</td><td>102</td><td>180</td><td>PEAK</td><td colspan="7"></td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark	MHz		dBuV/m	dBuV/m	dB	dBuV	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1	5762.96	54.68	68.30	-13.62	41.73	34.57	10.38	32.00	0.00	102	180	PEAK								Blank
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																		
Freq		Level	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark																																																															
MHz		dBuV/m	dBuV/m	dB	dBuV	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																			
1	5762.96	54.68	68.30	-13.62	41.73	34.57	10.38	32.00	0.00	102	180	PEAK																																																																						





		56																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																																															
Pol.	Vertical											Fundamental																																																																																																																					
Peak																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5384.72</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>41.47</td><td>34.75</td><td>9.93</td><td>31.95</td><td>0.00</td><td>282</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>53.73</td><td>68.30</td><td>-14.57</td><td>40.89</td><td>34.00</td><td>10.04</td><td>32.00</td><td>0.00</td><td>282</td><td>271</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5384.72	54.20	74.00	-19.80	41.47	34.75	9.93	31.95	0.00	282	271	PEAK	2	5469.68	53.73	68.30	-14.57	40.89	34.00	10.04	32.00	0.00	282	271	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.43</td><td>-----</td><td>-----</td><td>87.55</td><td>34.79</td><td>10.11</td><td>32.02</td><td>0.00</td><td>282</td><td>271</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	100.43	-----	-----	87.55	34.79	10.11	32.02	0.00	282	271	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5384.72	54.20	74.00	-19.80	41.47	34.75	9.93	31.95	0.00	282	271	PEAK																																																																																																																					
2	5469.68	53.73	68.30	-14.57	40.89	34.00	10.04	32.00	0.00	282	271	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5510.00	100.43	-----	-----	87.55	34.79	10.11	32.02	0.00	282	271	PEAK																																																																																																																					
Avg																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5418.00</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>30.56</td><td>34.00</td><td>9.96</td><td>31.97</td><td>0.00</td><td>282</td><td>271</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5418.00	43.35	54.00	-10.65	30.56	34.00	9.96	31.97	0.00	282	271	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>90.78</td><td>-----</td><td>-----</td><td>77.90</td><td>34.79</td><td>10.11</td><td>32.02</td><td>0.00</td><td>282</td><td>271</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	90.78	-----	-----	77.90	34.79	10.11	32.02	0.00	282	271	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5418.00	43.35	54.00	-10.65	30.56	34.00	9.96	31.97	0.00	282	271	AVERAGE																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5510.00	90.78	-----	-----	77.90	34.79	10.11	32.02	0.00	282	271	AVERAGE																																																																																																																					



Mode	56																																																
	Band Edge - R																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																
Pol.	Vertical	Fundamental																																															
Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.19</td><td>53.97</td><td>68.30</td><td>-14.33</td><td>41.06</td><td>34.56</td><td>10.36</td><td>32.01</td><td>0.00</td><td>282</td><td>271 PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5749.19	53.97	68.30	-14.33	41.06	34.56	10.36	32.01	0.00	282	271 PEAK	Blank
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5749.19	53.97	68.30	-14.33	41.06	34.56	10.36	32.01	0.00	282	271 PEAK																																						




Mode	56																																																																																																														
	Harmonic																																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>54.68</td><td>38.01</td><td>14.58</td><td>61.71</td><td>0.00</td><td>300</td><td></td><td>0 PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11020.00	45.56	74.00	-28.44	54.68	38.01	14.58	61.71	0.00	300		0 PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>55.45</td><td>38.01</td><td>14.58</td><td>61.71</td><td>0.00</td><td>100</td><td></td><td>0 PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11020.00	46.33	74.00	-27.67	55.45	38.01	14.58	61.71	0.00	100	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11020.00	45.56	74.00	-28.44	54.68	38.01	14.58	61.71	0.00	300		0 PEAK																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11020.00	46.33	74.00	-27.67	55.45	38.01	14.58	61.71	0.00	100		0 PEAK																																																																																																			







		57																																																																																																																											
Mode		Band Edge - L																																																																																																																											
		U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																																											
Pol.	Horizontal										Fundamental																																																																																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.80</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>41.06</td><td>34.80</td><td>10.00</td><td>31.98</td><td>0.00</td><td>106</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>5460.20</td><td>53.29</td><td>68.30</td><td>-15.01</td><td>40.45</td><td>34.80</td><td>10.03</td><td>31.99</td><td>0.00</td><td>106</td><td>182</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.80	53.88	74.00	-20.12	41.06	34.80	10.00	31.98	0.00	106	182	PEAK	2	5460.20	53.29	68.30	-15.01	40.45	34.80	10.03	31.99	0.00	106	182	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>105.14</td><td>-----</td><td>-----</td><td>92.32</td><td>34.70</td><td>10.17</td><td>32.05</td><td>0.00</td><td>106</td><td>182</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	105.14	-----	-----	92.32	34.70	10.17	32.05	0.00	106	182	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5443.80	53.88	74.00	-20.12	41.06	34.80	10.00	31.98	0.00	106	182	PEAK																																																																																																																	
2	5460.20	53.29	68.30	-15.01	40.45	34.80	10.03	31.99	0.00	106	182	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5550.00	105.14	-----	-----	92.32	34.70	10.17	32.05	0.00	106	182	PEAK																																																																																																																	
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.80</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>30.91</td><td>34.80</td><td>10.03</td><td>31.99</td><td>0.00</td><td>106</td><td>182</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	43.75	54.00	-10.25	30.91	34.80	10.03	31.99	0.00	106	182	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>95.17</td><td>-----</td><td>-----</td><td>82.33</td><td>34.72</td><td>10.16</td><td>32.04</td><td>0.00</td><td>106</td><td>182</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	95.17	-----	-----	82.33	34.72	10.16	32.04	0.00	106	182	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5459.80	43.75	54.00	-10.25	30.91	34.80	10.03	31.99	0.00	106	182	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5550.00	95.17	-----	-----	82.33	34.72	10.16	32.04	0.00	106	182	AVERAGE																																																																																																																	




Mode	57																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.83</td><td>55.30</td><td>68.30</td><td>-13.00</td><td>42.37</td><td>34.56</td><td>10.37</td><td>32.00</td><td>0.00</td><td>106</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.83	55.30	68.30	-13.00	42.37	34.56	10.37	32.00	0.00	106	182	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5756.83	55.30	68.30	-13.00	42.37	34.56	10.37	32.00	0.00	106	182	PEAK																																												





Mode	57																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.40</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>40.37</td><td>34.80</td><td>10.02</td><td>31.99</td><td>0.00</td><td>278</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>54.31</td><td>68.30</td><td>-13.99</td><td>41.47</td><td>34.80</td><td>10.04</td><td>32.00</td><td>0.00</td><td>278</td><td>273</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.40	53.20	74.00	-20.80	40.37	34.80	10.02	31.99	0.00	278	273	PEAK	2	5468.80	54.31	68.30	-13.99	41.47	34.80	10.04	32.00	0.00	278	273	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>100.17</td><td>-----</td><td>-----</td><td>87.35</td><td>34.70</td><td>10.17</td><td>32.05</td><td>0.00</td><td>278</td><td>273</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.17	-----	-----	87.35	34.70	10.17	32.05	0.00	278	273
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.40	53.20	74.00	-20.80	40.37	34.80	10.02	31.99	0.00	278	273	PEAK																																																																																																																
2	5468.80	54.31	68.30	-13.99	41.47	34.80	10.04	32.00	0.00	278	273	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5550.00	100.17	-----	-----	87.35	34.70	10.17	32.05	0.00	278	273	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.80</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>30.55</td><td>34.80</td><td>9.99</td><td>31.98</td><td>0.00</td><td>278</td><td>273</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.80	43.36	54.00	-10.64	30.55	34.80	9.99	31.98	0.00	278	273	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>91.50</td><td>-----</td><td>-----</td><td>78.68</td><td>34.70</td><td>10.17</td><td>32.05</td><td>0.00</td><td>278</td><td>273</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	91.50	-----	-----	78.68	34.70	10.17	32.05	0.00	278	273	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5434.80	43.36	54.00	-10.64	30.55	34.80	9.99	31.98	0.00	278	273	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5550.00	91.50	-----	-----	78.68	34.70	10.17	32.05	0.00	278	273	AVERAGE																																																																																																																



Mode	57																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.86</td><td>54.37</td><td>68.30</td><td>-13.93</td><td>41.48</td><td>34.55</td><td>10.36</td><td>32.02</td><td>0.00</td><td>278</td><td>273</td><td>PEAK</td></tr></table>	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5742.86	54.37	68.30	-13.93	41.48	34.55	10.36	32.02	0.00	278	273	PEAK	Blank
Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5742.86	54.37	68.30	-13.93	41.48	34.55	10.36	32.02	0.00	278	273	PEAK																																	




Mode	57																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>55.31</td><td>38.06</td><td>14.63</td><td>61.67</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>56.15</td><td>38.06</td><td>14.63</td><td>61.67</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	46.33	74.00	-27.67	55.31	38.06	14.63	61.67	0.00	300	0	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	47.17	74.00	-26.83	56.15	38.06	14.63	61.67	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11100.00	46.33	74.00	-27.67	55.31	38.06	14.63	61.67	0.00	300	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11100.00	47.17	74.00	-26.83	56.15	38.06	14.63	61.67	0.00	100	0	PEAK																																																																																							







		58																																																					
Mode		Band Edge - L																																																					
		U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																					
Pol.		Fundamental																																																					
Peak	Horizontal																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.12	52.83	74.00	-21.17	40.10	34.75	9.93	31.95	0.00	100	159	PEAK	2	5469.68	51.98	68.30	-16.32	39.14	34.00	10.04	32.00	0.00	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5387.12	52.83	74.00	-21.17	40.10	34.75	9.93	31.95	0.00	100	159	PEAK																																											
2	5469.68	51.98	68.30	-16.32	39.14	34.00	10.04	32.00	0.00	100	159	PEAK																																											
Avg	Fundamental																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.74	-----	-----	90.99	34.52	10.30	32.07	0.00	100	159	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5670.00	103.74	-----	-----	90.99	34.52	10.30	32.07	0.00	100	159	PEAK																																											
Avg	Horizontal																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	43.19	54.00	-10.81	30.36	34.00	10.02	31.99	0.00	100	159	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5455.60	43.19	54.00	-10.81	30.36	34.00	10.02	31.99	0.00	100	159	AVERAGE																																											
Avg	Fundamental																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.52	-----	-----	81.77	34.53	10.30	32.00	0.00	100	159	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5670.00	94.52	-----	-----	81.77	34.53	10.30	32.00	0.00	100	159	AVERAGE																																											




Mode	58																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.41</td><td>56.62</td><td>68.30</td><td>-11.68</td><td>43.75</td><td>34.54</td><td>10.35</td><td>32.02</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.41	56.62	68.30	-11.68	43.75	34.54	10.35	32.02	0.00	100	159	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.41	56.62	68.30	-11.68	43.75	34.54	10.35	32.02	0.00	100	159	PEAK																																												





Mode	58																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.00</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>40.88</td><td>34.80</td><td>10.01</td><td>31.99</td><td>0.00</td><td>251</td><td>268</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>52.84</td><td>68.30</td><td>-15.46</td><td>40.00</td><td>34.00</td><td>10.04</td><td>32.00</td><td>0.00</td><td>251</td><td>268</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.00	53.70	74.00	-20.30	40.88	34.80	10.01	31.99	0.00	251	268	PEAK	2	5469.04	52.84	68.30	-15.46	40.00	34.00	10.04	32.00	0.00	251	268	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5452.00	53.70	74.00	-20.30	40.88	34.80	10.01	31.99	0.00	251	268	PEAK																																																									
2	5469.04	52.84	68.30	-15.46	40.00	34.00	10.04	32.00	0.00	251	268	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.20</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>30.29</td><td>34.80</td><td>10.02</td><td>31.99</td><td>0.00</td><td>251</td><td>268</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	43.12	54.00	-10.88	30.29	34.80	10.02	31.99	0.00	251	268	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5457.20	43.12	54.00	-10.88	30.29	34.80	10.02	31.99	0.00	251	268	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>100.00</td><td>-----</td><td>-----</td><td>87.33</td><td>34.52</td><td>10.30</td><td>32.07</td><td>0.00</td><td>251</td><td>268</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.00	-----	-----	87.33	34.52	10.30	32.07	0.00	251	268	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5670.00	100.00	-----	-----	87.33	34.52	10.30	32.07	0.00	251	268	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>89.83</td><td>-----</td><td>-----</td><td>77.08</td><td>34.52</td><td>10.30</td><td>32.07</td><td>0.00</td><td>251</td><td>268</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	89.83	-----	-----	77.08	34.52	10.30	32.07	0.00	251	268	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5670.00	89.83	-----	-----	77.08	34.52	10.30	32.07	0.00	251	268	AVERAGE																																																									






Mode	58																																																																												
	Band Edge - R																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5727.76</td><td>55.06</td><td>68.30</td><td>-13.24</td><td>42.20</td><td>34.54</td><td>10.35</td><td>32.03</td><td>0.00</td><td></td><td></td><td></td><td>251</td><td>268</td><td>PEAK</td><td></td><td></td><td></td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1	5727.76	55.06	68.30	-13.24	42.20	34.54	10.35	32.03	0.00				251	268	PEAK				Blank
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																															
1	5727.76	55.06	68.30	-13.24	42.20	34.54	10.35	32.03	0.00				251	268	PEAK																																																														






Mode	58																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>56.08</td><td>38.20</td><td>14.00</td><td>61.58</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	11340.00	47.50	74.00	-26.50	56.08	38.20	14.00	61.58	0.00	300	0 PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>55.53</td><td>38.20</td><td>14.00</td><td>61.58</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	11340.00	46.95	74.00	-27.05	55.53	38.20	14.00	61.58	0.00	100
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11340.00	47.50	74.00	-26.50	56.08	38.20	14.00	61.58	0.00	300	0 PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11340.00	46.95	74.00	-27.05	55.53	38.20	14.00	61.58	0.00	100	0 PEAK																																																																																														





		59																																																																																																																																	
Mode		Band Edge																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																	
Pol.	Horizontal											Fundamental																																																																																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.57</td><td>54.12</td><td>68.30</td><td>-14.18</td><td>41.38</td><td>34.56</td><td>10.28</td><td>32.10</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5658.90</td><td>52.46</td><td>68.97</td><td>-16.51</td><td>39.71</td><td>34.55</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>5701.21</td><td>53.39</td><td>105.64</td><td>-52.25</td><td>40.60</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr><tr><td>4</td><td>5728.35</td><td>53.08</td><td>111.70</td><td>-58.62</td><td>40.24</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5638.57	54.12	68.30	-14.18	41.38	34.56	10.28	32.10	0.00	100	120	PEAK	2	5658.90	52.46	68.97	-16.51	39.71	34.55	10.29	32.09	0.00	100	120	PEAK	3	5701.21	53.39	105.64	-52.25	40.60	34.51	10.33	32.05	0.00	100	120	PEAK	4	5728.35	53.08	111.70	-58.62	40.24	34.53	10.34	32.03	0.00	100	120	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.05</td><td>-----</td><td>-----</td><td>94.15</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	107.05	-----	-----	94.15	34.55	10.36	32.01	0.00	100	120	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																									
1	5638.57	54.12	68.30	-14.18	41.38	34.56	10.28	32.10	0.00	100	120	PEAK																																																																																																																							
2	5658.90	52.46	68.97	-16.51	39.71	34.55	10.29	32.09	0.00	100	120	PEAK																																																																																																																							
3	5701.21	53.39	105.64	-52.25	40.60	34.51	10.33	32.05	0.00	100	120	PEAK																																																																																																																							
4	5728.35	53.08	111.70	-58.62	40.24	34.53	10.34	32.03	0.00	100	120	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																									
1	5745.00	107.05	-----	-----	94.15	34.55	10.36	32.01	0.00	100	120	PEAK																																																																																																																							
Avg	Blank											 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.34</td><td>-----</td><td>-----</td><td>84.44</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	97.34	-----	-----	84.44	34.55	10.36	32.01	0.00	100	120	AVERAGE																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																									
1	5745.00	97.34	-----	-----	84.44	34.55	10.36	32.01	0.00	100	120	AVERAGE																																																																																																																							





		59																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																												
Pol.	Vertical																																																																																												
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5608.27</td><td>53.89</td><td>68.30</td><td>-14.41</td><td>41.12</td><td>34.60</td><td>10.25</td><td>32.08</td><td>0.00</td><td>300</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>5652.06</td><td>53.10</td><td>69.83</td><td>-16.73</td><td>40.35</td><td>34.55</td><td>10.29</td><td>32.09</td><td>0.00</td><td>300</td><td>91</td><td>PEAK</td></tr><tr><td>3</td><td>5700.49</td><td>53.36</td><td>105.44</td><td>-52.08</td><td>40.58</td><td>34.51</td><td>10.32</td><td>32.05</td><td>0.00</td><td>300</td><td>91</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>53.60</td><td>111.70</td><td>-58.10</td><td>40.76</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>91</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.27	53.89	68.30	-14.41	41.12	34.60	10.25	32.08	0.00	300	91	PEAK	2	5652.06	53.10	69.83	-16.73	40.35	34.55	10.29	32.09	0.00	300	91	PEAK	3	5700.49	53.36	105.44	-52.08	40.58	34.51	10.32	32.05	0.00	300	91	PEAK	4	5720.35	53.60	111.70	-58.10	40.76	34.53	10.34	32.03	0.00	300	91
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5608.27	53.89	68.30	-14.41	41.12	34.60	10.25	32.08	0.00	300	91	PEAK																																																																																	
2	5652.06	53.10	69.83	-16.73	40.35	34.55	10.29	32.09	0.00	300	91	PEAK																																																																																	
3	5700.49	53.36	105.44	-52.08	40.58	34.51	10.32	32.05	0.00	300	91	PEAK																																																																																	
4	5720.35	53.60	111.70	-58.10	40.76	34.53	10.34	32.03	0.00	300	91	PEAK																																																																																	
Fundamental																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.21</td><td>-----</td><td>-----</td><td>92.31</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>300</td><td>91</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.21	-----	-----	92.31	34.55	10.36	32.01	0.00	300	91	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5745.00	105.21	-----	-----	92.31	34.55	10.36	32.01	0.00	300	91	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.91</td><td>-----</td><td>-----</td><td>83.01</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>300</td><td>91</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.91	-----	-----	83.01	34.55	10.36	32.01	0.00	300	91	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5745.00	95.91	-----	-----	83.01	34.55	10.36	32.01	0.00	300	91	AVERAGE																																																																																	






Mode	59																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>54.67</td><td>38.29</td><td>14.91</td><td>61.52</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	46.35	74.00	-27.65	54.67	38.29	14.91	61.52	0.00	300	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>54.13</td><td>38.29</td><td>14.91</td><td>61.52</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	45.81	74.00	-28.19	54.13	38.29	14.91	61.52	0.00	100	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11490.00	46.35	74.00	-27.65	54.67	38.29	14.91	61.52	0.00	300	0	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11490.00	45.81	74.00	-28.19	54.13	38.29	14.91	61.52	0.00	100	0	PEAK																																																																																																					






Mode	60																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>54.81</td><td>38.36</td><td>14.97</td><td>61.49</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11570.00	46.65	74.00	-27.35	54.81	38.36	14.97	61.49	0.00	300	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>54.41</td><td>38.36</td><td>14.97</td><td>61.49</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11570.00	46.25	74.00	-27.75	54.41	38.36	14.97	61.49	0.00	100	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11570.00	46.65	74.00	-27.35	54.81	38.36	14.97	61.49	0.00	300	0	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11570.00	46.25	74.00	-27.75	54.41	38.36	14.97	61.49	0.00	100	0	PEAK																																																																																																					





		61																																																																																																																																																	
Mode		Band Edge																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																																	
Pol.	Horizontal										Fundamental																																																																																																																																								
Peak																																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.38</td><td>56.35</td><td>112.32</td><td>-55.97</td><td>43.00</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>111</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>5874.50</td><td>55.48</td><td>105.44</td><td>-49.96</td><td>42.04</td><td>34.92</td><td>10.47</td><td>31.95</td><td>0.00</td><td>111</td><td>128</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.70</td><td>69.04</td><td>-14.34</td><td>41.07</td><td>35.11</td><td>10.51</td><td>31.99</td><td>0.00</td><td>111</td><td>128</td><td>PEAK</td></tr><tr><td>4</td><td>5929.00</td><td>56.41</td><td>68.30</td><td>-11.89</td><td>42.75</td><td>35.13</td><td>10.52</td><td>31.99</td><td>0.00</td><td>111</td><td>128</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.38	56.35	112.32	-55.97	43.00	34.84	10.45	31.94	0.00	111	128	PEAK	2	5874.50	55.48	105.44	-49.96	42.04	34.92	10.47	31.95	0.00	111	128	PEAK	3	5924.00	54.70	69.04	-14.34	41.07	35.11	10.51	31.99	0.00	111	128	PEAK	4	5929.00	56.41	68.30	-11.89	42.75	35.13	10.52	31.99	0.00	111	128	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.58</td><td>-----</td><td>-----</td><td>94.38</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>111</td><td>128</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	107.58	-----	-----	94.38	34.72	10.43	31.95	0.00	111	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5854.38	56.35	112.32	-55.97	43.00	34.84	10.45	31.94	0.00	111	128	PEAK																																																																																																																																							
2	5874.50	55.48	105.44	-49.96	42.04	34.92	10.47	31.95	0.00	111	128	PEAK																																																																																																																																							
3	5924.00	54.70	69.04	-14.34	41.07	35.11	10.51	31.99	0.00	111	128	PEAK																																																																																																																																							
4	5929.00	56.41	68.30	-11.89	42.75	35.13	10.52	31.99	0.00	111	128	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																								
1	5825.00	107.58	-----	-----	94.38	34.72	10.43	31.95	0.00	111	128	PEAK																																																																																																																																							
Avg	Blank																																																																																																																																																		
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.27</td><td>-----</td><td>-----</td><td>85.07</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>111</td><td>128</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	98.27	-----	-----	85.07	34.72	10.43	31.95	0.00	111	128	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																								
1	5825.00	98.27	-----	-----	85.07	34.72	10.43	31.95	0.00	111	128	AVERAGE																																																																																																																																							






		61																																																																																																																							
Mode	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																								
Pol.	Vertical																																																																																																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.75</td><td>54.30</td><td>113.75</td><td>-59.45</td><td>40.96</td><td>34.83</td><td>10.45</td><td>31.94</td><td>0.00</td><td>310 92 PEAK</td></tr><tr><td>2</td><td>5872.75</td><td>54.93</td><td>105.93</td><td>-51.00</td><td>41.50</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>310 92 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>54.40</td><td>68.30</td><td>-13.90</td><td>40.76</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>310 92 PEAK</td></tr><tr><td>4</td><td>5941.38</td><td>54.54</td><td>68.30</td><td>-13.76</td><td>40.83</td><td>35.18</td><td>10.53</td><td>32.00</td><td>0.00</td><td>310 92 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5853.75	54.30	113.75	-59.45	40.96	34.83	10.45	31.94	0.00	310 92 PEAK	2	5872.75	54.93	105.93	-51.00	41.50	34.91	10.47	31.95	0.00	310 92 PEAK	3	5925.00	54.40	68.30	-13.90	40.76	35.11	10.52	31.99	0.00	310 92 PEAK	4	5941.38	54.54	68.30	-13.76	40.83	35.18	10.53	32.00	0.00	310 92 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.00</td><td>-----</td><td>-----</td><td>92.77</td><td>34.74</td><td>10.43</td><td>31.94</td><td>0.00</td><td>310 92 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	106.00	-----	-----	92.77	34.74	10.43	31.94	0.00	310 92 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																															
1	5853.75	54.30	113.75	-59.45	40.96	34.83	10.45	31.94	0.00	310 92 PEAK																																																																																																															
2	5872.75	54.93	105.93	-51.00	41.50	34.91	10.47	31.95	0.00	310 92 PEAK																																																																																																															
3	5925.00	54.40	68.30	-13.90	40.76	35.11	10.52	31.99	0.00	310 92 PEAK																																																																																																															
4	5941.38	54.54	68.30	-13.76	40.83	35.18	10.53	32.00	0.00	310 92 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																															
1	5825.00	106.00	-----	-----	92.77	34.74	10.43	31.94	0.00	310 92 PEAK																																																																																																															
Avg	Blank											 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.28</td><td>-----</td><td>-----</td><td>83.08</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>310 92 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	96.28	-----	-----	83.08	34.72	10.43	31.95	0.00	310 92 AVERAGE																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																															
1	5825.00	96.28	-----	-----	83.08	34.72	10.43	31.95	0.00	310 92 AVERAGE																																																																																																															




Mode	61																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>54.25</td><td>38.45</td><td>15.02</td><td>61.47</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	46.25	74.00	-27.75	54.25	38.45	15.02	61.47	0.00	300	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>54.64</td><td>38.45</td><td>15.02</td><td>61.47</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	46.64	74.00	-27.36	54.64	38.45	15.02	61.47	0.00	100	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11650.00	46.25	74.00	-27.75	54.25	38.45	15.02	61.47	0.00	300	0	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11650.00	46.64	74.00	-27.36	54.64	38.45	15.02	61.47	0.00	100	0	PEAK																																																																																																					






		62																																																																																																																																	
Mode		Band Edge - L																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																	
Pol.	Horizontal											Fundamental																																																																																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.20</td><td>54.00</td><td>68.30</td><td>-14.30</td><td>41.27</td><td>34.56</td><td>10.27</td><td>32.10</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>52.83</td><td>69.27</td><td>-16.44</td><td>40.08</td><td>34.55</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5700.60</td><td>52.75</td><td>105.47</td><td>-52.72</td><td>39.96</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>54.30</td><td>111.89</td><td>-57.59</td><td>41.46</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5637.20	54.00	68.30	-14.30	41.27	34.56	10.27	32.10	0.00	100	118	PEAK	2	5651.31	52.83	69.27	-16.44	40.08	34.55	10.29	32.09	0.00	100	118	PEAK	3	5700.60	52.75	105.47	-52.72	39.96	34.51	10.33	32.05	0.00	100	118	PEAK	4	5720.44	54.30	111.89	-57.59	41.46	34.53	10.34	32.03	0.00	100	118	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.04</td><td>-----</td><td>-----</td><td>91.12</td><td>34.56</td><td>10.37</td><td>32.01</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	104.04	-----	-----	91.12	34.56	10.37	32.01	0.00	100	118	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																									
1	5637.20	54.00	68.30	-14.30	41.27	34.56	10.27	32.10	0.00	100	118	PEAK																																																																																																																							
2	5651.31	52.83	69.27	-16.44	40.08	34.55	10.29	32.09	0.00	100	118	PEAK																																																																																																																							
3	5700.60	52.75	105.47	-52.72	39.96	34.51	10.33	32.05	0.00	100	118	PEAK																																																																																																																							
4	5720.44	54.30	111.89	-57.59	41.46	34.53	10.34	32.03	0.00	100	118	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																									
1	5755.00	104.04	-----	-----	91.12	34.56	10.37	32.01	0.00	100	118	PEAK																																																																																																																							
Avg	Blank											 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.48</td><td>-----</td><td>-----</td><td>81.56</td><td>34.56</td><td>10.37</td><td>32.01</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	94.48	-----	-----	81.56	34.56	10.37	32.01	0.00	100	118	AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																									
1	5755.00	94.48	-----	-----	81.56	34.56	10.37	32.01	0.00	100	118	AVERAGE																																																																																																																							




Mode	62																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>52.33</td><td>111.26</td><td>-58.93</td><td>38.98</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5872.39</td><td>54.63</td><td>106.03</td><td>-51.40</td><td>41.20</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>53.37</td><td>68.56</td><td>-15.19</td><td>39.73</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5937.13</td><td>54.91</td><td>68.30</td><td>-13.39</td><td>41.22</td><td>35.16</td><td>10.53</td><td>32.00</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	52.33	111.26	-58.93	38.98	34.84	10.45	31.94	0.00	100	118	PEAK	2	5872.39	54.63	106.03	-51.40	41.20	34.91	10.47	31.95	0.00	100	118	PEAK	3	5924.65	53.37	68.56	-15.19	39.73	35.11	10.52	31.99	0.00	100	118	PEAK	4	5937.13	54.91	68.30	-13.39	41.22	35.16	10.53	32.00	0.00	100	118	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.84	52.33	111.26	-58.93	38.98	34.84	10.45	31.94	0.00	100	118	PEAK																																																																																		
2	5872.39	54.63	106.03	-51.40	41.20	34.91	10.47	31.95	0.00	100	118	PEAK																																																																																		
3	5924.65	53.37	68.56	-15.19	39.73	35.11	10.52	31.99	0.00	100	118	PEAK																																																																																		
4	5937.13	54.91	68.30	-13.39	41.22	35.16	10.53	32.00	0.00	100	118	PEAK																																																																																		





		62																																																																																																																																							
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.59</td><td>53.53</td><td>68.30</td><td>-14.77</td><td>40.77</td><td>34.58</td><td>10.27</td><td>32.09</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>5658.07</td><td>51.38</td><td>68.35</td><td>-16.97</td><td>38.64</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>5700.13</td><td>52.49</td><td>105.34</td><td>-52.85</td><td>39.71</td><td>34.51</td><td>10.32</td><td>32.05</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>54.09</td><td>111.19</td><td>-57.10</td><td>41.25</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.59	53.53	68.30	-14.77	40.77	34.58	10.27	32.09	0.00	300	92	PEAK	2	5658.07	51.38	68.35	-16.97	38.64	34.55	10.28	32.09	0.00	300	92	PEAK	3	5700.13	52.49	105.34	-52.85	39.71	34.51	10.32	32.05	0.00	300	92	PEAK	4	5720.13	54.09	111.19	-57.10	41.25	34.53	10.34	32.03	0.00	300	92	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.54</td><td>-----</td><td>-----</td><td>89.62</td><td>34.56</td><td>10.37</td><td>32.01</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.54	-----	-----	89.62	34.56	10.37	32.01	0.00	300	92
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5627.59	53.53	68.30	-14.77	40.77	34.58	10.27	32.09	0.00	300	92	PEAK																																																																																																																													
2	5658.07	51.38	68.35	-16.97	38.64	34.55	10.28	32.09	0.00	300	92	PEAK																																																																																																																													
3	5700.13	52.49	105.34	-52.85	39.71	34.51	10.32	32.05	0.00	300	92	PEAK																																																																																																																													
4	5720.13	54.09	111.19	-57.10	41.25	34.53	10.34	32.03	0.00	300	92	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	102.54	-----	-----	89.62	34.56	10.37	32.01	0.00	300	92	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.20</td><td>-----</td><td>-----</td><td>80.27</td><td>34.56</td><td>10.37</td><td>32.00</td><td>0.00</td><td>300</td><td>92</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.20	-----	-----	80.27	34.56	10.37	32.00	0.00	300	92	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	93.20	-----	-----	80.27	34.56	10.37	32.00	0.00	300	92	AVERAGE																																																																																																																													






Mode	62																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>52.01</td><td>112.15</td><td>-60.14</td><td>38.66</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>5874.15</td><td>53.35</td><td>105.54</td><td>-52.19</td><td>39.92</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>5922.51</td><td>55.53</td><td>70.14</td><td>-14.61</td><td>41.91</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr><tr><td>4</td><td>5930.50</td><td>53.92</td><td>68.30</td><td>-14.38</td><td>40.26</td><td>35.14</td><td>10.52</td><td>32.00</td><td>0.00</td><td>300</td><td>92</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	52.01	112.15	-60.14	38.66	34.84	10.45	31.94	0.00	300	92	PEAK	2	5874.15	53.35	105.54	-52.19	39.92	34.91	10.47	31.95	0.00	300	92	PEAK	3	5922.51	55.53	70.14	-14.61	41.91	35.10	10.51	31.99	0.00	300	92	PEAK	4	5930.50	53.92	68.30	-14.38	40.26	35.14	10.52	32.00	0.00	300	92	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.45	52.01	112.15	-60.14	38.66	34.84	10.45	31.94	0.00	300	92	PEAK																																																																																		
2	5874.15	53.35	105.54	-52.19	39.92	34.91	10.47	31.95	0.00	300	92	PEAK																																																																																		
3	5922.51	55.53	70.14	-14.61	41.91	35.10	10.51	31.99	0.00	300	92	PEAK																																																																																		
4	5930.50	53.92	68.30	-14.38	40.26	35.14	10.52	32.00	0.00	300	92	PEAK																																																																																		




Mode	62																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>55.31</td><td>38.30</td><td>14.92</td><td>61.51</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	47.02	74.00	-26.98	55.31	38.30	14.92	61.51	0.00	300	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>54.53</td><td>38.30</td><td>14.92</td><td>61.51</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00	100	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11510.00	47.02	74.00	-26.98	55.31	38.30	14.92	61.51	0.00	300	0	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00	100	0	PEAK																																																																																																					






		63																																																																																																																																																								
Mode		Band Edge - L																																																																																																																																																								
		U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																																								
Pol.	Horizontal											Fundamental																																																																																																																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5633.54</td><td>54.54</td><td>68.30</td><td>-13.76</td><td>41.80</td><td>34.57</td><td>10.27</td><td>32.10</td><td>0.00</td><td>100</td><td>126 PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>52.43</td><td>68.39</td><td>-15.96</td><td>39.69</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>126 PEAK</td></tr><tr><td>3</td><td>5700.82</td><td>52.89</td><td>105.53</td><td>-52.64</td><td>40.10</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>126 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>51.44</td><td>111.17</td><td>-59.73</td><td>38.60</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>126 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5633.54	54.54	68.30	-13.76	41.80	34.57	10.27	32.10	0.00	100	126 PEAK	2	5650.12	52.43	68.39	-15.96	39.69	34.55	10.28	32.09	0.00	100	126 PEAK	3	5700.82	52.89	105.53	-52.64	40.10	34.51	10.33	32.05	0.00	100	126 PEAK	4	5720.12	51.44	111.17	-59.73	38.60	34.53	10.34	32.03	0.00	100	126 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.72</td><td>-----</td><td>-----</td><td>90.69</td><td>34.60</td><td>10.40</td><td>31.97</td><td>0.00</td><td>100</td><td>126 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	103.72	-----	-----	90.69	34.60	10.40	31.97	0.00	100	126 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	5633.54	54.54	68.30	-13.76	41.80	34.57	10.27	32.10	0.00	100	126 PEAK																																																																																																																																															
2	5650.12	52.43	68.39	-15.96	39.69	34.55	10.28	32.09	0.00	100	126 PEAK																																																																																																																																															
3	5700.82	52.89	105.53	-52.64	40.10	34.51	10.33	32.05	0.00	100	126 PEAK																																																																																																																																															
4	5720.12	51.44	111.17	-59.73	38.60	34.53	10.34	32.03	0.00	100	126 PEAK																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																															
1	5795.00	103.72	-----	-----	90.69	34.60	10.40	31.97	0.00	100	126 PEAK																																																																																																																																															
Avg	Blank											 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.94</td><td>-----</td><td>-----</td><td>81.91</td><td>34.60</td><td>10.40</td><td>31.97</td><td>0.00</td><td>100</td><td>126 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	94.94	-----	-----	81.91	34.60	10.40	31.97	0.00	100	126 AVERAGE																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																															
1	5795.00	94.94	-----	-----	81.91	34.60	10.40	31.97	0.00	100	126 AVERAGE																																																																																																																																															




Mode	63																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.59</td><td>55.59</td><td>114.11</td><td>-58.52</td><td>42.25</td><td>34.83</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>5874.21</td><td>54.87</td><td>105.52</td><td>-50.65</td><td>41.44</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr><tr><td>3</td><td>5923.96</td><td>54.00</td><td>69.07</td><td>-15.07</td><td>40.37</td><td>35.11</td><td>10.51</td><td>31.99</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr><tr><td>4</td><td>5941.32</td><td>55.84</td><td>68.30</td><td>-12.46</td><td>42.13</td><td>35.18</td><td>10.53</td><td>32.00</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.59	55.59	114.11	-58.52	42.25	34.83	10.45	31.94	0.00	100	126	PEAK	2	5874.21	54.87	105.52	-50.65	41.44	34.91	10.47	31.95	0.00	100	126	PEAK	3	5923.96	54.00	69.07	-15.07	40.37	35.11	10.51	31.99	0.00	100	126	PEAK	4	5941.32	55.84	68.30	-12.46	42.13	35.18	10.53	32.00	0.00	100	126	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5853.59	55.59	114.11	-58.52	42.25	34.83	10.45	31.94	0.00	100	126	PEAK																																																																																		
2	5874.21	54.87	105.52	-50.65	41.44	34.91	10.47	31.95	0.00	100	126	PEAK																																																																																		
3	5923.96	54.00	69.07	-15.07	40.37	35.11	10.51	31.99	0.00	100	126	PEAK																																																																																		
4	5941.32	55.84	68.30	-12.46	42.13	35.18	10.53	32.00	0.00	100	126	PEAK																																																																																		





		63																																																																																																																																																		
Mode		Band Edge - L																																																																																																																																																		
		U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																																		
Pol.		Vertical					Fundamental																																																																																																																																													
Peak		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5630.23</td><td>53.13</td><td>68.30</td><td>-15.17</td><td>40.38</td><td>34.57</td><td>10.27</td><td>32.09</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>52.59</td><td>68.68</td><td>-16.09</td><td>39.85</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5700.23</td><td>52.41</td><td>105.36</td><td>-52.95</td><td>39.63</td><td>34.51</td><td>10.32</td><td>32.05</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>50.72</td><td>111.17</td><td>-60.45</td><td>37.88</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.23	53.13	68.30	-15.17	40.38	34.57	10.27	32.09	0.00	300	86	PEAK	2	5650.51	52.59	68.68	-16.09	39.85	34.55	10.28	32.09	0.00	300	86	PEAK	3	5700.23	52.41	105.36	-52.95	39.63	34.51	10.32	32.05	0.00	300	86	PEAK	4	5720.12	50.72	111.17	-60.45	37.88	34.53	10.34	32.03	0.00	300	86	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>101.37</td><td>-----</td><td>-----</td><td>88.34</td><td>34.60</td><td>10.40</td><td>31.97</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.37	-----	-----	88.34	34.60	10.40	31.97	0.00	300	86	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5630.23	53.13	68.30	-15.17	40.38	34.57	10.27	32.09	0.00	300	86	PEAK																																																																																																																																								
2	5650.51	52.59	68.68	-16.09	39.85	34.55	10.28	32.09	0.00	300	86	PEAK																																																																																																																																								
3	5700.23	52.41	105.36	-52.95	39.63	34.51	10.32	32.05	0.00	300	86	PEAK																																																																																																																																								
4	5720.12	50.72	111.17	-60.45	37.88	34.53	10.34	32.03	0.00	300	86	PEAK																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5795.00	101.37	-----	-----	88.34	34.60	10.40	31.97	0.00	300	86	PEAK																																																																																																																																								
Avg		Blank										<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>93.08</td><td>-----</td><td>-----</td><td>80.02</td><td>34.62</td><td>10.41</td><td>31.97</td><td>0.00</td><td>300</td><td>86</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.08	-----	-----	80.02	34.62	10.41	31.97	0.00	300	86	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5795.00	93.08	-----	-----	80.02	34.62	10.41	31.97	0.00	300	86	AVERAGE																																																																																																																																								





Mode	63																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>55.63</td><td>110.93</td><td>-55.30</td><td>42.28</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5864.44</td><td>58.22</td><td>108.25</td><td>-50.03</td><td>44.83</td><td>34.88</td><td>10.46</td><td>31.95</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>53.25</td><td>68.38</td><td>-15.13</td><td>39.61</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5928.15</td><td>54.71</td><td>68.30</td><td>-13.59</td><td>41.05</td><td>35.13</td><td>10.52</td><td>31.99</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	55.63	110.93	-55.30	42.28	34.84	10.45	31.94	0.00	300	86	PEAK	2	5864.44	58.22	108.25	-50.03	44.83	34.88	10.46	31.95	0.00	300	86	PEAK	3	5924.89	53.25	68.38	-15.13	39.61	35.11	10.52	31.99	0.00	300	86	PEAK	4	5928.15	54.71	68.30	-13.59	41.05	35.13	10.52	31.99	0.00	300	86	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.99	55.63	110.93	-55.30	42.28	34.84	10.45	31.94	0.00	300	86	PEAK																																																																																		
2	5864.44	58.22	108.25	-50.03	44.83	34.88	10.46	31.95	0.00	300	86	PEAK																																																																																		
3	5924.89	53.25	68.38	-15.13	39.61	35.11	10.52	31.99	0.00	300	86	PEAK																																																																																		
4	5928.15	54.71	68.30	-13.59	41.05	35.13	10.52	31.99	0.00	300	86	PEAK																																																																																		





Mode	63																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>55.41</td><td>38.39</td><td>14.98</td><td>61.49</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.29	74.00	-26.71	55.41	38.39	14.98	61.49	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>54.26</td><td>38.39</td><td>14.98</td><td>61.49</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.14	74.00	-27.86	54.26	38.39	14.98	61.49	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11590.00	47.29	74.00	-26.71	55.41	38.39	14.98	61.49	0.00	300	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11590.00	46.14	74.00	-27.86	54.26	38.39	14.98	61.49	0.00	100	0	PEAK																																																																																							





Mode	64																																																													
	Harmonic																																																													
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_Full_5720MHz																																																													
Pol.	Horizontal						Vertical																																																							
Peak Avg																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>54.50</td><td>38.26</td><td>14.87</td><td>61.54</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	46.09	74.00	-27.91	54.50	38.26	14.87	61.54	0.00	300	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	11440.00	46.09	74.00	-27.91	54.50	38.26	14.87	61.54	0.00	300	0	PEAK																																																		



Mode	65																																																																																																										
	Harmonic																																																																																																										
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_Full_5710MHz																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>55.10</td><td>38.25</td><td>14.86</td><td>61.54</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.67	74.00	-27.33	55.10	38.25	14.86	61.54	0.00	300	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>54.59</td><td>38.25</td><td>14.86</td><td>61.54</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.16	74.00	-27.84	54.59	38.25	14.86	61.54	0.00	100	0
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11420.00	46.67	74.00	-27.33	55.10	38.25	14.86	61.54	0.00	300	0	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11420.00	46.16	74.00	-27.84	54.59	38.25	14.86	61.54	0.00	100	0	PEAK																																																																																															




Mode	30M-1G																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak QP	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>70.74</td><td>18.80</td><td>-21.20</td><td>40.00</td><td>37.97</td><td>12.66</td><td>0.97 32.80 --- Peak</td></tr><tr><td>2</td><td>226.91</td><td>34.03</td><td>-11.97</td><td>46.00</td><td>48.76</td><td>16.04</td><td>2.03 32.80 --- Peak</td></tr><tr><td>3</td><td>302.57</td><td>39.03</td><td>-6.97</td><td>46.00</td><td>50.07</td><td>19.42</td><td>2.35 32.81 --- Peak</td></tr><tr><td>4</td><td>406.36</td><td>29.60</td><td>-16.40</td><td>46.00</td><td>37.62</td><td>22.12</td><td>2.72 32.86 --- Peak</td></tr><tr><td>5</td><td>487.84</td><td>27.90</td><td>-18.10</td><td>46.00</td><td>34.07</td><td>23.80</td><td>2.98 32.95 --- Peak</td></tr><tr><td>6</td><td>753.62</td><td>33.84</td><td>-12.16</td><td>46.00</td><td>34.64</td><td>28.28</td><td>3.71 32.79 --- Peak</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1	70.74	18.80	-21.20	40.00	37.97	12.66	0.97 32.80 --- Peak	2	226.91	34.03	-11.97	46.00	48.76	16.04	2.03 32.80 --- Peak	3	302.57	39.03	-6.97	46.00	50.07	19.42	2.35 32.81 --- Peak	4	406.36	29.60	-16.40	46.00	37.62	22.12	2.72 32.86 --- Peak	5	487.84	27.90	-18.10	46.00	34.07	23.80	2.98 32.95 --- Peak	6	753.62	33.84	-12.16	46.00	34.64	28.28	3.71 32.79 --- Peak	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>35.82</td><td>30.40</td><td>-9.60</td><td>40.00</td><td>40.55</td><td>22.22</td><td>0.53 32.90 --- Peak</td></tr><tr><td>2</td><td>135.73</td><td>32.84</td><td>-10.66</td><td>43.50</td><td>46.42</td><td>17.71</td><td>1.55 32.84 --- Peak</td></tr><tr><td>3</td><td>159.01</td><td>30.60</td><td>-12.90</td><td>43.50</td><td>45.08</td><td>16.66</td><td>1.69 32.83 --- Peak</td></tr><tr><td>4</td><td>262.80</td><td>34.32</td><td>-11.68</td><td>46.00</td><td>45.09</td><td>19.83</td><td>2.18 32.78 --- Peak</td></tr><tr><td>5</td><td>722.58</td><td>36.53</td><td>-9.47</td><td>46.00</td><td>38.34</td><td>27.50</td><td>3.64 32.95 --- Peak</td></tr><tr><td>6</td><td>827.34</td><td>36.37</td><td>-9.63</td><td>46.00</td><td>36.07</td><td>28.96</td><td>3.88 32.54 --- Peak</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1	35.82	30.40	-9.60	40.00	40.55	22.22	0.53 32.90 --- Peak	2	135.73	32.84	-10.66	43.50	46.42	17.71	1.55 32.84 --- Peak	3	159.01	30.60	-12.90	43.50	45.08	16.66	1.69 32.83 --- Peak	4	262.80	34.32	-11.68	46.00	45.09	19.83	2.18 32.78 --- Peak	5	722.58	36.53	-9.47	46.00	38.34	27.50	3.64 32.95 --- Peak	6	827.34	36.37	-9.63	46.00	36.07	28.96	3.88 32.54 --- Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																											
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																																																																												
1	70.74	18.80	-21.20	40.00	37.97	12.66	0.97 32.80 --- Peak																																																																																																																																											
2	226.91	34.03	-11.97	46.00	48.76	16.04	2.03 32.80 --- Peak																																																																																																																																											
3	302.57	39.03	-6.97	46.00	50.07	19.42	2.35 32.81 --- Peak																																																																																																																																											
4	406.36	29.60	-16.40	46.00	37.62	22.12	2.72 32.86 --- Peak																																																																																																																																											
5	487.84	27.90	-18.10	46.00	34.07	23.80	2.98 32.95 --- Peak																																																																																																																																											
6	753.62	33.84	-12.16	46.00	34.64	28.28	3.71 32.79 --- Peak																																																																																																																																											
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																											
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																																																																												
1	35.82	30.40	-9.60	40.00	40.55	22.22	0.53 32.90 --- Peak																																																																																																																																											
2	135.73	32.84	-10.66	43.50	46.42	17.71	1.55 32.84 --- Peak																																																																																																																																											
3	159.01	30.60	-12.90	43.50	45.08	16.66	1.69 32.83 --- Peak																																																																																																																																											
4	262.80	34.32	-11.68	46.00	45.09	19.83	2.18 32.78 --- Peak																																																																																																																																											
5	722.58	36.53	-9.47	46.00	38.34	27.50	3.64 32.95 --- Peak																																																																																																																																											
6	827.34	36.37	-9.63	46.00	36.07	28.96	3.88 32.54 --- Peak																																																																																																																																											


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.28	-	-	10Hz
802.11n HT20	98.16	-	-	10Hz
802.11n HT40	96.46	0.948	1.055	1.1kHz
802.11ac VHT20	98.23	-	-	10Hz
802.11ac VHT40	96.49	0.957	1.045	1.1kHz
802.11ac VHT80	93.00	0.462	2.163	2.2KHz


802.11a




802.11n HT20




802.11n HT40



802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

