

Produkte
Products

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #109

Date: 17/03/09/

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5260(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5146.850	52.55	0.81	53.36	68.23	-14.87	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #109


Page: 1

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15C(Bandedge)Peak Power: Humidity: 50 %
 EUT: WIFI Module
 M/N:
 Mode: 11nH20 5260(ANT0+ANT1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5142.400	51.75	0.80	52.55	68.23	-15.68	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #110

Page: 1

Produkte
Products

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #119

Date: 17/03/09/

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5260(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.250	52.16	0.81	52.97	68.23	-15.26	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #119


Page: 1

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15C(Bandedge)Peak Power: Humidity: 50 %
 EUT: WIFI Module
 M/N:
 Mode: 11nH20 5260(ANT0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.250	52.57	0.81	53.38	68.23	-14.85	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #120

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #161

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5144.650	52.51	0.80	53.31	68.23	-14.92	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #161

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #162

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5143.900	52.55	0.80	53.35	68.23	-14.88	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #162

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #163

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5146.000	52.62	0.81	53.43	68.23	-14.80	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #163

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #164

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5138.100	53.17	0.80	53.97	68.23	-14.26	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #164

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #165

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5355.250	54.86	1.21	56.07	68.23	-12.16	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #165

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #166

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5350.700	56.94	1.20	58.14	68.23	-10.09	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #166

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #167

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5354.950	56.36	1.21	57.57	68.23	-10.66	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #167

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #168

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5290(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5353.100	55.76	1.20	56.96	68.23	-11.27	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #168

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #215

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5260(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5147.900	52.79	0.81	53.60	68.23	-14.63	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #215

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #216

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5260(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5149.950	54.06	0.82	54.88	68.23	-13.35	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #216

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #225

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5320(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.550	53.34	1.20	54.54	68.23	-13.69	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #225

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #226

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5320(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5351.750	53.10	1.20	54.30	68.23	-13.93	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #226

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #275

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5310(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.050	61.63	1.20	62.83	68.23	-5.40	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #275

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #276

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5310(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.150	57.46	1.20	58.66	68.23	-9.57	peak		
2		5350.150	39.30	1.20	40.50	68.23	-27.73	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #276

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #285

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5310(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.500	56.49	1.20	57.69	68.23	-10.54	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #285

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #286

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5310(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.950	59.96	1.20	61.16	68.23	-7.07	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #286

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #287

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5270(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5146.850	53.05	0.81	53.86	68.23	-14.37	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #287

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #288

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5270(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5143.350	52.32	0.80	53.12	68.23	-15.11	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #288

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #297

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5270(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.250	52.66	0.81	53.47	68.23	-14.76	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #297

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #298

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5270(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5149.350	52.41	0.81	53.22	68.23	-15.01	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #298

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #335

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5260(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5145.050	52.76	0.80	53.56	68.23	-14.67	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #335

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #336

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5260(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5149.950	56.06	0.82	56.88	68.23	-11.35	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #336

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #345

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5320(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5350.550	53.84	1.20	55.04	68.23	-13.19	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #345

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #346

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5320(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5351.750	53.10	1.20	54.30	68.23	-13.93	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #346

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #395

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5310(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5351.250	59.80	1.20	61.00	68.23	-7.23	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #395

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #396

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5310(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5350.150	57.96	1.20	59.16	68.23	-9.07	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #396

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #405

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5310(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.500	56.49	1.20	57.69	68.23	-10.54	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #405

Page: 1