

Appendix Test Data

Report No:	1819C40009712501	Test Sample NO:	1-2-2
Start Test Date:	2024.08.17	Finish Test Date:	2024.08.17
Test Engineer:	Joker Wang	Auditor:	Justin Feng
Temperature:	22.2℃	Relative Humidity:	51%
Pressure:	101 kPa		


Appendix A: 20dB Emission Bandwidth


Test Result


TestMode	Antenna	Frequency[MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.85	2401.53	2402.38	---	---
DH5	Ant1	2441	0.86	2440.52	2441.38	---	---
DH5	Ant1	2480	0.87	2479.51	2480.38	---	---
2DH5	Ant1	2402	1.34	2401.30	2402.64	---	---
2DH5	Ant1	2441	1.31	2440.31	2441.63	---	---
2DH5	Ant1	2480	1.32	2479.31	2480.62	---	---
3DH5	Ant1	2402	1.28	2401.32	2402.60	---	---
3DH5	Ant1	2441	1.31	2440.32	2441.62	---	---
3DH5	Ant1	2480	1.31	2479.32	2480.63	---	---





Test Graphs











Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com




Appendix B: Occupied Channel Bandwidth


Test Result


TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.761	2401.5954	2402.3566	---	---
DH5	Ant1	2441	0.764	2440.5894	2441.3536	---	---
DH5	Ant1	2480	0.764	2479.5894	2480.3536	---	---
2DH5	Ant1	2402	1.175	2401.3766	2402.5514	---	---
2DH5	Ant1	2441	1.193	2440.3736	2441.5664	---	---
2DH5	Ant1	2480	1.199	2479.3676	2480.5664	---	---
3DH5	Ant1	2402	1.175	2401.3826	2402.5574	---	---
3DH5	Ant1	2441	1.181	2440.3856	2441.5664	---	---
3DH5	Ant1	2480	1.205	2479.3646	2480.5694	---	---





Test Graphs











Appendix C: Maximum conducted output power

Test Result Peak-Left Earphone

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH5	Ant1	2402	-1.14	≤20.97	PASS
DH5	Ant1	2441	0.91	≤20.97	PASS
DH5	Ant1	2480	0.08	≤20.97	PASS
2DH5	Ant1	2402	-2.22	≤20.97	PASS
2DH5	Ant1	2441	0.00	≤20.97	PASS
2DH5	Ant1	2480	-0.87	≤20.97	PASS
3DH5	Ant1	2402	-1.86	≤20.97	PASS
3DH5	Ant1	2441	0.13	≤20.97	PASS
3DH5	Ant1	2480	-0.36	≤20.97	PASS



Test Graphs-Left Earphone



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com











Test Result Peak-Right Earphone

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH5	Ant1	2402	-1.10	≤20.97	PASS
DH5	Ant1	2441	0.72	≤20.97	PASS
DH5	Ant1	2480	-0.21	≤20.97	PASS
2DH5	Ant1	2402	-0.98	≤20.97	PASS
2DH5	Ant1	2441	0.79	≤20.97	PASS
2DH5	Ant1	2480	-1.30	≤20.97	PASS
3DH5	Ant1	2402	-2.45	≤20.97	PASS
3DH5	Ant1	2441	0.11	≤20.97	PASS
3DH5	Ant1	2480	-1.26	≤20.97	PASS

Test Graphs-Right Earphone

