







ISO/IEC17025Accredited Lab.

Report No: FCC 1503220-03 File reference No: 2015-04-10

Applicant: Shenzhen Jingwah Information Technology Co., Ltd.

Product: Smart Phone

Model No: S600, a6, x60

Trademark: Polaroid

Test Standards: FCC 47 CFR Part 2, 22(H), 24(E)

RSS-132 and RSS-133

Test result: It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.4, ,FCC Part 22H,24E, RSS-132 and RSS-133 for the evaluation of electromagnetic

compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: April 10, 2015

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Room 512-519, 5/F., East Tower, Building 4, Anhua Industrial Zone, Futian District, Shenzhen, Guangdong, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timewaytech.com

Date: 2015-04-10



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

Page 2 of 94

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAL. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAL-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:1999 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-02

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-02.



Date: 2015-04-10



	Test Report Conclusion	
	Content	
1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	5
1.5	Test Duration	5
1.6	Test Uncertainty.	5
1.7	Test By	5
2.0	Test Configuration of Equipment Under Test.	7
2.1	Test Mode	7
2.2	Connection Diagram of Test System.	9
3.0	Technical Details.	10
3.1	Conducted Output Power Measurement.	10
3.2	Effective Radiated Power and Effective Isotropic Radiated Power Measurement	12
3.3	Occupied Bandwidth Measurement.	16
3.4	Band Edge Measurement.	36
3.5	Conducted Emission Measurement.	49
3.6	Field Strength of Spurious Radiation Measurement.	62
3.7	Frequency Stability Measurement.	68
3.8	Peak to Average Ratio	76
3.9	Mains Conducted Emissions.	78
4.0	Test Equipment.	81
5.0	Photographs	82

correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No: FCC1503220-03 Page 4 of 94

Date: 2015-04-10



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Room 512-519,5/F., East Tower, Building 4, Anhua Industrial Zone, Futian

District, Shenzhen, Guangdong China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 899988

For 3m & 10 m OATS

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A-02

For 3m & 10 m OATS

1.2 Applicant Details

Applicant: Shenzhen Jingwah Information Technology Co., Ltd.

Address: 4F, Bldg 4, Jinghua Square, No.1 Huafa North Road, Futian District, Shenzhen, China

Telephone: 0755-83976295 Fax: 0755-83204874

1.3 Description of EUT

Product: Smart Phone

Manufacturer: Shenzhen Jingwah Information Technology Co., Ltd.

Address: 4F, Bldg 4, Jinghua Square, No.1 Huafa North Road, Futian

District, Shenzhen, China

Brand Name: Polaroid Model Number: S600

Additional Model Number: a6, x60

Tx Frequency GSM850 : 824.2 MHz ~ 848.8 MHz

GSM1900 : 1850.2 MHz ~ 1909.8 MHz WCDMA Band V : 826.4 MHz ~ 846.6 MHz WCDMA Band II : 1852.4 MHz ~ 1907.6 MHz

Rx Frequency GSM850 : 869.2 MHz ~ 893.8 MHz

GSM1900 : 1930.2 MHz ~ 1989.8 MHz WCDMA Band V : 871.4 MHz ~ 891.6 MHz WCDMA Band II : 1932.4 MHz ~ 1987.6 MHz

Maximum Output Power to GSM850:31.78dBm

Antenna GSM1900 : 28.41 dBm

WCDMA Band V : 22.21 dBm

WCDMA Band II: 22.26 dBm

Antenna Type Integral Antenna

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Page 5 of 94

Antenna Peak Gain 824 ~ 849 MHz : -0.8 dBi

1850~1910 MHz: -1.0 dBi

Type of Modulation GSM / GPRS : GMSK

EDGE : GMSK/8PSK WCDMA : QPSK

HSDPA: QPSK / 16QAM

HSUPA: QPSK

EMISSION DESIGNATOR GSM: 251KGXW

EGPRS: 249KG7W WCDMA: 4M19F9W

1.4 Submitted Sample: 2 Samples

1.5 Test Duration

2015-03-26 to 2015-04-10

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

1.7 Test Engineer

The sample tested by

Print Name: Terry Tang

Date: 2015-04-10



SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.1	§2.1046	Conducted Output Power	N/A	PASS	-
3.2	§22.913(a)(2)	Effective Radiated Power	< 7 Watts	PASS	-
3.2	§24.232(c)	Equivalent Isotropic Radiated Power	< 2 Watts	PASS	-
3.3	\$2.1049 \$22.917(a) \$24.238(a)	Occupied Bandwidth	N/A	PASS	-
3.4	\$2.1051 \$22.917(a) \$24.238(a)	Band Edge Measurement	< 43+10log10(P[Watts])	PASS	-
3.5	\$2.1051 \$22.917(a) \$24.238(a)	Conducted Emission	< 43+10log10(P[Watts])	PASS	-
3.6	\$2.1053 \$22.917(a) \$24.238(a)	Field Strength of Spurious Radiation	< 43+10log10(P[Watts])	PASS	-
3.7	\$2.1055 \$22.355 \$24.235	Frequency Stability for Temperature & Voltage	< 2.5 ppm	PASS	-
3.8	§24.232(d)	Peak-to-Average Ratio	< 13 dB	PASS	-
3.9	Part 15B	Main Conducted Emissions	See part 15.107 and 207	PASS	-

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt

any other remedies which may be appropriate.

Date: 2015-04-10



2 Test Configuration of Equipment Under Test

2.1 Test Mode

During all testing, EUT is in link mode with base station emulator at maximum power level. The spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range. Frequency range investigated for radiated emission is as follows:

- 30 MHz to 9000 MHz for GSM850 and WCDMA Band V.
- 30 MHz to 19000 MHz for GSM1900 and WCDMA Band II.

Test Modes						
Band	Radiated TCs	Conducted TCs				
GSM 850	■ GSM Link	■ GSM Link				
	■ EDGE 8 Link	■ EDGE 8 Link				
CSM 4000	■ GSM Link	■ GSM Link				
GSM 1900	■ EDGE 8 Link	■ EDGE 8 Link				
WCDMA Band V	■ RMC 12.2Kbps Link	■ RMC 12.2Kbps Link				
WCDMA Band II	■ RMC 12.2Kbps Link	■ RMC 12.2Kbps Link				

Note: The maximum power levels are GSM mode for GMSK link, EDGE multi-slot class 8 mode for 8PSK link, RMC 12.2Kbps mode for WCDMA band V, and RMC 12.2Kbps mode for WCDMA band II, only these modes were used for all tests.

Date: 2015-04-10



The conducted power tables are as follows:

	Conducted Power (*Unit: dBm)							
Band		GSM850			GSM1900			
Channel	128	190	251	512	661	810		
Frequency	824.2	836.6	848.8	1850.2	1880.0	1909.8		
GSM	31.78	31.66	31.61	28.41	28.36	28.33		
GPRS Class 8	31.33	31.24	31.21	28.26	28.23	28.21		
GPRS Class 10	30.12	30.08	30.05	27.39	27.34	27.31		
GPRS Class 11	28.31	28.26	28.23	25.42	25.41	25.34		
GPRS Class 12	27.28	27.24	27.22	24.49	24.46	24.38		
EGPRS Class 8	27.91	27.86	27.81	26.27	26.29	26.23		
EGPRS Class 10	27.89	27.86	27.77	25.37	25.34	25.42		
EGPRS Class 11	26.12	26.07	26.04	24.21	24.16	24.14		
EGPRS Class 12	25.88	25.83	25.81	23.37	23.35	23.32		

The conducted power tables are as follows: For SIM Card 2

Conducted Power (*Unit: dBm)							
Band		GSM850			GSM1900		
Channel	128	190	251	512	661	810	
Frequency	824.2	836.6	848.8	1850.2	1880.0	1909.8	
GSM	31.71	31.63	31.56	28.29	28.21	28.19	
GPRS 8	31.28	31.20	31.17	28.11	28.08	28.07	
GPRS 10	30.08	30.01	29.92	27.31	27.22	27.2-	
GPRS 11	28.25	28.21	28.16	25.38	25.29	25.16	
GPRS 12	27.16	27.20	27.15	24.33	24.25	24.31	
EGPRS 8	27.76	27.69	27.71	26.19	26.25	26.20	
EGPRS 10	27.72	27.64	27.59	25.26	25.20	25.19	
EGPRS 11	26.08	26.01	25.92	24.08	24.11	24.07	
EGPRS 12	25.59	25.61	25.52	23.41	23.32	23.28	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10




Conducted Power (*Unit: dBm)								
Band	W	CDMA Band	٧	W	WCDMA Band II			
Channel	4132	4183	4233	9262	9400	9538		
Frequency	826.4	836.6	846.6	1852.4	1880.0	1907.6		
RMC 12.2K	22.21	22.16	22.12	22.26	22.21	22.15		
HSDPA Subtest-1	21.89	21.85	21.81	22.13	22.11	22.07		
HSDPA Subtest-2	21.16	21.12	21.08	20.89	20.78	20.67		
HSDPA Subtest-3	20.31	20.28	20.23	20.45	20.39	20.35		
HSDPA Subtest-4	19.87	19.95	19.91	20.16	20.12	20.05		
HSUPA Subtest-1	22.06	22.02	22.13	22.13	22.08	22.05		
HSUPA Subtest-2	21.12	21.15	21.02	21.14	21.12	21.05		
HSUPA Subtest-3	20.42	20.46	20.37	20.38	20.32	20.26		
HSUPA Subtest-4	19.98	19.96	19.89	19.89	19.84	19.75		
HSUPA Subtest-5	19.21	19.25	19.12	19.31	19.21	19.05		

Date: 2015-04-10



2.2 Connection Diagram of Test System



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



3 Test Result

3.1 Conducted Output Power Measurement

3.1.1 Description of the Conducted Output Power Measurement

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals shall be reported.


3.1.2 Measuring Instruments

See list of measuring instruments of this test report.

3.1.3 Test Procedures

- 1. The transmitter output port was connected to base station.
- 2. Set EUT at maximum power through base station.
- 3. Select lowest, middle, and highest channels for each band and different modulation.

3.1.4 Test Setup



Date: 2015-04-10



3.1.5 Test Result of Conducted Output Power

Cellular Band						
Modes	Channel	Frequency (MHz)	Conducted Power (dBm)	Conducted Power (Watts)		
GSM850	128 (Low)	824.2	31.78	1.5066		
(GSM)	190 (Mid)	836.6	31.66	1.4655		
	251 (High)	848.8	31.61	1.4488		
GSM850	128 (Low)	824.2	27.91	0.6180		
(EDGE Class 8)	190 (Mid)	836.4	27.86	0.6109		
	251 (High)	848.8	27.81	0.6039		
	4132 (Low)	826.4	22.21	0.1663		
WCDMA Band V (RMC 12.2Kbps)	4183 (Mid)	836.6	22.16	0.1644		
	4233 (High)	846.6	22.12	0.1629		

PCS Band						
Modes	Channel	Frequency (MHz)	Conducted Power (dBm)	Conducted Power (Watts)		
	512 (Low)	1850.2	28.41	0.6934		
GSM1900	661 (Mid)	1880.0	28.36	0.6855		
(GSM)	810 (High)	1909.8	28.33	0.6908		
	512 (Low)	1850.2	26.27	0.4236		
GSM1900	661 (Mid)	1880.0	26.29	0.4256		
(EDGE Class 8)	810 (High)	1909.8	26.23	0.4198		
	9262 (Low)	1852.4	22.26	0.1683		
WCDMA Band II (RMC 12.2Kbps)	9400 (Mid)	1880.0	22.21	0.1663		
	9538 (High)	1907.6	22.15	0.1641		

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



3.2 Effective Radiated Power and Effective Isotropic Radiated Power Measurement

3.2.1 Description of the ERP/EIRP Measurement

The substitution method, in ANSI / TIA / EIA-603-C-2004, was used for ERP/EIRP measurement, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems v02r01. The ERP of mobile transmitters must not exceed 7 Watts and the EIRP of mobile transmitters are limited to 2 Watts.

3.2.2 Measuring Instruments

See list of measuring instruments of this test report.

3.2.3 Test Procedures

- 1. The EUT was placed on a turntable with 1.5 meter height in a fully anechoic chamber.
- 2. The EUT was set at 3 meters from the receiving antenna, which was mounted on the antenna tower.
- GSM operating modes: Set RBW= 1MHz, VBW= 3MHz, RMS detector over burst;
 UMTS operating modes: Set RBW= 100 kHz, VBW= 300 kHz, RMS detector over frame, and use channel power option with bandwidth=5MHz, per KDB 971168 D01.
- 4. The table was rotated 360 degrees to determine the position of the highest radiated power.
- 5. The height of the receiving antenna is adjusted to look for the maximum ERP/EIRP.
- 6. Taking the record of maximum ERP/EIRP.
- 7. A dipole antenna was substituted in place of the EUT and was driven by a signal generator.
- 8. The conducted power at the terminal of the dipole antenna is measured.
- 9. Repeat step 3 to step 5 to get the maximum ERP/EIRP of the substitution antenna.
- 10. ERP/EIRP = Ps + Et Es + Gs = Ps + Rt Rs + Gs

Ps (dBm): Input power to substitution antenna.

Gs (dBi or dBd): Substitution antenna Gain.

Et = Rt + AF

Es = Rs + AF

AF (dB/m): Receive antenna factor

Rt: The highest received signal in spectrum analyzer for EUT.

Rs: The highest received signal in spectrum analyzer for substitution antenna.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: FCC1503220-03 Page 14 of 94

Date: 2015-04-10



3.2.4 Test Setup



Date: 2015-04-10



3.3.5 Test Result of ERP

	GSM850 (GSM) Radiated Power ERP							
Frequency ERP (dBm) ERP (W) Polarization Res Of Max. ERP								
824.20	29.21	0.8337	Horizontal	Pass				
836.60	29.15	0.8222	Horizontal	Pass				
848.80	29.02	0.7980	Horizontal	Pass				

GSM850 (EDGE class 8) Radiated Power ERP							
Frequency ERP (dBm) ERP (W) Polarization Res Of Max. ERP							
824.20	23.26	0.2118	Horizontal	Pass			
836.60	23.16	0.2070	Horizontal	Pass			
848.80	23.11	0.2046	Horizontal	Pass			

WCDMA Band V (RMC 12.2Kbps) Radiated Power ERP							
Frequency (MHz)	Polarization Of Max. ERP	Result					
826.40	19.82	0.09594	Horizontal	Pass			
836.60	19.76	0.09462	Horizontal	Pass			
846.60	19.72	0.09376	Horizontal	Pass			

adopt any other remedies which may be appropriate.

Date: 2015-04-10



3.3.6 Test Result of EIRP

	GSM1900 (GSM) Radiated Power EIRP							
Frequency EIRP (dBm) EIRP (W) Polarization Of Max. EIRP								
1850.20	26.16	0.4130	Horizontal	Pass				
1880.00	26.12	0.4093	Horizontal	Pass				
1909.80	26.08	0.4055	Horizontal	Pass				

GSM1900 (EDGE class 8) Radiated Power EIRP					
Frequency (MHz)	EIRP (dBm)	EIRP (W)	Polarization Of Max. EIRP	Result	
1850.20	23.77	0.2382	Horizontal	Pass	
1880.00	23.72	0.2355	Horizontal	Pass	
1909.80	23.65	0.2317	Horizontal	Pass	

WCDMA Band II (RMC 12.2Kbps) Radiated Power EIRP					
Frequency (MHz)	EIRP (dBm)	EIRP (W)	Polarization Of Max. EIRP	Result	
1852.40	19.71	0.09354	Horizontal	Pass	
1880.00	19.66	0.09247	Horizontal	Pass	
1907.60	19.59	0.09099	Horizontal	Pass	

adopt any other remedies which may be appropriate.

Date: 2015-04-10



3.3 Occupied Bandwidth Measurement

3.3.1 Description of Occupied Bandwidth Measurement

The 99% occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The emission bandwidth is defined as the width of the signal between two points, located at the 2 sides of the carrier frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.


3.3.2 Measuring Instruments

See list of measuring instruments of this test report.

3.3.3 Test Procedures

- 1. The EUT was connected to Spectrum Analyzer and Base Station via power divider.
- The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
 The path loss was compensated to the results for each measurement.
- 3. The 99% occupied bandwidth were measured, set RBW= 1% of span, VBW= 10*RBW, Peak detector, trace maximum hold.
- The 26dB bandwidth were measured, set RBW= 1% of EBW, VBW= 3*RBW, peak detector, trace maximum hold.

3.3.4 Test Setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



3.4.5 Test Result of Occupied Bandwidth and 26dB Bandwidth

Cellular Band						
Modes	GSM850 (GSM)			GSM850 (EDGE class 8)		
Channel	128	190	251	128	190	251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	824.2	836.6	848.8	824.2	836.6	848.8
99% OBW (kHz)	250.67	245.99	250.49	246.60	243.78	247.84
26dB BW (kHz)	323.74	318.56	320.12	322.14	311.93	324.29

PCS Band						
Modes	GSM1900 (GSM)			GSM1900 (EDGE class 8)		
Channal	512	661	810	512	661	810
Channel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1850.2	1880	1909.8	1850.2	1880	1909.8
99% OBW (kHz)	246.18	238.48	245.73	245.27	245.98	248.83
26dB BW (kHz)	315.57	315.95	320.82	316.78	318.62	326.07

Cellular Band						
Modes	WCDMA Band V (RMC 12.2Kbps)					
Channel	4132 (Low) 4183 (Mid) 4233 (High)					
Frequency (MHz)	826.4 836.6 846.6					
99% OBW (MHz)	4.17	4.14	4.19			
26dB BW (MHz)	4.74 4.69 4.78					

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Date: 2015-04-10



PCS Band						
Modes	WCDMA Band II (RMC 12.2Kbps)					
Channel	9262 (Low) 9400 (Mid) 9538 (High)					
Frequency (MHz)	1852.4 1880 1907.6					
99% OBW (MHz)	4.17	4.18	4.16			
26dB BW (MHz)	4.71 4.72 4.73					

3.4.6 Test Result (Plots) of Occupied Bandwidth and 26dB Bandwidth

GSM 850MHz Channel = 128




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



GSM 850MHz Channel = 190




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



GSM 850MHz Channel = 251




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



3.4 Band Edge Measurement

3.4.1 Description of Band Edge Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least 43 + 10 log (P) dB.


3.4.2 Measuring Instruments

See list of measuring instruments of this test report.

3.4.3 Test Procedures

- 1. The EUT was connected to Spectrum Analyzer and Base Station via power divider.
- The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.The path loss was compensated to the results for each measurement.
- The band edges of low and high channels for the highest RF powers were measured. Setting RBW as roughly BW/100.
- The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
- 5. The limit line is derived from 43 + 10log (P) dB below the transmitter power P(Watts)
 - = P(W) [43 + 10log(P)] (dB)
 - = [30 + 10log(P)] (dBm) [43 + 10log(P)] (dB)
 - = -13dBm.

3.4.4 Test Setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: FCC1503220-03 Page 38 of 94


Date: 2015-04-10



3.4.5 Test Result (Plots) of Conducted Band Edge

Band:	GSM850	Power Stage :	High
Test Mode:	GSM		






Page 39 of 94

Report No: FCC1503220-03






Date: 2015-04-10



Band:	GSM850	Power Stage:	High
Test Mode:	EDGE Class 8 Link		


Lower Band Edge Plot on Channel 128



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.









Band:	GSM1900	Power Stage :	High
Test Mode:	GSM		










Date: 2015-04-10



Band:	GSM1900	Power Stage:	High
Test Mode:	EDGE Class 8 Link		






The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.








Band:	WCDMA Band V	Power Stage:	High
Test Mode:	RMC 12.2Kbps Link		








Date: 2015-04-10




Band:	WCDMA Band II	Power Stage:	High
Test Mode:	RMC 12.2Kbps Link		

Lower Band Edge Plot on Channel 9262







Date: 2015-04-10



3.5 Conducted Emission Measurement

3.5.1 Description of Conducted Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least 43 + 10 log (P) dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.


3.5.2 Measuring Instruments

See list of measuring instruments of this test report.

3.5.3 Test Procedures

- 1. The EUT was connected to spectrum analyzer and base station via power divider.
- The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
 The path loss was compensated to the results for each measurement.
- 3. The middle channel for the highest RF power within the transmitting frequency was measured.
- 4. The conducted spurious emission for the whole frequency range was taken.
- 5. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
- 6. The limit line is derived from 43 + 10log(P) dB below the transmitter power P(Watts)
 - = P(W) [43 + 10log(P)] (dB)
 - = [30 + 10log(P)] (dBm) [43 + 10log(P)] (dB)
 - = -13dBm

3.5.4 Test Setup



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Date: 2015-04-10



3.5.5 Test Result (Plots) of Conducted Emission

Band:	GSM850	Channel:	CH190
Test Mode:	GPRS 8 Link		






Page 52 of 94


Report No: FCC1503220-03









Band:	GSM850	Channel:	CH190
Test Mode:	EDGE Class 8 Link		










Date: 2015-04-10




Band:	GSM1900	Channel:	CH661
Test Mode:	GPRS 8 Link		

Conducted Emission Plot between 30MHz ~ 1GHz









Date: 2015-04-10



Band:	GSM1900	Channel:	CH661
Test Mode:	EDGE Class 8 Link		






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.






Date: 2015-04-10



Band:	WCDMA Band V	Channel:	CH4183
Test Mode:	RMC 12.2Kbps Link		


Conducted Emission Plot between 30MHz ~ 1GHz



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.






Date: 2015-04-10



Band:	WCDMA Band II	Channel:	CH9400
Test Mode:	RMC 12.2Kbps Link		

Conducted Emission Plot between 30MHz ~ 1GHz




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Conducted Emission Plot between 1GHz ~ 20GHz



Date: 2015-04-10



3.6 Field Strength of Spurious Radiation Measurement

3.6.1 Description of Field Strength of Spurious Radiated Measurement

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

3.6.2 Measuring Instruments

See list of measuring instruments of this test report.

3.6.3 Test Procedures

- 1. The EUT was placed on a rotatable wooden table with 0.8 meter above ground.
- The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
- The table was rotated 360 degrees to determine the position of the highest spurious emission.
- 4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
- 5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
- A horn antenna was substituted in place of the EUT and was driven by a signal generator.
- 7. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
- 8. Taking the record of output power at antenna port.
- 9. Repeat step 7 to step 8 for another polarization.
- The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
- 11. The limit line is derived from 43 + 10log(P) dB below the transmitter power P(Watts)
 - = P(W) [43 + 10log(P)] (dB)
 - = [30 + 10log(P)] (dBm) [43 + 10log(P)] (dB)
 - = -13dBm.
- 12. EIRP (dBm) = S.G. Power Tx Cable Loss + Tx Antenna Gain
- 13. ERP (dBm) = EIRP 2.15

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: FCC1503220-03 Page 64 of 94

Date: 2015-04-10



3.6.4 Test Setup



Date: 2015-04-10



3.6.5 Test Result of Field Strength of Spurious Radiated

Test Mode	GSM850 GSM		Test Channel	Low
Frequency (MHz)	Spurious Emissions		Lineit (dDne)	Dooult
	Polarization	Level(dBm)	Limit (dBm)	Result
2467.00	Vertical	-43.30	-13	Pass
2467.00	Horizontal	-45.28	-13	Pass

Test Mode	GSM850 GSM		Test Channel	Middle
Frequency (MHz)	Spurious Emissions		Limit (dDm)	Dooult
	Polarization	Level(dBm)	Limit (dBm)	Result
1667.00	Vertical	-44.09	-13	Pass
1667.,00	Horizontal	-46.21	-13	Pass

Test Mode	GSM850 GSM		Test Channel	High
Frequency (MHz)	Spurious Emissions		Limit (dDm)	Dooult
	Polarization	Level(dBm)	Limit (dBm)	Result
2547.00	Vertical	-53.19	-13	Pass
2547.00	Horizontal	-50.28	-13	Pass

Date: 2015-04-10



Test Mode	GSM1900 GSM		Test Channel	Low
Frequency (MHz)	Spurious Emissions		Limit (dDm)	Dooult
	Polarization	Level(dBm)	Limit (dBm)	Result
3700.40	Vertical	-44.19	-13	Pass
5550.60	Vertical	-48.22	-13	Pass
3700.40	Horizontal	-47.21	-13	Pass
5550.60	Horizontal	-49.83	-13	Pass

Test Mode	GSM1900 GSM		Test Channel	Middle
Frequency (MHz)	Spurious Emissions		Limit (dDm)	Popult
	Polarization	Level(dBm)	Limit (dBm)	Result
3760.00	Vertical	-45.12	-13	Pass
5640.00	Vertical	-48.67	-13	Pass
3760.00	Horizontal	-46.61	-13	Pass
5640.00	Horizontal	-50.70	-13	Pass

Test Mode	GSM1900 GSM		Test Channel	High
Frequency (MHz)	Spurious Emissions		Limit (dDm)	Dooult
	Polarization	Level(dBm)	Limit (dBm)	Result
3819.60	Vertical	-46.12	-13	Pass
5729.40	Vertical	-50.35	-13	Pass
3819.60	Horizontal	-43.67	-13	Pass
5729.40	Horizontal	-46.29	-13	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Test Mode	WCDMA Band V RMC 12.2Kbps		Test Channel	Low
Frequency (MHz)	Spurious E	missions	Lineit (dDire)	Daguit
	Polarization	Level(dBm)	Limit (dBm)	Result
1652.80	Vertical	-52.87	-13	Pass
2479.20	Vertical	-55.35	-13	Pass
1652.80	Horizontal	-55.19	-13	Pass
2479.20	Horizontal	-58.33	-13	Pass

Test Mode	WCDMA Band V RMC 12.2Kbps		Test Channel	Middle
Frequency (MHz)	Spurious Emissions		Limit (dDm)	Result
	Polarization	Level(dBm)	Limit (dBm)	Result
1673.20	Vertical	-53.24	-13	Pass
2509.80	Vertical	-56.17	-13	Pass
1673.20	Horizontal	-54.40	-13	Pass
2509.80	Horizontal	-57.82	-13	Pass

Test Mode	WCDMA Band V RMC 12.2Kbps		Test Channel	High
Frequency (MHz)	Spurious E	missions	Lineit (dDine)	Daguit
	Polarization	Level(dBm)	Limit (dBm)	Result
1693.20	Vertical	-53.11	-13	Pass
2539.80	Vertical	-56.29	-13	Pass
1693.20	Horizontal	-55.76	-13	Pass
2539.80	Horizontal	-58.09	-13	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Test Mode	WCDMA Band II RMC 12.2Kbps		Test Channel	Low
Frequency (MHz)	Spurious E	missions	Lineit (dDire)	Dooult
	Polarization	Level(dBm)	Limit (dBm)	Result
3704.80	Vertical	-53.51	-13	Pass
5557.20	Vertical	-56.05	-13	Pass
3704.80	Horizontal	-56.12	-13	Pass
5557.20	Horizontal	-58.60	-13	Pass

Test Mode	WCDMA Band V RMC 12.2Kbps		Test Channel	Middle
Frequency (MHz)	Spurious Emissions		Limit (dBm)	Result
	Polarization	Level(dBm)	Liffiit (UDITI)	Result
3760	Vertical	-53.07	-13	Pass
5640	Vertical	-55.68	-13	Pass
3760	Horizontal	-56.03	-13	Pass
5640	Horizontal	-59.34	-13	Pass

Test Mode	WCDMA Band V RMC 12.2Kbps		Test Channel	High
Frequency (MHz)	Spurious Emissions		Limit (dDm)	Dooult
	Polarization	Level(dBm)	Limit (dBm)	Result
3815.20	Vertical	-52.19	-13	Pass
5722.80	Vertical	-55.92	-13	Pass
3815.20	Horizontal	-54.83	-13	Pass
5722.80	Horizontal	-58.02	-13	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2015-04-10



3.7 Frequency Stability Measurement

3.7.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within ±0.00025% (±2.5ppm) of the center frequency.

3.7.2 Measuring Instruments

See list of measuring instruments of this test report.

3.7.3 Test Procedures for Temperature Variation

- 1. The EUT was set up in the thermal chamber and connected with the base station.
- 2. With power OFF, the temperature was decreased to -30℃ and the EUT was stabilized for three hours. Power was applied and the maximum change in frequency was recorded within one minute.
- 3. With power OFF, the temperature was raised in 10℃ step up to 50℃. The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.
- 4. If the EUT can not be turned on at -30°C, the testing lowest temperature will be raised in 10°C step until the EUT can be turned on.

3.7.4 Test Procedures for Voltage Variation


- 1. The EUT was placed in a temperature chamber at 25±5° C and connected with the base station.
- 2. The power supply voltage to the EUT was varied from BEP to 115% of the nominal value measured at the input to the EUT.
- 3. The variation in frequency was measured for the worst case.

Report No: FCC1503220-03 Page 70 of 94

Date: 2015-04-10



3.7.5 Test Setup



Thermal Chamber

Date: 2015-04-10



3.7.6 Test Result of Temperature and Voltage Variation

GSM850, Middle Channel

Middle channel, fo =836.6MHz						
Temperature (°C)	Power Supplied (V)	Frequency Error (Hz)	Error (ppm)	Limit (ppm)		
-30	3.1	-37	0.04	2.5		
	3.7	-45	0.05	2.5		
	4.3	-23	0.03	2.5		
-20	3.1	-24	0.03	2.5		
	3.7	-26	0.03	2.5		
	4.3	-27	0.03	2.5		
-10	3.1	-41	0.05	2.5		
	3.7	-39	0.05	2.5		
	4.3	-28	0.03	2.5		
0	3.1	-36	0.04	2.5		
	3.7	-25	0.03	2.5		
	4.3	-31	0.04	2.5		
10	3.1	-33	0.04	2.5		
	3.7	-34	0.04	2.5		
	4.3	-27	0.03	2.5		
20	3.1	-42	0.05	2.5		
	3.7	-22	0.03	2.5		
	4.3	-36	0.04	2.5		
30	3.1	-54	0.06	2.5		
	3.7	-26	0.03	2.5		
	4.3	-48	0.06	2.5		
40	3.1	-36	0.04	2.5		
	3.7	-33	0.04	2.5		
	4.3	-24	0.03	2.5		
50	3.1	-42	0.05	2.5		
	3.7	-37	0.04	2.5		
	4.3	-50	0.06	2.5		

Note: The extreme voltage was declared by the manufacturer.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



EDGE Class 8, Middle Channel

Middle channel, fo =836.6MHz						
Temperature (°C)	Power Supplied (V)	Frequency Error (Hz)	Error (ppm)	Limit (ppm)		
-30	3.1	-55	0.07	2.5		
	3.7	-36	0.04	2.5		
	4.3	-45	0.05	2.5		
-20	3.1	-32	0.04	2.5		
	3.7	-33	0.04	2.5		
	4.3	-29	0.03	2.5		
-10	3.1	-45	0.05	2.5		
	3.7	-37	0.04	2.5		
	4.3	-34	0.04	2.5		
0	3.1	-42	0.05	2.5		
	3.7	-42	0.05	2.5		
	4.3	-31	0.04	2.5		
10	3.1	-34	0.04	2.5		
	3.7	-27	0.03	2.5		
	4.3	-34	0.04	2.5		
20	3.1	-37	0.04	2.5		
	3.7	-45	0.05	2.5		
	4.3	-32	0.04	2.5		
30	3.1	-48	0.06	2.5		
	3.7	-53	0.06	2.5		
	4.3	-36	0.04	2.5		
40	3.1	-36	0.04	2.5		
	3.7	-32	0.04	2.5		
	4.3	-51	0.06	2.5		
50	3.1	-51	0.06	2.5		
	3.7	-48	0.06	2.5		
	4.3	-53	0.06	2.5		

Note: The extreme voltage was declared by the manufacturer.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



GSM1900 Middle Channel:

Middle channel, fo =1880.0MHz									
Temperature (°C)	Power Supplied (V)	Frequency Error (Hz)	Error (ppm)	Limit (ppm)					
	3.1	-66	0.04	2.5					
-30	3.7	-70	0.04	2.5					
	4.3	-69	0.04	2.5					
	3.1	-56	0.03	2.5					
-20	3.7	-65	0.03	2.5					
	4.3	-62	0.03	2.5					
	3.1	-59	0.03	2.5					
-10	3.7	-69	0.04	2.5					
	4.3	-68	0.04	2.5					
	3.1	-56	0.03	2.5					
0	3.7	-55	0.03	2.5					
	4.3	-62	0.03	2.5					
	3.1	-71	0.04	2.5					
10	3.7	-72	0.04	2.5					
	4.3	-68	0.04	2.5					
	3.1	-65	0.03	2.5					
20	3.7	-66	0.04	2.5					
	4.3	-67	0.04	2.5					
	3.1	-62	0.03	2.5					
30	3.7	-64	0.03	2.5					
	4.3	-63	0.03	2.5					
	3.1	-67	0.04	2.5					
40	3.7	-66	0.04	2.5					
	4.3	-61	0.03	2.5					
	3.1	-72	0.04	2.5					
50	3.7	-69	0.04	2.5					
	4.3	-65	0.03	2.5					

Note: The extreme voltage was declared by the manufacturer.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2015-04-10



EDGE Class 8 Middle Channel:

Middle channel, fo =1880.0MHz									
Temperature (°C)	Power Supplied (V)	Frequency Error (Hz)	Error (ppm)	Limit (ppm)					
	3.1	-83	0.04	2.5					
-30	3.7	-86	0.05	2.5					
	4.3	-75	0.04	2.5					
	3.1	-58	0.03	2.5					
-20	3.7	-61	0.03	2.5					
	4.3	-58	0.03	2.5					
	3.1	-65	0.03	2.5					
-10	3.7	-52	0.03	2.5					
	4.3	-57	0.03	2.5					
	3.1	-68	0.04	2.5					
0	3.7	-55	0.03	2.5					
	4.3	-54	0.03	2.5					
10	3.1	-68	0.04	2.5					
	3.7	-54	0.03	2.5					
	4.3	-55	0.03	2.5					
	3.1	-59	0.03	2.5					
20	3.7	-59	0.03	2.5					
	4.3	-62	0.03	2.5					
	3.1	-46	0.02	2.5					
30	3.7	-67	0.04	2.5					
	4.3	-61	0.03	2.5					
	3.1	-45	0.02	2.5					
40	3.7	-52	0.03	2.5					
	4.3	-69	0.04	2.5					
	3.1	-71	0.04	2.5					
50	3.7	-68	0.04	2.5					
	4.3	-72	0.04	2.5					

Note: The extreme voltage was declared by the manufacturer.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2015-04-10



WCDMA Band V

Middle channel, fo =836.6MHz									
Temperature (°C)	Power Supplied (V)	Frequency Error (Hz)	Error (ppm)	Limit (ppm)					
	3.1	-39	0.05	2.5					
-30	3.7	-43	0.05	2.5					
	4.3	-41	0.05	2.5					
	3.1	-62	0.07	2.5					
-20	3.7	-46	0.05	2.5					
	4.3	-47	0.06	2.5					
	3.1	-51	0.06	2.5					
-10	3.7	-37	0.04	2.5					
	4.3	-45	0.05	2.5					
	3.1	-46	0.05	2.5					
0	3.7	-48	0.06	2.5					
	4.3	-45	0.05	2.5					
	3.1	-36	0.04	2.5					
10	3.7	-37	0.04	2.5					
	4.3	-43	0.05	2.5					
	3.1	-45	0.05	2.5					
20	3.7	-52	0.06	2.5					
	4.3	-33	0.04	2.5					
	3.1	-63	0.08	2.5					
30	3.7	-48	0.06	2.5					
	4.3	-45	0.05	2.5					
	3.1	-44	0.05	2.5					
40	3.7	-36	0.04	2.5					
	4.3	-46	0.05	2.5					
	3.1	-57	0.07	2.5					
50	3.7	-47	0.06	2.5					
	4.3	-41	0.05	2.5					

Note: The extreme voltage was declared by the manufacturer.

any other remedies which may be appropriate.

Date: 2015-04-10



WCDMA Band II

Middle channel, fo =1880.0MHz									
Temperature (°C)	Power Supplied (V)	Frequency Error (Hz)	Error (ppm)	Limit (ppm)					
	3.1	-59	0.03	2.5					
-30	3.7	-67	0.04	2.5					
	4.3	-72	0.04	2.5					
	3.1	-65	0.03	2.5					
-20	3.7	-67	0.04	2.5					
	4.3	-46	0.02	2.5					
	3.1	-45	0.02	2.5					
-10	3.7	-63	0.03	2.5					
	4.3	-66	0.04	2.5					
	3.1	-64	0.03	2.5					
0	3.7	-42	0.02	2.5					
	4.3	-51	0.03	2.5					
10	3.1	-54	0.03	2.5					
	3.7	-68	0.04	2.5					
	4.3	-45	0.02	2.5					
	3.1	-46	0.02	2.5					
20	3.7	-44	0.02	2.5					
	4.3	-63	0.03	2.5					
	3.1	-40	0.02	2.5					
30	3.7	-62	0.03	2.5					
	4.3	-40	0.02	2.5					
	3.1	-45	0.02	2.5					
40	3.7	-53	0.03	2.5					
	4.3	-57	0.03	2.5					
	3.1	-58	0.03	2.5					
50	3.7	-62	0.03	2.5					
	4.3	-63	0.03	2.5					

Note: The extreme voltage was declared by the manufacturer.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report

correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2015-04-10



3.8 Peak-to-Average Ratio

3.8.1 Description of the PAR Measurement

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.


3.8.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.8.3 Test Procedures

- 1. The EUT was connected to Spectrum Analyzer and System Simulator via power divider.
- 2. For GSM/EGPRS operating modes:
 - a. Set EUT in maximum power output.
 - b. Set the RBW = 1MHz, VBW = 3MHz, Peak detector in spectrum analyzer for first trace.
 - c. Set the RBW = 1MHz, VBW = 3MHz, RMS detector in spectrum analyzer for second trace.
 - d. The wanted burst signal is triggered by spectrum analyzer, and measured respectively the peak level and Mean level without burst-off time, after system simulator synchronized with the spectrum analyzer.
- 3. For UMTS operating modes:
 - Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
 - b. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
- 4. Record the deviation as Peak to Average Ratio.

3.8.4 Test Setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2015-04-10



Page 78 of 94

3.8.5 Test Result of Peak-to-Average Ratio

PCS Band									
Modes	GSM1900 (GSM)			GSM1900 (GSM) GSM1900 (EDGE class 8)			WCDMA Band II (RMC 12.2Kbps)		
Channel	512 (Low)	661 (Mid)	810 (High)	512 (Low)	661 (Mid)	810 (High)	9262 (Low)	9400 (Mid)	9538 (High)
Frequency (MHz)	1850.2	1880	1909.8	1850.2	1880	1909.8	1852.4	1880	1907.6
Peak-to-Average Ratio (dB)	0.41	0.36	0.39	2.59	2.51	2.55	2.83	2.77	2.70

Date: 2015-04-10



Page 79 of 94

3.9 Mains Conducted Emissions

3.9.1 Measurement Method

The measurement procedure specified in ANSI C63.4-2003 was used for testing. Conducted Emission was measured with travel charger.

3.9.2 Provisions Applicable

Frequency of Emission (MHz)	Conducted Limit(dBuV)						
	Quasi-Peak	Average					
0.15 – 0.5	66 to 56 *	56 to 46 *					
0.5 – 5	56	46					
5 – 30	60	50					
*Decreases with the logarithm of the frequency. *The lower limit shall apply at the transition frequency.							

Note: The GSM850 mode is the worst condition and the test result as following:

Date: 2015-04-10



A: Conducted Emission on Live Terminal (150kHz to 30MHz)

EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Charging and Communication by GSM850

Equipment Level: Class B

Results: PASS

Please refer to following diagram for individual



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	*	0.4995	26.80	11.37	38.17	56.01	-17.84	QP	
2		0.4995	8.90	11.37	20.27	46.01	-25.74	AVG	
3		1.0508	24.40	11.92	36.32	56.00	-19.68	QP	
4		1.0508	3.50	11.92	15.42	46.00	-30.58	AVG	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2015-04-10



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Charging and Communication by GSM850

Equipment Level: Class B

Results: PASS

Please refer to following diagram for individual



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBu∀	dBuV	dB	Detector	Comment
1	*	0.5064	32.10	11.38	43.48	56.00	-12.52	QP	
2		0.5064	-1.20	11.38	10.18	46.00	-35.82	AVG	
3		2.3874	23.10	12.45	35.55	56.00	-20.45	QP	
4		2.3874	-9.10	12.45	3.35	46.00	-42.65	AVG	

Date: 2015-04-10



4 List of Measuring Equipment

4 List of Measuring Equipment Test Equipments									
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date				
ESPI Test Receiver	R&S	ESPI 3	100379	2014-08-21	2015-08-20				
TWO Line-V-NETW	R&S	EZH3-Z5	100294	2014-08-22	2015-08-21				
TWO Line-V-NETW	R&S	EZH3-Z5	100253	2014-08-22	2015-08-21				
Ultra Broadband ANT	R&S	HL562	100157	2014-08-23	2015-08-22				
ESDV Test Receiver	R&S	ESDV	100008	2014-08-22	2015-08-21				
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2014-08-21	2015-08-20				
System Controller	CT	SC100	-						
Printer	EPSON	PHOTO EX3	CFNH234850						
Computer	IBM	8434	1S8434KCE99BLXLO*	-	-				
Loop Antenna	EMCO	6502	00042960	2014-08-22	2015-08-21				
ESPI Test Receiver	R&S	ESI26	838786/013	2014-08-22	2015-08-21				
3m OATS			N/A	2014-08-21	2015-08-20				
Horn Antenna	R&S	BBHA 9170	BBHA9170265	2014-08-23	2015-08-22				
Horn Antenna	R&S	BBHA 9120D	9120D-631	2014-08-23	2015-08-22				
Power meter	Anritsu	ML2487A	6K00003613	2014-08-22	2015-08-21				
Power sensor	Anritsu	MA2491A	32263	2014-08-22	2015-08-21				
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2014-08-23	2015-08-22				
LISN	AFJ	LS16C	10010947251	2014-08-21	2015-08-20				
LISN (Three Phase)	Schwarebeck	NSLK 8126	8126453	2014-08-22	2015-08-21				
9*6*6 Anechoic			N/A	2014-08-21	2015-08-20				
EMI Test Receiver	RS	ESCS30	100139	2014-08-22	2015-08-21				
Universal Radio Communication Tester	RS	CMU200	1100.0008.02	2014-11-27	2015-11-26				
Spectrum Analyzer	Agilent	E4440A	US44300286	2015-03-22	2016-03-21				

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co .,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 83 of 94

Report No: FCC1503220-03

Date: 2015-04-10



5.0 Photographs


Conducted Emission Test Setup:




Date: 2015-04-10



Radiated Emission Test Setup:





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co .,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Photographs - EUT







The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co .,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Outside view





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Inside view





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co .,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co .,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co .,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co .,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2015-04-10



Inside view





End of the report

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.