### SPECIFICTION FOR APPROVAL

CUSTOMER:	The Gem Group, Inc.
CUST P/N:	
_	
DESC: <u>J-F</u>	FCA11L10
DATE: 2	20220829
VERSION:	A.0

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
杨茂新	刘惜姜	罗杰	

Manufacturer: DONGGUAN JIOU ELECTRONIC TECHNOLOGY CO,LTD ADD: Xinfa Industrial Zone, Shijie Town, Dongguan City

TEL:0769-83067050

E-mail: <a href="mailto:lybofmana@163.com">lybofmana@163.com</a>

## **Version Change History**

Before Change	After Change	Change Date	Approved BY
新发行		20220829	罗杰

# **SPECIFICATION**

DESC	J-FCA11L10	REV:A.O		UST ST P/N	
one、DIME	NSION(MM)				
	<u> </u>	•	А	43±1mm	
	ш		В	20.5±0.5 mm	
		-]	С	5±0.5 mm	
A B			D	50±1mm	
<u>C</u>		#	E	10±2 mm	
0			F	3±2 mm	
7	双面胶	G	G	1±0.1 mm	
	кших /		Н	3.0Max	

### two、Winding Specification:

Wire	Turns	Winding Direction
silk wire 0.08*105P	10TS	Rewind

#### three、ELECTRICAL CHARACTERISTICS:

#### TEMPERATURE:25 $\pm$ 10°C,RELATIVE HUMIDITY:65 $\pm$ 20%

	,		
TIEM	PECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
IND	$6.4$ UH $\pm$ 10%	100 KHZ/1.0V	LCZ METER 1062B
DCR	55m Ω Max		LCZ METER 1062B
gain	ODB		

PREPAREDBY	CHECKED BY	DATE
杨茂新	刘惜姜	20220829

