




RESTRICTED BANDEDGE HIGH CHANNEL

HORIZONTAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5797.8709	60.45	74.00	-13.55	peak
		47.20	54.00	-6.80	average
2	5850.0000	61.23	74.00	-12.77	peak
		47.57	54.00	-6.43	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5778.5407	60.78	74.00	-13.22	peak
		47.36	54.00	-6.64	average
2	4870.5786	61.25	74.00	-12.75	peak
		47.57	54.00	-6.43	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1195.2825	37.68	74	-36.32	54	-16.32	peak
2	2499.9167	46.68	74	-27.32	54	-7.32	peak
3	3611.1019	46.64	74	-27.36	54	-7.36	peak
4	6490.8318	52.00	74	-22.00	54	-2.00	peak
5	10763.3709	49.76	74	-24.24	54	-4.24	peak
6	13987.7445	54.49	74	-19.51	54	0.49	peak
7	13987.7445	40.98	74	-33.02	54	-13.02	average
8	17183.3632	53.95	74	-20.05	54	-0.05	peak
9	17183.3632	44.08	74	-29.92	54	-9.92	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1197.1162	38.50	74	-35.50	54	-15.50	peak
2	1792.132	43.19	74	-30.81	54	-10.81	peak
3	2397.2329	50.65	74	-23.35	54	-3.35	peak
4	4806.6344	47.56	74	-26.44	54	-6.44	peak
5	8027.8293	49.92	74	-24.08	54	-4.08	peak
6	17187.1972	56.05	74	-17.95	54	2.05	peak
7	17187.1972	42.70	74	-31.30	54	-11.30	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1196.1994	39.51	74	-34.49	54	-14.49	peak
2	2395.3992	46.31	74	-27.69	54	-7.69	peak
3	3819.2199	47.04	74	-26.96	54	-6.96	peak
4	6488.0813	50.59	74	-23.41	54	-3.41	peak
5	11601.0946	51.90	74	-22.10	54	-2.10	peak
6	17202.5331	55.79	74	-18.21	54	1.79	peak
7	17202.5331	43.39	74	-30.61	54	-10.61	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1195.2825	38.99	74	-35.01	54	-15.01	peak
2	2391.732	49.77	74	-24.23	54	-4.23	peak
3	4037.4229	47.81	74	-26.19	54	-6.19	peak
4	6448.6581	50.43	74	-23.57	54	-3.57	peak
5	11557.0039	52.81	74	-21.19	54	-1.19	peak
6	17206.367	55.93	74	-18.07	54	1.93	peak
7	17206.367	43.10	74	-30.9	54	-10.90	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	38.65	74	-35.35	54	-15.35	peak
2	2499.9167	47.56	74	-26.44	54	-6.44	peak
3	3206.7845	46.57	74	-27.43	54	-7.43	peak
4	6391.8153	50.95	74	-23.05	54	-3.05	peak
5	11560.8379	52.04	74	-21.96	54	-1.96	peak
6	17204.4501	55.94	74	-18.06	54	1.94	peak
7	17204.4501	44.55	74	-29.45	54	-9.45	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz



No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1201.7003	38.98	74	-35.02	54	-15.02	peak
2	2399.0665	50.52	74	-23.48	54	-3.48	peak
3	3830.2217	47.29	74	-26.71	54	-6.71	peak
4	6466.9945	50.75	74	-23.25	54	-3.25	peak
5	11583.8417	52.44	74	-21.56	54	-1.56	peak
6	15444.6552	55.14	74	-18.86	54	1.14	peak
7	15444.6552	41.74	74	-32.26	54	-12.26	average
8	17173.7782	53.34	74	-20.66	54	-0.66	peak
9	17173.7782	43.17	74	-30.83	54	-10.83	average


Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



7.2.4. UNII-3 BAND

RESTRICTED BANDEDGE LOW CHANNEL

HORIZONTAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5629.3081	61.72	68.20	-6.48	peak
		48.52	62.20	-13.68	average
2	5725.0000	65.96	122.20	-56.24	peak
		51.25	116.20	-64.95	average

Note: 1. Measurement = Reading Level + Correct Factor.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5640.8848	61.86	68.20	-6.34	peak
		48.75	62.20	-13.45	average
2	5725.0000	62.78	122.20	-59.42	peak
		49.20	116.20	-67.00	average

Note: 1. Measurement = Reading Level + Correct Factor.



RESTRICTED BANDEDGE HIGH CHANNEL

HORIZONTAL RESULTS




No.	Frequency (MHz)	Result	Limit	Margin	Remark
		(dBuV/m)	(dBuV/m)	(dB)	
1	5850.0000	62.74	122.20	-59.46	peak
		49.30	116.20	-66.90	average
2	5953.1365	63.05	68.20	-5.15	peak
		49.63	62.20	-12.57	average

Note: 1. Measurement = Reading Level + Correct Factor.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5850.0000	66.93	122.20	-55.27	peak
		49.16	116.20	-67.04	average
2	5992.1031	63.00	68.20	-5.20	peak
		49.63	62.20	-12.57	average

Note: 1. Measurement = Reading Level + Correct Factor.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1195.2825	39.63	74	-34.37	54	-14.37	peak
2	2499.9167	46.59	74	-27.41	54	-7.41	peak
3	4047.5079	48.44	74	-25.56	54	-5.56	peak
4	5696.8661	52.17	74	-21.83	54	-1.83	peak
5	9003.5761	49.89	74	-24.11	54	-4.11	peak
6	15438.9043	55.79	74	-18.21	54	1.79	peak
7	15438.9043	42.49	74	-31.51	54	-11.51	average
8	17198.6991	54.98	74	-19.02	54	-0.98	peak
9	17198.6991	44.94	74	-39.06	54	-9.06	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1275.9627	39.51	74	-34.49	54	-14.49	peak
2	1796.7161	44.69	74	-29.31	54	-9.31	peak
3	2395.3992	51.43	74	-22.57	54	-2.57	peak
4	6384.4807	51.03	74	-22.97	54	-2.97	peak
5	11612.5965	52.17	74	-21.83	54	-1.83	peak
6	17185.2802	56.09	74	-17.91	54	2.09	peak
7	17185.2802	43.52	74	-30.48	54	-10.48	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1250.2917	39.53	74	-34.47	54	-14.47	peak
2	2498.9998	45.96	74	-28.04	54	-8.04	peak
3	3556.0927	47.86	74	-26.14	54	-6.14	peak
4	6054.4257	51.34	74	-22.66	54	-2.66	peak
5	12415.8144	52.73	74	-21.27	54	-1.27	peak
6	17192.9481	56.85	74	-17.15	54	2.85	peak
7	17192.9481	43.97	74	-30.03	54	-10.03	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1275.0458	40.21	74	-33.79	54	-13.79	peak
2	1791.2152	44.99	74	-29.01	54	-9.01	peak
3	2395.3992	51.45	74	-22.55	54	-2.55	peak
4	6313.8856	50.73	74	-23.27	54	-3.27	peak
5	12471.4071	52.70	74	-21.30	54	-1.30	peak
6	17204.4501	57.27	74	-16.73	54	3.27	peak
7	17204.4501	43.42	74	-30.58	54	-10.58	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1396.066	40.18	74	-33.82	54	-13.82	peak
2	2499.9167	46.39	74	-27.61	54	-7.61	peak
3	3068.3447	46.96	74	-27.04	54	-7.04	peak
4	5717.953	50.62	74	-23.38	54	-3.38	peak
5	11568.5058	52.18	74	-21.82	54	-1.82	peak
6	15446.5722	54.81	74	-19.19	54	0.81	peak
7	15446.5722	42.42	74	-31.58	54	-11.58	average
8	17221.7029	54.23	74	-19.77	54	1.23	peak
9	17221.7029	43.13	74	-30.87	54	-10.87	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1187.948	39.17	74	-34.83	54	-14.83	peak
2	1792.132	44.16	74	-29.84	54	-9.84	peak
3	2355.976	49.14	74	-24.86	54	-4.86	peak
4	5908.6514	50.54	74	-23.46	54	-3.46	peak
5	11545.502	52.13	74	-21.87	54	-1.87	peak
6	17177.6122	56.61	74	-17.39	54	2.61	peak
7	17177.6122	43.29	74	-30.71	54	-10.71	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.

7.2.5. STRADDLE CHANNEL 144

MIMO MODE (WORST-CASE CONFIGURATION) HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak)	(Peak)	(Ave)	(Ave)	
			(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1197.1162	42.31	74	-31.69	54	-21.69	peak
2	2499.9167	49.45	74	-24.55	54	-4.55	peak
3	4047.5079	48.20	74	-25.80	54	-5.80	peak
4	5707.8680	49.46	74	-24.54	54	-4.54	peak
5	11601.0946	51.90	74	-22.10	54	-2.10	peak
6	16730.9541	52.58	74	-21.42	54	-1.42	peak
7	16730.9541	42.35	74	-31.65	54	-11.65	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz



No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1288.7981	38.69	74	-35.31	54	-15.31	peak
2	2395.3992	47.02	74	-26.98	54	-6.98	peak
3	5043.1739	48.78	74	-25.22	54	-5.22	peak
4	8022.0783	49.92	74	-24.08	54	-4.08	peak
5	11580.0078	52.34	74	-21.66	54	-1.66	peak
6	16539.2553	53.49	74	-20.51	54	-0.51	peak
7	16539.2553	42.22	74	-31.78	54	-11.78	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.


7.3. 802.11ac HT40 MODE

MIMO CDD MODE (WORST-CASE CONFIGURATION)

7.3.1. UNII-1 BAND

RESTRICTED BANDEDGE LOW CHANNEL

HORIZONTAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBμV/m)	(dBμV/m)	(dB)	
1	4785.3737	65.10	74.00	-8.90	peak
		46.40	54.00	-7.60	average
2	5150.0000	63.40	74.00	-10.60	peak
		47.37	54.00	-6.63	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	4786.2246	59.48	74.00	-14.52	peak
		46.40	54.00	-7.60	average
2	5150.0000	70.93	74.00	-3.07	peak
		50.58	54.00	-3.42	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1396.9828	40.51	74	-33.49	54	-13.49	peak
2	2498.9998	46.24	74	-27.76	54	-7.76	peak
3	5109.1849	53.03	74	-20.97	54	-0.97	peak
4	6919.82	51.58	74	-22.42	54	-2.42	peak
5	11639.4399	52.40	74	-21.60	54	-1.60	peak
6	16924.5708	55.78	74	-18.22	54	1.78	peak
7	16924.5708	42.71	74	-31.29	54	-11.29	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1198.033	40.90	74	-33.10	54	-13.10	peak
2	1793.0488	42.14	74	-31.86	54	-11.86	peak
3	2399.0665	50.90	74	-23.10	54	-3.10	peak
4	3944.8241	47.89	74	-26.11	54	-6.11	peak
5	6294.6324	50.16	74	-23.84	54	-3.84	peak
6	17035.756	55.28	74	-18.72	54	1.28	peak
7	17035.756	42.83	74	-31.17	54	-11.17	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1389.6483	39.30	74	-34.70	54	-14.7	peak
2	2499.9167	46.35	74	-27.65	54	-7.65	peak
3	3953.9923	47.09	74	-26.91	54	-6.91	peak
4	5122.9372	50.17	74	-23.83	54	-3.83	peak
5	8020.17	50.29	74	-23.71	54	-3.71	peak
6	17200.6168	56.44	74	-17.56	54	2.44	peak
7	17200.6168	43.95	74	-30.05	54	-10.05	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1198.9498	39.39	74	-34.61	54	-14.61	peak
2	2398.1497	49.30	74	-24.7	54	-4.70	peak
3	3811.8853	47.88	74	-26.12	54	-6.12	peak
4	6459.6599	50.29	74	-23.71	54	-3.71	peak
5	11614.5191	52.07	74	-21.93	54	-1.93	peak
6	16939.9067	56.28	74	-17.72	54	2.28	peak
7	16939.9067	42.40	74	-31.60	54	-11.60	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



7.3.2. UNII-2A BAND
RESTRICTED BANDEDGE HIGH CHANNEL

HORIZONTAL RESULTS
PEAK




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5350.0000	69.77	74.00	-4.23	peak
		49.02	54.00	-4.98	average
2	5411.8689	63.22	74.00	-10.78	peak
		47.61	54.00	-6.39	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5350.0000	66.66	74.00	-7.34	peak
		47.86	54.00	-6.14	average
2	5420.0516	60.69	74.00	-13.31	peak
		47.20	54.00	-6.80	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1396.9828	39.26	74	-34.74	54	-14.74	peak
2	1797.6329	42.31	74	-31.69	54	-11.69	peak
3	2499.9167	47.13	74	-26.87	54	-6.87	peak
4	5409.9017	52.25	74	-21.75	54	-1.75	peak
5	8900.0667	49.65	74	-24.35	54	-4.35	peak
6	17306.051	56.47	74	-17.53	54	2.47	peak
7	17306.051	42.37	74	-31.63	54	-11.63	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1794.8825	44.66	74	-29.34	54	-9.34	peak
2	2393.5656	49.25	74	-24.75	54	-4.75	peak
3	4246.4577	48.46	74	-25.54	54	-5.54	peak
4	6355.1425	50.68	74	-23.32	54	-3.32	peak
5	11524.4207	52.23	74	-21.77	54	-1.77	peak
6	16949.4916	55.70	74	-18.30	54	1.70	peak
7	16949.4916	43.22	74	-30.78	54	-10.78	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1198.9498	39.69	74	-34.31	54	-14.31	peak
2	2499.9167	46.83	74	-27.17	54	-7.17	peak
3	3823.804	48.42	74	-25.58	54	-5.58	peak
4	5387.898	51.78	74	-22.22	54	-2.22	peak
5	8192.6988	50.38	74	-23.62	54	-3.62	peak
6	16439.5733	55.19	74	-18.81	54	1.19	peak
7	16439.5733	40.92	74	-33.08	54	-13.08	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1792.132	43.54	74	-30.46	54	-10.46	peak
2	2392.6488	51.45	74	-22.55	54	-2.55	peak
3	4174.029	47.20	74	-26.80	54	-6.80	peak
4	6336.8061	51.13	74	-22.87	54	-2.87	peak
5	11532.0887	51.89	74	-22.11	54	-2.11	peak
6	17231.2885	55.79	74	-18.21	54	1.79	peak
7	17231.2885	42.70	74	-31.30	54	-11.30	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.

7.3.3. UNII-2C BAND

RESTRICTED BANDEDGE LOW CHANNEL


HORIZONTAL RESULTS



No.	Frequency (MHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5303.4521	64.35	74.00	-9.65	peak
		47.39	54.00	-6.61	average
2	5350.0000	60.92	74.00	-13.08	peak
		47.37	54.00	-6.63	average
3	5470.000	63.98	74.00	-10.02	peak
		49.37	54.00	-4.63	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.

VERTICAL RESULTS




No.	Frequency (MHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5301.5108	60.45	74.00	-13.55	peak
		47.31	54.00	-6.69	average
2	5350.0000	60.67	74.00	-13.33	peak
		47.34	54.00	-6.66	average
3	5470.0000	64.28	74.00	-9.72	peak
		48.48	54.00	-5.52	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



RESTRICTED BANDEDGE HIGH CHANNEL

HORIZONTAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5761.8999	62.18	74.00	-11.82	peak
		47.47	54.00	-6.53	average
2	5850.0000	61.30	74.00	-12.70	peak
		47.47	54.00	-6.53	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5805.2708	60.96	74.00	-13.04	peak
		47.51	54.00	-6.49	average
2	5850.0000	61.39	74.00	-12.61	peak
		47.56	54.00	-6.44	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1194.3657	39.22	74	-34.78	54	-14.78	peak
2	2499.9167	45.93	74	-28.07	54	-8.07	peak
3	3763.2939	47.82	74	-26.18	54	-6.18	peak
4	5401.6503	52.14	74	-21.86	54	-1.86	peak
5	11547.419	52.12	74	-21.88	54	-1.88	peak
6	17200.6161	56.78	74	-17.22	54	2.78	peak
7	17200.6161	44.37	74	-29.63	54	-9.63	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1188.8648	39.37	74	-34.63	54	-14.63	peak
2	1795.7993	41.17	74	-32.83	54	-12.83	peak
3	2352.3087	48.58	74	-25.42	54	-5.42	peak
4	4459.1599	47.82	74	-26.18	54	-6.18	peak
5	6307.4679	50.27	74	-23.73	54	-3.73	peak
6	17212.118	55.92	74	-18.08	54	1.92	peak
7	17212.118	42.86	74	-31.14	54	-11.14	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	37.99	74	-36.01	54	-16.01	peak
2	2499.9167	46.88	74	-27.12	54	-7.12	peak
3	2499.9167	46.88	74	-27.12	54	-7.12	peak
4	5886.6478	50.28	74	-23.72	54	-3.72	peak
5	11905.8957	52.14	74	-21.86	54	-1.86	peak
6	17194.8651	56.17	74	-17.83	54	2.17	peak
7	17194.8651	44.06	74	-29.94	54	-9.94	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1176.9462	39.25	74	-34.75	54	-14.75	peak
2	2385.3142	48.36	74	-25.64	54	-5.64	peak
3	3821.0535	47.56	74	-26.44	54	-6.44	peak
4	6318.4697	50.50	74	-23.50	54	-3.50	peak
5	11553.1699	52.08	74	-21.92	54	-1.92	peak
6	17191.0311	56.32	74	-17.68	54	2.32	peak
7	17191.0311	42.82	74	-31.18	54	-11.18	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1194.3657	40.01	74	-33.99	54	-13.99	peak
2	1792.132	42.91	74	-31.09	54	-11.09	peak
3	2499.9167	47.08	74	-26.92	54	-6.92	peak
4	5885.731	52.54	74	-21.46	54	-1.46	peak
5	11608.7626	52.40	74	-21.60	54	-1.60	peak
6	17196.7821	56.31	74	-17.69	54	2.31	peak
7	17196.7821	43.79	74	-30.21	54	-10.21	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz



No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1798.5498	41.24	74	-32.76	54	-12.76	peak
2	2396.3161	51.97	74	-22.03	54	-2.03	peak
3	3196.6995	46.51	74	-27.49	54	-7.49	peak
4	5878.3964	50.65	74	-23.35	54	-3.35	peak
5	12321.882	52.27	74	-21.73	54	-1.73	peak
6	15442.7382	55.13	74	-18.87	54	1.13	peak
7	15442.7382	41.18	74	-32.82	54	-12.82	average
8	16937.9887	53.61	74	-20.39	54	-0.39	peak
9	16937.9887	43.09	74	-30.91	54	-10.91	average


Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



7.3.4. UNII-3 BAND

RESTRICTED BANDEDGE LOW CHANNEL

HORIZONTAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5643.9280	67.56	68.20	-0.64	peak
		48.82	62.20	-13.38	average
2	5725.0000	68.87	122.20	-53.33	peak
		50.74	116.20	-65.46	average

Note: 1. Measurement = Reading Level + Correct Factor.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5616.2839	67.52	68.20	-0.68	peak
		48.49	62.20	-13.71	average
2	5725.0000	65.93	122.20	-56.27	peak
		49.81	116.20	-66.39	average

Note: 1. Measurement = Reading Level + Correct Factor.



RESTRICTED BANDEDGE HIGH CHANNEL

HORIZONTAL RESULTS




No.	Frequency (MHz)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	64.19	122.20	-58.01	peak
		49.51	116.20	-66.69	average
2	5966.1816	64.82	68.20	-3.38	peak
		49.81	62.20	-12.39	average

Note: 1. Measurement = Reading Level + Correct Factor.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5850.0000	62.27	122.20	-59.93	peak
		49.11	116.20	-67.09	average
2	5998.6879	62.89	68.20	-5.31	peak
		49.70	62.20	-12.50	average

Note: 1. Measurement = Reading Level + Correct Factor.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz



No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1197.1162	40.00	74	-34.00	54	-14.00	peak
2	2499.9167	46.76	74	-27.24	54	-7.24	peak
3	3779.7966	46.25	74	-27.75	54	-7.75	peak
4	5701.4502	52.84	74	-21.16	54	-1.16	peak
5	11514.8302	52.46	74	-21.54	54	-1.54	peak
6	17210.201	55.84	74	-18.16	54	1.84	peak
7	17210.201	43.58	74	-30.42	54	-10.42	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.