


802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 101
101
3.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45988G	62.70	74.00	-11.30	55.20	3	Vertical	356	1.34	101	33.70	6.46	32.66
AV	5.45884G	50.82	54.00	-3.18	43.32	3	Vertical	356	1.34	101	33.70	6.46	32.66
PK	5.4656G	61.81	68.20	-6.39	54.29	3	Vertical	356	1.34	101	33.70	6.47	32.65
PK	5.71572G	117.79	Inf	-Inf	109.79	3	Vertical	356	1.34	101	34.13	6.60	32.73
AV	5.70428G	107.03	Inf	-Inf	99.12	3	Vertical	356	1.34	101	34.03	6.60	32.72
PK	5.85196G	64.56	68.20	-3.64	55.94	3	Vertical	356	1.34	101	34.80	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 101
80\98\107\102\99\101
3.65\2.28\4.69\0.61\2.14\0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	62.90	74.00	-11.10	55.40	3	Horizontal	0	1.98	101	33.70	6.46	32.66
AV	5.45156G	51.73	54.00	-2.27	44.24	3	Horizontal	0	1.98	101	33.70	6.45	32.66
PK	5.46924G	63.39	68.20	-4.81	55.87	3	Horizontal	0	1.98	101	33.70	6.47	32.65
PK	5.71208G	118.37	Inf	-Inf	110.39	3	Horizontal	0	1.98	101	34.10	6.60	32.72
AV	5.70688G	109.29	Inf	-Inf	101.35	3	Horizontal	0	1.98	101	34.06	6.60	32.72
PK	5.8504G	67.29	68.20	-0.91	58.67	3	Horizontal	0	1.98	101	34.80	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46G	56.39	74.00	-17.61	40.89	3	Vertical	16	1.80	74	38.40	8.86	31.76
AV	11.45016G	43.29	54.00	-10.71	27.80	3	Vertical	16	1.80	74	38.40	8.86	31.77
PK	17.16104G	67.93	68.20	-0.27	45.62	3	Vertical	290	2.66	71	41.52	10.85	30.06

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45808G	56.83	74.00	-17.17	41.34	3	Horizontal	360	1.75	101	38.40	8.86	31.77
AV	11.45888G	43.22	54.00	-10.78	27.72	3	Horizontal	360	1.75	101	38.40	8.86	31.76
PK	17.13616G	68.13	68.20	-0.07	45.84	3	Horizontal	23	1.80	74	41.47	10.84	30.02

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 69
69
0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	58.55	74.00	-15.45	52.27	3	Vertical	360	1.05	69	32.70	6.37	32.79
AV	5.14568G	47.92	54.00	-6.08	41.63	3	Vertical	360	1.05	69	32.71	6.37	32.79
PK	5.26056G	110.42	Inf	-Inf	103.94	3	Vertical	360	1.05	69	32.82	6.40	32.74
AV	5.27592G	98.90	Inf	-Inf	92.38	3	Vertical	360	1.05	69	32.85	6.40	32.73
PK	5.35G	64.39	74.00	-9.61	57.69	3	Vertical	360	1.05	69	33.00	6.40	32.70
AV	5.35G	53.40	54.00	-0.60	46.70	3	Vertical	360	1.05	69	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 69
80\62\71\66\69
-4.48\2.34\ -0.20\1.11\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	59.90	74.00	-14.10	53.60	3	Horizontal	7	1.86	69	32.72	6.37	32.79
AV	5.146G	48.00	54.00	-6.00	41.71	3	Horizontal	7	1.86	69	32.71	6.37	32.79
PK	5.28168G	110.69	Inf	-Inf	104.16	3	Horizontal	7	1.86	69	32.86	6.40	32.73
AV	5.2772G	99.56	Inf	-Inf	93.04	3	Horizontal	7	1.86	69	32.85	6.40	32.73
PK	5.3508G	64.30	74.00	-9.70	57.60	3	Horizontal	7	1.86	69	33.00	6.40	32.70
AV	5.35176G	53.77	54.00	-0.23	47.06	3	Horizontal	7	1.86	69	33.01	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX


EUT Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58032G	56.35	68.20	-11.85	40.82	3	Vertical	306	1.95	69	38.58	8.65	31.70
PK	15.90808G	62.76	74.00	-11.24	44.50	3	Vertical	241	2.53	69	38.40	10.47	30.61
AV	15.94968G	49.59	54.00	-4.41	31.31	3	Vertical	241	2.53	69	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX


EUT Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5736G	56.74	68.20	-11.46	41.23	3	Horizontal	278	1.80	69	38.57	8.64	31.70
PK	15.9388G	63.62	74.00	-10.38	45.34	3	Horizontal	121	1.80	69	38.40	10.48	30.60
AV	15.94856G	49.61	54.00	-4.39	31.33	3	Horizontal	121	1.80	69	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 70
70
1.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45624G	64.53	74.00	-9.47	57.03	3	Vertical	352	1.19	70	33.70	6.46	32.66	
AV	5.45624G	52.44	54.00	-1.56	44.94	3	Vertical	352	1.19	70	33.70	6.46	32.66	
PK	5.46648G	64.66	68.20	-3.54	57.14	3	Vertical	352	1.19	70	33.70	6.47	32.65	
PK	5.526G	111.47	Inf	-Inf	103.79	3	Vertical	352	1.19	70	33.80	6.53	32.65	
AV	5.52088G	100.16	Inf	-Inf	92.51	3	Vertical	352	1.19	70	33.78	6.52	32.65	

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 70
80\62\71\66\69\70
-4.66\2.70\0.20\1.73\0.66\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	64.85	74.00	-9.15	57.36	3	Horizontal	1	1.80	70	33.70	6.45	32.66
AV	5.45688G	53.78	54.00	-0.22	46.28	3	Horizontal	1	1.80	70	33.70	6.46	32.66
PK	5.46696G	66.31	68.20	-1.89	58.79	3	Horizontal	1	1.80	70	33.70	6.47	32.65
PK	5.56696G	113.06	Inf	-Inf	105.29	3	Horizontal	1	1.80	70	33.87	6.57	32.67
AV	5.542G	101.64	Inf	-Inf	93.89	3	Horizontal	1	1.80	70	33.87	6.54	32.66

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX


EUT Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08496G	56.14	74.00	-17.86	40.94	3	Vertical	171	1.84	70	38.42	8.77	31.99
AV	11.07504G	42.98	54.00	-11.02	27.78	3	Vertical	171	1.84	70	38.42	8.77	31.99
PK	16.6164G	68.14	68.20	-0.06	46.28	3	Vertical	139	2.47	69	40.32	10.68	29.14

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX


EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06336G	56.20	74.00	-17.80	40.99	3	Horizontal	65	1.17	70	38.44	8.77	32.00
AV	11.08224G	42.95	54.00	-11.05	27.75	3	Horizontal	65	1.17	70	38.42	8.77	31.99
PK	16.62408G	67.86	68.20	-0.34	46.01	3	Horizontal	348	1.80	70	40.32	10.69	29.16

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 78
79\70\75\78
-0.80\4.32\3.22\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	63.30	74.00	-10.70	55.80	3	Vertical	1	1.78	78	33.70	6.46	32.66
AV	5.45928G	51.49	54.00	-2.51	43.99	3	Vertical	1	1.78	78	33.70	6.46	32.66
PK	5.46952G	64.41	68.20	-3.79	56.89	3	Vertical	1	1.78	78	33.70	6.47	32.65
PK	5.57448G	111.11	Inf	-Inf	103.36	3	Vertical	1	1.78	78	33.85	6.57	32.67
AV	5.59976G	100.26	Inf	-Inf	92.54	3	Vertical	1	1.78	78	33.80	6.60	32.68
PK	5.73032G	67.22	68.20	-0.98	59.11	3	Vertical	1	1.78	78	34.24	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
SET 79
80\68\74\77\79
-0.94\4.03\1.87\1.18\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	64.41	74.00	-9.59	56.91	3	Horizontal	360	1.79	79	33.70	6.46	32.66
AV	5.45672G	52.54	54.00	-1.46	45.04	3	Horizontal	360	1.79	79	33.70	6.46	32.66
PK	5.46696G	65.07	68.20	-3.13	57.55	3	Horizontal	360	1.79	79	33.70	6.47	32.65
PK	5.58696G	114.45	Inf	-Inf	106.70	3	Horizontal	360	1.79	79	33.83	6.59	32.67
AV	5.58184G	102.92	Inf	-Inf	95.17	3	Horizontal	360	1.79	79	33.84	6.58	32.67
PK	5.73704G	67.83	68.20	-0.37	59.66	3	Horizontal	360	1.79	79	34.30	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15648G	55.94	74.00	-18.06	40.76	3	Vertical	354	1.09	78	38.34	8.79	31.95
AV	11.15504G	43.13	54.00	-10.87	27.95	3	Vertical	354	1.09	78	38.34	8.79	31.95
PK	16.82616G	65.64	68.20	-2.56	43.77	3	Vertical	262	1.19	78	40.63	10.75	29.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14848G	55.66	74.00	-18.34	40.47	3	Horizontal	61	2.88	78	38.35	8.79	31.95
AV	11.14032G	43.04	54.00	-10.96	27.85	3	Horizontal	61	2.88	78	38.36	8.79	31.96
PK	16.76072G	66.20	68.20	-2.00	44.40	3	Horizontal	360	1.80	78	40.46	10.73	29.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 91
91
0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45336G	62.94	74.00	-11.06	55.45	3	Vertical	360	1.78	91	33.70	6.45	32.66
AV	5.45432G	52.03	54.00	-1.97	44.54	3	Vertical	360	1.78	91	33.70	6.45	32.66
PK	5.46824G	64.04	68.20	-4.16	56.52	3	Vertical	360	1.78	91	33.70	6.47	32.65
PK	5.70008G	112.90	Inf	-Inf	105.02	3	Vertical	360	1.78	91	34.00	6.60	32.72
AV	5.65928G	102.61	Inf	-Inf	94.63	3	Vertical	360	1.78	91	34.08	6.60	32.70
PK	5.85G	67.23	68.20	-0.97	58.61	3	Vertical	360	1.78	91	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 91
80\98\89\94\91
3.33\ -3.45\1.34\ -1.83\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45672G	65.17	74.00	-8.83	57.67	3	Horizontal	360	1.96	91	33.70	6.46	32.66
AV	5.45624G	53.50	54.00	-0.50	46.00	3	Horizontal	360	1.96	91	33.70	6.46	32.66
PK	5.4668G	65.47	68.20	-2.73	57.95	3	Horizontal	360	1.96	91	33.70	6.47	32.65
PK	5.67704G	114.44	Inf	-Inf	106.50	3	Horizontal	360	1.96	91	34.05	6.60	32.71
AV	5.66168G	105.31	Inf	-Inf	97.33	3	Horizontal	360	1.96	91	34.08	6.60	32.70
PK	5.85224G	67.63	68.20	-0.57	59.01	3	Horizontal	360	1.96	91	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32016G	55.54	74.00	-18.46	40.16	3	Vertical	116	1.80	91	38.40	8.83	31.85
AV	11.44976G	43.46	54.00	-10.54	27.97	3	Vertical	116	1.80	91	38.40	8.86	31.77
PK	17.13672G	67.84	68.20	-0.36	45.55	3	Vertical	87	2.48	91	41.47	10.84	30.02

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43584G	56.59	74.00	-17.41	41.11	3	Horizontal	360	1.31	91	38.40	8.86	31.78
AV	11.4552G	43.24	54.00	-10.76	27.75	3	Horizontal	360	1.31	91	38.40	8.86	31.77
PK	17.11544G	68.14	68.20	-0.06	45.87	3	Horizontal	9	1.80	91	41.43	10.83	29.99

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 55
55
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13192G	62.39	74.00	-11.61	56.07	3	Vertical	1	1.12	55	32.74	6.37	32.79
AV	5.1456G	52.21	54.00	-1.79	45.92	3	Vertical	1	1.12	55	32.71	6.37	32.79
PK	5.23128G	105.90	Inf	-Inf	99.49	3	Vertical	1	1.12	55	32.76	6.40	32.75
AV	5.24088G	94.95	Inf	-Inf	88.52	3	Vertical	1	1.12	55	32.78	6.40	32.75
PK	5.35488G	62.89	74.00	-11.11	56.17	3	Vertical	1	1.12	55	33.02	6.40	32.70
AV	5.35272G	51.87	54.00	-2.13	45.16	3	Vertical	1	1.12	55	33.01	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 55
80\50\65\57\53\55
-18.55\1.30\6.07\1.26\0.74\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	64.29	74.00	-9.71	58.00	3	Horizontal	1	1.37	55	32.71	6.37	32.79
AV	5.14392G	53.74	54.00	-0.26	47.45	3	Horizontal	1	1.37	55	32.71	6.37	32.79
PK	5.2668G	107.03	Inf	-Inf	100.54	3	Horizontal	1	1.37	55	32.83	6.40	32.74
AV	5.232G	95.81	Inf	-Inf	89.40	3	Horizontal	1	1.37	55	32.76	6.40	32.75
PK	5.36376G	62.79	74.00	-11.21	56.03	3	Horizontal	1	1.37	55	33.06	6.40	32.70
AV	5.3628G	52.49	54.00	-1.51	45.74	3	Horizontal	1	1.37	55	33.05	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56304G	56.27	68.20	-11.93	40.76	3	Vertical	197	1.80	55	38.56	8.64	31.69
PK	15.5932G	62.27	74.00	-11.73	44.76	3	Vertical	243	2.40	55	37.83	10.38	30.70
AV	15.59896G	49.21	54.00	-4.79	31.73	3	Vertical	243	2.40	55	37.80	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT_Y_4TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52528G	56.21	68.20	-11.99	40.71	3	Horizontal	177	1.80	55	38.53	8.63	31.66
PK	15.61848G	61.80	74.00	-12.20	44.32	3	Horizontal	237	1.80	55	37.78	10.39	30.69
AV	15.59512G	49.26	54.00	-4.74	31.76	3	Horizontal	237	1.80	55	37.82	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 42
42
0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4314G	63.13	74.00	-10.87	55.86	3	Vertical	353	1.05	42	33.51	6.43	32.67
PK	5.46704G	61.51	68.20	-6.69	53.99	3	Vertical	353	1.05	42	33.70	6.47	32.65
AV	5.45372G	53.57	54.00	-0.43	46.08	3	Vertical	353	1.05	42	33.70	6.45	32.66
PK	5.5358G	102.52	Inf	-Inf	94.79	3	Vertical	353	1.05	42	33.84	6.54	32.65
AV	5.54588G	92.31	Inf	-Inf	84.54	3	Vertical	353	1.05	42	33.88	6.55	32.66
PK	5.72588G	61.16	68.20	-7.04	53.08	3	Vertical	353	1.05	42	34.21	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
SET 42
80\50\40\45\42
-21.83\ -3.13\0.51\ -0.63\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45912G	62.53	74.00	-11.47	55.03	3	Horizontal	360	1.79	42	33.70	6.46	32.66
AV	5.45876G	53.98	54.00	-0.02	46.48	3	Horizontal	360	1.79	42	33.70	6.46	32.66
PK	5.46308G	62.65	68.20	-5.55	55.15	3	Horizontal	360	1.79	42	33.70	6.46	32.66
PK	5.53688G	104.67	Inf	-Inf	96.93	3	Horizontal	360	1.79	42	33.85	6.54	32.65
AV	5.59232G	94.14	Inf	-Inf	86.41	3	Horizontal	360	1.79	42	33.82	6.59	32.68
PK	5.7428G	62.13	68.20	-6.07	53.93	3	Horizontal	360	1.79	42	34.34	6.60	32.74

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22832G	55.98	74.00	-18.02	40.74	3	Vertical	68	1.80	42	38.33	8.81	31.90
AV	11.28912G	42.88	54.00	-11.12	27.54	3	Vertical	68	1.80	42	38.39	8.82	31.87
PK	16.64952G	66.87	68.20	-1.33	45.03	3	Vertical	304	2.26	42	40.35	10.69	29.20

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
SET 42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.052G	55.46	74.00	-18.54	40.26	3	Horizontal	268	1.80	42	38.45	8.76	32.01
AV	11.12592G	42.80	54.00	-11.20	27.61	3	Horizontal	268	1.80	42	38.37	8.78	31.96
PK	16.62104G	67.58	68.20	-0.62	45.72	3	Horizontal	105	1.80	42	40.32	10.69	29.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	17.15664G	68.19	68.20	-0.01	3	Vertical	212	1.80	81

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 103
103
1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	59.92	74.00	-14.08	53.64	3	Vertical	360	1.24	103	32.70	6.37	32.79
AV	5.14924G	49.31	54.00	-4.69	43.03	3	Vertical	360	1.24	103	32.70	6.37	32.79
PK	5.25792G	122.00	Inf	-Inf	115.52	3	Vertical	360	1.24	103	32.82	6.40	32.74
AV	5.25558G	110.60	Inf	-Inf	104.13	3	Vertical	360	1.24	103	32.81	6.40	32.74
PK	5.35G	64.91	74.00	-9.09	58.21	3	Vertical	360	1.24	103	33.00	6.40	32.70
AV	5.35126G	52.72	54.00	-1.28	46.01	3	Vertical	360	1.24	103	33.01	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 103
80\98\107\102\105\103
4.64\3.23\~4.87\1.09\~2.99\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14794G	62.05	74.00	-11.95	55.77	3	Horizontal	360	1.23	103	32.70	6.37	32.79
AV	5.14976G	49.61	54.00	-4.39	43.33	3	Horizontal	360	1.23	103	32.70	6.37	32.79
PK	5.25142G	121.60	Inf	-Inf	115.14	3	Horizontal	360	1.23	103	32.80	6.40	32.74
AV	5.25506G	110.40	Inf	-Inf	103.93	3	Horizontal	360	1.23	103	32.81	6.40	32.74
PK	5.35126G	65.16	74.00	-8.84	58.45	3	Horizontal	360	1.23	103	33.01	6.40	32.70
AV	5.35178G	53.72	54.00	-0.28	47.01	3	Horizontal	360	1.23	103	33.01	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51676G	57.28	68.20	-10.92	41.78	3	Vertical	7	1.98	98	38.52	8.63	31.65
PK	15.7828G	67.68	74.00	-6.32	49.70	3	Vertical	354	1.79	95	38.20	10.43	30.65
AV	15.77604G	53.77	54.00	-0.23	35.83	3	Vertical	354	1.79	95	38.16	10.43	30.65

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX


EUT Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52008G	58.36	68.20	-9.84	42.87	3	Horizontal	316	1.82	103	38.52	8.63	31.66
PK	15.78352G	67.62	74.00	-6.38	49.62	3	Horizontal	344	1.80	98	38.20	10.44	30.64
AV	15.78448G	53.98	54.00	-0.02	35.97	3	Horizontal	344	1.80	98	38.21	10.44	30.64

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 90
90
0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29496G	118.64	Inf	-Inf	112.08	3	Vertical	0	1.33	90	32.89	6.40	32.73
AV	5.30518G	107.29	Inf	-Inf	100.70	3	Vertical	0	1.33	90	32.91	6.40	32.72
PK	5.35138G	65.63	74.00	-8.37	58.92	3	Vertical	0	1.33	90	33.01	6.40	32.70
AV	5.35012G	53.20	54.00	-0.80	46.50	3	Vertical	0	1.33	90	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 90
80\98\89\94\91\90
3.67\ -6.51\0.66\ -2.99\ -0.41\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29244G	120.16	Inf	-Inf	113.61	3	Horizontal	4	1.78	90	32.88	6.40	32.73
AV	5.30406G	108.02	Inf	-Inf	101.43	3	Horizontal	4	1.78	90	32.91	6.40	32.72
PK	5.3525G	68.47	74.00	-5.53	61.76	3	Horizontal	4	1.78	90	33.01	6.40	32.70
AV	5.35G	53.68	54.00	-0.32	46.98	3	Horizontal	4	1.78	90	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90988G	65.47	74.00	-8.53	47.21	3	Vertical	339	1.80	90	38.40	10.47	30.61
AV	15.90292G	51.98	54.00	-2.02	33.72	3	Vertical	339	1.80	90	38.40	10.47	30.61

802.11ax HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.90412G	64.92	74.00	-9.08	46.66	3	Horizontal	38	1.80	90	38.40	10.47	30.61	
AV	15.9024G	51.76	54.00	-2.24	33.50	3	Horizontal	38	1.80	90	38.40	10.47	30.61	

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 85
85
1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3123G	118.69	Inf	-Inf	112.09	3	Vertical	360	1.05	85	32.92	6.40	32.72
AV	5.3174G	106.07	Inf	-Inf	99.46	3	Vertical	360	1.05	85	32.93	6.40	32.72
PK	5.3504G	64.96	74.00	-9.04	58.26	3	Vertical	360	1.05	85	33.00	6.40	32.70
AV	5.35G	52.81	54.00	-1.19	46.11	3	Vertical	360	1.05	85	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 85
80\92\86\83\85
2.61\ -7.62\ -0.40\ 1.69\ 0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3178G	119.48	Inf	-Inf	112.86	3	Horizontal	6	1.51	85	32.94	6.40	32.72
AV	5.3229G	106.61	Inf	-Inf	99.97	3	Horizontal	6	1.51	85	32.95	6.40	32.71
PK	5.3518G	67.23	74.00	-6.77	60.52	3	Horizontal	6	1.51	85	33.01	6.40	32.70
AV	5.3525G	53.80	54.00	-0.20	47.09	3	Horizontal	6	1.51	85	33.01	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63616G	57.28	74.00	-16.72	41.77	3	Vertical	229	1.80	85	38.60	8.66	31.75
AV	10.62924G	43.51	54.00	-10.49	27.99	3	Vertical	229	1.80	85	38.60	8.66	31.74
PK	15.94176G	62.82	74.00	-11.18	44.54	3	Vertical	50	2.47	85	38.40	10.48	30.60
AV	15.97864G	49.91	54.00	-4.09	31.61	3	Vertical	50	2.47	85	38.40	10.49	30.59

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX


EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62464G	57.38	74.00	-16.62	41.86	3	Horizontal	1	1.46	85	38.60	8.66	31.74
AV	10.65444G	43.60	54.00	-10.40	28.10	3	Horizontal	1	1.46	85	38.60	8.66	31.76
PK	15.95032G	63.86	74.00	-10.14	45.56	3	Horizontal	320	1.78	85	38.40	10.49	30.59
AV	15.97996G	49.79	54.00	-4.21	31.49	3	Horizontal	320	1.78	85	38.40	10.49	30.59

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83
83
1.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.21	74.00	-9.79	56.71	3	Vertical	0	1.32	83	33.70	6.46	32.66
AV	5.4593G	52.46	54.00	-1.54	44.96	3	Vertical	0	1.32	83	33.70	6.46	32.66
PK	5.4662G	66.07	68.20	-2.13	58.55	3	Vertical	0	1.32	83	33.70	6.47	32.65
PK	5.4952G	118.64	Inf	-Inf	111.08	3	Vertical	0	1.32	83	33.70	6.50	32.64
AV	5.4953G	106.83	Inf	-Inf	99.27	3	Vertical	0	1.32	83	33.70	6.50	32.64

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83
80\92\86\83
1.38\ -9.39\ -2.47\ 0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	65.21	74.00	-8.79	57.71	3	Horizontal	360	1.80	83	33.70	6.46	32.66
AV	5.4596G	53.57	54.00	-0.43	46.07	3	Horizontal	360	1.80	83	33.70	6.46	32.66
PK	5.4696G	67.89	68.20	-0.31	60.37	3	Horizontal	360	1.80	83	33.70	6.47	32.65
PK	5.4939G	119.80	Inf	-Inf	112.25	3	Horizontal	360	1.80	83	33.70	6.49	32.64
AV	5.5017G	108.29	Inf	-Inf	100.72	3	Horizontal	360	1.80	83	33.71	6.50	32.64

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01876G	56.05	74.00	-17.95	40.85	3	Vertical	320	1.80	83	38.48	8.75	32.03
AV	10.998G	42.43	54.00	-11.57	27.22	3	Vertical	320	1.80	83	38.50	8.75	32.04
PK	16.51096G	67.52	68.20	-0.68	45.53	3	Vertical	136	1.26	83	40.30	10.65	28.96

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00652G	55.30	74.00	-18.70	40.10	3	Horizontal	142	1.80	83	38.49	8.75	32.04
AV	10.98356G	42.76	54.00	-11.24	27.54	3	Horizontal	142	1.80	83	38.50	8.75	32.03
PK	16.48124G	67.29	68.20	-0.91	45.44	3	Horizontal	128	2.82	83	40.21	10.64	29.00

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 107
107
1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44912G	64.50	74.00	-9.50	57.02	3	Vertical	0	2.51	107	33.69	6.45	32.66
AV	5.4584G	52.38	54.00	-1.62	44.88	3	Vertical	0	2.51	107	33.70	6.46	32.66
PK	5.46896G	66.63	68.20	-1.57	59.11	3	Vertical	0	2.51	107	33.70	6.47	32.65
PK	5.57616G	122.35	Inf	-Inf	114.59	3	Vertical	0	2.51	107	33.85	6.58	32.67
AV	5.57904G	110.97	Inf	-Inf	103.22	3	Vertical	0	2.51	107	33.84	6.58	32.67
PK	5.7304G	60.86	68.20	-7.34	52.75	3	Vertical	0	2.51	107	34.24	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 107
80\98\107
4.27\3.17\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45552G	65.01	74.00	-8.99	57.51	3	Horizontal	4	1.80	107	33.70	6.46	32.66
AV	5.45968G	53.59	54.00	-0.41	46.09	3	Horizontal	4	1.80	107	33.70	6.46	32.66
PK	5.46704G	66.68	68.20	-1.52	59.16	3	Horizontal	4	1.80	107	33.70	6.47	32.65
PK	5.58288G	123.95	Inf	-Inf	116.21	3	Horizontal	4	1.80	107	33.83	6.58	32.67
AV	5.57712G	112.52	Inf	-Inf	104.76	3	Horizontal	4	1.80	107	33.85	6.58	32.67
PK	5.73904G	62.91	68.20	-5.29	54.74	3	Horizontal	4	1.80	107	34.31	6.60	32.74

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX


EUT Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15412G	57.17	74.00	-16.83	41.98	3	Vertical	358	1.79	89	38.35	8.79	31.95
AV	11.1404G	43.07	54.00	-10.93	27.88	3	Vertical	358	1.79	89	38.36	8.79	31.96
PK	16.74744G	67.19	68.20	-1.01	45.39	3	Vertical	338	1.86	89	40.45	10.72	29.37

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX


EUT Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14852G	56.22	74.00	-17.78	41.03	3	Horizontal	3	1.80	107	38.35	8.79	31.95
AV	11.14044G	43.08	54.00	-10.92	27.89	3	Horizontal	3	1.80	107	38.36	8.79	31.96
PK	16.74728G	68.12	68.20	-0.08	46.32	3	Horizontal	43	1.85	89	40.45	10.72	29.37

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 62
62
3.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6965G	112.29	Inf	-Inf	104.40	3	Vertical	0	2.33	62	34.01	6.60	32.72
AV	5.6989G	99.77	Inf	-Inf	91.89	3	Vertical	0	2.33	62	34.00	6.60	32.72
PK	5.7253G	64.55	68.20	-3.65	56.48	3	Vertical	0	2.33	62	34.20	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7031G	114.58	Inf	-Inf	106.68	3	Horizontal	0	2.44	62	34.02	6.60	32.72
AV	5.6933G	101.66	Inf	-Inf	93.77	3	Horizontal	0	2.44	62	34.01	6.60	32.72
PK	5.726G	67.93	68.20	-0.27	59.85	3	Horizontal	0	2.44	62	34.21	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39572G	56.04	74.00	-17.96	40.59	3	Vertical	241	1.80	62	38.40	8.85	31.80
AV	11.40972G	42.83	54.00	-11.17	27.37	3	Vertical	241	1.80	62	38.40	8.85	31.79
PK	17.10624G	65.05	68.20	-3.15	42.79	3	Vertical	211	1.30	62	41.41	10.83	29.98

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41224G	56.37	74.00	-17.63	40.91	3	Horizontal	251	1.80	62	38.40	8.85	31.79
AV	11.41492G	43.07	54.00	-10.93	27.61	3	Horizontal	251	1.80	62	38.40	8.85	31.79
PK	17.11184G	65.86	68.20	-2.34	43.59	3	Horizontal	74	1.81	62	41.42	10.83	29.98

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108
108
3.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	62.68	74.00	-11.32	55.18	3	Vertical	352	1.33	108	33.70	6.46	32.66
AV	5.45918G	49.76	54.00	-4.24	42.26	3	Vertical	352	1.33	108	33.70	6.46	32.66
PK	5.46188G	62.12	68.20	-6.08	54.62	3	Vertical	352	1.33	108	33.70	6.46	32.66
PK	5.7227G	119.23	Inf	-Inf	111.18	3	Vertical	352	1.33	108	34.18	6.60	32.73
AV	5.71244G	108.53	Inf	-Inf	100.55	3	Vertical	352	1.33	108	34.10	6.60	32.72
PK	5.85G	64.68	68.20	-3.52	56.06	3	Vertical	352	1.33	108	34.80	6.60	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
80\98\107\108
4.04\3.29\3.70\3.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	60.72	74.00	-13.28	53.23	3	Horizontal	0	1.86	108	33.70	6.45	32.66
AV	5.45648G	50.39	54.00	-3.61	42.89	3	Horizontal	0	1.86	108	33.70	6.46	32.66
PK	5.46998G	61.35	68.20	-6.85	53.83	3	Horizontal	0	1.86	108	33.70	6.47	32.65
PK	5.72702G	120.87	Inf	-Inf	112.78	3	Horizontal	0	1.86	108	34.22	6.60	32.73
AV	5.72486G	109.96	Inf	-Inf	101.89	3	Horizontal	0	1.86	108	34.20	6.60	32.73
PK	5.8523G	62.71	68.20	-5.49	54.09	3	Horizontal	0	1.86	108	34.80	6.60	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43828G	56.44	74.00	-17.56	40.96	3	Vertical	360	1.80	81	38.40	8.86	31.78
AV	11.45024G	43.06	54.00	-10.94	27.57	3	Vertical	360	1.80	81	38.40	8.86	31.77
PK	17.15664G	68.19	68.20	-0.01	45.88	3	Vertical	212	1.80	81	41.51	10.85	30.05

802.11ax HEW20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45028G	56.10	74.00	-17.90	40.61	3	Horizontal	214	1.80	108	38.40	8.86	31.77
AV	11.44384G	43.04	54.00	-10.96	27.55	3	Horizontal	214	1.80	108	38.40	8.86	31.77
PK	17.17052G	67.97	68.20	-0.23	45.66	3	Horizontal	351	1.80	81	41.54	10.85	30.08

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 84
84
0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	59.72	74.00	-14.28	53.44	3	Vertical	1	1.30	84	32.70	6.37	32.79
AV	5.1468G	49.82	54.00	-4.18	43.53	3	Vertical	1	1.30	84	32.71	6.37	32.79
PK	5.26524G	114.80	Inf	-Inf	108.31	3	Vertical	1	1.30	84	32.83	6.40	32.74
AV	5.26608G	105.11	Inf	-Inf	98.62	3	Vertical	1	1.30	84	32.83	6.40	32.74
PK	5.35288G	63.70	74.00	-10.30	56.99	3	Vertical	1	1.30	84	33.01	6.40	32.70
AV	5.35G	53.72	54.00	-0.28	47.02	3	Vertical	1	1.30	84	33.00	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 84
80\89\84
0.95\3.32\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14624G	59.33	74.00	-14.67	53.04	3	Horizontal	6	1.30	84	32.71	6.37	32.79
AV	5.1496G	50.12	54.00	-3.88	43.84	3	Horizontal	6	1.30	84	32.70	6.37	32.79
PK	5.2574G	115.81	Inf	-Inf	109.34	3	Horizontal	6	1.30	84	32.81	6.40	32.74
AV	5.26748G	105.14	Inf	-Inf	98.65	3	Horizontal	6	1.30	84	32.83	6.40	32.74
PK	5.35792G	64.86	74.00	-9.14	58.13	3	Horizontal	6	1.30	84	33.03	6.40	32.70
AV	5.35288G	53.94	54.00	-0.06	47.23	3	Horizontal	6	1.30	84	33.01	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54864G	58.33	68.20	-9.87	42.82	3	Vertical	29	1.80	84	38.55	8.64	31.68
PK	15.80368G	63.15	74.00	-10.85	45.05	3	Vertical	353	1.80	84	38.30	10.44	30.64
AV	15.79464G	49.10	54.00	-4.90	31.03	3	Vertical	353	1.80	84	38.27	10.44	30.64

802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX


EUT Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53664G	56.99	68.20	-11.21	41.49	3	Horizontal	302	1.80	84	38.54	8.63	31.67
PK	15.81776G	62.02	74.00	-11.98	43.88	3	Horizontal	351	1.72	84	38.32	10.45	30.63
AV	15.82088G	48.98	54.00	-5.02	30.84	3	Horizontal	351	1.72	84	38.32	10.45	30.63

802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET 71
71
0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32284G	111.38	Inf	-Inf	104.74	3	Vertical	354	1.60	71	32.95	6.40	32.71
AV	5.31768G	100.85	Inf	-Inf	94.23	3	Vertical	354	1.60	71	32.94	6.40	32.72
PK	5.3508G	63.51	74.00	-10.49	56.81	3	Vertical	354	1.60	71	33.00	6.40	32.70
AV	5.35008G	53.03	54.00	-0.97	46.33	3	Vertical	354	1.60	71	33.00	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 71
80\62\71
-3.22\2.26\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31888G	112.29	Inf	-Inf	105.67	3	Horizontal	7	1.80	71	32.94	6.40	32.72
AV	5.30868G	101.66	Inf	-Inf	95.06	3	Horizontal	7	1.80	71	32.92	6.40	32.72
PK	5.35332G	66.50	74.00	-7.50	59.79	3	Horizontal	7	1.80	71	33.01	6.40	32.70
AV	5.35092G	53.57	54.00	-0.43	46.87	3	Horizontal	7	1.80	71	33.00	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX


EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5924G	57.40	68.20	-10.80	41.87	3	Vertical	112	2.86	71	38.59	8.65	31.71
PK	15.9688G	62.44	74.00	-11.56	44.14	3	Vertical	65	2.20	71	38.40	10.49	30.59
AV	15.96784G	49.65	54.00	-4.35	31.35	3	Vertical	65	2.20	71	38.40	10.49	30.59

802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59408G	57.37	68.20	-10.83	41.85	3	Horizontal	40	1.81	71	38.59	8.65	31.72
PK	15.92264G	63.04	74.00	-10.96	44.76	3	Horizontal	331	1.80	71	38.40	10.48	30.60
AV	15.96872G	49.88	54.00	-4.12	31.58	3	Horizontal	331	1.80	71	38.40	10.49	30.59

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 69
69
0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4578G	63.53	74.00	-10.47	56.03	3	Vertical	356	1.34	69	33.70	6.46	32.66	
AV	5.4578G	52.52	54.00	-1.48	45.02	3	Vertical	356	1.34	69	33.70	6.46	32.66	
PK	5.4698G	67.95	68.20	-0.25	60.43	3	Vertical	356	1.34	69	33.70	6.47	32.65	
PK	5.51504G	113.03	Inf	-Inf	105.40	3	Vertical	356	1.34	69	33.76	6.52	32.65	
AV	5.5052G	102.54	Inf	-Inf	94.95	3	Vertical	356	1.34	69	33.72	6.51	32.64	

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 69
80\62\71\66\69
-5.59\1.92\0.69\0.93\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	63.84	74.00	-10.16	56.34	3	Horizontal	360	1.90	69	33.70	6.46	32.66
AV	5.45876G	53.87	54.00	-0.13	46.37	3	Horizontal	360	1.90	69	33.70	6.46	32.66
PK	5.47G	67.99	68.20	-0.21	60.47	3	Horizontal	360	1.90	69	33.70	6.47	32.65
PK	5.49896G	114.20	Inf	-Inf	106.64	3	Horizontal	360	1.90	69	33.70	6.50	32.64
AV	5.49608G	103.69	Inf	-Inf	96.13	3	Horizontal	360	1.90	69	33.70	6.50	32.64

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX


EUT Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.00392G	55.29	74.00	-18.71	40.08	3	Vertical	74	1.80	69	38.50	8.75	32.04	
AV	11.03344G	42.70	54.00	-11.30	27.49	3	Vertical	74	1.80	69	38.47	8.76	32.02	
PK	16.56792G	67.60	68.20	-0.60	45.69	3	Vertical	130	1.80	69	40.30	10.67	29.06	

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9888G	56.47	74.00	-17.53	41.25	3	Horizontal	360	1.80	69	38.50	8.75	32.03
AV	11.03496G	42.74	54.00	-11.26	27.53	3	Horizontal	360	1.80	69	38.47	8.76	32.02
PK	16.5144G	68.14	68.20	-0.06	46.16	3	Horizontal	103	2.92	69	40.30	10.65	28.97

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 82
82
1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	64.11	74.00	-9.89	56.64	3	Vertical	360	1.80	82	33.68	6.45	32.66
AV	5.4572G	52.67	54.00	-1.33	45.17	3	Vertical	360	1.80	82	33.70	6.46	32.66
PK	5.4684G	66.23	68.20	-1.97	58.71	3	Vertical	360	1.80	82	33.70	6.47	32.65
PK	5.5352G	114.97	Inf	-Inf	107.24	3	Vertical	360	1.80	82	33.84	6.54	32.65
AV	5.554G	104.73	Inf	-Inf	96.95	3	Vertical	360	1.80	82	33.89	6.55	32.66
PK	5.7364G	60.94	68.20	-7.26	52.78	3	Vertical	360	1.80	82	34.29	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 82
80\83\81\82
0.57\0.22\0.60\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.72	74.00	-9.28	57.22	3	Horizontal	1	2.01	82	33.70	6.46	32.66
AV	5.46G	53.78	54.00	-0.22	46.28	3	Horizontal	1	2.01	82	33.70	6.46	32.66
PK	5.4668G	65.96	68.20	-2.24	58.44	3	Horizontal	1	2.01	82	33.70	6.47	32.65
PK	5.5388G	117.19	Inf	-Inf	109.45	3	Horizontal	1	2.01	82	33.86	6.54	32.66
AV	5.5364G	106.66	Inf	-Inf	98.92	3	Horizontal	1	2.01	82	33.85	6.54	32.65
PK	5.7268G	61.92	68.20	-6.28	53.84	3	Horizontal	1	2.01	82	34.21	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX


EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08136G	56.53	74.00	-17.47	41.33	3	Vertical	201	1.06	82	38.42	8.77	31.99
AV	11.09288G	43.30	54.00	-10.70	28.10	3	Vertical	201	1.06	82	38.41	8.77	31.98
PK	16.61528G	67.04	68.20	-1.16	45.18	3	Vertical	168	1.59	82	40.32	10.68	29.14

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10592G	56.64	74.00	-17.36	41.45	3	Horizontal	308	1.80	82	38.39	8.78	31.98
AV	11.09736G	43.14	54.00	-10.86	27.95	3	Horizontal	308	1.80	82	38.40	8.77	31.98
PK	16.61016G	67.57	68.20	-0.63	45.71	3	Horizontal	84	2.53	82	40.31	10.68	29.13

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
SET 70
70
1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6524G	112.40	Inf	-Inf	104.40	3	Vertical	356	1.35	70	34.10	6.60	32.70
AV	5.65496G	101.60	Inf	-Inf	93.61	3	Vertical	356	1.35	70	34.09	6.60	32.70
PK	5.72664G	66.69	68.20	-1.51	58.61	3	Vertical	356	1.35	70	34.21	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 70
80\62\71\66\69\70
-5.97\5.52\ -0.01\2.40\1.68\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65752G	114.13	Inf	-Inf	106.15	3	Horizontal	360	1.97	70	34.08	6.60	32.70
AV	5.66392G	103.36	Inf	-Inf	95.40	3	Horizontal	360	1.97	70	34.07	6.60	32.71
PK	5.72504G	67.36	68.20	-0.84	59.29	3	Horizontal	360	1.97	70	34.20	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33656G	55.92	74.00	-18.08	40.53	3	Vertical	360	1.42	70	38.40	8.83	31.84
AV	11.32544G	42.79	54.00	-11.21	27.40	3	Vertical	360	1.42	70	38.40	8.83	31.84
PK	17.01688G	67.36	68.20	-0.84	45.24	3	Vertical	41	1.80	70	41.15	10.81	29.84

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.31824G	56.13	74.00	-17.87	40.75	3	Horizontal	151	1.30	70	38.40	8.83	31.85
AV	11.33216G	42.80	54.00	-11.20	27.41	3	Horizontal	151	1.30	70	38.40	8.83	31.84
PK	17.00536G	67.38	68.20	-0.82	45.28	3	Horizontal	246	1.14	70	41.12	10.80	29.82

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 102
102
1.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45676G	61.90	74.00	-12.10	54.40	3	Vertical	355	1.38	102	33.70	6.46	32.66
AV	5.45676G	52.51	54.00	-1.49	45.01	3	Vertical	355	1.38	102	33.70	6.46	32.66
PK	5.46976G	62.49	68.20	-5.71	54.97	3	Vertical	355	1.38	102	33.70	6.47	32.65
PK	5.7022G	117.06	Inf	-Inf	109.16	3	Vertical	355	1.38	102	34.02	6.60	32.72
AV	5.69752G	106.63	Inf	-Inf	98.75	3	Vertical	355	1.38	102	34.00	6.60	32.72
PK	5.85872G	64.72	68.20	-3.48	56.08	3	Vertical	355	1.38	102	34.82	6.60	32.78

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 102
80\92\98\101\103\102
1.99\1.39\1.39\0.60\1.44\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	62.78	74.00	-11.22	55.28	3	Horizontal	360	1.98	102	33.70	6.46	32.66
AV	5.45156G	53.02	54.00	-0.98	45.53	3	Horizontal	360	1.98	102	33.70	6.45	32.66
PK	5.46196G	62.75	68.20	-5.45	55.25	3	Horizontal	360	1.98	102	33.70	6.46	32.66
PK	5.69908G	119.36	Inf	-Inf	111.48	3	Horizontal	360	1.98	102	34.00	6.60	32.72
AV	5.69908G	108.89	Inf	-Inf	101.01	3	Horizontal	360	1.98	102	34.00	6.60	32.72
PK	5.8504G	68.14	68.20	-0.06	59.52	3	Horizontal	360	1.98	102	34.80	6.60	32.78

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44088G	55.94	74.00	-18.06	40.46	3	Vertical	1	1.87	75	38.40	8.86	31.78
AV	11.44128G	43.11	54.00	-10.89	27.63	3	Vertical	1	1.87	75	38.40	8.86	31.78
PK	17.11064G	67.57	68.20	-0.63	45.30	3	Vertical	323	2.95	75	41.42	10.83	29.98

802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.428G	56.45	74.00	-17.55	40.97	3	Horizontal	15	1.80	102	38.40	8.86	31.78
AV	11.41824G	43.02	54.00	-10.98	27.56	3	Horizontal	15	1.80	102	38.40	8.85	31.79
PK	17.14576G	67.91	68.20	-0.29	45.62	3	Horizontal	18	1.97	75	41.49	10.84	30.04

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 71
71
0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14024G	59.22	74.00	-14.78	52.92	3	Vertical	360	1.36	71	32.72	6.37	32.79
AV	5.1444G	49.43	54.00	-4.57	43.14	3	Vertical	360	1.36	71	32.71	6.37	32.79
PK	5.29768G	108.57	Inf	-Inf	101.99	3	Vertical	360	1.36	71	32.90	6.40	32.72
AV	5.2772G	98.22	Inf	-Inf	91.70	3	Vertical	360	1.36	71	32.85	6.40	32.73
PK	5.35G	63.68	74.00	-10.32	56.98	3	Vertical	360	1.36	71	33.00	6.40	32.70
AV	5.35G	53.88	54.00	-0.12	47.18	3	Vertical	360	1.36	71	33.00	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 71
80\62\71
-4.75\1.91\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14856G	59.36	74.00	-14.64	53.08	3	Horizontal	3	1.80	71	32.70	6.37	32.79
AV	5.146G	49.67	54.00	-4.33	43.38	3	Horizontal	3	1.80	71	32.71	6.37	32.79
PK	5.27368G	108.65	Inf	-Inf	102.14	3	Horizontal	3	1.80	71	32.85	6.40	32.74
AV	5.2788G	98.90	Inf	-Inf	92.37	3	Horizontal	3	1.80	71	32.86	6.40	32.73
PK	5.38088G	64.25	74.00	-9.75	57.42	3	Horizontal	3	1.80	71	33.12	6.40	32.69
AV	5.35048G	53.78	54.00	-0.22	47.08	3	Horizontal	3	1.80	71	33.00	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX


EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50384G	56.91	68.20	-11.29	41.42	3	Vertical	135	1.80	71	38.50	8.63	31.64
PK	15.80664G	61.99	74.00	-12.01	43.88	3	Vertical	189	1.59	71	38.31	10.44	30.64
AV	15.94552G	49.48	54.00	-4.52	31.20	3	Vertical	189	1.59	71	38.40	10.48	30.60

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63984G	56.91	74.00	-17.09	41.40	3	Horizontal	33	2.52	71	38.60	8.66	31.75
PK	15.902G	62.58	74.00	-11.42	44.32	3	Horizontal	323	1.80	71	38.40	10.47	30.61
AV	15.93816G	49.45	54.00	-4.55	31.17	3	Horizontal	323	1.80	71	38.40	10.48	30.60

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
SET 67
67
1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45592G	62.19	74.00	-11.81	54.69	3	Vertical	357	1.40	67	33.70	6.46	32.66	
AV	5.454G	52.65	54.00	-1.35	45.16	3	Vertical	357	1.40	67	33.70	6.45	32.66	
PK	5.4644G	64.28	68.20	-3.92	56.77	3	Vertical	357	1.40	67	33.70	6.46	32.65	
PK	5.51304G	109.60	Inf	-Inf	101.99	3	Vertical	357	1.40	67	33.75	6.51	32.65	
AV	5.50776G	98.96	Inf	-Inf	91.36	3	Vertical	357	1.40	67	33.73	6.51	32.64	

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 67
80\62\71\66\69\67\68\67
-5.33\1.72\1.05\0.83\0.28\0.64\0.12\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45128G	63.03	74.00	-10.97	55.54	3	Horizontal	1	1.80	67	33.70	6.45	32.66
PK	5.46536G	63.58	68.20	-4.62	56.06	3	Horizontal	1	1.80	67	33.70	6.47	32.65
AV	5.45928G	53.48	54.00	-0.52	45.98	3	Horizontal	1	1.80	67	33.70	6.46	32.66
PK	5.54216G	110.65	Inf	-Inf	102.90	3	Horizontal	1	1.80	67	33.87	6.54	32.66
AV	5.5276G	100.02	Inf	-Inf	92.33	3	Horizontal	1	1.80	67	33.81	6.53	32.65

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX


EUT Y_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12464G	56.38	74.00	-17.62	41.19	3	Vertical	122	2.95	67	38.38	8.78	31.97
AV	11.10848G	43.14	54.00	-10.86	27.94	3	Vertical	122	2.95	67	38.39	8.78	31.97
PK	16.58584G	67.66	68.20	-0.54	45.77	3	Vertical	20	1.35	67	40.30	10.68	29.09

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX


EUT Y_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06224G	56.09	74.00	-17.91	40.88	3	Horizontal	3	1.66	67	38.44	8.77	32.00
AV	11.11504G	43.08	54.00	-10.92	27.89	3	Horizontal	3	1.66	67	38.38	8.78	31.97
PK	16.58872G	67.32	68.20	-0.88	45.43	3	Horizontal	356	2.53	67	40.30	10.68	29.09

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 77
77
1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45448G	63.12	74.00	-10.88	55.63	3	Vertical	360	1.80	77	33.70	6.45	32.66
AV	5.45992G	52.84	54.00	-1.16	45.34	3	Vertical	360	1.80	77	33.70	6.46	32.66
PK	5.4676G	62.85	68.20	-5.35	55.33	3	Vertical	360	1.80	77	33.70	6.47	32.65
PK	5.62152G	109.64	Inf	-Inf	101.80	3	Vertical	360	1.80	77	33.93	6.60	32.69
AV	5.59848G	99.93	Inf	-Inf	92.21	3	Vertical	360	1.80	77	33.80	6.60	32.68
PK	5.73416G	65.22	68.20	-2.98	57.08	3	Vertical	360	1.80	77	34.27	6.60	32.73

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 77
80\68\74\77\79\78\77
-1.82\1.97\1.17\0.62\1.20\0.08\0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45608G	63.50	74.00	-10.50	56.00	3	Horizontal	360	1.80	77	33.70	6.46	32.66
AV	5.45608G	53.06	54.00	-0.94	45.56	3	Horizontal	360	1.80	77	33.70	6.46	32.66
PK	5.46312G	66.75	68.20	-1.45	59.25	3	Horizontal	360	1.80	77	33.70	6.46	32.66
PK	5.60232G	111.96	Inf	-Inf	104.23	3	Horizontal	360	1.80	77	33.81	6.60	32.68
AV	5.58024G	101.67	Inf	-Inf	93.92	3	Horizontal	360	1.80	77	33.84	6.58	32.67
PK	5.72616G	66.58	68.20	-1.62	58.50	3	Horizontal	360	1.80	77	34.21	6.60	32.73

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20672G	56.33	74.00	-17.67	41.14	3	Vertical	194	1.99	77	38.31	8.80	31.92
AV	11.14128G	43.25	54.00	-10.75	28.06	3	Vertical	194	1.99	77	38.36	8.79	31.96
PK	16.86696G	66.35	68.20	-1.85	44.34	3	Vertical	103	1.80	77	40.83	10.76	29.58

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX


EUT Y_4TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.19552G	55.73	74.00	-18.27	40.55	3	Horizontal	267	1.59	77	38.30	8.80	31.92
AV	11.14064G	43.13	54.00	-10.87	27.94	3	Horizontal	267	1.59	77	38.36	8.79	31.96
PK	16.76808G	66.59	68.20	-1.61	44.80	3	Horizontal	185	1.14	77	40.47	10.73	29.41

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 86
86
1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	62.16	74.00	-11.84	54.67	3	Vertical	360	1.76	86	33.70	6.45	32.66
AV	5.45816G	52.68	54.00	-1.32	45.18	3	Vertical	360	1.76	86	33.70	6.46	32.66
PK	5.46392G	61.58	68.20	-6.62	54.08	3	Vertical	360	1.76	86	33.70	6.46	32.66
PK	5.66072G	110.47	Inf	-Inf	102.49	3	Vertical	360	1.76	86	34.08	6.60	32.70
AV	5.67992G	101.50	Inf	-Inf	93.57	3	Vertical	360	1.76	86	34.04	6.60	32.71
PK	5.85416G	62.49	68.20	-5.71	53.86	3	Vertical	360	1.76	86	34.81	6.60	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 86
80\92\86
1.79\~1.13\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	62.59	74.00	-11.41	55.10	3	Horizontal	360	1.97	86	33.70	6.45	32.66
AV	5.45912G	53.59	54.00	-0.41	46.09	3	Horizontal	360	1.97	86	33.70	6.46	32.66
PK	5.46632G	62.74	68.20	-5.46	55.22	3	Horizontal	360	1.97	86	33.70	6.47	32.65
PK	5.66312G	113.22	Inf	-Inf	105.26	3	Horizontal	360	1.97	86	34.07	6.60	32.71
AV	5.6588G	103.56	Inf	-Inf	95.58	3	Horizontal	360	1.97	86	34.08	6.60	32.70
PK	5.85128G	64.47	68.20	-3.73	55.85	3	Horizontal	360	1.97	86	34.80	6.60	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40656G	56.02	74.00	-17.98	40.57	3	Vertical	356	1.80	86	38.40	8.85	31.80
AV	11.44208G	43.17	54.00	-10.83	27.68	3	Vertical	356	1.80	86	38.40	8.86	31.77
PK	17.05576G	67.24	68.20	-0.96	45.05	3	Vertical	127	2.02	86	41.27	10.82	29.90

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42448G	56.15	74.00	-17.85	40.68	3	Horizontal	134	1.80	86	38.40	8.86	31.79
AV	11.42368G	43.18	54.00	-10.82	27.71	3	Horizontal	134	1.80	86	38.40	8.86	31.79
PK	17.11688G	67.54	68.20	-0.66	45.26	3	Horizontal	267	2.92	86	41.43	10.84	29.99

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 56
56
1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14752G	62.55	74.00	-11.45	56.27	3	Vertical	358	1.37	56	32.70	6.37	32.79
AV	5.13384G	52.49	54.00	-1.51	46.18	3	Vertical	358	1.37	56	32.73	6.37	32.79
PK	5.27664G	103.95	Inf	-Inf	97.43	3	Vertical	358	1.37	56	32.85	6.40	32.73
AV	5.27496G	94.08	Inf	-Inf	87.56	3	Vertical	358	1.37	56	32.85	6.40	32.73
PK	5.35512G	63.03	74.00	-10.97	56.31	3	Vertical	358	1.37	56	33.02	6.40	32.70
AV	5.35512G	52.22	54.00	-1.78	45.50	3	Vertical	358	1.37	56	33.02	6.40	32.70

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 56
80\50\65\57\53\55\56
-16.36\1.87\4.76\0.86\1.39\0.80\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14368G	64.55	74.00	-9.45	58.26	3	Horizontal	1	1.26	56	32.71	6.37	32.79
AV	5.1432G	53.85	54.00	-0.15	47.56	3	Horizontal	1	1.26	56	32.71	6.37	32.79
PK	5.22336G	104.12	Inf	-Inf	97.73	3	Horizontal	1	1.26	56	32.75	6.40	32.76
AV	5.23728G	93.30	Inf	-Inf	86.88	3	Horizontal	1	1.26	56	32.77	6.40	32.75
PK	5.35992G	62.85	74.00	-11.15	56.11	3	Horizontal	1	1.26	56	33.04	6.40	32.70
AV	5.36376G	52.58	54.00	-1.42	45.82	3	Horizontal	1	1.26	56	33.06	6.40	32.70

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41296G	56.88	68.20	-11.32	41.60	3	Vertical	360	1.80	56	38.41	8.60	31.73
PK	15.70744G	62.04	74.00	-11.96	44.56	3	Vertical	55	2.38	56	37.74	10.41	30.67
AV	15.62744G	49.35	54.00	-4.65	31.88	3	Vertical	55	2.38	56	37.77	10.39	30.69

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41744G	56.83	68.20	-11.37	41.54	3	Horizontal	281	1.80	56	38.42	8.60	31.73
PK	15.71704G	61.96	74.00	-12.04	44.40	3	Horizontal	94	1.80	56	37.80	10.42	30.66
AV	15.62648G	49.19	54.00	-4.81	31.72	3	Horizontal	94	1.80	56	37.77	10.39	30.69

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 43
43
0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45444G	63.06	74.00	-10.94	55.57	3	Vertical	360	1.74	43	33.70	6.45	32.66
AV	5.4548G	53.34	54.00	-0.66	45.85	3	Vertical	360	1.74	43	33.70	6.45	32.66
PK	5.4674G	63.34	68.20	-4.86	55.82	3	Vertical	360	1.74	43	33.70	6.47	32.65
PK	5.55056G	100.14	Inf	-Inf	92.35	3	Vertical	360	1.74	43	33.90	6.55	32.66
AV	5.5952G	90.30	Inf	-Inf	82.57	3	Vertical	360	1.74	43	33.81	6.60	32.68
PK	5.73056G	60.25	68.20	-7.95	52.14	3	Vertical	360	1.74	43	34.24	6.60	32.73

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 43
80\50\40\45\42\44\43
-21.43\ -2.46\0.91\ -0.48\1.04\ -0.27\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45912G	65.20	74.00	-8.80	57.70	3	Horizontal	360	1.80	43	33.70	6.46	32.66
AV	5.45732G	53.97	54.00	-0.03	46.47	3	Horizontal	360	1.80	43	33.70	6.46	32.66
PK	5.46488G	64.93	68.20	-3.27	57.42	3	Horizontal	360	1.80	43	33.70	6.46	32.65
PK	5.54336G	102.30	Inf	-Inf	94.55	3	Horizontal	360	1.80	43	33.87	6.54	32.66
AV	5.59016G	91.85	Inf	-Inf	84.12	3	Horizontal	360	1.80	43	33.82	6.59	32.68
PK	5.72624G	61.45	68.20	-6.75	53.37	3	Horizontal	360	1.80	43	34.21	6.60	32.73

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.092G	56.14	74.00	-17.86	40.94	3	Vertical	75	2.06	43	38.41	8.77	31.98
AV	11.07504G	43.27	54.00	-10.73	28.07	3	Vertical	75	2.06	43	38.42	8.77	31.99
PK	16.6476G	67.09	68.20	-1.11	45.25	3	Vertical	246	1.80	43	40.35	10.69	29.20

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX


EUT_Y_4TX
SET 43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10056G	56.49	74.00	-17.51	41.29	3	Horizontal	282	2.80	43	38.40	8.78	31.98
AV	11.1044G	43.19	54.00	-10.81	27.99	3	Horizontal	282	2.80	43	38.40	8.78	31.98
PK	16.65944G	67.17	68.20	-1.03	45.33	3	Horizontal	10	1.39	43	40.36	10.70	29.22




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	5.35G	53.99	54.00	-0.01	3	Vertical	339	1.80	101

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTY_1TX
SET 108
108
3.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14196G	58.79	74.00	-15.21	53.49	3	Vertical	344	1.67	108	34.07	6.57	35.34
AV	5.14846G	46.12	54.00	-7.88	40.80	3	Vertical	344	1.67	108	34.09	6.57	35.34
PK	5.26286G	115.74	Inf	-Inf	110.07	3	Vertical	344	1.67	108	34.25	6.76	35.34
AV	5.2626G	104.23	Inf	-Inf	98.56	3	Vertical	344	1.67	108	34.25	6.76	35.34
PK	5.35074G	64.97	74.00	-9.03	58.73	3	Vertical	344	1.67	108	34.60	6.98	35.34
AV	5.35G	50.51	54.00	-3.49	44.28	3	Vertical	344	1.67	108	34.60	6.97	35.34

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
SET 108
80\98\107\108
7.11\7.07\5.70\4.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13676G	58.25	74.00	-15.75	52.97	3	Horizontal	344	1.74	108	34.05	6.57	35.34
AV	5.14924G	45.69	54.00	-8.31	40.36	3	Horizontal	344	1.74	108	34.10	6.57	35.34
PK	5.25818G	113.78	Inf	-Inf	108.14	3	Horizontal	344	1.74	108	34.23	6.75	35.34
AV	5.25818G	103.30	Inf	-Inf	97.66	3	Horizontal	344	1.74	108	34.23	6.75	35.34
PK	5.35256G	62.46	74.00	-11.54	56.23	3	Horizontal	344	1.74	108	34.59	6.98	35.34
AV	5.35G	49.10	54.00	-4.90	42.87	3	Horizontal	344	1.74	108	34.60	6.97	35.34

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5108G	55.64	68.20	-12.56	42.65	3	Vertical	320	1.80	108	38.40	10.05	35.46
PK	15.7814G	59.13	74.00	-14.87	44.33	3	Vertical	336	1.80	108	37.92	12.49	35.61
AV	15.78404G	46.46	54.00	-7.54	31.66	3	Vertical	336	1.80	108	37.92	12.49	35.61

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51684G	55.73	68.20	-12.47	42.73	3	Horizontal	64	1.66	108	38.40	10.06	35.46
PK	15.78612G	61.26	74.00	-12.74	46.47	3	Horizontal	19	1.91	108	37.91	12.49	35.61
AV	15.78116G	47.79	54.00	-6.21	32.99	3	Horizontal	19	1.91	108	37.92	12.49	35.61

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 103
104\98\101\103
-0.43\3.71\1.71\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.30196G	115.37	Inf	-Inf	108.79	3	Vertical	343	1.71	103	32.90	6.40	32.72	
AV	5.3021G	104.54	Inf	-Inf	97.96	3	Vertical	343	1.71	103	32.90	6.40	32.72	
PK	5.35838G	68.09	74.00	-5.91	61.36	3	Vertical	343	1.71	103	33.03	6.40	32.70	
AV	5.35G	53.96	54.00	-0.04	47.26	3	Vertical	343	1.71	103	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 104
80\98\107\102\105\103\104
6.67\4.48\~2.13\1.92\~0.39\1.15\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29846G	114.06	Inf	-Inf	107.48	3	Horizontal	344	1.75	104	32.90	6.40	32.72
AV	5.30336G	103.68	Inf	-Inf	97.09	3	Horizontal	344	1.75	104	32.91	6.40	32.72
PK	5.35068G	68.64	74.00	-5.36	61.94	3	Horizontal	344	1.75	104	33.00	6.40	32.70
AV	5.35G	53.57	54.00	-0.43	46.87	3	Horizontal	344	1.75	104	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5884G	57.16	68.20	-11.04	41.63	3	Vertical	32	1.88	103	38.59	8.65	31.71
PK	15.8926G	63.54	74.00	-10.46	45.29	3	Vertical	49	1.80	103	38.39	10.47	30.61
AV	15.90484G	50.03	54.00	-3.97	31.77	3	Vertical	49	1.80	103	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5946G	58.16	68.20	-10.04	42.64	3	Horizontal	62	1.80	103	38.59	8.65	31.72
PK	15.8932G	63.50	74.00	-10.50	45.25	3	Horizontal	3	1.78	103	38.39	10.47	30.61
AV	15.8992G	50.65	54.00	-3.35	32.39	3	Horizontal	3	1.78	103	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 96
98\89\94\97\95\96
-0.53\5.00\2.59\0.31\1.59\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3197G	112.47	Inf	-Inf	105.85	3	Vertical	344	1.80	96	32.94	6.40	32.72	
AV	5.3217G	102.44	Inf	-Inf	95.81	3	Vertical	344	1.80	96	32.94	6.40	32.71	
PK	5.352G	67.37	74.00	-6.63	60.66	3	Vertical	344	1.80	96	33.01	6.40	32.70	
AV	5.35G	53.02	54.00	-0.98	46.32	3	Vertical	344	1.80	96	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
SET 98
80\98
6.31\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3243G	112.36	Inf	-Inf	105.72	3	Horizontal	345	1.78	98	32.95	6.40	32.71	
AV	5.3225G	102.00	Inf	-Inf	95.36	3	Horizontal	345	1.78	98	32.95	6.40	32.71	
PK	5.35G	66.68	74.00	-7.32	59.98	3	Horizontal	345	1.78	98	33.00	6.40	32.70	
AV	5.35G	53.69	54.00	-0.31	46.99	3	Horizontal	345	1.78	98	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63384G	56.96	74.00	-17.04	41.45	3	Vertical	31	1.80	96	38.60	8.66	31.75
AV	10.62776G	44.01	54.00	-9.99	28.49	3	Vertical	31	1.80	96	38.60	8.66	31.74
PK	15.96964G	62.54	74.00	-11.46	44.24	3	Vertical	104	1.81	96	38.40	10.49	30.59
AV	15.9796G	49.64	54.00	-4.36	31.34	3	Vertical	104	1.81	96	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62212G	57.36	74.00	-16.64	41.84	3	Horizontal	208	1.80	96	38.60	8.66	31.74
AV	10.62304G	43.73	54.00	-10.27	28.21	3	Horizontal	208	1.80	96	38.60	8.66	31.74
PK	15.94108G	62.43	74.00	-11.57	44.15	3	Horizontal	255	1.80	96	38.40	10.48	30.60
AV	15.97988G	49.72	54.00	-4.28	31.42	3	Horizontal	255	1.80	96	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 94
94
0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4573G	61.80	74.00	-12.20	54.30	3	Vertical	5	1.79	94	33.70	6.46	32.66
AV	5.4599G	49.25	54.00	-4.75	41.75	3	Vertical	5	1.79	94	33.70	6.46	32.66
PK	5.4692G	67.42	68.20	-0.78	59.90	3	Vertical	5	1.79	94	33.70	6.47	32.65
PK	5.5021G	111.76	Inf	-Inf	104.19	3	Vertical	5	1.79	94	33.71	6.50	32.64
AV	5.4953G	101.51	Inf	-Inf	93.95	3	Vertical	5	1.79	94	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 94
80\98\89\94
5.66\ -3.39\4.61\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4583G	62.40	74.00	-11.60	54.90	3	Horizontal	358	1.76	94	33.70	6.46	32.66
AV	5.46G	49.86	54.00	-4.14	42.36	3	Horizontal	358	1.76	94	33.70	6.46	32.66
PK	5.469G	67.74	68.20	-0.46	60.22	3	Horizontal	358	1.76	94	33.70	6.47	32.65
PK	5.5056G	111.69	Inf	-Inf	104.10	3	Horizontal	358	1.76	94	33.72	6.51	32.64
AV	5.5018G	101.81	Inf	-Inf	94.24	3	Horizontal	358	1.76	94	33.71	6.50	32.64

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01352G	55.24	74.00	-18.76	40.03	3	Vertical	253	1.78	94	38.49	8.75	32.03
AV	11.0124G	42.27	54.00	-11.73	27.06	3	Vertical	253	1.78	94	38.49	8.75	32.03
PK	16.50776G	67.99	68.20	-0.21	45.99	3	Vertical	16	2.12	94	40.30	10.65	28.95

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTY_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01792G	55.47	74.00	-18.53	40.27	3	Horizontal	95	1.05	94	38.48	8.75	32.03
AV	11.01952G	42.31	54.00	-11.69	27.11	3	Horizontal	95	1.05	94	38.48	8.75	32.03
PK	16.4992G	67.86	68.20	-0.34	45.85	3	Horizontal	15	1.80	94	40.30	10.65	28.94

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_V_1TX
SET 108
108
5.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4408G	60.19	74.00	-13.81	52.80	3	Vertical	2	2.27	108	33.61	6.44	32.66
PK	5.46704G	60.73	68.20	-7.47	53.21	3	Vertical	2	2.27	108	33.70	6.47	32.65
AV	5.4568G	48.27	54.00	-5.73	40.77	3	Vertical	2	2.27	108	33.70	6.46	32.66
PK	5.57776G	114.71	Inf	-Inf	106.96	3	Vertical	2	2.27	108	33.84	6.58	32.67
AV	5.57648G	103.80	Inf	-Inf	96.04	3	Vertical	2	2.27	108	33.85	6.58	32.67
PK	5.72912G	60.68	68.20	-7.52	52.58	3	Vertical	2	2.27	108	34.23	6.60	32.73

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_V_1TX
SET 108
80\98\107\108
5.99\5.89\5.80\5.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43984G	61.02	74.00	-12.98	53.65	3	Horizontal	355	1.64	108	33.60	6.44	32.67
PK	5.4616G	59.81	68.20	-8.39	52.31	3	Horizontal	355	1.64	108	33.70	6.46	32.66
AV	5.45232G	48.34	54.00	-5.66	40.85	3	Horizontal	355	1.64	108	33.70	6.45	32.66
PK	5.58352G	113.68	Inf	-Inf	105.94	3	Horizontal	355	1.64	108	33.83	6.58	32.67
AV	5.58352G	102.70	Inf	-Inf	94.96	3	Horizontal	355	1.64	108	33.83	6.58	32.67
PK	5.72528G	59.83	68.20	-8.37	51.76	3	Horizontal	355	1.64	108	34.20	6.60	32.73

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX


EUTY_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14048G	55.96	74.00	-18.04	40.77	3	Vertical	229	1.80	85	38.36	8.79	31.96
AV	11.14072G	43.01	54.00	-10.99	27.82	3	Vertical	229	1.80	85	38.36	8.79	31.96
PK	16.72104G	66.18	68.20	-2.02	44.36	3	Vertical	140	1.48	85	40.42	10.72	29.32

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX


EUTY_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.16248G	57.58	74.00	-16.42	42.39	3	Horizontal	34	1.78	108	38.34	8.79	31.94	
AV	11.15908G	43.56	54.00	-10.44	28.37	3	Horizontal	34	1.78	108	38.34	8.79	31.94	
PK	16.73532G	67.38	68.20	-0.82	45.57	3	Horizontal	23	2.28	85	40.44	10.72	29.35	

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX
SET 80
80
1.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7063G	105.95	Inf	-Inf	98.02	3	Vertical	332	1.75	80	34.05	6.60	32.72	
AV	5.7042G	95.62	Inf	-Inf	87.71	3	Vertical	332	1.75	80	34.03	6.60	32.72	
PK	5.7252G	66.59	68.20	-1.61	58.52	3	Vertical	332	1.75	80	34.20	6.60	32.73	

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 80
80
0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	106.18	Inf	-Inf	98.29	3	Horizontal	350	1.77	80	34.01	6.60	32.72
AV	5.6979G	96.09	Inf	-Inf	88.21	3	Horizontal	350	1.77	80	34.00	6.60	32.72
PK	5.7255G	68.01	68.20	-0.19	59.94	3	Horizontal	350	1.77	80	34.20	6.60	32.73

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTY_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41512G	56.07	74.00	-17.93	40.61	3	Vertical	180	1.10	80	38.40	8.85	31.79
AV	11.41628G	42.61	54.00	-11.39	27.15	3	Vertical	180	1.10	80	38.40	8.85	31.79
PK	17.10308G	67.77	68.20	-0.43	45.50	3	Vertical	235	1.07	80	41.41	10.83	29.97

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTY_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40828G	55.71	74.00	-18.29	40.26	3	Horizontal	230	2.88	80	38.40	8.85	31.80
AV	11.4134G	42.58	54.00	-11.42	27.12	3	Horizontal	230	2.88	80	38.40	8.85	31.79
PK	17.1186G	67.48	68.20	-0.72	45.20	3	Horizontal	191	1.80	80	41.44	10.84	30.00

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 108
108
5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	59.47	74.00	-14.53	51.98	3	Vertical	330	1.66	108	33.70	6.45	32.66
AV	5.45594G	48.15	54.00	-5.85	40.65	3	Vertical	330	1.66	108	33.70	6.46	32.66
PK	5.46944G	58.96	68.20	-9.24	51.44	3	Vertical	330	1.66	108	33.70	6.47	32.65
PK	5.7173G	111.69	Inf	-Inf	103.68	3	Vertical	330	1.66	108	34.14	6.60	32.73
AV	5.72216G	100.58	Inf	-Inf	92.53	3	Vertical	330	1.66	108	34.18	6.60	32.73
PK	5.89442G	61.25	68.20	-6.95	52.56	3	Vertical	330	1.66	108	34.89	6.60	32.80

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 108
80\98\107\108
6.07\5.88\6.01\6.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45162G	59.72	74.00	-14.28	52.23	3	Horizontal	344	1.78	108	33.70	6.45	32.66
AV	5.45756G	47.95	54.00	-6.05	40.45	3	Horizontal	344	1.78	108	33.70	6.46	32.66
PK	5.46566G	60.47	68.20	-7.73	52.95	3	Horizontal	344	1.78	108	33.70	6.47	32.65
PK	5.72702G	110.92	Inf	-Inf	102.83	3	Horizontal	344	1.78	108	34.22	6.60	32.73
AV	5.72216G	100.48	Inf	-Inf	92.43	3	Horizontal	344	1.78	108	34.18	6.60	32.73
PK	5.91926G	61.55	68.20	-6.65	52.78	3	Horizontal	344	1.78	108	34.98	6.60	32.81

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42348G	56.27	74.00	-17.73	40.80	3	Vertical	70	1.80	81	38.40	8.86	31.79
AV	11.455G	42.71	54.00	-11.29	27.22	3	Vertical	70	1.80	81	38.40	8.86	31.77
PK	17.15736G	67.67	68.20	-0.53	45.37	3	Vertical	252	1.08	81	41.51	10.85	30.06

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42164G	56.05	74.00	-17.95	40.58	3	Horizontal	360	1.08	108	38.40	8.86	31.79
AV	11.43736G	42.74	54.00	-11.26	27.26	3	Horizontal	360	1.08	108	38.40	8.86	31.78
PK	17.1744G	68.11	68.20	-0.09	45.79	3	Horizontal	10	1.79	81	41.55	10.85	30.08

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT Y_1TX
SET 108
108
2.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	61.26	74.00	-12.74	54.98	3	Vertical	342	1.78	108	32.70	6.37	32.79
AV	5.15G	47.02	54.00	-6.98	40.74	3	Vertical	342	1.78	108	32.70	6.37	32.79
PK	5.25948G	116.25	Inf	-Inf	109.77	3	Vertical	342	1.78	108	32.82	6.40	32.74
AV	5.25662G	102.76	Inf	-Inf	96.29	3	Vertical	342	1.78	108	32.81	6.40	32.74
PK	5.35256G	71.30	74.00	-2.70	64.59	3	Vertical	342	1.78	108	33.01	6.40	32.70
AV	5.35G	51.70	54.00	-2.30	45.00	3	Vertical	342	1.78	108	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
SET 108
108
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	59.39	74.00	-14.61	53.10	3	Horizontal	347	1.74	108	32.71	6.37	32.79
AV	5.14924G	46.63	54.00	-7.37	40.35	3	Horizontal	347	1.74	108	32.70	6.37	32.79
PK	5.25246G	115.36	Inf	-Inf	108.90	3	Horizontal	347	1.74	108	32.80	6.40	32.74
AV	5.25662G	102.29	Inf	-Inf	95.82	3	Horizontal	347	1.74	108	32.81	6.40	32.74
PK	5.35594G	66.14	74.00	-7.86	59.42	3	Horizontal	347	1.74	108	33.02	6.40	32.70
AV	5.35G	50.38	54.00	-3.62	43.68	3	Horizontal	347	1.74	108	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTY_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51268G	57.53	68.20	-10.67	42.04	3	Vertical	319	1.80	108	38.51	8.63	31.65
PK	15.77632G	62.89	74.00	-11.11	44.95	3	Vertical	335	1.80	108	38.16	10.43	30.65
AV	15.78596G	49.83	54.00	-4.17	31.81	3	Vertical	335	1.80	108	38.22	10.44	30.64

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX


EUT_Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5184G	58.60	68.20	-9.60	43.10	3	Horizontal	209	1.53	108	38.52	8.63	31.65
PK	15.78504G	64.42	74.00	-9.58	46.41	3	Horizontal	19	1.87	108	38.21	10.44	30.64
AV	15.78304G	51.18	54.00	-2.82	33.20	3	Horizontal	19	1.87	108	38.20	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
SET 101
103\91\97\100\102\101
-1.20\5.66\3.16\1.12\~0.58\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.29776G	115.12	Inf	-Inf	108.54	3	Vertical	339	1.80	101	32.90	6.40	32.72	
AV	5.30406G	101.77	Inf	-Inf	95.18	3	Vertical	339	1.80	101	32.91	6.40	32.72	
PK	5.35082G	71.20	74.00	-2.80	64.50	3	Vertical	339	1.80	101	33.00	6.40	32.70	
AV	5.35G	53.99	54.00	-0.01	47.29	3	Vertical	339	1.80	101	33.00	6.40	32.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
SET 103
103
0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.29706G	115.89	Inf	-Inf	109.33	3	Horizontal	346	1.76	103	32.89	6.40	32.73	
AV	5.2986G	101.64	Inf	-Inf	95.06	3	Horizontal	346	1.76	103	32.90	6.40	32.72	
PK	5.35194G	69.79	74.00	-4.21	63.08	3	Horizontal	346	1.76	103	33.01	6.40	32.70	
AV	5.35G	53.67	54.00	-0.33	46.97	3	Horizontal	346	1.76	103	33.00	6.40	32.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90112G	63.07	74.00	-10.93	44.81	3	Vertical	335	1.80	101	38.40	10.47	30.61
AV	15.89552G	49.64	54.00	-4.36	31.38	3	Vertical	335	1.80	101	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90472G	63.14	74.00	-10.86	44.88	3	Horizontal	3	1.80	101	38.40	10.47	30.61
AV	15.90248G	50.09	54.00	-3.91	31.83	3	Horizontal	3	1.80	101	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 96
97\88\93\96
-0.85\5.33\2.66\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3177G	114.69	Inf	-Inf	108.07	3	Vertical	342	1.74	96	32.94	6.40	32.72
AV	5.3171G	101.16	Inf	-Inf	94.55	3	Vertical	342	1.74	96	32.93	6.40	32.72
PK	5.3519G	67.45	74.00	-6.55	60.74	3	Vertical	342	1.74	96	33.01	6.40	32.70
AV	5.35G	53.83	54.00	-0.17	47.13	3	Vertical	342	1.74	96	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT Y_1TX
SET 97
96\108\102\99\97
1.49\16.97\5.18\1.12\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	114.15	Inf	-Inf	107.51	3	Horizontal	344	1.79	97	32.95	6.40	32.71
AV	5.3185G	100.11	Inf	-Inf	93.49	3	Horizontal	344	1.79	97	32.94	6.40	32.72
PK	5.3501G	67.45	74.00	-6.55	60.75	3	Horizontal	344	1.79	97	33.00	6.40	32.70
AV	5.3501G	53.57	54.00	-0.43	46.87	3	Horizontal	344	1.79	97	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63028G	57.61	74.00	-16.39	42.09	3	Vertical	114	1.80	96	38.60	8.66	31.74
AV	10.62012G	43.63	54.00	-10.37	28.11	3	Vertical	114	1.80	96	38.60	8.66	31.74
PK	15.96732G	63.17	74.00	-10.83	44.87	3	Vertical	315	1.58	96	38.40	10.49	30.59
AV	15.97132G	49.49	54.00	-4.51	31.19	3	Vertical	315	1.58	96	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65312G	57.19	74.00	-16.81	41.69	3	Horizontal	59	1.79	96	38.60	8.66	31.76
AV	10.62916G	43.99	54.00	-10.01	28.47	3	Horizontal	59	1.79	96	38.60	8.66	31.74
PK	15.97336G	63.19	74.00	-10.81	44.89	3	Horizontal	224	2.87	96	38.40	10.49	30.59
AV	15.97652G	49.65	54.00	-4.35	31.35	3	Horizontal	224	2.87	96	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 91
91
3.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	63.06	74.00	-10.94	55.56	3	Vertical	5	1.80	91	33.70	6.46	32.66
AV	5.46G	48.81	54.00	-5.19	41.31	3	Vertical	5	1.80	91	33.70	6.46	32.66
PK	5.4666G	64.65	68.20	-3.55	57.13	3	Vertical	5	1.80	91	33.70	6.47	32.65
PK	5.4963G	113.11	Inf	-Inf	105.55	3	Vertical	5	1.80	91	33.70	6.50	32.64
AV	5.4975G	99.37	Inf	-Inf	91.81	3	Vertical	5	1.80	91	33.70	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
SET 91
94\82\88\91\93\92\91
-1.34\5.71\5.38\1.40\0.06\0.42\2.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.76	74.00	-11.24	55.26	3	Horizontal	357	1.70	91	33.70	6.46	32.66
AV	5.46G	49.25	54.00	-4.75	41.75	3	Horizontal	357	1.70	91	33.70	6.46	32.66
PK	5.4685G	65.44	68.20	-2.76	57.92	3	Horizontal	357	1.70	91	33.70	6.47	32.65
PK	5.5075G	113.54	Inf	-Inf	105.94	3	Horizontal	357	1.70	91	33.73	6.51	32.64
AV	5.5019G	99.73	Inf	-Inf	92.16	3	Horizontal	357	1.70	91	33.71	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTY_1TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01304G	55.38	74.00	-18.62	40.17	3	Vertical	0	1.80	91	38.49	8.75	32.03
AV	10.99176G	42.19	54.00	-11.81	26.97	3	Vertical	0	1.80	91	38.50	8.75	32.03
PK	16.51188G	67.40	68.20	-0.80	45.41	3	Vertical	261	2.45	91	40.30	10.65	28.96

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTY_1TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99848G	55.81	74.00	-18.19	40.60	3	Horizontal	161	1.76	91	38.50	8.75	32.04	
AV	11.0176G	42.13	54.00	-11.87	26.93	3	Horizontal	161	1.76	91	38.48	8.75	32.03	
PK	16.51196G	67.56	68.20	-0.64	45.57	3	Horizontal	144	2.20	91	40.30	10.65	28.96	

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_V_1TX
SET 108
108
6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44848G	61.42	74.00	-12.58	53.95	3	Vertical	7	1.88	108	33.68	6.45	32.66
PK	5.4648G	60.84	68.20	-7.36	53.33	3	Vertical	7	1.88	108	33.70	6.46	32.65
AV	5.45744G	47.86	54.00	-6.14	40.36	3	Vertical	7	1.88	108	33.70	6.46	32.66
PK	5.57584G	113.74	Inf	-Inf	105.98	3	Vertical	7	1.88	108	33.85	6.58	32.67
AV	5.5768G	101.18	Inf	-Inf	93.42	3	Vertical	7	1.88	108	33.85	6.58	32.67
PK	5.72688G	61.60	68.20	-6.60	53.51	3	Vertical	7	1.88	108	34.22	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
SET 108
108
6.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4264G	60.77	74.00	-13.23	53.55	3	Horizontal	353	1.61	108	33.46	6.43	32.67
PK	5.4664G	60.42	68.20	-7.78	52.90	3	Horizontal	353	1.61	108	33.70	6.47	32.65
AV	5.45776G	47.89	54.00	-6.11	40.39	3	Horizontal	353	1.61	108	33.70	6.46	32.66
PK	5.57264G	114.10	Inf	-Inf	106.35	3	Horizontal	353	1.61	108	33.85	6.57	32.67
AV	5.57616G	101.02	Inf	-Inf	93.26	3	Horizontal	353	1.61	108	33.85	6.58	32.67
PK	5.72592G	60.26	68.20	-7.94	52.18	3	Horizontal	353	1.61	108	34.21	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14304G	56.04	74.00	-17.96	40.84	3	Vertical	142	1.80	81	38.36	8.79	31.95
AV	11.14152G	42.82	54.00	-11.18	27.63	3	Vertical	142	1.80	81	38.36	8.79	31.96
PK	16.72652G	66.58	68.20	-1.62	44.76	3	Vertical	112	1.80	81	40.43	10.72	29.33

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX


EUT Y_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15328G	56.37	74.00	-17.63	41.18	3	Horizontal	34	1.80	108	38.35	8.79	31.95
AV	11.1582G	43.48	54.00	-10.52	28.30	3	Horizontal	34	1.80	108	38.34	8.79	31.95
PK	16.73684G	67.84	68.20	-0.36	46.03	3	Horizontal	340	1.75	81	40.44	10.72	29.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT V_1TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6958G	105.21	Inf	-Inf	97.32	3	Vertical	330	1.66	70	34.01	6.60	32.72	
AV	5.6947G	91.30	Inf	-Inf	83.41	3	Vertical	330	1.66	70	34.01	6.60	32.72	
PK	5.7255G	67.89	68.20	-0.31	59.82	3	Vertical	330	1.66	70	34.20	6.60	32.73	

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT V_1TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6979G	104.87	Inf	-Inf	96.99	3	Horizontal	351	1.77	70	34.00	6.60	32.72
AV	5.6977G	91.20	Inf	-Inf	83.32	3	Horizontal	351	1.77	70	34.00	6.60	32.72
PK	5.7261G	63.98	68.20	-4.22	55.90	3	Horizontal	351	1.77	70	34.21	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40132G	55.58	74.00	-18.42	40.13	3	Vertical	1	1.67	70	38.40	8.85	31.80
AV	11.41136G	42.56	54.00	-11.44	27.10	3	Vertical	1	1.67	70	38.40	8.85	31.79
PK	17.11812G	65.32	68.20	-2.88	43.03	3	Vertical	335	2.03	70	41.44	10.84	29.99

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4192G	55.85	74.00	-18.15	40.39	3	Horizontal	177	2.18	70	38.40	8.85	31.79
AV	11.40844G	42.56	54.00	-11.44	27.10	3	Horizontal	177	2.18	70	38.40	8.85	31.79
PK	17.08628G	65.50	68.20	-2.70	43.25	3	Horizontal	1	2.95	70	41.36	10.83	29.94

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
108
6.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	59.65	74.00	-14.35	52.16	3	Vertical	328	1.64	108	33.70	6.45	32.66
AV	5.45918G	47.55	54.00	-6.45	40.05	3	Vertical	328	1.64	108	33.70	6.46	32.66
PK	5.46512G	60.16	68.20	-8.04	52.64	3	Vertical	328	1.64	108	33.70	6.47	32.65
PK	5.72216G	111.44	Inf	-Inf	103.39	3	Vertical	328	1.64	108	34.18	6.60	32.73
AV	5.72648G	99.28	Inf	-Inf	91.20	3	Vertical	328	1.64	108	34.21	6.60	32.73
PK	5.9873G	61.16	68.20	-7.04	52.14	3	Vertical	328	1.64	108	35.25	6.60	32.83

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 108
108
5.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4527G	60.06	74.00	-13.94	52.57	3	Horizontal	22	1.80	108	33.70	6.45	32.66
AV	5.4581G	47.47	54.00	-6.53	39.97	3	Horizontal	22	1.80	108	33.70	6.46	32.66
PK	5.46404G	60.85	68.20	-7.35	53.35	3	Horizontal	22	1.80	108	33.70	6.46	32.66
PK	5.7281G	111.69	Inf	-Inf	103.60	3	Horizontal	22	1.80	108	34.22	6.60	32.73
AV	5.71784G	98.60	Inf	-Inf	90.59	3	Horizontal	22	1.80	108	34.14	6.60	32.73
PK	5.96894G	62.24	68.20	-5.96	53.29	3	Horizontal	22	1.80	108	35.18	6.60	32.83

802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX


EUT Y_1TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44052G	56.47	74.00	-17.53	40.99	3	Vertical	294	1.80	75	38.40	8.86	31.78
AV	11.4554G	42.83	54.00	-11.17	27.34	3	Vertical	294	1.80	75	38.40	8.86	31.77
PK	17.15528G	67.92	68.20	-0.28	45.61	3	Vertical	108	1.47	75	41.51	10.85	30.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42836G	56.97	74.00	-17.03	41.49	3	Horizontal	74	1.80	81	38.40	8.86	31.78
AV	11.42816G	42.77	54.00	-11.23	27.29	3	Horizontal	74	1.80	81	38.40	8.86	31.78
PK	17.16564G	68.08	68.20	-0.12	45.77	3	Horizontal	9	1.82	75	41.53	10.85	30.07

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
SET 96
98\92\95\97\96
-0.42\2.35\1.35\0.22\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	58.42	74.00	-15.58	52.13	3	Vertical	344	1.80	96	32.71	6.37	32.79
AV	5.14064G	47.63	54.00	-6.37	41.33	3	Vertical	344	1.80	96	32.72	6.37	32.79
PK	5.27448G	110.41	Inf	-Inf	103.89	3	Vertical	344	1.80	96	32.85	6.40	32.73
AV	5.26804G	99.01	Inf	-Inf	92.51	3	Vertical	344	1.80	96	32.84	6.40	32.74
PK	5.35428G	65.85	74.00	-8.15	59.13	3	Vertical	344	1.80	96	33.02	6.40	32.70
AV	5.35036G	53.72	54.00	-0.28	47.02	3	Vertical	344	1.80	96	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_V_1TX
SET 98
80\98\107\102\99\97\98
5.61\0.62\5.45\1.55\0.67\0.48\0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	59.08	74.00	-14.92	52.80	3	Horizontal	345	1.71	98	32.70	6.37	32.79
AV	5.14848G	47.44	54.00	-6.56	41.15	3	Horizontal	345	1.71	98	32.71	6.37	32.79
PK	5.2826G	110.91	Inf	-Inf	104.37	3	Horizontal	345	1.71	98	32.87	6.40	32.73
AV	5.27756G	99.19	Inf	-Inf	92.66	3	Horizontal	345	1.71	98	32.86	6.40	32.73
PK	5.35428G	65.39	74.00	-8.61	58.67	3	Horizontal	345	1.71	98	33.02	6.40	32.70
AV	5.3526G	53.42	54.00	-0.58	46.71	3	Horizontal	345	1.71	98	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55704G	57.82	68.20	-10.38	42.31	3	Vertical	130	1.80	96	38.56	8.64	31.69
PK	15.81464G	61.58	74.00	-12.42	43.47	3	Vertical	243	1.80	96	38.31	10.44	30.64
AV	15.83912G	48.78	54.00	-5.22	30.62	3	Vertical	243	1.80	96	38.34	10.45	30.63

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX


EUT Y_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51048G	57.09	68.20	-11.11	41.60	3	Horizontal	166	1.80	96	38.51	8.63	31.65
PK	15.79584G	61.84	74.00	-12.16	43.76	3	Horizontal	20	1.78	96	38.28	10.44	30.64
AV	15.80744G	48.93	54.00	-5.07	30.82	3	Horizontal	20	1.78	96	38.31	10.44	30.64

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 88
88
0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	110.12	Inf	-Inf	103.51	3	Vertical	343	1.74	88	32.93	6.40	32.72
AV	5.313G	97.85	Inf	-Inf	91.24	3	Vertical	343	1.74	88	32.93	6.40	32.72
PK	5.3508G	65.77	74.00	-8.23	59.07	3	Vertical	343	1.74	88	33.00	6.40	32.70
AV	5.35104G	53.51	54.00	-0.49	46.81	3	Vertical	343	1.74	88	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 88
80\98\89\84\87\88
4.95\14.67\0.91\4.00\1.69\1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.301G	108.75	Inf	-Inf	102.17	3	Horizontal	344	1.78	88	32.90	6.40	32.72	
AV	5.31456G	96.46	Inf	-Inf	89.85	3	Horizontal	344	1.78	88	32.93	6.40	32.72	
PK	5.35044G	64.61	74.00	-9.39	57.91	3	Horizontal	344	1.78	88	33.00	6.40	32.70	
AV	5.35032G	52.62	54.00	-1.38	45.92	3	Horizontal	344	1.78	88	33.00	6.40	32.70	

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60576G	57.10	74.00	-16.90	41.57	3	Vertical	185	1.10	88	38.60	8.65	31.72
AV	10.60552G	44.09	54.00	-9.91	28.56	3	Vertical	185	1.10	88	38.60	8.65	31.72
PK	15.96912G	63.27	74.00	-10.73	44.97	3	Vertical	63	1.80	88	38.40	10.49	30.59
AV	15.96112G	49.50	54.00	-4.50	31.20	3	Vertical	63	1.80	88	38.40	10.49	30.59

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58448G	57.63	68.20	-10.57	42.11	3	Horizontal	315	1.77	88	38.58	8.65	31.71
AV	10.60616G	44.13	54.00	-9.87	28.60	3	Horizontal	315	1.77	88	38.60	8.65	31.72
PK	15.95768G	63.53	74.00	-10.47	45.23	3	Horizontal	56	2.94	88	38.40	10.49	30.59
AV	15.93696G	49.25	54.00	-4.75	30.97	3	Horizontal	56	2.94	88	38.40	10.48	30.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_V_1TX
SET 85
85
0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45948G	64.21	74.00	-9.79	56.71	3	Vertical	6	1.80	85	33.70	6.46	32.66
AV	5.4596G	51.64	54.00	-2.36	44.14	3	Vertical	6	1.80	85	33.70	6.46	32.66
PK	5.46812G	67.21	68.20	-0.99	59.69	3	Vertical	6	1.80	85	33.70	6.47	32.65
PK	5.49704G	109.19	Inf	-Inf	101.63	3	Vertical	6	1.80	85	33.70	6.50	32.64
AV	5.4986G	96.60	Inf	-Inf	89.04	3	Vertical	6	1.80	85	33.70	6.50	32.64

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 85
80\98\89\84\87\85
3.68\ -16.46\ -6.77\ 1.16\ -3.62\ 0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.88	74.00	-8.12	58.38	3	Horizontal	360	1.80	85	33.70	6.46	32.66
AV	5.45984G	51.75	54.00	-2.25	44.25	3	Horizontal	360	1.80	85	33.70	6.46	32.66
PK	5.46956G	68.07	68.20	-0.13	60.55	3	Horizontal	360	1.80	85	33.70	6.47	32.65
PK	5.51864G	108.87	Inf	-Inf	101.23	3	Horizontal	360	1.80	85	33.77	6.52	32.65
AV	5.51372G	96.62	Inf	-Inf	89.01	3	Horizontal	360	1.80	85	33.75	6.51	32.65

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9992G	55.38	74.00	-18.62	40.17	3	Vertical	276	1.80	76	38.50	8.75	32.04
AV	11.0588G	42.31	54.00	-11.69	27.11	3	Vertical	276	1.80	76	38.44	8.76	32.00
PK	16.56848G	67.67	68.20	-0.53	45.76	3	Vertical	97	2.95	76	40.30	10.67	29.06

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTY_1TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0036G	55.55	74.00	-18.45	40.34	3	Horizontal	41	1.80	85	38.50	8.75	32.04
AV	11.04208G	42.49	54.00	-11.51	27.28	3	Horizontal	41	1.80	85	38.46	8.76	32.01
PK	16.56232G	68.17	68.20	-0.03	46.25	3	Horizontal	321	1.34	76	40.30	10.67	29.05

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 99
99
2.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	63.05	74.00	-10.95	55.56	3	Vertical	1	2.27	99	33.70	6.45	32.66
AV	5.46G	51.21	54.00	-2.79	43.71	3	Vertical	1	2.27	99	33.70	6.46	32.66
PK	5.4652G	64.82	68.20	-3.38	57.30	3	Vertical	1	2.27	99	33.70	6.47	32.65
PK	5.5356G	111.37	Inf	-Inf	103.64	3	Vertical	1	2.27	99	33.84	6.54	32.65
AV	5.5636G	100.39	Inf	-Inf	92.63	3	Vertical	1	2.27	99	33.87	6.56	32.67
PK	5.7312G	60.82	68.20	-7.38	52.70	3	Vertical	1	2.27	99	34.25	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 99
80\98\107\102\99
5.06\1.04\5.87\0.22\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.90	74.00	-9.10	57.40	3	Horizontal	357	1.66	99	33.70	6.46	32.66
AV	5.46G	53.39	54.00	-0.61	45.89	3	Horizontal	357	1.66	99	33.70	6.46	32.66
PK	5.47G	67.81	68.20	-0.39	60.29	3	Horizontal	357	1.66	99	33.70	6.47	32.65
PK	5.5356G	110.84	Inf	-Inf	103.11	3	Horizontal	357	1.66	99	33.84	6.54	32.65
AV	5.5348G	99.57	Inf	-Inf	91.85	3	Horizontal	357	1.66	99	33.84	6.53	32.65
PK	5.7372G	60.70	68.20	-7.50	52.53	3	Horizontal	357	1.66	99	34.30	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09024G	56.15	74.00	-17.85	40.96	3	Vertical	288	1.46	89	38.41	8.77	31.99
AV	11.09904G	42.93	54.00	-11.07	27.74	3	Vertical	288	1.46	89	38.40	8.77	31.98
PK	16.62392G	67.75	68.20	-0.45	45.90	3	Vertical	95	1.96	89	40.32	10.69	29.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12168G	56.02	74.00	-17.98	40.83	3	Horizontal	342	1.80	99	38.38	8.78	31.97
AV	11.09584G	42.97	54.00	-11.03	27.78	3	Horizontal	342	1.80	99	38.40	8.77	31.98
PK	16.6424G	67.22	68.20	-0.98	45.38	3	Horizontal	25	1.80	89	40.34	10.69	29.19

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_V_1TX
SET 85
85
0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66648G	108.48	Inf	-Inf	100.52	3	Vertical	329	1.62	85	34.07	6.60	32.71
AV	5.66152G	96.38	Inf	-Inf	88.40	3	Vertical	329	1.62	85	34.08	6.60	32.70
PK	5.72552G	67.68	68.20	-0.52	59.61	3	Vertical	329	1.62	85	34.20	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
SET 85
80\98\89\84\87\85
4.08\ -8.52\ -1.58\ 2.28\ -0.51\ 0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6556G	107.68	Inf	-Inf	99.69	3	Horizontal	23	1.69	85	34.09	6.60	32.70
AV	5.6556G	95.24	Inf	-Inf	87.25	3	Horizontal	23	1.69	85	34.09	6.60	32.70
PK	5.72872G	67.78	68.20	-0.42	59.68	3	Horizontal	23	1.69	85	34.23	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTY_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35176G	55.72	74.00	-18.28	40.31	3	Vertical	334	1.80	85	38.40	8.84	31.83
AV	11.31232G	42.50	54.00	-11.50	27.12	3	Vertical	334	1.80	85	38.40	8.83	31.85
PK	17.00656G	67.27	68.20	-0.93	45.17	3	Vertical	2	1.15	85	41.12	10.80	29.82

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTY_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33648G	55.71	74.00	-18.29	40.32	3	Horizontal	14	1.80	85	38.40	8.83	31.84	
AV	11.30112G	42.51	54.00	-11.49	27.14	3	Horizontal	14	1.80	85	38.40	8.83	31.86	
PK	16.99576G	67.18	68.20	-1.02	45.08	3	Horizontal	134	1.80	85	41.10	10.80	29.80	

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
108
4.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	60.02	74.00	-13.98	52.52	3	Vertical	331	1.76	108	33.70	6.46	32.66
AV	5.45364G	48.96	54.00	-5.04	41.47	3	Vertical	331	1.76	108	33.70	6.45	32.66
PK	5.46612G	60.39	68.20	-7.81	52.87	3	Vertical	331	1.76	108	33.70	6.47	32.65
PK	5.71936G	108.14	Inf	-Inf	100.12	3	Vertical	331	1.76	108	34.15	6.60	32.73
AV	5.70116G	97.23	Inf	-Inf	89.34	3	Vertical	331	1.76	108	34.01	6.60	32.72
PK	5.8504G	63.86	68.20	-4.34	55.24	3	Vertical	331	1.76	108	34.80	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 108
80\98\107\108
5.24\5.26\5.12\5.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45936G	60.33	74.00	-13.67	52.83	3	Horizontal	22	1.80	108	33.70	6.46	32.66
AV	5.45468G	48.84	54.00	-5.16	41.35	3	Horizontal	22	1.80	108	33.70	6.45	32.66
PK	5.4604G	60.42	68.20	-7.78	52.92	3	Horizontal	22	1.80	108	33.70	6.46	32.66
PK	5.70324G	109.30	Inf	-Inf	101.39	3	Horizontal	22	1.80	108	34.03	6.60	32.72
AV	5.69492G	97.41	Inf	-Inf	89.52	3	Horizontal	22	1.80	108	34.01	6.60	32.72
PK	5.8504G	62.54	68.20	-5.66	53.92	3	Horizontal	22	1.80	108	34.80	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42496G	55.99	74.00	-18.01	40.52	3	Vertical	177	1.80	87	38.40	8.86	31.79
AV	11.42416G	42.79	54.00	-11.21	27.32	3	Vertical	177	1.80	87	38.40	8.86	31.79
PK	17.1612G	67.98	68.20	-0.22	45.67	3	Vertical	310	1.80	87	41.52	10.85	30.06

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44904G	55.67	74.00	-18.33	40.18	3	Horizontal	100	1.80	108	38.40	8.86	31.77
AV	11.4148G	42.84	54.00	-11.16	27.38	3	Horizontal	100	1.80	108	38.40	8.85	31.79
PK	17.14384G	67.94	68.20	-0.26	45.64	3	Horizontal	10	1.80	87	41.49	10.84	30.03

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
SET 84
85\73\79\82\84
-0.92\3.99\2.55\1.47\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13352G	58.57	74.00	-15.43	52.26	3	Vertical	340	1.80	84	32.73	6.37	32.79
AV	5.13928G	47.25	54.00	-6.75	40.95	3	Vertical	340	1.80	84	32.72	6.37	32.79
PK	5.3268G	105.82	Inf	-Inf	99.18	3	Vertical	340	1.80	84	32.95	6.40	32.71
AV	5.27848G	93.55	Inf	-Inf	87.02	3	Vertical	340	1.80	84	32.86	6.40	32.73
PK	5.35G	64.94	74.00	-9.06	58.24	3	Vertical	340	1.80	84	33.00	6.40	32.70
AV	5.35016G	53.74	54.00	-0.26	47.04	3	Vertical	340	1.80	84	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
SET 85
80\98\89\84\87\85
3.35\17.21\3.87\1.65\1.27\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13736G	58.41	74.00	-15.59	52.10	3	Horizontal	345	1.72	85	32.73	6.37	32.79
AV	5.14888G	47.28	54.00	-6.72	41.00	3	Horizontal	345	1.72	85	32.70	6.37	32.79
PK	5.28392G	104.91	Inf	-Inf	98.37	3	Horizontal	345	1.72	85	32.87	6.40	32.73
AV	5.2804G	93.50	Inf	-Inf	86.97	3	Horizontal	345	1.72	85	32.86	6.40	32.73
PK	5.35272G	64.38	74.00	-9.62	57.67	3	Horizontal	345	1.72	85	33.01	6.40	32.70
AV	5.35G	53.51	54.00	-0.49	46.81	3	Horizontal	345	1.72	85	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54256G	57.41	68.20	-10.79	41.90	3	Vertical	185	1.80	84	38.54	8.64	31.67
PK	15.94664G	62.79	74.00	-11.21	44.51	3	Vertical	27	1.80	84	38.40	10.48	30.60
AV	15.91016G	49.33	54.00	-4.67	31.07	3	Vertical	27	1.80	84	38.40	10.47	30.61

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX


EUT Y_1TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58544G	57.05	68.20	-11.15	41.52	3	Horizontal	88	2.71	84	38.59	8.65	31.71
PK	15.94472G	62.01	74.00	-11.99	43.73	3	Horizontal	335	1.80	84	38.40	10.48	30.60
AV	15.94024G	49.30	54.00	-4.70	31.02	3	Horizontal	335	1.80	84	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 84
84
2.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45944G	61.95	74.00	-12.05	54.45	3	Vertical	1	2.26	84	33.70	6.46	32.66
AV	5.45944G	51.01	54.00	-2.99	43.51	3	Vertical	1	2.26	84	33.70	6.46	32.66
PK	5.46984G	63.07	68.20	-5.13	55.55	3	Vertical	1	2.26	84	33.70	6.47	32.65
PK	5.55992G	106.10	Inf	-Inf	98.32	3	Vertical	1	2.26	84	33.88	6.56	32.66
AV	5.5668G	93.85	Inf	-Inf	86.08	3	Vertical	1	2.26	84	33.87	6.57	32.67

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
SET 84
80\98\89\84\87\85\84
3.35\15.95\5.01\1.40\2.65\0.44\1.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45304G	64.14	74.00	-9.86	56.65	3	Horizontal	357	1.69	84	33.70	6.45	32.66
AV	5.45704G	52.54	54.00	-1.46	45.04	3	Horizontal	357	1.69	84	33.70	6.46	32.66
PK	5.46584G	64.84	68.20	-3.36	57.32	3	Horizontal	357	1.69	84	33.70	6.47	32.65
PK	5.53288G	105.45	Inf	-Inf	97.74	3	Horizontal	357	1.69	84	33.83	6.53	32.65
AV	5.5292G	93.45	Inf	-Inf	85.75	3	Horizontal	357	1.69	84	33.82	6.53	32.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09792G	56.17	74.00	-17.83	40.98	3	Vertical	274	2.91	84	38.40	8.77	31.98
AV	11.08224G	43.00	54.00	-11.00	27.80	3	Vertical	274	2.91	84	38.42	8.77	31.99
PK	16.64056G	67.71	68.20	-0.49	45.86	3	Vertical	13	1.80	84	40.34	10.69	29.18

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08736G	55.98	74.00	-18.02	40.79	3	Horizontal	175	1.80	84	38.41	8.77	31.99
AV	11.13056G	42.84	54.00	-11.16	27.65	3	Horizontal	175	1.80	84	38.37	8.78	31.96
PK	16.5724G	67.96	68.20	-0.24	46.06	3	Horizontal	270	2.55	84	40.30	10.67	29.07

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
SET 95
95
0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45704G	64.76	74.00	-9.24	57.26	3	Vertical	332	1.72	95	33.70	6.46	32.66
AV	5.45928G	53.10	54.00	-0.90	45.60	3	Vertical	332	1.72	95	33.70	6.46	32.66
PK	5.46344G	65.70	68.20	-2.50	58.20	3	Vertical	332	1.72	95	33.70	6.46	32.66
PK	5.63976G	108.17	Inf	-Inf	100.23	3	Vertical	332	1.72	95	34.04	6.60	32.70
AV	5.63752G	95.89	Inf	-Inf	87.96	3	Vertical	332	1.72	95	34.03	6.60	32.70
PK	5.738G	67.84	68.20	-0.36	59.68	3	Vertical	332	1.72	95	34.30	6.60	32.74

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
SET 95
80\98\89\94\97\95
5.09\ -3.53\4.19\0.94\ -2.02\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45704G	64.20	74.00	-9.80	56.70	3	Horizontal	22	1.66	95	33.70	6.46	32.66
AV	5.45896G	51.58	54.00	-2.42	44.08	3	Horizontal	22	1.66	95	33.70	6.46	32.66
PK	5.4692G	63.54	68.20	-4.66	56.02	3	Horizontal	22	1.66	95	33.70	6.47	32.65
PK	5.61672G	107.16	Inf	-Inf	99.35	3	Horizontal	22	1.66	95	33.90	6.60	32.69
AV	5.62856G	95.15	Inf	-Inf	87.27	3	Horizontal	22	1.66	95	33.97	6.60	32.69
PK	5.72616G	67.91	68.20	-0.29	59.83	3	Horizontal	22	1.66	95	34.21	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUTY_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2016G	55.91	74.00	-18.09	40.73	3	Vertical	110	1.80	95	38.30	8.80	31.92
AV	11.14096G	42.74	54.00	-11.26	27.55	3	Vertical	110	1.80	95	38.36	8.79	31.96
PK	16.81048G	66.95	68.20	-1.25	45.14	3	Vertical	1	1.80	95	40.55	10.74	29.48

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX


EUTY_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.19728G	56.30	74.00	-17.70	41.12	3	Horizontal	280	1.44	95	38.30	8.80	31.92
AV	11.16416G	42.95	54.00	-11.05	27.76	3	Horizontal	280	1.44	95	38.34	8.79	31.94
PK	16.7676G	66.05	68.20	-2.15	44.26	3	Horizontal	53	1.53	95	40.47	10.73	29.41

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 106
87\105\108\106
5.41\1.20\~4.58\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45288G	64.96	74.00	-9.04	57.47	3	Vertical	331	1.59	106	33.70	6.45	32.66
AV	5.45672G	53.55	54.00	-0.45	46.05	3	Vertical	331	1.59	106	33.70	6.46	32.66
PK	5.4644G	65.21	68.20	-2.99	57.70	3	Vertical	331	1.59	106	33.70	6.46	32.65
PK	5.65496G	107.30	Inf	-Inf	99.31	3	Vertical	331	1.59	106	34.09	6.60	32.70
AV	5.66072G	96.68	Inf	-Inf	88.70	3	Vertical	331	1.59	106	34.08	6.60	32.70
PK	5.85G	67.86	68.20	-0.34	59.24	3	Vertical	331	1.59	106	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 103
106\88\97\102\105\103\104\103
-3.82\5.43\3.86\2.94\ -0.66\2.02\ -0.17\1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	62.14	74.00	-11.86	54.64	3	Horizontal	22	1.62	103	33.70	6.46	32.66
AV	5.4572G	50.91	54.00	-3.09	43.41	3	Horizontal	22	1.62	103	33.70	6.46	32.66
PK	5.46344G	62.04	68.20	-6.16	54.54	3	Horizontal	22	1.62	103	33.70	6.46	32.66
PK	5.65544G	107.00	Inf	-Inf	99.01	3	Horizontal	22	1.62	103	34.09	6.60	32.70
AV	5.65832G	95.06	Inf	-Inf	87.08	3	Horizontal	22	1.62	103	34.08	6.60	32.70
PK	5.8508G	66.81	68.20	-1.39	58.19	3	Horizontal	22	1.62	103	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42128G	55.72	74.00	-18.28	40.25	3	Vertical	139	1.80	87	38.40	8.86	31.79
AV	11.45104G	42.70	54.00	-11.30	27.21	3	Vertical	139	1.80	87	38.40	8.86	31.77
PK	17.0428G	67.41	68.20	-0.79	45.25	3	Vertical	142	1.80	87	41.23	10.81	29.88

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40208G	55.91	74.00	-18.09	40.46	3	Horizontal	232	1.80	88	38.40	8.85	31.80
AV	11.44784G	42.90	54.00	-11.10	27.41	3	Horizontal	232	1.80	88	38.40	8.86	31.77
PK	17.10904G	67.87	68.20	-0.33	45.60	3	Horizontal	151	1.80	87	41.42	10.83	29.98

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 78
79\73\76\78
-0.19\4.17\1.56\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14392G	67.78	74.00	-6.22	61.49	3	Vertical	341	1.80	78	32.71	6.37	32.79
AV	5.14752G	51.75	54.00	-2.25	45.47	3	Vertical	341	1.80	78	32.70	6.37	32.79
PK	5.27376G	103.41	Inf	-Inf	96.90	3	Vertical	341	1.80	78	32.85	6.40	32.74
AV	5.27472G	85.38	Inf	-Inf	78.86	3	Vertical	341	1.80	78	32.85	6.40	32.73
PK	5.36712G	70.58	74.00	-3.42	63.81	3	Vertical	341	1.80	78	33.07	6.40	32.70
AV	5.35G	53.84	54.00	-0.16	47.14	3	Vertical	341	1.80	78	33.00	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 79
80\77\79
-0.05\2.61\0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	68.46	74.00	-5.54	62.18	3	Horizontal	346	1.77	79	32.70	6.37	32.79
AV	5.14704G	52.04	54.00	-1.96	45.75	3	Horizontal	346	1.77	79	32.71	6.37	32.79
PK	5.28096G	101.22	Inf	-Inf	94.69	3	Horizontal	346	1.77	79	32.86	6.40	32.73
AV	5.27496G	84.86	Inf	-Inf	78.34	3	Horizontal	346	1.77	79	32.85	6.40	32.73
PK	5.35056G	69.39	74.00	-4.61	62.69	3	Horizontal	346	1.77	79	33.00	6.40	32.70
AV	5.35G	53.25	54.00	-0.75	46.55	3	Horizontal	346	1.77	79	33.00	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT_Y_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37584G	56.59	68.20	-11.61	41.37	3	Vertical	336	1.92	78	38.40	8.59	31.77
PK	15.6092G	62.50	74.00	-11.50	45.03	3	Vertical	132	2.79	78	37.79	10.38	30.70
AV	15.606G	49.53	54.00	-4.47	32.06	3	Vertical	132	2.79	78	37.79	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT_Y_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36592G	57.14	68.20	-11.06	41.93	3	Horizontal	138	1.80	78	38.40	8.59	31.78
PK	15.63568G	62.09	74.00	-11.91	44.62	3	Horizontal	122	1.80	78	37.75	10.40	30.68
AV	15.63576G	49.34	54.00	-4.66	31.88	3	Horizontal	122	1.80	78	37.76	10.39	30.69

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 73
73
2.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	64.83	74.00	-9.17	57.34	3	Vertical	0	2.28	73	33.70	6.45	32.66
AV	5.45624G	50.08	54.00	-3.92	42.58	3	Vertical	0	2.28	73	33.70	6.46	32.66
PK	5.46452G	65.58	68.20	-2.62	58.07	3	Vertical	0	2.28	73	33.70	6.46	32.65
PK	5.543G	101.23	Inf	-Inf	93.48	3	Vertical	0	2.28	73	33.87	6.54	32.66
AV	5.57612G	84.78	Inf	-Inf	77.02	3	Vertical	0	2.28	73	33.85	6.58	32.67
PK	5.7302G	61.45	68.20	-6.75	53.34	3	Vertical	0	2.28	73	34.24	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 73
80\62\71\76\73
-6.03\4.34\0.97\2.59\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	68.81	74.00	-5.19	61.31	3	Horizontal	357	1.62	73	33.70	6.46	32.66
AV	5.45624G	52.47	54.00	-1.53	44.97	3	Horizontal	357	1.62	73	33.70	6.46	32.66
PK	5.46524G	67.95	68.20	-0.25	60.43	3	Horizontal	357	1.62	73	33.70	6.47	32.65
PK	5.53976G	100.87	Inf	-Inf	93.13	3	Horizontal	357	1.62	73	33.86	6.54	32.66
AV	5.53868G	83.96	Inf	-Inf	76.23	3	Horizontal	357	1.62	73	33.85	6.54	32.66
PK	5.732G	63.57	68.20	-4.63	55.44	3	Horizontal	357	1.62	73	34.26	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13864G	56.65	74.00	-17.35	41.47	3	Vertical	105	2.53	73	38.36	8.78	31.96
AV	11.13608G	42.90	54.00	-11.10	27.72	3	Vertical	105	2.53	73	38.36	8.78	31.96
PK	16.60664G	66.79	68.20	-1.41	44.93	3	Vertical	139	2.16	73	40.31	10.68	29.13

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



EUT_Y_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13904G	56.10	74.00	-17.90	40.92	3	Horizontal	25	1.80	73	38.36	8.78	31.96
AV	11.11216G	43.20	54.00	-10.80	28.00	3	Horizontal	25	1.80	73	38.39	8.78	31.97
PK	16.5692G	66.89	68.20	-1.31	44.98	3	Horizontal	216	2.86	73	40.30	10.67	29.06



RSE TX above 1GHz_Set 4 antenna with 70 degree_R2_2T1S_2T2S


Appendix D.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.4664G	68.18	68.20	-0.02	3	Horizontal	21	1.56	107

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 108
108
0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14716G	61.03	74.00	-12.97	54.74	3	Vertical	342	1.76	108	32.71	6.37	32.79
AV	5.14924G	47.93	54.00	-6.07	41.65	3	Vertical	342	1.76	108	32.70	6.37	32.79
PK	5.26312G	119.52	Inf	-Inf	113.03	3	Vertical	342	1.76	108	32.83	6.40	32.74
AV	5.2535G	109.02	Inf	-Inf	102.55	3	Vertical	342	1.76	108	32.81	6.40	32.74
PK	5.3588G	66.95	74.00	-7.05	60.21	3	Vertical	342	1.76	108	33.04	6.40	32.70
AV	5.35G	53.24	54.00	-0.76	46.54	3	Vertical	342	1.76	108	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT V_2TX
SET 108
80\98\107\108
6.55\6.01\2.18\1.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14612G	60.18	74.00	-13.82	53.89	3	Horizontal	313	1.80	108	32.71	6.37	32.79
AV	5.14742G	47.46	54.00	-6.54	41.17	3	Horizontal	313	1.80	108	32.71	6.37	32.79
PK	5.26624G	117.88	Inf	-Inf	111.39	3	Horizontal	313	1.80	108	32.83	6.40	32.74
AV	5.26078G	107.94	Inf	-Inf	101.46	3	Horizontal	313	1.80	108	32.82	6.40	32.74
PK	5.3562G	71.15	74.00	-2.85	64.43	3	Horizontal	313	1.80	108	33.02	6.40	32.70
AV	5.35204G	52.27	54.00	-1.73	45.56	3	Horizontal	313	1.80	108	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51892G	58.75	68.20	-9.45	43.26	3	Vertical	351	1.80	108	38.52	8.63	31.66
PK	15.78148G	67.48	74.00	-6.52	49.51	3	Vertical	345	1.79	99	38.19	10.43	30.65
AV	15.78052G	53.53	54.00	-0.47	35.57	3	Vertical	345	1.79	99	38.18	10.43	30.65

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51844G	57.49	68.20	-10.71	41.99	3	Horizontal	318	1.80	108	38.52	8.63	31.65
PK	15.78304G	65.29	74.00	-8.71	47.31	3	Horizontal	4	1.80	108	38.20	10.43	30.65
AV	15.78356G	52.77	54.00	-1.23	34.77	3	Horizontal	4	1.80	108	38.20	10.44	30.64

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 98
100\91\96\99\97\98
-0.87\4.88\2.52\0.14\1.37\0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3035G	118.06	Inf	-Inf	111.47	3	Vertical	343	1.64	98	32.91	6.40	32.72
AV	5.30308G	108.21	Inf	-Inf	101.62	3	Vertical	343	1.64	98	32.91	6.40	32.72
PK	5.35278G	70.11	74.00	-3.89	63.40	3	Vertical	343	1.64	98	33.01	6.40	32.70
AV	5.35G	53.05	54.00	-0.95	46.35	3	Vertical	343	1.64	98	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 100
80\98\107\102\99\101\100
6.48\1.55\10.20\1.20\0.90\0.57\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29552G	117.47	Inf	-Inf	110.91	3	Horizontal	313	1.74	100	32.89	6.40	32.73
AV	5.30098G	106.64	Inf	-Inf	100.06	3	Horizontal	313	1.74	100	32.90	6.40	32.72
PK	5.35096G	68.78	74.00	-5.22	62.08	3	Horizontal	313	1.74	100	33.00	6.40	32.70
AV	5.35082G	53.79	54.00	-0.21	47.09	3	Horizontal	313	1.74	100	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUTY_2TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.89784G	67.41	74.00	-6.59	49.15	3	Vertical	353	1.75	95	38.40	10.47	30.61	
AV	15.89836G	53.79	54.00	-0.21	35.53	3	Vertical	353	1.75	95	38.40	10.47	30.61	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.89448G	64.94	74.00	-9.06	46.69	3	Horizontal	320	1.80	98	38.39	10.47	30.61	
AV	15.8998G	52.10	54.00	-1.90	33.84	3	Horizontal	320	1.80	98	38.40	10.47	30.61	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 91
91
0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3231G	116.21	Inf	-Inf	109.57	3	Vertical	344	1.76	91	32.95	6.40	32.71
AV	5.3181G	106.61	Inf	-Inf	99.99	3	Vertical	344	1.76	91	32.94	6.40	32.72
PK	5.3533G	67.53	74.00	-6.47	60.82	3	Vertical	344	1.76	91	33.01	6.40	32.70
AV	5.35G	53.49	54.00	-0.51	46.79	3	Vertical	344	1.76	91	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 91
80\98\89\94\91
5.92\ -7.15\1.84\ -2.87\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3257G	113.96	Inf	-Inf	107.32	3	Horizontal	324	1.80	91	32.95	6.40	32.71
AV	5.3208G	104.18	Inf	-Inf	97.56	3	Horizontal	324	1.80	91	32.94	6.40	32.72
PK	5.3505G	67.53	74.00	-6.47	60.83	3	Horizontal	324	1.80	91	33.00	6.40	32.70
AV	5.3505G	53.94	54.00	-0.06	47.24	3	Horizontal	324	1.80	91	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUTY_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6518G	56.32	74.00	-17.68	40.82	3	Vertical	256	1.80	91	38.60	8.66	31.76
AV	10.6532G	43.02	54.00	-10.98	27.52	3	Vertical	256	1.80	91	38.60	8.66	31.76
PK	15.95012G	62.70	74.00	-11.30	44.40	3	Vertical	9	1.80	91	38.40	10.49	30.59
AV	15.95764G	49.35	54.00	-4.65	31.05	3	Vertical	9	1.80	91	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUTY_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6328G	56.57	74.00	-17.43	41.06	3	Horizontal	359	1.80	91	38.60	8.66	31.75
AV	10.6482G	43.18	54.00	-10.82	27.68	3	Horizontal	359	1.80	91	38.60	8.66	31.76
PK	15.95512G	62.94	74.00	-11.06	44.64	3	Horizontal	326	1.80	91	38.40	10.49	30.59
AV	15.94772G	49.32	54.00	-4.68	31.04	3	Horizontal	326	1.80	91	38.40	10.48	30.60

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT V_2TX
SET 88
88
1.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4581G	61.70	74.00	-12.30	54.20	3	Vertical	330	2.95	88	33.70	6.46	32.66	
AV	5.4576G	49.17	54.00	-4.83	41.67	3	Vertical	330	2.95	88	33.70	6.46	32.66	
PK	5.4688G	66.91	68.20	-1.29	59.39	3	Vertical	330	2.95	88	33.70	6.47	32.65	
PK	5.4982G	115.12	Inf	-Inf	107.56	3	Vertical	330	2.95	88	33.70	6.50	32.64	
AV	5.4981G	105.70	Inf	-Inf	98.14	3	Vertical	330	2.95	88	33.70	6.50	32.64	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 88
80\98\89\84\87\88
5.11\ -9.47\ -0.02\ 4.94\ 2.35\ 2.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	61.35	74.00	-12.65	53.85	3	Horizontal	355	1.61	88	33.70	6.46	32.66
AV	5.46G	49.57	54.00	-4.43	42.07	3	Horizontal	355	1.61	88	33.70	6.46	32.66
PK	5.47G	65.70	68.20	-2.50	58.18	3	Horizontal	355	1.61	88	33.70	6.47	32.65
PK	5.4957G	114.97	Inf	-Inf	107.41	3	Horizontal	355	1.61	88	33.70	6.50	32.64
AV	5.4956G	105.10	Inf	-Inf	97.54	3	Horizontal	355	1.61	88	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUTY_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99872G	56.28	74.00	-17.72	41.07	3	Vertical	335	1.80	88	38.50	8.75	32.04
AV	11.01836G	42.63	54.00	-11.37	27.43	3	Vertical	335	1.80	88	38.48	8.75	32.03
PK	16.5112G	65.53	68.20	-2.67	43.54	3	Vertical	281	1.80	88	40.30	10.65	28.96

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUTY_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01216G	57.07	74.00	-16.93	41.86	3	Horizontal	107	1.79	88	38.49	8.75	32.03
AV	10.98028G	42.76	54.00	-11.24	27.53	3	Horizontal	107	1.79	88	38.50	8.75	32.02
PK	16.50016G	66.66	68.20	-1.54	44.65	3	Horizontal	16	1.80	88	40.30	10.65	28.94

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 108
108
4.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44496G	62.32	74.00	-11.68	54.89	3	Vertical	330	2.95	108	33.65	6.44	32.66
PK	5.46864G	63.71	68.20	-4.49	56.19	3	Vertical	330	2.95	108	33.70	6.47	32.65
AV	5.45968G	49.22	54.00	-4.78	41.72	3	Vertical	330	2.95	108	33.70	6.46	32.66
PK	5.57712G	119.49	Inf	-Inf	111.73	3	Vertical	330	2.95	108	33.85	6.58	32.67
AV	5.57808G	108.93	Inf	-Inf	101.18	3	Vertical	330	2.95	108	33.84	6.58	32.67
PK	5.73456G	60.34	68.20	-7.86	52.19	3	Vertical	330	2.95	108	34.28	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 108
80\98\107\108
6.10\5.89\5.35\5.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.59	74.00	-12.41	54.09	3	Horizontal	23	1.49	108	33.70	6.46	32.66
AV	5.45776G	48.90	54.00	-5.10	41.40	3	Horizontal	23	1.49	108	33.70	6.46	32.66
PK	5.46992G	62.99	68.20	-5.21	55.47	3	Horizontal	23	1.49	108	33.70	6.47	32.65
PK	5.5816G	120.10	Inf	-Inf	112.35	3	Horizontal	23	1.49	108	33.84	6.58	32.67
AV	5.57616G	109.38	Inf	-Inf	101.62	3	Horizontal	23	1.49	108	33.85	6.58	32.67
PK	5.7352G	60.85	68.20	-7.35	52.70	3	Horizontal	23	1.49	108	34.28	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16216G	55.98	74.00	-18.02	40.79	3	Vertical	330	1.76	90	38.34	8.79	31.94
AV	11.17304G	42.90	54.00	-11.10	27.72	3	Vertical	330	1.76	90	38.33	8.79	31.94
PK	16.73468G	66.19	68.20	-2.01	44.39	3	Vertical	330	1.80	90	40.43	10.72	29.35

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUTY_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16184G	57.31	74.00	-16.69	42.12	3	Horizontal	62	2.01	108	38.34	8.79	31.94
AV	11.16284G	43.99	54.00	-10.01	28.80	3	Horizontal	62	2.01	108	38.34	8.79	31.94
PK	16.73824G	67.32	68.20	-0.88	45.51	3	Horizontal	42	1.80	90	40.44	10.72	29.35

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUTY_2TX
SET 69
70\64\67\69
-0.33\5.53\1.11\2.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	107.40	Inf	-Inf	99.52	3	Vertical	317	1.80	69	34.00	6.60	32.72
AV	5.6988G	98.28	Inf	-Inf	90.40	3	Vertical	317	1.80	69	34.00	6.60	32.72
PK	5.725G	65.63	68.20	-2.57	57.56	3	Vertical	317	1.80	69	34.20	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 70
80\62\71\76\73\72\71\70
-4.89\7.15\0.68\ -2.55\ -0.35\ -0.74\ -0.12\0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.696G	109.28	Inf	-Inf	101.39	3	Horizontal	23	1.62	70	34.01	6.60	32.72
AV	5.6963G	99.33	Inf	-Inf	91.44	3	Horizontal	23	1.62	70	34.01	6.60	32.72
PK	5.7257G	67.21	68.20	-0.99	59.13	3	Horizontal	23	1.62	70	34.21	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41612G	56.91	74.00	-17.09	41.45	3	Vertical	194	2.50	69	38.40	8.85	31.79
AV	11.41744G	43.70	54.00	-10.30	28.24	3	Vertical	194	2.50	69	38.40	8.85	31.79
PK	17.09312G	64.83	68.20	-3.37	42.58	3	Vertical	278	2.17	69	41.38	10.83	29.96

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41332G	57.58	74.00	-16.42	42.12	3	Horizontal	157	1.80	69	38.40	8.85	31.79
AV	11.41124G	43.78	54.00	-10.22	28.32	3	Horizontal	157	1.80	69	38.40	8.85	31.79
PK	17.08752G	65.39	68.20	-2.81	43.15	3	Horizontal	29	1.80	69	41.36	10.83	29.95

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
108
6.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4581G	59.37	74.00	-14.63	51.87	3	Vertical	330	1.70	108	33.70	6.46	32.66
AV	5.45918G	47.99	54.00	-6.01	40.49	3	Vertical	330	1.70	108	33.70	6.46	32.66
PK	5.4662G	59.54	68.20	-8.66	52.02	3	Vertical	330	1.70	108	33.70	6.47	32.65
PK	5.71352G	115.68	Inf	-Inf	107.70	3	Vertical	330	1.70	108	34.11	6.60	32.73
AV	5.71892G	105.76	Inf	-Inf	97.74	3	Vertical	330	1.70	108	34.15	6.60	32.73
PK	5.87876G	60.85	68.20	-7.35	52.18	3	Vertical	330	1.70	108	34.86	6.60	32.79

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 108
80\98\107\108
6.25\6.03\6.20\6.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45756G	59.16	74.00	-14.84	51.66	3	Horizontal	30	1.66	108	33.70	6.46	32.66
AV	5.45918G	47.83	54.00	-6.17	40.33	3	Horizontal	30	1.66	108	33.70	6.46	32.66
PK	5.46674G	60.71	68.20	-7.49	53.19	3	Horizontal	30	1.66	108	33.70	6.47	32.65
PK	5.72594G	116.55	Inf	-Inf	108.47	3	Horizontal	30	1.66	108	34.21	6.60	32.73
AV	5.72648G	105.99	Inf	-Inf	97.91	3	Horizontal	30	1.66	108	34.21	6.60	32.73
PK	5.9765G	61.83	68.20	-6.37	52.85	3	Horizontal	30	1.66	108	35.21	6.60	32.83

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45744G	57.06	74.00	-16.94	41.57	3	Vertical	247	1.33	103	38.40	8.86	31.77
AV	11.42096G	43.64	54.00	-10.36	28.17	3	Vertical	247	1.33	103	38.40	8.86	31.79
PK	17.157G	67.47	68.20	-0.73	45.16	3	Vertical	347	1.80	102	41.51	10.85	30.05

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44464G	57.40	74.00	-16.60	41.91	3	Horizontal	62	1.90	108	38.40	8.86	31.77
AV	11.43832G	43.99	54.00	-10.01	28.51	3	Horizontal	62	1.90	108	38.40	8.86	31.78
PK	17.1614G	67.99	68.20	-0.21	45.68	3	Horizontal	350	1.77	103	41.52	10.85	30.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 105
105
1.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14508G	59.91	74.00	-14.09	53.62	3	Vertical	342	1.78	105	32.71	6.37	32.79
AV	5.14612G	47.84	54.00	-6.16	41.55	3	Vertical	342	1.78	105	32.71	6.37	32.79
PK	5.26624G	118.19	Inf	-Inf	111.70	3	Vertical	342	1.78	105	32.83	6.40	32.74
AV	5.26728G	106.54	Inf	-Inf	100.05	3	Vertical	342	1.78	105	32.83	6.40	32.74
PK	5.35334G	65.77	74.00	-8.23	59.06	3	Vertical	342	1.78	105	33.01	6.40	32.70
AV	5.35074G	52.78	54.00	-1.22	46.08	3	Vertical	342	1.78	105	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
SET 105
80\98\107\102\105\106\105
5.86\5.42\~0.97\4.23\1.31\~1.19\1.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14352G	60.63	74.00	-13.37	54.34	3	Horizontal	313	1.71	105	32.71	6.37	32.79
AV	5.14976G	48.27	54.00	-5.73	41.99	3	Horizontal	313	1.71	105	32.70	6.37	32.79
PK	5.26078G	116.48	Inf	-Inf	110.00	3	Horizontal	313	1.71	105	32.82	6.40	32.74
AV	5.25896G	105.11	Inf	-Inf	98.63	3	Horizontal	313	1.71	105	32.82	6.40	32.74
PK	5.35048G	69.24	74.00	-4.76	62.54	3	Horizontal	313	1.71	105	33.00	6.40	32.70
AV	5.35G	52.74	54.00	-1.26	46.04	3	Horizontal	313	1.71	105	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51564G	57.72	68.20	-10.48	42.22	3	Vertical	355	1.80	105	38.52	8.63	31.65
PK	15.78452G	65.23	74.00	-8.77	47.22	3	Vertical	352	1.80	105	38.21	10.44	30.64
AV	15.7792G	52.01	54.00	-1.99	34.05	3	Vertical	352	1.80	105	38.18	10.43	30.65

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51888G	57.20	68.20	-11.00	41.71	3	Horizontal	317	1.80	105	38.52	8.63	31.66
PK	15.7946G	63.34	74.00	-10.66	45.27	3	Horizontal	356	1.80	105	38.27	10.44	30.64
AV	15.7818G	49.79	54.00	-4.21	31.82	3	Horizontal	356	1.80	105	38.19	10.43	30.65

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_V_2TX
SET 94
95\92\94
-0.06\2.29\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30154G	117.34	Inf	-Inf	110.76	3	Vertical	346	1.73	94	32.90	6.40	32.72
AV	5.30672G	105.11	Inf	-Inf	98.52	3	Vertical	346	1.73	94	32.91	6.40	32.72
PK	5.3504G	67.55	74.00	-6.45	60.85	3	Vertical	346	1.73	94	33.00	6.40	32.70
AV	5.35012G	53.47	54.00	-0.53	46.77	3	Vertical	346	1.73	94	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 95
80\98\89\94\97\95\96\95
5.80\ -1.37\4.00\1.40\ -0.47\0.80\ -0.10\1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29552G	114.40	Inf	-Inf	107.84	3	Horizontal	312	1.76	95	32.89	6.40	32.73
AV	5.30504G	103.17	Inf	-Inf	96.58	3	Horizontal	312	1.76	95	32.91	6.40	32.72
PK	5.3504G	67.71	74.00	-6.29	61.01	3	Horizontal	312	1.76	95	33.00	6.40	32.70
AV	5.35026G	52.94	54.00	-1.06	46.24	3	Horizontal	312	1.76	95	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUTY_2TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59664G	57.22	68.20	-10.98	41.69	3	Vertical	10	1.80	94	38.60	8.65	31.72
PK	15.89196G	65.97	74.00	-8.03	47.72	3	Vertical	352	1.76	94	38.39	10.47	30.61
AV	15.89768G	51.81	54.00	-2.19	33.55	3	Vertical	352	1.76	94	38.40	10.47	30.61

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59556G	57.12	68.20	-11.08	41.59	3	Horizontal	63	1.66	94	38.60	8.65	31.72
PK	15.89756G	61.94	74.00	-12.06	43.68	3	Horizontal	23	1.80	94	38.40	10.47	30.61
AV	15.89412G	48.93	54.00	-5.07	30.68	3	Horizontal	23	1.80	94	38.39	10.47	30.61

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 89
89
0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3216G	115.90	Inf	-Inf	109.27	3	Vertical	344	1.76	89	32.94	6.40	32.71	
AV	5.3215G	103.75	Inf	-Inf	97.12	3	Vertical	344	1.76	89	32.94	6.40	32.71	
PK	5.354G	65.59	74.00	-8.41	58.87	3	Vertical	344	1.76	89	33.02	6.40	32.70	
AV	5.3501G	53.64	54.00	-0.36	46.94	3	Vertical	344	1.76	89	33.00	6.40	32.70	

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
SET 89
80\98\89\94\91\90\89
5.48\ -10.96\1.10\ -5.25\ -1.36\ -0.24\0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	113.60	Inf	-Inf	106.99	3	Horizontal	324	1.70	89	32.93	6.40	32.72
AV	5.3226G	101.58	Inf	-Inf	94.94	3	Horizontal	324	1.70	89	32.95	6.40	32.71
PK	5.3525G	65.10	74.00	-8.90	58.39	3	Horizontal	324	1.70	89	33.01	6.40	32.70
AV	5.35G	53.05	54.00	-0.95	46.35	3	Horizontal	324	1.70	89	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65564G	57.10	74.00	-16.90	41.60	3	Vertical	101	1.80	89	38.60	8.66	31.76
AV	10.65748G	42.83	54.00	-11.17	27.34	3	Vertical	101	1.80	89	38.60	8.66	31.77
PK	15.95292G	61.57	74.00	-12.43	43.27	3	Vertical	1	1.80	89	38.40	10.49	30.59
AV	15.94532G	48.32	54.00	-5.68	30.04	3	Vertical	1	1.80	89	38.40	10.48	30.60

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64688G	56.11	74.00	-17.89	40.61	3	Horizontal	10	1.80	89	38.60	8.66	31.76
AV	10.62176G	42.89	54.00	-11.11	27.37	3	Horizontal	10	1.80	89	38.60	8.66	31.74
PK	15.95584G	61.56	74.00	-12.44	43.26	3	Horizontal	1	1.80	89	38.40	10.49	30.59
AV	15.94788G	48.20	54.00	-5.80	29.92	3	Horizontal	1	1.80	89	38.40	10.48	30.60

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 90
90
0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4594G	63.48	74.00	-10.52	55.98	3	Vertical	334	1.55	90	33.70	6.46	32.66	
AV	5.4598G	51.39	54.00	-2.61	43.89	3	Vertical	334	1.55	90	33.70	6.46	32.66	
PK	5.4679G	67.73	68.20	-0.47	60.21	3	Vertical	334	1.55	90	33.70	6.47	32.65	
PK	5.4992G	115.56	Inf	-Inf	108.00	3	Vertical	334	1.55	90	33.70	6.50	32.64	
AV	5.5017G	103.38	Inf	-Inf	95.81	3	Vertical	334	1.55	90	33.71	6.50	32.64	

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 90
80\98\89\94\91\90
4.53\ -9.51\ 2.50\ -3.57\ -0.62\ 1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4589G	64.81	74.00	-9.19	57.31	3	Horizontal	354	1.63	90	33.70	6.46	32.66
AV	5.4594G	51.01	54.00	-2.99	43.51	3	Horizontal	354	1.63	90	33.70	6.46	32.66
PK	5.4671G	67.00	68.20	-1.20	59.48	3	Horizontal	354	1.63	90	33.70	6.47	32.65
PK	5.4954G	114.99	Inf	-Inf	107.43	3	Horizontal	354	1.63	90	33.70	6.50	32.64
AV	5.4968G	103.14	Inf	-Inf	95.58	3	Horizontal	354	1.63	90	33.70	6.50	32.64

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98468G	55.86	74.00	-18.14	40.64	3	Vertical	309	1.08	90	38.50	8.75	32.03
AV	10.98256G	42.64	54.00	-11.36	27.42	3	Vertical	309	1.08	90	38.50	8.75	32.03
PK	16.50468G	64.83	68.20	-3.37	42.83	3	Vertical	360	1.08	90	40.30	10.65	28.95

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0002G	55.89	74.00	-18.11	40.68	3	Horizontal	169	1.72	90	38.50	8.75	32.04
AV	10.98596G	42.57	54.00	-11.43	27.35	3	Horizontal	169	1.72	90	38.50	8.75	32.03
PK	16.50412G	66.13	68.20	-2.07	44.13	3	Horizontal	17	1.80	90	40.30	10.65	28.95

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 106
107\95\101\104\106
-2.41\5.53\5.20\5.35\4.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	61.64	74.00	-12.36	54.15	3	Vertical	318	1.80	106	33.70	6.45	32.66
AV	5.44848G	49.22	54.00	-4.78	41.75	3	Vertical	318	1.80	106	33.68	6.45	32.66
PK	5.4632G	60.35	68.20	-7.85	52.85	3	Vertical	318	1.80	106	33.70	6.46	32.66
PK	5.58384G	116.04	Inf	-Inf	108.30	3	Vertical	318	1.80	106	33.83	6.58	32.67
AV	5.57552G	105.46	Inf	-Inf	97.70	3	Vertical	318	1.80	106	33.85	6.58	32.67
PK	5.72816G	60.51	68.20	-7.69	52.41	3	Vertical	318	1.80	106	34.23	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 107
80\98\107
5.53\5.04\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.38	74.00	-10.62	55.88	3	Horizontal	21	1.56	107	33.70	6.46	32.66
AV	5.45968G	49.56	54.00	-4.44	42.06	3	Horizontal	21	1.56	107	33.70	6.46	32.66
PK	5.4664G	68.18	68.20	-0.02	60.66	3	Horizontal	21	1.56	107	33.70	6.47	32.65
PK	5.57328G	117.22	Inf	-Inf	109.47	3	Horizontal	21	1.56	107	33.85	6.57	32.67
AV	5.5784G	106.88	Inf	-Inf	99.13	3	Horizontal	21	1.56	107	33.84	6.58	32.67
PK	5.7272G	60.72	68.20	-7.48	52.63	3	Horizontal	21	1.56	107	34.22	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15796G	56.10	74.00	-17.90	40.92	3	Vertical	229	1.80	94	38.34	8.79	31.95
AV	11.17596G	42.89	54.00	-11.11	27.71	3	Vertical	229	1.80	94	38.32	8.79	31.93
PK	16.74116G	66.12	68.20	-2.08	44.32	3	Vertical	329	1.80	94	40.44	10.72	29.36

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX



EUT Y_2TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1546G	56.76	74.00	-17.24	41.57	3	Horizontal	63	2.12	106	38.35	8.79	31.95
AV	11.15836G	43.83	54.00	-10.17	28.64	3	Horizontal	63	2.12	106	38.34	8.79	31.94
PK	16.73672G	67.71	68.20	-0.49	45.90	3	Horizontal	41	1.80	94	40.44	10.72	29.35