








5. Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











6. Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-45.98	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-57.57	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-47.79	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-55.44	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-47.85	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-57.5	≤ -20	Pass




















7. Band Edge(Hopping)



Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-55.77	≤ -20	Pass
NVNT	1-DH5	2480	Hopping	-54.38	≤ -20	Pass
NVNT	2-DH5	2402	Hopping	-55.16	≤ -20	Pass
NVNT	2-DH5	2480	Hopping	-56.07	≤ -20	Pass
NVNT	3-DH5	2402	Hopping	-55.47	≤ -20	Pass
NVNT	3-DH5	2480	Hopping	-53.79	≤ -20	Pass




















8. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-40.29	<=-20	Pass
NVNT	1-DH5	2440	-41.61	<=-20	Pass
NVNT	1-DH5	2480	-41.55	<=-20	Pass
NVNT	2-DH5	2402	-41.9	<=-20	Pass
NVNT	2-DH5	2440	-39.71	<=-20	Pass
NVNT	2-DH5	2480	-39.88	<=-20	Pass
NVNT	3-DH5	2402	-44.6	<=-20	Pass
NVNT	3-DH5	2440	-46.07	<=-20	Pass
NVNT	3-DH5	2480	-46.7	<=-20	Pass













Tx. Spurious NVNT 2-DH5 2440MHz Ref



Tx. Spurious NVNT 2-DH5 2440MHz Emission








Tx. Spurious NVNT 2-DH5 2480MHz Ref




Tx. Spurious NVNT 2-DH5 2480MHz Emission











APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****