


THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY AND CONFIDENTIAL MATERIAL OF HONEYWELL INTERNATIONAL INC AND SHALL NOT BE REPRODUCED, OR COPIED, OR USED AS A BASIS FOR MANUFACTURE OR SALE OF EQUIPMENT OR DEVICES WITHOUT WRITTEN PERMISSION.©



Scale: 1:1

		DRAWING NO: 50144834	
REV#	REV DESCRIPTION	CC#	DATE
A	RELEASE	2018-4616	09/18/18

NOTES FOR MANUFACTURER:

1. COLORS:  
GRAPHICS/RIBBON: BLACK  
LABEL STOCK/BACKGROUND: WHITE
2. DIGITAL PRINTING  
GRADIENTS ARE STEPPED (NOT SMOOTH)  
FILE OUTPUT SETTINGS SHOULD BE 800-2540 dpi  
ADD 2% NOISE TO CREATE A SMOOTHER OVERALL  
LOOK TO GRADIENT.
3. REFERENCE MECHANICAL 163148 DRAWING FOR  
DIECUT AND MATERIAL SPECIFICATIONS.
4. ROHS COMPLIANT MATERIALS AND INKS.  
SEE ENVIRONMENTAL SPECIFCATION DOCUMENT 500007391
5. SUPPLIER TO PROVIDE DECLARATION WITH FIRST ARTICLE  
SAMPLE SUBMISSION THAT REQUIRED SCREEN PRINTING AND  
DIGITAL PRINTING PROCESSES ARE APPLIED.
6. ADD 0.001” THK, CLEAR LAMINATE TO OVERLAY AFTER PRINTING.

DESIGNED BY DONNA FLETCHER		DATE 09/05/18
<div>Honeywell</div>		
TITLE: LBL, NON-WWAN, T1, VM1		
B	DRAWING NO: 50144834	A
SCALE 1:1	DO NOT SCALE	SHEET 1 OF 1

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY AND CONFIDENTIAL MATERIAL OF HONEYWELL INTERNATIONAL INC AND SHALL NOT BE REPRODUCED, OR COPIED, OR USED AS A BASIS FOR MANUFACTURE OR SALE OF EQUIPMENT OR DEVICES WITHOUT WRITTEN PERMISSION.©

DRAWING NO: 50144834

50144834-001  
Grouping

MODEL NUMBER: VM1ALON  
GRPH, LBL, CERT, TML TFR

FCC DOMAIN:  
N. AMERICA/LATAM

Honeywell

Honeywell International Inc  
www.honeywellaidc.com

Thor VM1A  
Model No.: VM1A-LON  
Input : 7-12V 7.5A (MAX)  
FCC ID: HD5-VM1ALON  
IC: 1693B-VM1ALON  
CAN ICES-3 (B)/NMB-3(B)



The device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause any harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. See manual for FCC and Industry Canada statements.

Assembled in Malaysia

50144834-002  
Grouping

MODEL NUMBER: VM1ALON  
GRPH, LBL, CERT, TML TFR

ETSI DOMAIN: WORLD MODE

Honeywell

制造商 Honeywell International Inc  
www.honeywellaidc.com

Thor VM1A移动式计算机  
Model No./型号: VM1A -LON  
Input 输入: 7-12V 7.5A (MAX)



Assembled in Malaysia/马来西亚组装

50144834-003  
Grouping

MODEL NUMBER: VM1ALON  
GRPH, LBL, CERT, TML TFR

AR, AU, NZ DOMAIN

Honeywell

制造商 Honeywell International Inc  
www.honeywellaidc.com

Thor VM1A移动式计算机  
Model No./型号: VM1A -LON  
Input 输入: 7-12V 7.5A (MAX)



Assembled in Malaysia/马来西亚组装

50144834-004  
Grouping

MODEL NUMBER: VM1ALON  
GRPH, LBL, CERT, TML TFR

INDIA, INDONESIA, MALAYSIA

Honeywell

制造商 Honeywell International Inc  
www.honeywellaidc.com

Thor VM1A移动式计算机  
Model No./型号: VM1A -LON  
Input 输入: 7-12V 7.5A (MAX)



Assembled in Malaysia/马来西亚组装

DESIGNED BY  
DONNA FLETCHER

DATE  
09/05/18

Honeywell

TITLE:  
LBL, NON-WWAN, T1, VM1

B

DRAWING NO:  
50144834

A


SCALE  
1:1

DO NOT SCALE

SHEET 1 OF 1


PLASTIC TYPE OF HOUSING LABEL IS ADHERED TO	PLASTIC HOUSING PART NUMBER	LABEL MATERIAL #	ARTWORK LEVEL
		50144834-001	ONE
		50144834-002	ONE
		50144834-003	ONE
		50144834-004	ONE


Label & Location  
Back side



**Honeywell**

Honeywell International Inc  
[www.honeywellaidc.com](http://www.honeywellaidc.com)

Thor VM1A  
Model No.: VM1A-LON  
Input :  7-12V 7.5A (MAX)  
FCC ID: HD5-VM1ALON  
IC: 1693B-VM1ALON  
CAN ICES-3 (B)/NMB-3(B)

The device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause any harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. See manual for FCC and Industry Canada statements.

Assembled in Malaysia