



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.64	0.36	3.00	30.00	Complies
159	5795	3.04	0.36	3.40	30.00	Complies

CH151




CH159




Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.22	0.36	2.58	30.00	Complies
159	5795	3.20	0.36	3.56	30.00	Complies

CH151



CH159




Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.80	28.64	Complies
159	5795	6.49	28.64	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.24	0.63	1.87	30.00	Complies


CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.02	0.63	1.65	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.77	28.64	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
5.75	5180.0108
5	5180.0096
4.25	5180.0088
Maximum Deviation (MHz)	0.0108
Maximum Deviation (ppm)	2.0849

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0096
10	5179.9956
20	5180.0004
30	5180.0044
40	5180.0072
Maximum Deviation (MHz)	0.0096
Maximum Deviation (ppm)	1.8533

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
5.75	5260.0104
5	5260.0104
4.25	5260.0116
Maximum Deviation (MHz)	0.0116
Maximum Deviation (ppm)	2.2053

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5260.0132
10	5260.0140
20	5260.0124
30	5260.0100
40	5260.0104
Maximum Deviation (MHz)	0.0140
Maximum Deviation (ppm)	2.6616

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
5.75	5500.0224
5	5500.0156
4.25	5500.0156
Maximum Deviation (MHz)	0.0224
Maximum Deviation (ppm)	4.0727

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5500.0144
10	5500.0124
20	5500.0156
30	5500.0188
40	5500.0180
Maximum Deviation (MHz)	0.0188
Maximum Deviation (ppm)	3.4182

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
5.75	5744.9780
5	5744.9792
4.25	5744.9824
Maximum Deviation (MHz)	0.0220
Maximum Deviation (ppm)	3.8294

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9856
10	5744.9884
20	5744.9668
30	5744.9700
40	5744.9744
Maximum Deviation (MHz)	0.0332
Maximum Deviation (ppm)	5.7789

End of Test Report