

















11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500






11N20MIMO_Ant0_2412_30~1000




11N20MIMO_Ant0_2412_1000~26500






11N20MIMO_Ant1_2412_30~1000




11N20MIMO_Ant1_2412_1000~26500






11N20MIMO_Ant0_2437_30~1000




11N20MIMO_Ant0_2437_1000~26500






11N20MIMO_Ant1_2437_30~1000




11N20MIMO_Ant1_2437_1000~26500






11N20MIMO_Ant0_2462_30~1000




11N20MIMO_Ant0_2462_1000~26500






11N20MIMO_Ant1_2462_30~1000




11N20MIMO_Ant1_2462_1000~26500






11N40MIMO_Ant0_2422_30~1000




11N40MIMO_Ant0_2422_1000~26500






11N40MIMO_Ant1_2422_30~1000




11N40MIMO_Ant1_2422_1000~26500






11N40MIMO_Ant0_2437_30~1000




11N40MIMO_Ant0_2437_1000~26500






11N40MIMO_Ant1_2437_30~1000




11N40MIMO_Ant1_2437_1000~26500






11N40MIMO_Ant0_2452_30~1000




11N40MIMO_Ant0_2452_1000~26500






11N40MIMO_Ant1_2452_30~1000




11N40MIMO_Ant1_2452_1000~26500






11AX20MIMO_Ant0_2412_30~1000




11AX20MIMO_Ant0_2412_1000~26500






11AX20MIMO_Ant1_2412_30~1000




11AX20MIMO_Ant1_2412_1000~26500






11AX20MIMO_Ant0_2437_30~1000




11AX20MIMO_Ant0_2437_1000~26500






11AX20MIMO_Ant1_2437_30~1000




11AX20MIMO_Ant1_2437_1000~26500






11AX20MIMO_Ant0_2462_30~1000




11AX20MIMO_Ant0_2462_1000~26500






11AX20MIMO_Ant1_2462_30~1000




11AX20MIMO_Ant1_2462_1000~26500






11AX40MIMO_Ant0_2422_30~1000




11AX40MIMO_Ant0_2422_1000~26500






11AX40MIMO_Ant1_2422_30~1000




11AX40MIMO_Ant1_2422_1000~26500






11AX40MIMO_Ant0_2437_30~1000




11AX40MIMO_Ant0_2437_1000~26500






11AX40MIMO_Ant1_2437_30~1000




11AX40MIMO_Ant1_2437_1000~26500






11AX40MIMO_Ant0_2452_30~1000




11AX40MIMO_Ant0_2452_1000~26500






11AX40MIMO_Ant1_2452_30~1000



11AX40MIMO_Ant1_2452_1000~26500






Maximum power spectral density (11ax Partial RU)

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant0	2412	26Tone	RU0	-16.98	≤8.00	PASS
			52Tone	RU37	-15.6	≤8.00	PASS
			106Tone	RU53	-15.3	≤8.00	PASS
	Ant1	2412	26Tone	RU0	-17.66	≤8.00	PASS
			52Tone	RU37	-16.68	≤8.00	PASS
			106Tone	RU53	-17.28	≤8.00	PASS
	total	2412	26Tone	RU0	-14.30	≤8.00	PASS
			52Tone	RU37	-13.10	≤8.00	PASS
			106Tone	RU53	-13.17	≤8.00	PASS
	Ant0	2437	26Tone	RU0	-12.71	≤8.00	PASS
			52Tone	RU37	-12.34	≤8.00	PASS
			106Tone	RU53	-13.11	≤8.00	PASS
	Ant1	2437	26Tone	RU0	-14.42	≤8.00	PASS
			52Tone	RU37	-14.22	≤8.00	PASS
			106Tone	RU53	-14.38	≤8.00	PASS
	total	2437	26Tone	RU0	-10.47	≤8.00	PASS
			52Tone	RU37	-10.17	≤8.00	PASS
			106Tone	RU53	-10.69	≤8.00	PASS
	Ant0	2462	26Tone	RU8	-17.2	≤8.00	PASS
			52Tone	RU40	-15.2	≤8.00	PASS
			106Tone	RU54	-15.64	≤8.00	PASS
	Ant1	2462	26Tone	RU8	-17.38	≤8.00	PASS
			52Tone	RU40	-17.31	≤8.00	PASS
			106Tone	RU54	-16.96	≤8.00	PASS
	total	2462	26Tone	RU8	-14.28	≤8.00	PASS
			52Tone	RU40	-13.12	≤8.00	PASS
			106Tone	RU54	-13.24	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant0_2412_106Tone_RU53




11AX20MIMO_Ant1_2412_26Tone_RU0






11AX20MIMO_Ant1_2412_52Tone_RU37



Date: 22.FEB.2024 23:02:23


11AX20MIMO_Ant1_2412_106Tone_RU53



Date: 22.FEB.2024 23:05:08




11AX20MIMO_Ant0_2437_26Tone_RU0



Date: 24.FEB.2024 04:13:18


11AX20MIMO_Ant0_2437_52Tone_RU37



Date: 24.FEB.2024 04:17:42




11AX20MIMO_Ant0_2437_106Tone_RU53



Date: 24.FEB.2024 04:20:47


11AX20MIMO_Ant1_2437_26Tone_RU0



Date: 24.FEB.2024 04:14:05




11AX20MIMO_Ant1_2437_52Tone_RU37



Date: 24.FEB.2024 04:19:44


11AX20MIMO_Ant1_2437_106Tone_RU53



Date: 24.FEB.2024 04:21:32




11AX20MIMO_Ant0_2462_26Tone_RU8



Date: 22.FEB.2024 23:56:39


11AX20MIMO_Ant0_2462_52Tone_RU40



Date: 22.FEB.2024 23:59:28




11AX20MIMO_Ant0_2462_106Tone_RU54



Date: 23.FEB.2024 00:01:49


11AX20MIMO_Ant1_2462_26Tone_RU8




Date: 22.FEB.2024 23:58:03



11AX20MIMO_Ant1_2462_52Tone_RU40




11AX20MIMO_Ant1_2462_106Tone_RU54






Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.152	37.36	-28.51	65.87	26.90	0.04	10.42	QP
2	0.152	27.16	-28.71	55.87	16.70	0.04	10.42	Average
3	0.341	42.86	-16.32	59.18	32.60	-0.05	10.31	QP
4 *	0.341	35.36	-13.82	49.18	25.10	-0.05	10.31	Average
5	0.644	31.59	-24.41	56.00	21.50	-0.07	10.16	QP
6	0.644	22.49	-23.51	46.00	12.40	-0.07	10.16	Average
7	0.894	29.61	-26.39	56.00	19.60	-0.09	10.10	QP
8	0.894	21.21	-24.79	46.00	11.20	-0.09	10.10	Average
9	1.147	28.68	-27.32	56.00	18.69	-0.10	10.09	QP
10	1.147	18.88	-27.12	46.00	8.89	-0.10	10.09	Average
11	29.061	31.11	-28.89	60.00	19.80	-0.39	11.70	QP
12	29.061	23.11	-26.89	50.00	11.80	-0.39	11.70	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	0	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	0	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	0	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	0	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	0	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 8	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 9	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 10	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 11	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 12	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 13	2400-2483.5	CDD	802.11n HT20	01	2412	MCS0	-	-
Mode 14	2400-2483.5	CDD	802.11n HT20	06	2437	MCS0	-	-
Mode 15	2400-2483.5	CDD	802.11n HT20	11	2462	MCS0	-	-
Mode 16	2400-2483.5	CDD	802.11n HT40	03	2422	MCS0	-	-
Mode 17	2400-2483.5	CDD	802.11n HT40	06	2437	MCS0	-	-
Mode 18	2400-2483.5	CDD	802.11n HT40	09	2452	MCS0	-	-
Mode 19	2400-2483.5	CDD	802.11ac VHT20	01	2412	MCS0	-	-
Mode 20	2400-2483.5	CDD	802.11ac VHT20	06	2437	MCS0	-	-
Mode 21	2400-2483.5	CDD	802.11ac VHT20	11	2462	MCS0	-	-
Mode 22	2400-2483.5	CDD	802.11ac VHT40	03	2422	MCS0	-	-
Mode 23	2400-2483.5	CDD	802.11ac VHT40	06	2437	MCS0	-	-
Mode 24	2400-2483.5	CDD	802.11ac VHT40	09	2452	MCS0	-	-
Mode 25	2400-2483.5	CDD	802.11ax HE20	01	2412	MCS0	Full	-
Mode 26	2400-2483.5	CDD	802.11ax HE20	06	2437	MCS0	Full	-
Mode 27	2400-2483.5	CDD	802.11ax HE20	11	2462	MCS0	Full	-
Mode 28	2400-2483.5	CDD	802.11ax HE40	03	2422	MCS0	Full	-
Mode 29	2400-2483.5	CDD	802.11ax HE40	06	2437	MCS0	Full	-
Mode 30	2400-2483.5	CDD	802.11ax HE40	09	2452	MCS0	Full	-
Mode 31	2400-2483.5	CDD	802.11ax HE20	01	2412	MCS0	26/0	-
Mode 32	2400-2483.5	CDD	802.11ax HE20	01	2412	MCS0	52/37	-
Mode 33	2400-2483.5	CDD	802.11ax HE20	01	2412	MCS0	106/53	-
Mode 34	2400-2483.5	CDD	802.11ax HE20	11	2462	MCS0	26/8	-
Mode 35	2400-2483.5	CDD	802.11ax HE20	11	2462	MCS0	52/40	-
Mode 36	2400-2483.5	CDD	802.11ax HE20	11	2462	MCS0	106/54	-
Mode 37	2400-2483.5	0	Bluetooth-LE	19	2440	1Mbps	-	-
	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 38	2400-2483.5	BT ANT	Bluetooth-LE	19	2440	1Mbps	-	-
	2400-2483.5	CDD	802.11ax HE40	03	2422	MCS0	Full	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2379.03	47.17	54.00	-6.83	H	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	52.47	54.00	-1.53	H	AVERAGE	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	4874.00	53.8	54.00	-0.20	H	AVERAGE	Pass	Harmonic
3	802.11b	11	2483.74	49.08	54.00	-4.92	H	AVERAGE	Pass	Band Edge
	802.11b	11	4924.00	53.41	54.00	-0.59	H	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	42.98	54.00	-11.02	H	AVERAGE	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	4874.00	48.57	54.00	-5.43	H	AVERAGE	Pass	Harmonic
6	802.11g	11	2483.62	49.39	54.00	-4.61	H	AVERAGE	Pass	Band Edge
	802.11g	11	4924.00	46.46	74.00	-27.54	H	PEAK	Pass	Harmonic
7	802.11b	01	2387.22	51.70	54.00	-2.30	H	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	50.42	54.00	-3.58	H	AVERAGE	Pass	Harmonic
8	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	4874.00	48.85	54.00	-5.15	H	AVERAGE	Pass	Harmonic
9	802.11b	11	2490.10	48.82	54.00	-5.18	H	AVERAGE	Pass	Band Edge
	802.11b	11	7386.00	45.62	54.00	-8.38	V	AVERAGE	Pass	Harmonic
10	802.11g	01	2389.69	52.58	54.00	-1.42	H	AVERAGE	Pass	Band Edge
	802.11g	01	7236.00	47.23	74.00	-26.77	V	-	Pass	Harmonic
11	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	4874.00	40.05	54.00	-13.95	H	AVERAGE	Pass	Harmonic
12	802.11g	11	2483.50	52.74	54.00	-1.26	H	AVERAGE	Pass	Band Edge
	802.11g	11	4924.00	46.14	74.00	-27.86	H	PEAK	Pass	Harmonic
13	802.11n HT20	01	2389.17	53.23	54.00	-0.77	H	AVERAGE	Pass	Band Edge
	802.11n HT20	01	7233.00	51.84	75.55	-23.71	V	PEAK	Pass	Harmonic
14	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
	802.11n HT20	06	7311.00	48.92	54.00	-5.08	V	AVERAGE	Pass	Harmonic
15	802.11n HT20	11	2483.50	53.10	54.00	-0.90	H	AVERAGE	Pass	Band Edge
	802.11n HT20	11	7386.00	39.94	54.00	-14.06	V	AVERAGE	Pass	Harmonic
16	802.11n HT40	03	2388.13	53.71	54.00	-0.29	H	AVERAGE	Pass	Band Edge
	802.11n HT40	03	7266.00	43.13	74.00	-30.87	V	PEAK	Pass	Harmonic
17	802.11n HT40	06	2485.00	53.63	54.00	-0.37	H	AVERAGE	Pass	Band Edge
	802.11n HT40	06	7311.00	44.96	74.00	-29.04	V	PEAK	Pass	Harmonic
18	802.11n HT40	09	2483.62	52.86	54.00	-1.14	H	AVERAGE	Pass	Band Edge
	802.11n HT40	09	7356.00	44.42	74.00	-29.58	V	PEAK	Pass	Harmonic
19	802.11ac VHT20	01	2388.13	53.48	54.00	-0.52	H	AVERAGE	Pass	Band Edge
	802.11ac VHT20	01	4824.00	39.72	74.00	-34.28	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11ac VHT20	06	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	06	7311.00	47.00	54.00	-7.00	V	AVERAGE	Pass	Harmonic
21	802.11ac VHT20	11	2485.12	73.25	74.00	-0.75	H	PEAK	Pass	Band Edge
	802.11ac VHT20	11	7386.00	43.41	74.00	-30.59	H	PEAK	Pass	Harmonic
22	802.11ac VHT40	03	2388.52	53.16	54.00	-0.84	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	03	7266.00	44.56	74.00	-29.44	V	PEAK	Pass	Harmonic
23	802.11ac VHT40	06	2389.82	53.21	54.00	-0.79	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	06	7311.00	44.14	74.00	-29.86	V	PEAK	Pass	Harmonic
24	802.11ac VHT40	09	2485.72	53.09	54.00	-0.91	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	09	7356.00	44.23	74.00	-29.77	H	PEAK	Pass	Harmonic
25	802.11ax HE20	01	2389.43	53.57	54.00	-0.43	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	3216.00	47.64	77.81	-30.17	H	PEAK	Pass	Harmonic
26	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	06	7311.00	47.20	54.00	-6.80	V	AVERAGE	Pass	Harmonic
27	802.11ax HE20	11	2483.56	53.39	54.00	-0.61	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	44.60	74.00	-29.40	V	PEAK	Pass	Harmonic
28	802.11ax HE40	03	2389.82	53.72	54.00	-0.28	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	3229.00	45.68	72.11	-26.43	V	PEAK	Pass	Harmonic
29	802.11ax HE40	06	2484.16	53.71	54.00	-0.29	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	06	7311.00	44.29	74.00	-29.71	V	PEAK	Pass	Harmonic
30	802.11ax HE40	09	2483.50	53.14	54.00	-0.86	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	45.01	74.00	-28.99	H	PEAK	Pass	Harmonic
31	802.11ax HE20	01	2389.82	40.26	54.00	-13.74	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	01	2389.43	39.61	54.00	-14.39	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE20	01	2359.92	40.96	54.00	-13.04	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
34	802.11ax HE20	11	2487.28	41.09	54.00	-12.91	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE20	11	2484.28	40.89	54.00	-13.11	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE20	11	2483.80	40.77	54.00	-13.23	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
37	Bluetooth-LE	19	2499.76	47.37	54.00	-6.63	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	19	4880.00	48.58	54.00	-5.42	H	AVERAGE	Pass	Harmonic
	802.11b	06	2500.00	47.45	54.00	-6.55	H	AVERAGE	Pass	Band Edge
	802.11b	06	4874.00	50.64	54.00	-3.36	H	AVERAGE	Pass	Harmonic
38	Bluetooth-LE	19	2388.26	51.64	54.00	-2.36	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	19	4880.00	53.35	54.00	-0.65	H	AVERAGE	Pass	Harmonic
	802.11ax HE40	03	2389.95	45.20	54.00	-8.80	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	4880.00	53.35	54.00	-0.65	H	Average	Pass	Harmonic





Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2378.64</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>48.46</td><td>31.75</td><td>7.15</td><td>36.86</td><td>6.00</td><td>136</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.64	56.50	74.00	-17.50	48.46	31.75	7.15	36.86	6.00	136	241	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.21</td><td>-----</td><td>-----</td><td>98.92</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>136</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.21	-----	-----	98.92	31.95	7.20	36.86	6.00	136	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2378.64	56.50	74.00	-17.50	48.46	31.75	7.15	36.86	6.00	136	241	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	107.21	-----	-----	98.92	31.95	7.20	36.86	6.00	136	241	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2379.03</td><td>47.17</td><td>54.00</td><td>-6.83</td><td>39.13</td><td>31.75</td><td>7.15</td><td>36.86</td><td>6.00</td><td>136</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.03	47.17	54.00	-6.83	39.13	31.75	7.15	36.86	6.00	136	241	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.30</td><td>-----</td><td>-----</td><td>94.01</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>136</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.30	-----	-----	94.01	31.95	7.20	36.86	6.00	136	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2379.03	47.17	54.00	-6.83	39.13	31.75	7.15	36.86	6.00	136	241	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	102.30	-----	-----	94.01	31.95	7.20	36.86	6.00	136	241	AVERAGE																																																																																							



Mode	1																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH01_2412MHz																																																						
ANT	0																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>45.93</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>349</td><td>271</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	54.06	74.00	-19.94	45.93	31.83	7.16	36.86	6.00	349	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.69	54.06	74.00	-19.94	45.93	31.83	7.16	36.86	6.00	349	271	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.82</td><td>-----</td><td>-----</td><td>97.53</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>349</td><td>271</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.82	-----	-----	97.53	31.95	7.20	36.86	6.00	349	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	105.82	-----	-----	97.53	31.95	7.20	36.86	6.00	349	271	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.03</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>36.69</td><td>31.75</td><td>7.15</td><td>36.86</td><td>6.00</td><td>349</td><td>271</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.03	44.73	54.00	-9.27	36.69	31.75	7.15	36.86	6.00	349	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2379.03	44.73	54.00	-9.27	36.69	31.75	7.15	36.86	6.00	349	271	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.03</td><td>-----</td><td>-----</td><td>92.74</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>349</td><td>271</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.03	-----	-----	92.74	31.95	7.20	36.86	6.00	349	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	101.03	-----	-----	92.74	31.95	7.20	36.86	6.00	349	271	AVERAGE																																											







Mode	1																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																					
ANT	0																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3216.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>63.92</td><td>33.10</td><td>8.35</td><td>62.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>73.95</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>3</td><td>4824.00</td><td>52.47</td><td>54.00</td><td>-1.53</td><td>71.67</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3216.00	43.01	74.00	-30.99	63.92	33.10	8.35	62.36	0.00	--	PEAK	2	4824.00	54.75	74.00	-19.25	73.95	34.05	10.29	63.54	0.00	100	233 PEAK	3	4824.00	52.47	54.00	-1.53	71.67	34.05	10.29	63.54	0.00	100	233 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3216.00</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>62.89</td><td>33.10</td><td>8.35</td><td>62.36</td><td>0.00</td><td>300</td><td>98</td></tr><tr><td>2</td><td>4824.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>60.67</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3216.00	41.98	74.00	-32.02	62.89	33.10	8.35	62.36	0.00	300	98	2	4824.00	41.47	74.00	-32.53	60.67	34.05	10.29	63.54	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	3216.00	43.01	74.00	-30.99	63.92	33.10	8.35	62.36	0.00	--	PEAK																																																																																																																											
2	4824.00	54.75	74.00	-19.25	73.95	34.05	10.29	63.54	0.00	100	233 PEAK																																																																																																																											
3	4824.00	52.47	54.00	-1.53	71.67	34.05	10.29	63.54	0.00	100	233 AVERAGE																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	3216.00	41.98	74.00	-32.02	62.89	33.10	8.35	62.36	0.00	300	98																																																																																																																											
2	4824.00	41.47	74.00	-32.53	60.67	34.05	10.29	63.54	0.00	--	PEAK																																																																																																																											



Mode	2																																																																																										
	Harmonic																																																																																										
	2400-2483.5_802.11b_CH06_2437MHz																																																																																										
ANT	0																																																																																										
Pol.	Horizontal																																																																																										
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3241.21</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>67.85</td><td>32.95</td><td>8.40</td><td>62.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>74.26</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>127</td><td>189 PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>53.80</td><td>54.00</td><td>-0.20</td><td>73.09</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>127</td><td>189 AVERAGE</td></tr><tr><td>4</td><td>7311.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>59.44</td><td>35.60</td><td>12.78</td><td>64.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3241.21	46.80	74.00	-27.20	67.85	32.95	8.40	62.40	0.00	--	PEAK	2	4874.00	54.97	74.00	-19.03	74.26	33.95	10.34	63.58	0.00	127	189 PEAK	3	4874.00	53.80	54.00	-0.20	73.09	33.95	10.34	63.58	0.00	127	189 AVERAGE	4	7311.00	42.97	74.00	-31.03	59.44	35.60	12.78	64.85	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	3241.21	46.80	74.00	-27.20	67.85	32.95	8.40	62.40	0.00	--	PEAK																																																																																
2	4874.00	54.97	74.00	-19.03	74.26	33.95	10.34	63.58	0.00	127	189 PEAK																																																																																
3	4874.00	53.80	54.00	-0.20	73.09	33.95	10.34	63.58	0.00	127	189 AVERAGE																																																																																
4	7311.00	42.97	74.00	-31.03	59.44	35.60	12.78	64.85	0.00	--	PEAK																																																																																
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3241.21</td><td>40.32</td><td>74.00</td><td>-33.68</td><td>61.37</td><td>32.95</td><td>8.40</td><td>62.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>65.06</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>43.48</td><td>74.00</td><td>-30.52</td><td>59.95</td><td>35.60</td><td>12.78</td><td>64.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3241.21	40.32	74.00	-33.68	61.37	32.95	8.40	62.40	0.00	--	PEAK	2	4874.00	46.57	74.00	-27.43	65.06	33.95	10.34	63.58	0.00	--	PEAK	3	7311.00	43.48	74.00	-30.52	59.95	35.60	12.78	64.85	0.00	--	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	3241.21	40.32	74.00	-33.68	61.37	32.95	8.40	62.40	0.00	--	PEAK																																																																																
2	4874.00	46.57	74.00	-27.43	65.06	33.95	10.34	63.58	0.00	--	PEAK																																																																																
3	7311.00	43.48	74.00	-30.52	59.95	35.60	12.78	64.85	0.00	--	PEAK																																																																																
Peak Avg																																																																																											





Mode	3																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>48.57</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>111</td><td>239 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	57.28	74.00	-16.72	48.57	32.23	7.33	36.85	6.00	111	239 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.27</td><td>-----</td><td>-----</td><td>102.68</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>111</td><td>239 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.27	-----	-----	102.68	32.15	7.29	36.85	6.00	111	239 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.56	57.28	74.00	-16.72	48.57	32.23	7.33	36.85	6.00	111	239 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	111.27	-----	-----	102.68	32.15	7.29	36.85	6.00	111	239 PEAK																																																																																							
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>49.08</td><td>54.00</td><td>-4.92</td><td>40.37</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>111</td><td>239 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	49.08	54.00	-4.92	40.37	32.23	7.33	36.85	6.00	111	239 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.59</td><td>-----</td><td>-----</td><td>98.00</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>111</td><td>239 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.59	-----	-----	98.00	32.15	7.29	36.85	6.00	111	239 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.74	49.08	54.00	-4.92	40.37	32.23	7.33	36.85	6.00	111	239 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	106.59	-----	-----	98.00	32.15	7.29	36.85	6.00	111	239 AVERAGE																																																																																							







Mode	3																																																					
	Band Edge																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																					
ANT	0																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>53.95</td><td>74.00</td><td>-20.05</td><td>45.24</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>289</td><td>94 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	53.95	74.00	-20.05	45.24	32.23	7.33	36.85	6.00	289	94 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.56	53.95	74.00	-20.05	45.24	32.23	7.33	36.85	6.00	289	94 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.00</td><td>-----</td><td>-----</td><td>99.49</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>289</td><td>94 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.00	-----	-----	99.49	32.15	7.29	36.85	6.00	289	94 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	108.00	-----	-----	99.49	32.15	7.29	36.85	6.00	289	94 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>35.04</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>289</td><td>94 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	43.76	54.00	-10.24	35.04	32.24	7.33	36.85	6.00	289	94 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.86	43.76	54.00	-10.24	35.04	32.24	7.33	36.85	6.00	289	94 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.44</td><td>-----</td><td>-----</td><td>94.85</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>289</td><td>94 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.44	-----	-----	94.85	32.15	7.29	36.85	6.00	289	94 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	103.44	-----	-----	94.85	32.15	7.29	36.85	6.00	289	94 AVERAGE																																											







Mode	3																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																															
ANT	0																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																														
Peak Avg	 <table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>74.32</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>100</td><td>199 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>53.41</td><td>54.00</td><td>-0.59</td><td>72.71</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>100</td><td>199 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>52.51</td><td>74.00</td><td>-21.49</td><td>68.92</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>308</td><td>104 PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>50.04</td><td>54.00</td><td>-3.96</td><td>66.45</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>308</td><td>104 AVERAGE</td></tr></tbody></table>		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	55.02	74.00	-18.98	74.32	33.92	10.40	63.62	0.00	100	199 PEAK	2	4924.00	53.41	54.00	-0.59	72.71	33.92	10.40	63.62	0.00	100	199 AVERAGE	3	7386.00	52.51	74.00	-21.49	68.92	35.60	12.88	64.89	0.00	308	104 PEAK	4	7386.00	50.04	54.00	-3.96	66.45	35.60	12.88	64.89	0.00	308	104 AVERAGE	 <table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>70.34</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>100</td><td>306 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>48.17</td><td>54.00</td><td>-5.83</td><td>67.47</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>100</td><td>306 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>55.48</td><td>74.00</td><td>-18.52</td><td>71.89</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>289</td><td>257 PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>51.51</td><td>54.00</td><td>-2.49</td><td>67.92</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>289</td><td>257 AVERAGE</td></tr></tbody></table>		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	51.04	74.00	-22.96	70.34	33.92	10.40	63.62	0.00	100	306 PEAK	2	4924.00	48.17	54.00	-5.83	67.47	33.92	10.40	63.62	0.00	100	306 AVERAGE	3	7386.00	55.48	74.00	-18.52	71.89	35.60	12.88	64.89	0.00	289	257 PEAK	4	7386.00	51.51	54.00	-2.49	67.92	35.60	12.88	64.89	0.00	289	257 AVERAGE
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	4924.00	55.02	74.00	-18.98	74.32	33.92	10.40	63.62	0.00	100	199 PEAK																																																																																																																																					
2	4924.00	53.41	54.00	-0.59	72.71	33.92	10.40	63.62	0.00	100	199 AVERAGE																																																																																																																																					
3	7386.00	52.51	74.00	-21.49	68.92	35.60	12.88	64.89	0.00	308	104 PEAK																																																																																																																																					
4	7386.00	50.04	54.00	-3.96	66.45	35.60	12.88	64.89	0.00	308	104 AVERAGE																																																																																																																																					
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	4924.00	51.04	74.00	-22.96	70.34	33.92	10.40	63.62	0.00	100	306 PEAK																																																																																																																																					
2	4924.00	48.17	54.00	-5.83	67.47	33.92	10.40	63.62	0.00	100	306 AVERAGE																																																																																																																																					
3	7386.00	55.48	74.00	-18.52	71.89	35.60	12.88	64.89	0.00	289	257 PEAK																																																																																																																																					
4	7386.00	51.51	54.00	-2.49	67.92	35.60	12.88	64.89	0.00	289	257 AVERAGE																																																																																																																																					





Mode	4																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	0																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>65.64</td><td>74.00</td><td>-8.36</td><td>57.53</td><td>31.81</td><td>7.16</td><td>36.86</td><td>6.00</td><td>135</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	65.64	74.00	-8.36	57.53	31.81	7.16	36.86	6.00	135	242	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.38</td><td>-----</td><td>-----</td><td>101.10</td><td>31.94</td><td>7.20</td><td>36.86</td><td>6.00</td><td>135</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.38	-----	-----	101.10	31.94	7.20	36.86	6.00	135	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2387.48	65.64	74.00	-8.36	57.53	31.81	7.16	36.86	6.00	135	242	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	109.38	-----	-----	101.10	31.94	7.20	36.86	6.00	135	242	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>42.35</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>135</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.48	54.00	-3.52	42.35	31.83	7.16	36.86	6.00	135	242	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.86</td><td>-----</td><td>-----</td><td>91.58</td><td>31.94</td><td>7.20</td><td>36.86</td><td>6.00</td><td>135</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.86	-----	-----	91.58	31.94	7.20	36.86	6.00	135	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	50.48	54.00	-3.52	42.35	31.83	7.16	36.86	6.00	135	242	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	99.86	-----	-----	91.58	31.94	7.20	36.86	6.00	135	242	AVERAGE																																																																																																			





Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH01_2412MHz																																																						
ANT	0																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>62.86</td><td>74.00</td><td>-11.14</td><td>54.73</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>349</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	62.86	74.00	-11.14	54.73	31.83	7.16	36.86	6.00	349	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.43	62.86	74.00	-11.14	54.73	31.83	7.16	36.86	6.00	349	272	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.30</td><td>-----</td><td>-----</td><td>101.02</td><td>31.94</td><td>7.20</td><td>36.86</td><td>6.00</td><td>349</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.30	-----	-----	101.02	31.94	7.20	36.86	6.00	349	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	109.30	-----	-----	101.02	31.94	7.20	36.86	6.00	349	272	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>49.00</td><td>54.00</td><td>-4.92</td><td>40.95</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>349</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	49.00	54.00	-4.92	40.95	31.83	7.16	36.86	6.00	349	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.82	49.00	54.00	-4.92	40.95	31.83	7.16	36.86	6.00	349	272	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.92</td><td>-----</td><td>-----</td><td>91.64</td><td>31.94</td><td>7.20</td><td>36.86</td><td>6.00</td><td>349</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.92	-----	-----	91.64	31.94	7.20	36.86	6.00	349	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	99.92	-----	-----	91.64	31.94	7.20	36.86	6.00	349	272	AVERAGE																																											







Mode	4																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																								
ANT	0																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>3216.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>64.30</td><td>33.10</td><td>8.35</td><td>62.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>73.25</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr><tr><td>3</td><td>4824.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>62.18</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>100</td><td>228</td><td>AVERAGE</td></tr><tr><td>4</td><td>7234.50</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>62.87</td><td>35.60</td><td>12.66</td><td>64.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	3216.00	43.39	74.00	-30.61	64.30	33.10	8.35	62.36	0.00	--	--	PEAK	2	4824.00	54.05	74.00	-19.95	73.25	34.05	10.29	63.54	0.00	100	228	PEAK	3	4824.00	42.98	54.00	-11.02	62.18	34.05	10.29	63.54	0.00	100	228	AVERAGE	4	7234.50	46.32	74.00	-27.68	62.87	35.60	12.66	64.81	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.48</td><td>74.00</td><td>-33.52</td><td>59.68</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7233.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>66.74</td><td>35.60</td><td>12.65</td><td>64.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	40.48	74.00	-33.52	59.68	34.05	10.29	63.54	0.00	--	--	PEAK	2	7233.00	50.18	74.00	-23.82	66.74	35.60	12.65	64.81	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	3216.00	43.39	74.00	-30.61	64.30	33.10	8.35	62.36	0.00	--	--	PEAK																																																																																																																																													
2	4824.00	54.05	74.00	-19.95	73.25	34.05	10.29	63.54	0.00	100	228	PEAK																																																																																																																																													
3	4824.00	42.98	54.00	-11.02	62.18	34.05	10.29	63.54	0.00	100	228	AVERAGE																																																																																																																																													
4	7234.50	46.32	74.00	-27.68	62.87	35.60	12.66	64.81	0.00	--	--	PEAK																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4824.00	40.48	74.00	-33.52	59.68	34.05	10.29	63.54	0.00	--	--	PEAK																																																																																																																																													
2	7233.00	50.18	74.00	-23.82	66.74	35.60	12.65	64.81	0.00	--	--	PEAK																																																																																																																																													







Mode	5																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																													
ANT	0																																																																																																													
Pol.	Horizontal																																																																																																													
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3249.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>68.18</td><td>32.91</td><td>8.41</td><td>62.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>58.11</td><td>74.00</td><td>-15.89</td><td>77.40</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>100</td><td>201</td><td>PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>48.57</td><td>54.00</td><td>-5.43</td><td>67.86</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>100</td><td>201</td><td>AVERAGE</td></tr><tr><td>4</td><td>7311.00</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>73.61</td><td>35.60</td><td>12.78</td><td>64.85</td><td>0.00</td><td>125</td><td>246</td><td>PEAK</td></tr><tr><td>5</td><td>7311.00</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>61.33</td><td>35.60</td><td>12.77</td><td>64.85</td><td>0.00</td><td>125</td><td>246</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	3249.00	47.09	74.00	-26.91	68.18	32.91	8.41	62.41	0.00	--	--	PEAK	2	4874.00	58.11	74.00	-15.89	77.40	33.95	10.34	63.58	0.00	100	201	PEAK	3	4874.00	48.57	54.00	-5.43	67.86	33.95	10.34	63.58	0.00	100	201	AVERAGE	4	7311.00	57.14	74.00	-16.86	73.61	35.60	12.78	64.85	0.00	125	246	PEAK	5	7311.00	44.85	54.00	-9.15	61.33	35.60	12.77	64.85	0.00	125	246
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	3249.00	47.09	74.00	-26.91	68.18	32.91	8.41	62.41	0.00	--	--	PEAK																																																																																																		
2	4874.00	58.11	74.00	-15.89	77.40	33.95	10.34	63.58	0.00	100	201	PEAK																																																																																																		
3	4874.00	48.57	54.00	-5.43	67.86	33.95	10.34	63.58	0.00	100	201	AVERAGE																																																																																																		
4	7311.00	57.14	74.00	-16.86	73.61	35.60	12.78	64.85	0.00	125	246	PEAK																																																																																																		
5	7311.00	44.85	54.00	-9.15	61.33	35.60	12.77	64.85	0.00	125	246	AVERAGE																																																																																																		
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3249.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>67.08</td><td>32.91</td><td>8.41</td><td>62.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>64.42</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>58.29</td><td>74.00</td><td>-15.71</td><td>74.76</td><td>35.60</td><td>12.78</td><td>64.85</td><td>0.00</td><td>292</td><td>265</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>64.02</td><td>35.60</td><td>12.78</td><td>64.85</td><td>0.00</td><td>292</td><td>265</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	3249.00	45.99	74.00	-28.01	67.08	32.91	8.41	62.41	0.00	--	--	PEAK	2	4874.00	45.13	74.00	-28.87	64.42	33.95	10.34	63.58	0.00	--	--	PEAK	3	7311.00	58.29	74.00	-15.71	74.76	35.60	12.78	64.85	0.00	292	265	PEAK	4	7311.00	47.55	54.00	-6.45	64.02	35.60	12.78	64.85	0.00	292	265	AVERAGE												
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	3249.00	45.99	74.00	-28.01	67.08	32.91	8.41	62.41	0.00	--	--	PEAK																																																																																																		
2	4874.00	45.13	74.00	-28.87	64.42	33.95	10.34	63.58	0.00	--	--	PEAK																																																																																																		
3	7311.00	58.29	74.00	-15.71	74.76	35.60	12.78	64.85	0.00	292	265	PEAK																																																																																																		
4	7311.00	47.55	54.00	-6.45	64.02	35.60	12.78	64.85	0.00	292	265	AVERAGE																																																																																																		





Mode	6																																																							
	Band Edge																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.02</td><td>65.96</td><td>74.00</td><td>-8.04</td><td>57.24</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.02	65.96	74.00	-8.04	57.24	32.24	7.33	36.85	6.00	100	235	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2486.02	65.96	74.00	-8.04	57.24	32.24	7.33	36.85	6.00	100	235	PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>49.39</td><td>54.00</td><td>-4.61</td><td>40.68</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	49.39	54.00	-4.61	40.68	32.23	7.33	36.85	6.00	100	235	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2483.62	49.39	54.00	-4.61	40.68	32.23	7.33	36.85	6.00	100	235	AVERAGE																																												
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.38</td><td>-----</td><td>-----</td><td>98.80</td><td>32.14</td><td>7.29</td><td>36.85</td><td>6.00</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	107.38	-----	-----	98.80	32.14	7.29	36.85	6.00	100	235	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	107.38	-----	-----	98.80	32.14	7.29	36.85	6.00	100	235	PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>97.83</td><td>-----</td><td>-----</td><td>89.24</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	97.83	-----	-----	89.24	32.15	7.29	36.85	6.00	100	235	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	97.83	-----	-----	89.24	32.15	7.29	36.85	6.00	100	235	AVERAGE																																												







Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.50</td><td>60.60</td><td>74.00</td><td>-13.40</td><td>51.86</td><td>32.25</td><td>7.34</td><td>36.85</td><td>6.00</td><td>289</td><td>93</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.50	60.60	74.00	-13.40	51.86	32.25	7.34	36.85	6.00	289	93	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.86</td><td>-----</td><td>-----</td><td>96.28</td><td>32.14</td><td>7.29</td><td>36.85</td><td>6.00</td><td>289</td><td>93</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.86	-----	-----	96.28	32.14	7.29	36.85	6.00	289	93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.50	60.60	74.00	-13.40	51.86	32.25	7.34	36.85	6.00	289	93	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	104.86	-----	-----	96.28	32.14	7.29	36.85	6.00	289	93	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>35.29</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>289</td><td>93</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	44.00	54.00	-10.00	35.29	32.23	7.33	36.85	6.00	289	93	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.30</td><td>-----</td><td>-----</td><td>86.71</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>289</td><td>93</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.30	-----	-----	86.71	32.15	7.29	36.85	6.00	289	93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.68	44.00	54.00	-10.00	35.29	32.23	7.33	36.85	6.00	289	93	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	95.30	-----	-----	86.71	32.15	7.29	36.85	6.00	289	93	AVERAGE																																																																																							







Mode	6																																																																										
	Harmonic																																																																										
	2400-2483.5_802.11g_CH11_2462MHz																																																																										
ANT	0																																																																										
Pol.	Horizontal											Vertical																																																															
Peak Avg																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>65.76</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.95</td><td>74.00</td><td>-32.05</td><td>58.36</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	46.46	74.00	-27.54	65.76	33.92	10.40	63.62	0.00	--	--	PEAK	2	7386.00	41.95	74.00	-32.05	58.36	35.60	12.88	64.89	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	4924.00	46.46	74.00	-27.54	65.76	33.92	10.40	63.62	0.00	--	--	PEAK																																																															
2	7386.00	41.95	74.00	-32.05	58.36	35.60	12.88	64.89	0.00	--	--	PEAK																																																															
																																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.12</td><td>74.00</td><td>-31.88</td><td>61.42</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>59.67</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	42.12	74.00	-31.88	61.42	33.92	10.40	63.62	0.00	--	--	PEAK	2	7386.00	43.26	74.00	-30.74	59.67	35.60	12.88	64.89	0.00	--	--	PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	4924.00	42.12	74.00	-31.88	61.42	33.92	10.40	63.62	0.00	--	--	PEAK																																																															
2	7386.00	43.26	74.00	-30.74	59.67	35.60	12.88	64.89	0.00	--	--	PEAK																																																															





Mode	7																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH01_2412MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>58.59</td><td>74.00</td><td>-15.41</td><td>50.48</td><td>31.81</td><td>7.16</td><td>36.86</td><td>6.00</td><td>154</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	58.59	74.00	-15.41	50.48	31.81	7.16	36.86	6.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2386.96	58.59	74.00	-15.41	50.48	31.81	7.16	36.86	6.00	154	360	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.05</td><td>-----</td><td>-----</td><td>104.76</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>154</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.05	-----	-----	104.76	31.95	7.20	36.86	6.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	113.05	-----	-----	104.76	31.95	7.20	36.86	6.00	154	360	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>51.70</td><td>54.00</td><td>-2.30</td><td>43.59</td><td>31.81</td><td>7.16</td><td>36.86</td><td>6.00</td><td>154</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	51.70	54.00	-2.30	43.59	31.81	7.16	36.86	6.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.22	51.70	54.00	-2.30	43.59	31.81	7.16	36.86	6.00	154	360	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.37</td><td>-----</td><td>-----</td><td>100.08</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>154</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.37	-----	-----	100.08	31.95	7.20	36.86	6.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	108.37	-----	-----	100.08	31.95	7.20	36.86	6.00	154	360	AVERAGE																																											





		7																																																					
Mode		Band Edge																																																					
		2400-2483.5_802.11b_CH01_2412MHz																																																					
ANT		1																																																					
Pol.		Vertical					Fundamental																																																
Peak																																																							
			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>56.77</td><td>74.00</td><td>-17.23</td><td>48.66</td><td>31.81</td><td>7.16</td><td>36.86</td><td>6.00</td><td>338</td><td>277</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	56.77	74.00	-17.23	48.66	31.81	7.16	36.86	6.00	338	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.22	56.77	74.00	-17.23	48.66	31.81	7.16	36.86	6.00	338	277	PEAK																																											
Avg																																																							
			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>41.52</td><td>31.81</td><td>7.16</td><td>36.86</td><td>6.00</td><td>338</td><td>277</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	49.63	54.00	-4.37	41.52	31.81	7.16	36.86	6.00	338	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.22	49.63	54.00	-4.37	41.52	31.81	7.16	36.86	6.00	338	277	AVERAGE																																											
Peak																																																							
			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.47</td><td>-----</td><td>-----</td><td>104.18</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>338</td><td>277</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.47	-----	-----	104.18	31.95	7.20	36.86	6.00	338	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	112.47	-----	-----	104.18	31.95	7.20	36.86	6.00	338	277	PEAK																																											
Avg																																																							
			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.87</td><td>-----</td><td>-----</td><td>99.58</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>338</td><td>277</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.87	-----	-----	99.58	31.95	7.20	36.86	6.00	338	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	107.87	-----	-----	99.58	31.95	7.20	36.86	6.00	338	277	AVERAGE																																											



Mode	7																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3216.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>66.31</td><td>33.10</td><td>8.35</td><td>62.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>72.33</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr><tr><td>3</td><td>4824.00</td><td>50.42</td><td>54.00</td><td>-3.58</td><td>69.62</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>194</td><td>0 AVERAGE</td></tr><tr><td>4</td><td>7236.00</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>68.98</td><td>35.60</td><td>12.66</td><td>64.81</td><td>0.00</td><td>100</td><td>324 PEAK</td></tr><tr><td>5</td><td>7236.00</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>64.69</td><td>35.60</td><td>12.66</td><td>64.81</td><td>0.00</td><td>100</td><td>324 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3216.00	45.40	74.00	-28.60	66.31	33.10	8.35	62.36	0.00	--	PEAK	2	4824.00	53.13	74.00	-20.87	72.33	34.05	10.29	63.54	0.00	194	0 PEAK	3	4824.00	50.42	54.00	-3.58	69.62	34.05	10.29	63.54	0.00	194	0 AVERAGE	4	7236.00	52.43	74.00	-21.57	68.98	35.60	12.66	64.81	0.00	100	324 PEAK	5	7236.00	48.14	54.00	-5.86	64.69	35.60	12.66	64.81	0.00	100	324 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.59</td><td>74.00</td><td>-32.41</td><td>60.79</td><td>34.05</td><td>10.29</td><td>63.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7236.00</td><td>55.54</td><td>74.00</td><td>-18.46</td><td>72.09</td><td>35.60</td><td>12.66</td><td>64.81</td><td>0.00</td><td>297</td><td>299 PEAK</td></tr><tr><td>3</td><td>7236.00</td><td>49.26</td><td>54.00</td><td>-4.74</td><td>65.81</td><td>35.60</td><td>12.66</td><td>64.81</td><td>0.00</td><td>297</td><td>299 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	41.59	74.00	-32.41	60.79	34.05	10.29	63.54	0.00	--	PEAK	2	7236.00	55.54	74.00	-18.46	72.09	35.60	12.66	64.81	0.00	297	299 PEAK	3	7236.00	49.26	54.00	-4.74	65.81	35.60	12.66	64.81	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	3216.00	45.40	74.00	-28.60	66.31	33.10	8.35	62.36	0.00	--	PEAK																																																																																																																																																													
2	4824.00	53.13	74.00	-20.87	72.33	34.05	10.29	63.54	0.00	194	0 PEAK																																																																																																																																																													
3	4824.00	50.42	54.00	-3.58	69.62	34.05	10.29	63.54	0.00	194	0 AVERAGE																																																																																																																																																													
4	7236.00	52.43	74.00	-21.57	68.98	35.60	12.66	64.81	0.00	100	324 PEAK																																																																																																																																																													
5	7236.00	48.14	54.00	-5.86	64.69	35.60	12.66	64.81	0.00	100	324 AVERAGE																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	4824.00	41.59	74.00	-32.41	60.79	34.05	10.29	63.54	0.00	--	PEAK																																																																																																																																																													
2	7236.00	55.54	74.00	-18.46	72.09	35.60	12.66	64.81	0.00	297	299 PEAK																																																																																																																																																													
3	7236.00	49.26	54.00	-4.74	65.81	35.60	12.66	64.81	0.00	297	299 AVERAGE																																																																																																																																																													







Mode	8																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>70.35</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>48.85</td><td>54.00</td><td>-5.15</td><td>68.14</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>64.10</td><td>35.60</td><td>12.78</td><td>64.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	51.06	74.00	-22.94	70.35	33.95	10.34	63.58	0.00	100	329	PEAK	2	4874.00	48.85	54.00	-5.15	68.14	33.95	10.34	63.58	0.00	100	329	AVERAGE	3	7311.00	47.63	74.00	-26.37	64.10	35.60	12.78	64.85	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>62.85</td><td>33.95</td><td>10.34</td><td>63.58</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>67.57</td><td>35.60</td><td>12.78</td><td>64.85</td><td>0.00</td><td>332</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>62.88</td><td>35.60</td><td>12.77</td><td>64.85</td><td>0.00</td><td>332</td><td>294</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.56	74.00	-30.44	62.85	33.95	10.34	63.58	0.00	--	--	PEAK	2	7311.00	51.10	74.00	-22.90	67.57	35.60	12.78	64.85	0.00	332	294	PEAK	3	7311.00	46.40	54.00	-7.60	62.88	35.60	12.77	64.85	0.00	332	294	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	4874.00	51.06	74.00	-22.94	70.35	33.95	10.34	63.58	0.00	100	329	PEAK																																																																																																																																													
2	4874.00	48.85	54.00	-5.15	68.14	33.95	10.34	63.58	0.00	100	329	AVERAGE																																																																																																																																													
3	7311.00	47.63	74.00	-26.37	64.10	35.60	12.78	64.85	0.00	--	--	PEAK																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	4874.00	43.56	74.00	-30.44	62.85	33.95	10.34	63.58	0.00	--	--	PEAK																																																																																																																																													
2	7311.00	51.10	74.00	-22.90	67.57	35.60	12.78	64.85	0.00	332	294	PEAK																																																																																																																																													
3	7311.00	46.40	54.00	-7.60	62.88	35.60	12.77	64.85	0.00	332	294	AVERAGE																																																																																																																																													





Mode	9																																																					
	Band Edge																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																					
ANT	1																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.44</td><td>56.69</td><td>74.00</td><td>-17.31</td><td>47.94</td><td>32.26</td><td>7.34</td><td>36.85</td><td>6.00</td><td>146</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.44	56.69	74.00	-17.31	47.94	32.26	7.34	36.85	6.00	146	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2489.44	56.69	74.00	-17.31	47.94	32.26	7.34	36.85	6.00	146	0 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.79</td><td>-----</td><td>-----</td><td>101.20</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>146</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.79	-----	-----	101.20	32.15	7.29	36.85	6.00	146	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	109.79	-----	-----	101.20	32.15	7.29	36.85	6.00	146	0 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.10</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>48.07</td><td>32.26</td><td>7.34</td><td>36.85</td><td>6.00</td><td>146</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.10	48.82	54.00	-5.18	48.07	32.26	7.34	36.85	6.00	146	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2490.10	48.82	54.00	-5.18	48.07	32.26	7.34	36.85	6.00	146	0 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.14</td><td>-----</td><td>-----</td><td>96.55</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>146</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.14	-----	-----	96.55	32.15	7.29	36.85	6.00	146	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	105.14	-----	-----	96.55	32.15	7.29	36.85	6.00	146	0 AVERAGE																																											







Mode	9																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.20</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>41.73</td><td>32.26</td><td>7.34</td><td>36.85</td><td>6.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.20	50.48	74.00	-23.52	41.73	32.26	7.34	36.85	6.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2489.20	50.48	74.00	-23.52	41.73	32.26	7.34	36.85	6.00	100	0	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>88.69</td><td>-----</td><td>-----</td><td>80.08</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	88.69	-----	-----	80.08	32.16	7.30	36.85	6.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	88.69	-----	-----	80.08	32.16	7.30	36.85	6.00	100	0	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>84.19</td><td>54.00</td><td>30.19</td><td>75.60</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	84.19	54.00	30.19	75.60	32.15	7.29	36.85	6.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	84.19	54.00	30.19	75.60	32.15	7.29	36.85	6.00	100	0	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>84.19</td><td>-----</td><td>-----</td><td>75.60</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	84.19	-----	-----	75.60	32.15	7.29	36.85	6.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	84.19	-----	-----	75.60	32.15	7.29	36.85	6.00	100	0	AVERAGE																																											



Mode	9																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.82</td><td>74.00</td><td>-25.18</td><td>68.12</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>64.91</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>68.71</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	48.82	74.00	-25.18	68.12	33.92	10.40	63.62	0.00	100	360	PEAK	2	4924.00	45.61	54.00	-8.39	64.91	33.92	10.40	63.62	0.00	100	360	AVERAGE	3	7386.00	44.30	74.00	-29.70	68.71	35.60	12.88	64.89	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>68.88</td><td>33.92</td><td>10.40</td><td>63.62</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>67.01</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>289</td><td>268</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>62.03</td><td>35.60</td><td>12.88</td><td>64.89</td><td>0.00</td><td>289</td><td>268</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.58	74.00	-32.42	68.88	33.92	10.40	63.62	0.00	--	--	PEAK	2	7386.00	50.60	74.00	-23.40	67.01	35.60	12.88	64.89	0.00	289	268	PEAK	3	7386.00	45.62	54.00	-8.38	62.03	35.60	12.88	64.89	0.00	289	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4924.00	48.82	74.00	-25.18	68.12	33.92	10.40	63.62	0.00	100	360	PEAK																																																																																																																																											
2	4924.00	45.61	54.00	-8.39	64.91	33.92	10.40	63.62	0.00	100	360	AVERAGE																																																																																																																																											
3	7386.00	44.30	74.00	-29.70	68.71	35.60	12.88	64.89	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4924.00	41.58	74.00	-32.42	68.88	33.92	10.40	63.62	0.00	--	--	PEAK																																																																																																																																											
2	7386.00	50.60	74.00	-23.40	67.01	35.60	12.88	64.89	0.00	289	268	PEAK																																																																																																																																											
3	7386.00	45.62	54.00	-8.38	62.03	35.60	12.88	64.89	0.00	289	268	AVERAGE																																																																																																																																											



Mode	10																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>71.66</td><td>74.00</td><td>-2.34</td><td>63.53</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>154</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	71.66	74.00	-2.34	63.53	31.83	7.16	36.86	6.00	154	0 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>110.47</td><td>-----</td><td>-----</td><td>102.19</td><td>31.94</td><td>7.20</td><td>36.86</td><td>6.00</td><td>154</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.47	-----	-----	102.19	31.94	7.20	36.86	6.00	154	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.43	71.66	74.00	-2.34	63.53	31.83	7.16	36.86	6.00	154	0 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2412.00	110.47	-----	-----	102.19	31.94	7.20	36.86	6.00	154	0 PEAK																																																																																																			
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>52.58</td><td>54.00</td><td>-1.42</td><td>44.45</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>154</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	52.58	54.00	-1.42	44.45	31.83	7.16	36.86	6.00	154	0 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.92</td><td>-----</td><td>-----</td><td>92.61</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>154</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.92	-----	-----	92.61	31.96	7.21	36.86	6.00	154	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.69	52.58	54.00	-1.42	44.45	31.83	7.16	36.86	6.00	154	0 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2412.00	100.92	-----	-----	92.61	31.96	7.21	36.86	6.00	154	0 AVERAGE																																																																																																			