


Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)
802.11n HT40	Chain0	NA	0.17	1.340	---	---	0.17	1.617
802.11ac VHT40	Chain0	NA	0.18	-0.781	---	---	0.18	-0.210

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.


Test Mode	Antenna	Tones	5775MHz		---		---	
			Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)
802.11ac VHT80	Chain0	NA	0.31	-3.038	---	---	---	---

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.


Test Mode: 802.11a



Test Mode:802.11a 5745MHz Chain0





Test Mode:802.11a 5785MHz Chain0




Test Mode:802.11a 5825MHz Chain0

Test Mode: 802.11n HT20





Test Mode:802.11n HT20 5745MHz Chain0



Test Mode:802.11n HT20 5785MHz Chain0


Test Mode:802.11n HT20 5825MHz Chain0

Test Mode: 802.11ac VHT20




Test Mode:802.11ac VHT20 5745MHz Chain0


Test Mode:802.11ac VHT20 5785MHz Chain0



Test Mode: 802.11n HT40



Test Mode: 802.11ac VHT40



Test Mode: 802.11ac VHT80

