Page: 1 of 8

Appendix B

LTE CA_12A-66A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN_Doccheck@sgs_com Mo.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳•科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Page: 2 of 8

CONTENT

1.	FIELD STRENGTH OF SPURIOUS RADIATION	3
	1.1. Test Band = _12A_66A _TM1	3
	1.1.1. Test Channel = Low Channel	3
	1.2. Test Band = _12A_66A _TM1	4
	1.2.1. Test Channel = Low Channel	4
	1.3. Test Band = _12A_66A _TM1	5
	1.3.1. Test Channel = Mid Channel	5
	1.4. Test Band = _12A_66A _TM1	6
	1.4.1. Test Channel = Mid Channel	6
	1.5. Test Band = _12A_66A _TM1	7
	1.5.1. Test Channel = High Channel	7
	1.6. Test Band = _12A_66A _TM1	8
	1.6.1. Test Channel = High Channel	8



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 tt (86-755) 26012053 ft (86-755) 26710594 sgs.china@sgs.com

Page: 3 of 8

1. Field Strength of Spurious Radiation

1.1. Test Band = _12A_66A _TM1

1.1.1. Test Channel = Low Channel

Susp	Suspected Data List							
NO	Freq.	Reading	Level	Limit	Margin			
NO.	[MHz]	[dBm]	[dBm]	[dBm]	[dB]	Polarity		
1	1406.3008	21.82	-48.54	-13.00	35.54	Horizontal		
2	2121.3902	30.52	-37.72	-13.00	24.72	Horizontal		
3	2998.4998	20.91	-43.59	-13.00	30.59	Horizontal		
4	4526.3263	51.17	-60.65	-13.00	47.65	Horizontal		
5	8974.7987	47.46	-51.71	-13.00	38.71	Horizontal		
6	17987.249	47.38	-46.23	-13.00	33.23	Horizontal		



Page: 4 of 8

1.2. Test Band = _12A_66A _TM1

1.2.1. Test Channel = Low Channel

Susp	Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1406.3008	22.86	-47.50	-13.00	34.50	Vertical			
2	2127.3909	30.65	-37.63	-13.00	24.63	Vertical			
3	2955.2444	21.40	-43.32	-13.00	30.32	Vertical			
4	3539.2770	53.03	-62.22	-13.00	49.22	Vertical			
5	7968.9985	51.91	-50.03	-13.00	37.03	Vertical			
6	17985.749	47.48	-46.10	-13.00	33.10	Vertical			



Page: 5 of 8

1.3. Test Band = _12A_66A _TM1

1.3.1. Test Channel = Mid Channel

Susp	Suspected Data List							
NO	Freq.	Reading	Level	Limit	Margin	Dalawitu		
NO.	[MHz]	[dBm]	[dBm]	[dBm]	[dB]	Polarity		
1	1150.2688	20.57	-49.62	-13.00	36.62	Horizontal		
2	2157.6447	29.57	-38.65	-13.00	25.65	Horizontal		
3	2992.9991	21.09	-43.58	-13.00	30.58	Horizontal		
4	4008.8004	51.32	-62.37	-13.00	49.37	Horizontal		
5	11239.1620	46.66	-49.14	-13.00	36.14	Horizontal		
6	17947.497	46.58	-46.26	-13.00	33.26	Horizontal		



Page: 6 of 8

1.4. Test Band = _12A_66A _TM1

1.4.1. Test Channel = Mid Channel

Suspected Data List								
NO.	Freq.	Reading	Level	Limit	Margin	Polarity		
	[MHz]	[dBm]	[dBm]	[dBm]	[dB]			
1	1104.7631	20.74	-49.69	-13.00	36.69	Vertical		
2	1406.3008	22.92	-47.44	-13.00	34.44	Vertical		
3	2985.7482	20.88	-43.87	-13.00	30.87	Vertical		
4	3281.2641	57.15	-59.19	-13.00	46.19	Vertical		
5	7968.9985	51.35	-50.59	-13.00	37.59	Vertical		
6	17987.999	47.50	-46.13	-13.00	33.13	Vertical		



Page: 7 of 8

1.5. Test Band = _12A_66A _TM1

1.5.1. Test Channel = High Channel

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
4		24.20				l lavimantal		
I	1406.0508	21.29	-49.07	-13.00	36.07	Horizontal		
2	2163.6455	28.97	-39.19	-13.00	26.19	Horizontal		
3	2994.2493	20.55	-44.08	-13.00	31.08	Horizontal		
4	4531.5766	51.21	-60.62	-13.00	47.62	Horizontal		
5	11799.4400	45.94	-49.22	-13.00	36.22	Horizontal		
6	17913.745	46.65	-46.30	-13.00	33.30	Horizontal		



Page: 8 of 8

1.6. Test Band = _12A_66A _TM1

1.6.1. Test Channel = High Channel

Suspected Data List								
NO.	Freq.	Reading	Level	Limit	Margin	Polarity		
INO.	[MHz]	[dBm]	[dBm]	[dBm]	[dB]	Polarity		
1	1151.0189	21.33	-48.88	-13.00	35.88	Vertical		
2	2176.8971	30.30	-37.70	-13.00	24.70	Vertical		
3	2999.4999	20.78	-43.69	-13.00	30.69	Vertical		
4	3281.2641	55.76	-60.58	-13.00	47.58	Vertical		
5	7968.9985	52.06	-49.88	-13.00	36.88	Vertical		
6	17993.999	47.63	-46.12	-13.00	33.12	Vertical		

Remark:

- According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2 The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.
- 3 all modulation and all Bandwidth had been tested, but only the worst case data displayed in this report.

