






-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.244
NVNT	a	5785	Ant1	16.154
NVNT	a	5825	Ant1	16.214
NVNT	ac20	5745	Ant1	17.383
NVNT	ac20	5785	Ant1	17.323
NVNT	ac20	5825	Ant1	17.413
NVNT	ac40	5755	Ant1	35.904
NVNT	ac40	5795	Ant1	35.904
NVNT	ac80	5775	Ant1	75.165
NVNT	ax20	5745	Ant1	18.731
NVNT	ax20	5785	Ant1	18.671
NVNT	ax20	5825	Ant1	18.761
NVNT	ax40	5755	Ant1	35.964
NVNT	ax40	5795	Ant1	35.904
NVNT	ax80	5775	Ant1	75.524
NVNT	n20	5745	Ant1	17.413
NVNT	n20	5785	Ant1	17.323
NVNT	n20	5825	Ant1	17.413
NVNT	n40	5755	Ant1	35.844
NVNT	n40	5795	Ant1	35.784


Note: 1. All antennas have been tested, and antenna 1 is the worst data.

OBW NVNT a 5745MHz Ant1




Date: 29.AUG.2024 16:35:38

OBW NVNT a 5785MHz Ant1




Date: 29.AUG.2024 16:38:37


OBW NVNT a 5825MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac80 5775MHz Ant1




OBW NVNT ax20 5745MHz Ant1




OBW NVNT ax20 5785MHz Ant1




OBW NVNT ax20 5825MHz Ant1




OBW NVNT ax40 5755MHz Ant1




OBW NVNT ax40 5795MHz Ant1




OBW NVNT ax80 5775MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n40 5755MHz Ant1



OBW NVNT n40 5795MHz Ant1



4.4 Peak Transmit Power

Test Requirement:	FCC Part15 E Section 15.407
Test Method:	KDB 789033 D02 General UNII Test Procedures New Rules v02r01
Limit:	FCC: For the band 5.15-5.25GHz, 5.25-5.35GHz, 5.47-5.725GHz, The maximum conducted output power over the frequency bands of operation shall not exceed 250mW. For the band 5.725-5.85GHz, the maximum conducted output power over the frequency bands of operation shall not exceed 1W.
Test setup:	 The diagram illustrates the test setup. A 'Power Meter' is connected to an 'E.U.T' (Equipment Under Test) by a red cable. Both components are positioned on a 'Non-Conducted Table'. This table is supported by two vertical legs. Below the table, a 'Ground Reference Plane' is indicated by a horizontal line.
Test procedure:	Measurement using an RF average power meter (i) Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the conditions listed below are satisfied a) The EUT is configured to transmit continuously or to transmit with a constant duty cycle. b) At all times when the EUT is transmitting, it must be transmitting at its maximum power control level. c) The integration period of the power meter exceeds the repetition period of the transmitted signal by at least a factor of five. (ii) If the transmitter does not transmit continuously, measure the duty cycle, x, of the transmitter output signal as described in section B). (iii) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter. (iv) Adjust the measurement in dBm by adding $10 \log(1/x)$ where x is the duty cycle (e.g., $10 \log(1/0.25)$ if the duty cycle is 25 percent).
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Pass

Measurement Data**Band 1 (5150-5250 MHz)**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	18.321	24	Pass
NVNT	a	5200	Ant1	17.541	24	Pass
NVNT	a	5240	Ant1	18.44	24	Pass
NVNT	ac20	5180	Ant1	15.626	24	Pass
NVNT	ac20	5200	Ant1	16.218	24	Pass
NVNT	ac20	5240	Ant1	16.17	24	Pass
NVNT	ac40	5190	Ant1	15.078	24	Pass
NVNT	ac40	5230	Ant1	15.345	24	Pass
NVNT	ac80	5210	Ant1	15.24	24	Pass
NVNT	ax20	5180	Ant1	13.416	24	Pass
NVNT	ax20	5200	Ant1	13.276	24	Pass
NVNT	ax20	5240	Ant1	13.337	24	Pass
NVNT	ax40	5190	Ant1	13.718	24	Pass
NVNT	ax40	5230	Ant1	13.401	24	Pass
NVNT	ax80	5210	Ant1	13.148	24	Pass
NVNT	n20	5180	Ant1	17.702	24	Pass
NVNT	n20	5200	Ant1	17.873	24	Pass
NVNT	n20	5240	Ant1	16.756	24	Pass
NVNT	n40	5190	Ant1	17.652	24	Pass
NVNT	n40	5230	Ant1	17.105	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	18.056	24	Pass
NVNT	a	5200	Ant2	18.083	24	Pass
NVNT	a	5240	Ant2	18.059	24	Pass
NVNT	ac20	5180	Ant2	15.909	24	Pass
NVNT	ac20	5200	Ant2	15.744	24	Pass
NVNT	ac20	5240	Ant2	15.738	24	Pass
NVNT	ac40	5190	Ant2	15.005	24	Pass
NVNT	ac40	5230	Ant2	15.081	24	Pass
NVNT	ac80	5210	Ant2	14.731	24	Pass
NVNT	ax20	5180	Ant2	12.416	24	Pass
NVNT	ax20	5200	Ant2	13.347	24	Pass
NVNT	ax20	5240	Ant2	13.357	24	Pass
NVNT	ax40	5190	Ant2	12.974	24	Pass
NVNT	ax40	5230	Ant2	13.837	24	Pass
NVNT	ax80	5210	Ant2	13.047	24	Pass
NVNT	n20	5180	Ant2	16.443	24	Pass
NVNT	n20	5200	Ant2	17.207	24	Pass
NVNT	n20	5240	Ant2	17.327	24	Pass
NVNT	n40	5190	Ant2	16.666	24	Pass
NVNT	n40	5230	Ant2	17.188	24	Pass

Band 2 (5250 -5350 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	18.257	24	Pass
NVNT	a	5280	Ant1	18.678	24	Pass
NVNT	a	5320	Ant1	18.349	24	Pass
NVNT	ac20	5260	Ant1	16.138	24	Pass
NVNT	ac20	5280	Ant1	16.507	24	Pass
NVNT	ac20	5320	Ant1	16.108	24	Pass
NVNT	ac40	5270	Ant1	15.849	24	Pass
NVNT	ac40	5310	Ant1	15.019	24	Pass
NVNT	ac80	5290	Ant1	15.776	24	Pass
NVNT	ax20	5260	Ant1	13.803	24	Pass
NVNT	ax20	5280	Ant1	13.971	24	Pass
NVNT	ax20	5320	Ant1	13.063	24	Pass
NVNT	ax40	5270	Ant1	13.205	24	Pass
NVNT	ax40	5310	Ant1	13.661	24	Pass
NVNT	ax80	5290	Ant1	13.652	24	Pass
NVNT	n20	5260	Ant1	17.549	24	Pass
NVNT	n20	5280	Ant1	17.421	24	Pass
NVNT	n20	5320	Ant1	17.213	24	Pass
NVNT	n40	5270	Ant1	17.133	24	Pass
NVNT	n40	5310	Ant1	17.472	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant2	18.022	24	Pass
NVNT	a	5280	Ant2	18.286	24	Pass
NVNT	a	5320	Ant2	18.669	24	Pass
NVNT	ac20	5260	Ant2	16.873	24	Pass
NVNT	ac20	5280	Ant2	16.136	24	Pass
NVNT	ac20	5320	Ant2	16.289	24	Pass
NVNT	ac40	5270	Ant2	15.012	24	Pass
NVNT	ac40	5310	Ant2	14.45	24	Pass
NVNT	ac80	5290	Ant2	14.686	24	Pass
NVNT	ax20	5260	Ant2	12.95	24	Pass
NVNT	ax20	5280	Ant2	13.279	24	Pass
NVNT	ax20	5320	Ant2	12.721	24	Pass
NVNT	ax40	5270	Ant2	12.691	24	Pass
NVNT	ax40	5310	Ant2	12.843	24	Pass
NVNT	ax80	5290	Ant2	13.999	24	Pass
NVNT	n20	5260	Ant2	17.416	24	Pass
NVNT	n20	5280	Ant2	17.483	24	Pass
NVNT	n20	5320	Ant2	17.522	24	Pass
NVNT	n40	5270	Ant2	15.599	24	Pass
NVNT	n40	5310	Ant2	17.145	24	Pass

Band 3 (5470 -5725 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	18.672	24	Pass
NVNT	a	5580	Ant1	18.027	24	Pass
NVNT	a	5700	Ant1	17.847	24	Pass
NVNT	ac20	5500	Ant1	16.327	24	Pass
NVNT	ac20	5580	Ant1	16.653	24	Pass
NVNT	ac20	5700	Ant1	16.331	24	Pass
NVNT	ac40	5510	Ant1	15.002	24	Pass
NVNT	ac40	5670	Ant1	15.748	24	Pass
NVNT	ac80	5530	Ant1	14.959	24	Pass
NVNT	ax20	5500	Ant1	12.923	24	Pass
NVNT	ax20	5580	Ant1	12.735	24	Pass
NVNT	ax20	5700	Ant1	13.666	24	Pass
NVNT	ax40	5510	Ant1	12.639	24	Pass
NVNT	ax40	5670	Ant1	13.245	24	Pass
NVNT	ax80	5530	Ant1	13.1	24	Pass
NVNT	n20	5500	Ant1	17.602	24	Pass
NVNT	n20	5580	Ant1	17.49	24	Pass
NVNT	n20	5700	Ant1	17.343	24	Pass
NVNT	n40	5510	Ant1	17.083	24	Pass
NVNT	n40	5670	Ant1	17.679	24	Pass


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant2	17.824	24	Pass
NVNT	a	5580	Ant2	17.759	24	Pass
NVNT	a	5700	Ant2	17.535	24	Pass
NVNT	ac20	5500	Ant2	16.229	24	Pass
NVNT	ac20	5580	Ant2	16.03	24	Pass
NVNT	ac20	5700	Ant2	15.921	24	Pass
NVNT	ac40	5510	Ant2	14.91	24	Pass
NVNT	ac40	5670	Ant2	15.288	24	Pass
NVNT	ac80	5530	Ant2	15.407	24	Pass
NVNT	ax20	5500	Ant2	13.332	24	Pass
NVNT	ax20	5580	Ant2	13.353	24	Pass
NVNT	ax20	5700	Ant2	13.1	24	Pass
NVNT	ax40	5510	Ant2	13.224	24	Pass
NVNT	ax40	5670	Ant2	12.991	24	Pass
NVNT	ax80	5530	Ant2	13.664	24	Pass
NVNT	n20	5500	Ant2	17.507	24	Pass
NVNT	n20	5580	Ant2	16.639	24	Pass
NVNT	n20	5700	Ant2	17.711	24	Pass
NVNT	n40	5510	Ant2	17.116	24	Pass
NVNT	n40	5670	Ant2	17.5	24	Pass

Band 4 (5725 – 5850 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	17.789	30	Pass
NVNT	a	5785	Ant1	18.34	30	Pass
NVNT	a	5825	Ant1	18.603	30	Pass
NVNT	ac20	5745	Ant1	16.317	30	Pass
NVNT	ac20	5785	Ant1	16.476	30	Pass
NVNT	ac20	5825	Ant1	16.268	30	Pass
NVNT	ac40	5755	Ant1	15.397	30	Pass
NVNT	ac40	5795	Ant1	14.89	30	Pass
NVNT	ac80	5775	Ant1	15.603	30	Pass
NVNT	ax20	5745	Ant1	13.76	30	Pass
NVNT	ax20	5785	Ant1	13.456	30	Pass
NVNT	ax20	5825	Ant1	13.127	30	Pass
NVNT	ax40	5755	Ant1	13.187	30	Pass
NVNT	ax40	5795	Ant1	13.684	30	Pass
NVNT	ax80	5775	Ant1	13.613	30	Pass
NVNT	n20	5745	Ant1	17.189	30	Pass
NVNT	n20	5785	Ant1	17.159	30	Pass
NVNT	n20	5825	Ant1	16.977	30	Pass
NVNT	n40	5755	Ant1	16.914	30	Pass
NVNT	n40	5795	Ant1	16.711	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	18.145	30	Pass
NVNT	a	5785	Ant2	17.564	30	Pass
NVNT	a	5825	Ant2	17.815	30	Pass
NVNT	ac20	5745	Ant2	16.401	30	Pass
NVNT	ac20	5785	Ant2	15.481	30	Pass
NVNT	ac20	5825	Ant2	16.581	30	Pass
NVNT	ac40	5755	Ant2	15.299	30	Pass
NVNT	ac40	5795	Ant2	15.465	30	Pass
NVNT	ac80	5775	Ant2	14.94	30	Pass
NVNT	ax20	5745	Ant2	12.667	30	Pass
NVNT	ax20	5785	Ant2	13.071	30	Pass
NVNT	ax20	5825	Ant2	13.38	30	Pass
NVNT	ax40	5755	Ant2	12.778	30	Pass
NVNT	ax40	5795	Ant2	13.293	30	Pass
NVNT	ax80	5775	Ant2	12.836	30	Pass
NVNT	n20	5745	Ant2	17.551	30	Pass
NVNT	n20	5785	Ant2	17.259	30	Pass
NVNT	n20	5825	Ant2	17.176	30	Pass
NVNT	n40	5755	Ant2	17.541	30	Pass
NVNT	n40	5795	Ant2	17.763	30	Pass

4.5 Power Spectral Density


Test Requirement:	FCC Part15 E Section 15.407
Test Method:	KDB 789033 D02 General UNII Test Procedures New Rules v02r01
Limit:	FCC: 1.≤11.00dBm/MHz for 5150MHz-5250MHz, 5250-5350MHz and 5470-5725 MHz 2.≤30.00dBm/500KHz for 5725MHz-5850MHz
Test setup:	 The diagram illustrates the test setup. A Spectrum Analyzer is connected to an E.U.T. (Equipment Under Test) via a red cable. Both the Spectrum Analyzer and the E.U.T. are placed on a Non-Conducted Table. The table is supported by a Ground Reference Plane.
Test procedure:	1) Create an average power spectrum for the EUT operating mode being tested by following the instructions in section E)2) for measuring maximum conducted output power using a spectrum analyzer or EMI receiver: select the appropriate test method (SA-1, SA-2, SA-3, or alternatives to each) and apply it up to, but not including, the step labeled, "Compute power...". 2) Use the peak search function on the instrument to find the peak of the spectrum. 3) Make the following adjustments to the peak value of the spectrum, if applicable: a) If Method SA-2 or SA-2 Alternative was used, add $10 \log(1/x)$, where x is the duty cycle, to the peak of the spectrum. b) If Method SA-3 Alternative was used and the linear mode was used in step E)2)g)(viii), add 1 dB to the final result to compensate for the difference between linear averaging and power averaging. 4) The result is the PSD. 5) 1. Antenna assembly gain G in dBi of the individual antenna. 2. EIRP PSD = Max PSD + G (When testing, the line loss has already been added to the antenna gain, so the test result is EIRP PSD)
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Pass

Measurement Data**Band 1 (5150-5250 MHz)**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.025	11	Pass
NVNT	a	5200	Ant1	-0.257	11	Pass
NVNT	a	5240	Ant1	-0.03	11	Pass
NVNT	ac20	5180	Ant1	-2.528	11	Pass
NVNT	ac20	5200	Ant1	-2.038	11	Pass
NVNT	ac20	5240	Ant1	-1.858	11	Pass
NVNT	ac40	5190	Ant1	-6.066	11	Pass
NVNT	ac40	5230	Ant1	-5.592	11	Pass
NVNT	ac80	5210	Ant1	-9.171	11	Pass
NVNT	ax20	5180	Ant1	-5.417	11	Pass
NVNT	ax20	5200	Ant1	-5.526	11	Pass
NVNT	ax20	5240	Ant1	-4.917	11	Pass
NVNT	ax40	5190	Ant1	-8.024	11	Pass
NVNT	ax40	5230	Ant1	-8.351	11	Pass
NVNT	ax80	5210	Ant1	-11.448	11	Pass
NVNT	n20	5180	Ant1	0.088	11	Pass
NVNT	n20	5200	Ant1	0.084	11	Pass
NVNT	n20	5240	Ant1	-1.362	11	Pass
NVNT	n40	5190	Ant1	-3.361	11	Pass
NVNT	n40	5230	Ant1	-3.864	11	Pass


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	-0.007	11	Pass
NVNT	a	5200	Ant2	0.835	11	Pass
NVNT	a	5240	Ant2	0.452	11	Pass
NVNT	ac20	5180	Ant2	-2.184	11	Pass
NVNT	ac20	5200	Ant2	-2.334	11	Pass
NVNT	ac20	5240	Ant2	-2.243	11	Pass
NVNT	ac40	5190	Ant2	-5.817	11	Pass
NVNT	ac40	5230	Ant2	-5.824	11	Pass
NVNT	ac80	5210	Ant2	-8.764	11	Pass
NVNT	ax20	5180	Ant2	-7.019	11	Pass
NVNT	ax20	5200	Ant2	-6.301	11	Pass
NVNT	ax20	5240	Ant2	-6.225	11	Pass
NVNT	ax40	5190	Ant2	-8.67	11	Pass
NVNT	ax40	5230	Ant2	-8.421	11	Pass
NVNT	ax80	5210	Ant2	-11.309	11	Pass
NVNT	n20	5180	Ant2	-2.121	11	Pass
NVNT	n20	5200	Ant2	-0.284	11	Pass
NVNT	n20	5240	Ant2	-0.544	11	Pass
NVNT	n40	5190	Ant2	-4.776	11	Pass
NVNT	n40	5230	Ant2	-3.634	11	Pass

PSD NVNT a 5180MHz Ant1




Date: 29.AUG.2024 15:28:55

PSD NVNT a 5200MHz Ant1




Date: 29.AUG.2024 15:32:23

PSD NVNT a 5240MHz Ant1




Date: 29.AUG.2024 15:35:27

PSD NVNT ac20 5180MHz Ant1




Date: 29.AUG.2024 15:49:14

PSD NVNT ac20 5200MHz Ant1




Date: 29.AUG.2024 15:52:28

PSD NVNT ac20 5240MHz Ant1




Date: 29.AUG.2024 15:55:10


PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1



PSD NVNT ax20 5180MHz Ant1




PSD NVNT ax20 5200MHz Ant1




Date: 29.AUG.2024 16:21:52

PSD NVNT ax20 5240MHz Ant1




Date: 29.AUG.2024 16:23:37


PSD NVNT ax40 5190MHz Ant1




PSD NVNT ax40 5230MHz Ant1




PSD NVNT ax80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1




PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1




PSD NVNT a 5180MHz Ant2




Date: 28.AUG.2024 10:57:19

PSD NVNT a 5200MHz Ant2




Date: 28.AUG.2024 11:19:01


PSD NVNT a 5240MHz Ant2




PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2




PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant2




PSD NVNT ac40 5230MHz Ant2




PSD NVNT ac80 5210MHz Ant2



PSD NVNT ax20 5180MHz Ant2




PSD NVNT ax20 5200MHz Ant2




Date: 28.AUG.2024 15:24:11

PSD NVNT ax20 5240MHz Ant2




Date: 28.AUG.2024 15:30:32


PSD NVNT ax40 5190MHz Ant2




PSD NVNT ax40 5230MHz Ant2




PSD NVNT ax80 5210MHz Ant2




PSD NVNT n20 5180MHz Ant2




PSD NVNT n20 5200MHz Ant2




PSD NVNT n20 5240MHz Ant2



PSD NVNT n40 5190MHz Ant2



PSD NVNT n40 5230MHz Ant2




Band 2 (5250 -5350 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	1.67	11	Pass
NVNT	a	5280	Ant1	0.745	11	Pass
NVNT	a	5320	Ant1	0.555	11	Pass
NVNT	ac20	5260	Ant1	-1.843	11	Pass
NVNT	ac20	5280	Ant1	-1.388	11	Pass
NVNT	ac20	5320	Ant1	-1.717	11	Pass
NVNT	ac40	5270	Ant1	-5.042	11	Pass
NVNT	ac40	5310	Ant1	-6.085	11	Pass
NVNT	ac80	5290	Ant1	-8.296	11	Pass
NVNT	ax20	5260	Ant1	-4.783	11	Pass
NVNT	ax20	5280	Ant1	-5.039	11	Pass
NVNT	ax20	5320	Ant1	-4.86	11	Pass
NVNT	ax40	5270	Ant1	-8.545	11	Pass
NVNT	ax40	5310	Ant1	-8.302	11	Pass
NVNT	ax80	5290	Ant1	-9.948	11	Pass
NVNT	n20	5260	Ant1	-0.758	11	Pass
NVNT	n20	5280	Ant1	-0.219	11	Pass
NVNT	n20	5320	Ant1	-1.502	11	Pass
NVNT	n40	5270	Ant1	-4.327	11	Pass
NVNT	n40	5310	Ant1	-4.409	11	Pass


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant2	-0.477	11	Pass
NVNT	a	5280	Ant2	3.009	11	Pass
NVNT	a	5320	Ant2	1.46	11	Pass
NVNT	ac20	5260	Ant2	-0.578	11	Pass
NVNT	ac20	5280	Ant2	-1.79	11	Pass
NVNT	ac20	5320	Ant2	-2.054	11	Pass
NVNT	ac40	5270	Ant2	-6.07	11	Pass
NVNT	ac40	5310	Ant2	-6.368	11	Pass
NVNT	ac80	5290	Ant2	-8.7	11	Pass
NVNT	ax20	5260	Ant2	-5.767	11	Pass
NVNT	ax20	5280	Ant2	-6.787	11	Pass
NVNT	ax20	5320	Ant2	-6.368	11	Pass
NVNT	ax40	5270	Ant2	-8.664	11	Pass
NVNT	ax40	5310	Ant2	-8.17	11	Pass
NVNT	ax80	5290	Ant2	-10.604	11	Pass
NVNT	n20	5260	Ant2	-0.13	11	Pass
NVNT	n20	5280	Ant2	-0.418	11	Pass
NVNT	n20	5320	Ant2	-0.624	11	Pass
NVNT	n40	5270	Ant2	-5.056	11	Pass
NVNT	n40	5310	Ant2	-3.768	11	Pass

PSD NVNT a 5260MHz Ant1




Date: 29.AUG.2024 20:20:21

PSD NVNT a 5280MHz Ant1




Date: 29.AUG.2024 20:27:47

PSD NVNT a 5320MHz Ant1




Date: 29.AUG.2024 20:41:30

PSD NVNT ac20 5260MHz Ant1




Date: 29.AUG.2024 21:29:41


PSD NVNT ac20 5280MHz Ant1



PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac40 5270MHz Ant1




Date: 29.AUG.2024 21:59:29

PSD NVNT ac40 5310MHz Ant1




Date: 29.AUG.2024 22:04:06

PSD NVNT ac80 5290MHz Ant1




Date: 29.AUG.2024 22:14:47

PSD NVNT ax20 5260MHz Ant1




Date: 29.AUG.2024 22:31:42

PSD NVNT ax20 5280MHz Ant1




Date: 29.AUG.2024 22:35:35

PSD NVNT ax20 5320MHz Ant1




Date: 29.AUG.2024 22:38:18

PSD NVNT ax40 5270MHz Ant1




Date: 30.AUG.2024 09:57:08

PSD NVNT ax40 5310MHz Ant1




Date: 30.AUG.2024 09:59:12

PSD NVNT ax80 5290MHz Ant1




Date: 29.AUG.2024 22:21:48

PSD NVNT n20 5260MHz Ant1




Date: 29.AUG.2024 20:51:09


PSD NVNT n20 5280MHz Ant1




PSD NVNT n20 5320MHz Ant1




PSD NVNT n40 5270MHz Ant1



PSD NVNT n40 5310MHz Ant1




PSD NVNT a 5260MHz Ant2




Date: 28.AUG.2024 17:41:49

PSD NVNT a 5280MHz Ant2




Date: 28.AUG.2024 17:54:33

PSD NVNT a 5320MHz Ant2



PSD NVNT ac20 5260MHz Ant2



PSD NVNT ac20 5280MHz Ant2