

CFR 47 FCC PART 15 SUBPART C

TEST REPORT

For

SmartSet Clock Radio

MODEL NUMBER: ER100301

Brand: EMERSON

REPORT NUMBER: E04A23070370F00302

ISSUE DATE: August 14, 2023

FCC ID:2ALCVER100301A

Prepared for

Emerson Radio Corp.

959 Route 46 East, Suite 210, 2nd Floor, Parsippany, NJ 07054, United States

Prepared by

Guangdong Global Testing Technology Co., Ltd.

Room 101-105, 203-210, Building 1, No.2, Keji 8 Road, Songshan Lake Park, Dongguan city, Guangdong, People's Republic of China, 523808


**This report shall not be reproduced, except in full, without the written approval of
Guangdong Global Testing Technology Co., Ltd.**



Revision History


Rev.	Issue Date	Revisions	Revised By
V0	August 14, 2023	Initial Issue	Jok Yang


Appendix A Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.56	21	Pass
NVNT	1-DH5	2441	Ant1	-0.32	21	Pass
NVNT	1-DH5	2480	Ant1	0.09	21	Pass
NVNT	2-DH5	2402	Ant1	-0.66	21	Pass
NVNT	2-DH5	2441	Ant1	0.45	21	Pass
NVNT	2-DH5	2480	Ant1	0.79	21	Pass
NVNT	3-DH5	2402	Ant1	-0.23	21	Pass
NVNT	3-DH5	2441	Ant1	0.85	21	Pass
NVNT	3-DH5	2480	Ant1	1.11	21	Pass















Appendix B -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)
NVNT	1-DH5	2402	Ant1	0.947
NVNT	1-DH5	2441	Ant1	0.941
NVNT	1-DH5	2480	Ant1	0.946
NVNT	2-DH5	2402	Ant1	1.282
NVNT	2-DH5	2441	Ant1	1.282
NVNT	2-DH5	2480	Ant1	1.309
NVNT	3-DH5	2402	Ant1	1.284
NVNT	3-DH5	2441	Ant1	1.289
NVNT	3-DH5	2480	Ant1	1.286














Appendix C Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	0.863
NVNT	1-DH5	2441	Ant1	0.865
NVNT	1-DH5	2480	Ant1	0.859
NVNT	2-DH5	2402	Ant1	1.179
NVNT	2-DH5	2441	Ant1	1.187
NVNT	2-DH5	2480	Ant1	1.191
NVNT	3-DH5	2402	Ant1	1.206
NVNT	3-DH5	2441	Ant1	1.195
NVNT	3-DH5	2480	Ant1	1.203















Appendix D Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.854	2403.066	1.212	0.631	Pass
NVNT	1-DH5	Ant1	2440.848	2442.066	1.218	0.627	Pass
NVNT	1-DH5	Ant1	2478.848	2480.004	1.156	0.631	Pass
NVNT	2-DH5	Ant1	2402.174	2403.174	1	0.855	Pass
NVNT	2-DH5	Ant1	2441.012	2442.004	0.992	0.855	Pass
NVNT	2-DH5	Ant1	2478.822	2479.84	1.018	0.873	Pass
NVNT	3-DH5	Ant1	2401.844	2403	1.156	0.856	Pass
NVNT	3-DH5	Ant1	2440.85	2441.846	0.996	0.859	Pass
NVNT	3-DH5	Ant1	2479.004	2480.008	1.004	0.857	Pass













Appendix E Number of Hopping Channel



Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass











Appendix F Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.88	307.200	400	Pass
NVNT	1-DH5	2441	Ant1	2.881	307.307	400	Pass
NVNT	1-DH5	2480	Ant1	2.88	307.200	400	Pass
NVNT	2-DH5	2402	Ant1	2.886	307.840	400	Pass
NVNT	2-DH5	2441	Ant1	2.886	307.840	400	Pass
NVNT	2-DH5	2480	Ant1	2.886	307.840	400	Pass
NVNT	3-DH5	2402	Ant1	2.888	308.053	400	Pass
NVNT	3-DH5	2441	Ant1	2.888	308.053	400	Pass
NVNT	3-DH5	2480	Ant1	2.888	308.053	400	Pass















Appendix G Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-40.69	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-46.87	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-40.25	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-43.26	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-40.56	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-48.73	-20	Pass


















Appendix H Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-41.28	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-43.58	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-41.3	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-45.24	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-34.98	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-45.51	-20	Pass


















Appendix I Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-48.4	-20	Pass
NVNT	1-DH5	2441	Ant1	-48.84	-20	Pass
NVNT	1-DH5	2480	Ant1	-46.77	-20	Pass
NVNT	2-DH5	2402	Ant1	-48.16	-20	Pass
NVNT	2-DH5	2441	Ant1	-49.42	-20	Pass
NVNT	2-DH5	2480	Ant1	-47.21	-20	Pass
NVNT	3-DH5	2402	Ant1	-47.81	-20	Pass
NVNT	3-DH5	2441	Ant1	-26.23	-20	Pass
NVNT	3-DH5	2480	Ant1	-44.42	-20	Pass























--- END OF REPORT---