











Mode	13	
	Harmonic	
	6E UNII-7 _6.525-6.875_802.11a_CH117_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	13	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	14																																											
	Band Edge																																											
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																											
ANT	4+3																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>111.86</td><td>-----</td><td>96.96</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>275</td><td>52</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	111.86	-----	96.96	36.20	12.56	33.86	0.00	275	52	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6695.00	111.86	-----	96.96	36.20	12.56	33.86	0.00	275	52	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>104.89</td><td>-----</td><td>89.99</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>275</td><td>52</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	104.89	-----	89.99	36.20	12.56	33.86	0.00	275	52	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6695.00	104.89	-----	89.99	36.20	12.56	33.86	0.00	275	52	AVERAGE																																	







Mode	14																																											
	Band Edge																																											
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																											
ANT	4+3																																											
Pol.	Vertical	Fundamental																																										
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>109.32</td><td>-----</td><td>94.45</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>270</td><td>355 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	109.32	-----	94.45	36.18	12.55	33.86	0.00	270	355 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6695.00	109.32	-----	94.45	36.18	12.55	33.86	0.00	270	355 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>102.89</td><td>-----</td><td>88.02</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>270</td><td>355 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	102.89	-----	88.02	36.18	12.55	33.86	0.00	270	355 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6695.00	102.89	-----	88.02	36.18	12.55	33.86	0.00	270	355 AVERAGE																																		





Mode	14																																																																																																																																	
	Harmonic																																																																																																																																	
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																	
ANT	4+3																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>58.14</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>220</td><td>66 PEAK</td></tr><tr><td>2 13390.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>48.37</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>220</td><td>66 Average</td></tr><tr><td>3 20085.00</td><td>31.82</td><td>74.00</td><td>-42.18</td><td>34.45</td><td>37.53</td><td>22.43</td><td>53.05</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	53.30	74.00	-20.70	58.14	40.10	20.53	66.42	0.95	220	66 PEAK	2 13390.00	43.53	54.00	-10.47	48.37	40.10	20.53	66.42	0.95	220	66 Average	3 20085.00	31.82	74.00	-42.18	34.45	37.53	22.43	53.05	-9.54	--	-- Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>58.99</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>131</td><td>123 PEAK</td></tr><tr><td>2 13390.00</td><td>44.41</td><td>54.00</td><td>-9.59</td><td>49.25</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>131</td><td>123 Average</td></tr><tr><td>3 20085.00</td><td>30.51</td><td>74.00</td><td>-43.49</td><td>33.14</td><td>37.53</td><td>22.43</td><td>53.05</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	54.15	74.00	-19.85	58.99	40.10	20.53	66.42	0.95	131	123 PEAK	2 13390.00	44.41	54.00	-9.59	49.25	40.10	20.53	66.42	0.95	131	123 Average	3 20085.00	30.51	74.00	-43.49	33.14	37.53	22.43	53.05	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13390.00	53.30	74.00	-20.70	58.14	40.10	20.53	66.42	0.95	220	66 PEAK																																																																																																																								
2 13390.00	43.53	54.00	-10.47	48.37	40.10	20.53	66.42	0.95	220	66 Average																																																																																																																								
3 20085.00	31.82	74.00	-42.18	34.45	37.53	22.43	53.05	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13390.00	54.15	74.00	-19.85	58.99	40.10	20.53	66.42	0.95	131	123 PEAK																																																																																																																								
2 13390.00	44.41	54.00	-9.59	49.25	40.10	20.53	66.42	0.95	131	123 Average																																																																																																																								
3 20085.00	30.51	74.00	-43.49	33.14	37.53	22.43	53.05	-9.54	--	-- Peak																																																																																																																								





Mode	14	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	14	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	15																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																				
ANT	4+3																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>111.98</td><td>-----</td><td>96.86</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	111.98	-----	96.86	36.10	12.88	33.86	0.00	367	17	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6855.00	111.98	-----	96.86	36.10	12.88	33.86	0.00	367	17	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>105.71</td><td>-----</td><td>90.59</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>367</td><td>17</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	105.71	-----	90.59	36.10	12.88	33.86	0.00	367	17	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6855.00	105.71	-----	90.59	36.10	12.88	33.86	0.00	367	17	AVERAGE																																										







Mode	15																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																				
ANT	4+3																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>105.97</td><td>-----</td><td>-----</td><td>90.85</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>353</td><td>67 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	105.97	-----	-----	90.85	36.10	12.88	33.86	0.00	353	67 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6855.00	105.97	-----	-----	90.85	36.10	12.88	33.86	0.00	353	67 PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>100.97</td><td>-----</td><td>-----</td><td>85.85</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>353</td><td>67 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	100.97	-----	-----	85.85	36.10	12.88	33.86	0.00	353	67 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6855.00	100.97	-----	-----	85.85	36.10	12.88	33.86	0.00	353	67 AVERAGE																																										





Mode	15																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="3">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line</th><th>Margin</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>53.61</td><td>88.20</td><td>-34.59</td><td>58.13</td><td>40.40</td><td>20.57</td><td>66.52</td><td>1.03</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>30.70</td><td>74.00</td><td>-43.30</td><td>32.53</td><td>37.76</td><td>22.74</td><td>52.79</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line	Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13710.00	53.61	88.20	-34.59	58.13	40.40	20.57	66.52	1.03	--	--	Peak	2	20565.00	30.70	74.00	-43.30	32.53	37.76	22.74	52.79	-9.54	--	--	Peak
	Freq	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos			Remark																																																				
		Level	Line	Margin																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	13710.00	53.61	88.20	-34.59	58.13	40.40	20.57	66.52	1.03	--	--	Peak																																																						
2	20565.00	30.70	74.00	-43.30	32.53	37.76	22.74	52.79	-9.54	--	--	Peak																																																						





Mode	15	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	15	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	16																																											
	Band Edge																																											
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																											
ANT	4+3																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>110.16</td><td>-----</td><td>96.41</td><td>35.48</td><td>12.13</td><td>33.86</td><td>0.00</td><td>320</td><td>68</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6535.00	110.16	-----	96.41	35.48	12.13	33.86	0.00	320	68	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6535.00	110.16	-----	96.41	35.48	12.13	33.86	0.00	320	68	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>102.91</td><td>-----</td><td>89.11</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>320</td><td>68</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6535.00	102.91	-----	89.11	35.52	12.14	33.86	0.00	320	68	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6535.00	102.91	-----	89.11	35.52	12.14	33.86	0.00	320	68	AVERAGE																																	



Mode	16																																																						
	Band Edge																																																						
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																																						
ANT	4+3																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>110.18</td><td>-----</td><td>-----</td><td>96.43</td><td>35.48</td><td>12.13</td><td>33.86</td><td>0.00</td><td>275</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	110.18	-----	-----	96.43	35.48	12.13	33.86	0.00	275	359	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	110.18	-----	-----	96.43	35.48	12.13	33.86	0.00	275	359	PEAK																																											
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>102.12</td><td>-----</td><td>-----</td><td>88.32</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>275</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	102.12	-----	-----	88.32	35.52	12.14	33.86	0.00	275	359	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	102.12	-----	-----	88.32	35.52	12.14	33.86	0.00	275	359	AVERAGE																																											





Mode	16																																																																					
	Harmonic																																																																					
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																																																					
ANT	4+3																																																																					
Pol.	Horizontal																																																																					
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>54.40</td><td>88.20</td><td>-33.80</td><td>60.15</td><td>39.66</td><td>20.66</td><td>66.93</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>29.33</td><td>74.00</td><td>-44.67</td><td>32.18</td><td>37.68</td><td>22.27</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	54.40	88.20	-33.80	60.15	39.66	20.66	66.93	0.86	--	--	PEAK	2	19605.00	29.33	74.00	-44.67	32.18	37.68	22.27	53.26	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	13070.00	54.40	88.20	-33.80	60.15	39.66	20.66	66.93	0.86	--	--	PEAK																																																										
2	19605.00	29.33	74.00	-44.67	32.18	37.68	22.27	53.26	-9.54	--	--	Peak																																																										
Vertical																																																																						
	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>59.20</td><td>39.66</td><td>20.66</td><td>66.93</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>30.65</td><td>74.00</td><td>-43.35</td><td>33.50</td><td>37.68</td><td>22.27</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.45	88.20	-34.75	59.20	39.66	20.66	66.93	0.86	--	--	PEAK	2	19605.00	30.65	74.00	-43.35	33.50	37.68	22.27	53.26	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	13070.00	53.45	88.20	-34.75	59.20	39.66	20.66	66.93	0.86	--	--	PEAK																																																										
2	19605.00	30.65	74.00	-43.35	33.50	37.68	22.27	53.26	-9.54	--	--	Peak																																																										





Mode	16	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	16	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	17																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6695.00</td><td>111.39</td><td>-----</td><td>-----</td><td>96.49</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>334 30 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6695.00	111.39	-----	-----	96.49	36.20	12.56	33.86	0.00	334 30 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 6695.00	111.39	-----	-----	96.49	36.20	12.56	33.86	0.00	334 30 PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6695.00</td><td>104.04</td><td>-----</td><td>-----</td><td>89.17</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>334 30 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6695.00	104.04	-----	-----	89.17	36.18	12.55	33.86	0.00	334 30 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 6695.00	104.04	-----	-----	89.17	36.18	12.55	33.86	0.00	334 30 AVERAGE																																	







Mode	17																																																						
	Band Edge																																																						
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																																						
ANT	4+3																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>107.18</td><td>-----</td><td>-----</td><td>92.28</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>299</td><td>207</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	107.18	-----	-----	92.28	36.20	12.56	33.86	0.00	299	207	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	107.18	-----	-----	92.28	36.20	12.56	33.86	0.00	299	207	PEAK																																											
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>100.60</td><td>-----</td><td>-----</td><td>85.73</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>299</td><td>207</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	100.60	-----	-----	85.73	36.18	12.55	33.86	0.00	299	207	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	100.60	-----	-----	85.73	36.18	12.55	33.86	0.00	299	207	AVERAGE																																											





Mode	17																																																																																																																																	
	Harmonic																																																																																																																																	
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																																																																																																																	
ANT	4+3																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>58.76</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>207</td><td>58 PEAK</td></tr><tr><td>2 13390.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>49.08</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>207</td><td>58 Average</td></tr><tr><td>3 20085.00</td><td>30.11</td><td>74.00</td><td>-43.89</td><td>32.74</td><td>37.53</td><td>22.43</td><td>53.05</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	53.92	74.00	-20.08	58.76	40.10	20.53	66.42	0.95	207	58 PEAK	2 13390.00	44.24	54.00	-9.76	49.08	40.10	20.53	66.42	0.95	207	58 Average	3 20085.00	30.11	74.00	-43.89	32.74	37.53	22.43	53.05	-9.54	--	-- Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>59.32</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>135</td><td>129 PEAK</td></tr><tr><td>2 13390.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>49.67</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>135</td><td>129 Average</td></tr><tr><td>3 20085.00</td><td>31.28</td><td>74.00</td><td>-42.72</td><td>33.91</td><td>37.53</td><td>22.43</td><td>53.05</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	54.48	74.00	-19.52	59.32	40.10	20.53	66.42	0.95	135	129 PEAK	2 13390.00	44.83	54.00	-9.17	49.67	40.10	20.53	66.42	0.95	135	129 Average	3 20085.00	31.28	74.00	-42.72	33.91	37.53	22.43	53.05	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13390.00	53.92	74.00	-20.08	58.76	40.10	20.53	66.42	0.95	207	58 PEAK																																																																																																																								
2 13390.00	44.24	54.00	-9.76	49.08	40.10	20.53	66.42	0.95	207	58 Average																																																																																																																								
3 20085.00	30.11	74.00	-43.89	32.74	37.53	22.43	53.05	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13390.00	54.48	74.00	-19.52	59.32	40.10	20.53	66.42	0.95	135	129 PEAK																																																																																																																								
2 13390.00	44.83	54.00	-9.17	49.67	40.10	20.53	66.42	0.95	135	129 Average																																																																																																																								
3 20085.00	31.28	74.00	-42.72	33.91	37.53	22.43	53.05	-9.54	--	-- Peak																																																																																																																								





Mode	17	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	17	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	18																																						
	Band Edge																																						
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																						
ANT	4+3																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6855.00</td><td>111.70</td><td>-----</td><td>96.58</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>348 16 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6855.00	111.70	-----	96.58	36.10	12.88	33.86	0.00	348 16 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6855.00	111.70	-----	96.58	36.10	12.88	33.86	0.00	348 16 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6855.00</td><td>104.63</td><td>-----</td><td>89.50</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td><td>348 16 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6855.00	104.63	-----	89.50	36.10	12.89	33.86	0.00	348 16 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6855.00	104.63	-----	89.50	36.10	12.89	33.86	0.00	348 16 AVERAGE																														







Mode	18																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																																				
ANT	4+3																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>107.28</td><td>-----</td><td>92.15</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td><td>268</td><td>350</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	107.28	-----	92.15	36.10	12.89	33.86	0.00	268	350	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6855.00	107.28	-----	92.15	36.10	12.89	33.86	0.00	268	350	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>100.62</td><td>-----</td><td>85.49</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td><td>268</td><td>350</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	100.62	-----	85.49	36.10	12.89	33.86	0.00	268	350	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6855.00	100.62	-----	85.49	36.10	12.89	33.86	0.00	268	350	AVERAGE																																										





Mode	18																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>53.38</td><td>88.20</td><td>-34.82</td><td>57.90</td><td>40.40</td><td>20.57</td><td>66.52</td><td>1.03</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>30.30</td><td>74.00</td><td>-43.70</td><td>32.13</td><td>37.76</td><td>22.74</td><td>52.79</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	53.38	88.20	-34.82	57.90	40.40	20.57	66.52	1.03	--	PEAK	2	20565.00	30.30	74.00	-43.70	32.13	37.76	22.74	52.79	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13710.00	53.38	88.20	-34.82	57.90	40.40	20.57	66.52	1.03	--	PEAK																																																							
2	20565.00	30.30	74.00	-43.70	32.13	37.76	22.74	52.79	-9.54	--	Peak																																																							





Mode	18	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	18	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	19																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>110.09</td><td>-----</td><td>-----</td><td>95.99</td><td>35.74</td><td>12.22</td><td>33.86</td><td>0.00</td><td>387</td><td>42</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	110.09	-----	-----	95.99	35.74	12.22	33.86	0.00	387	42	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	110.09	-----	-----	95.99	35.74	12.22	33.86	0.00	387	42	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>100.94</td><td>-----</td><td>-----</td><td>86.91</td><td>35.69</td><td>12.20</td><td>33.86</td><td>0.00</td><td>387</td><td>42</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	100.94	-----	-----	86.91	35.69	12.20	33.86	0.00	387	42	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	100.94	-----	-----	86.91	35.69	12.20	33.86	0.00	387	42	AVERAGE																																		



Mode	19																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6565.00</td><td>106.69</td><td>-----</td><td>-----</td><td>92.66</td><td>35.69</td><td>12.20</td><td>33.86</td><td>0.00 287 350 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6565.00	106.69	-----	-----	92.66	35.69	12.20	33.86	0.00 287 350 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6565.00	106.69	-----	-----	92.66	35.69	12.20	33.86	0.00 287 350 PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6565.00</td><td>100.00</td><td>-----</td><td>-----</td><td>85.90</td><td>35.74</td><td>12.22</td><td>33.86</td><td>0.00 287 350 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6565.00	100.00	-----	-----	85.90	35.74	12.22	33.86	0.00 287 350 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6565.00	100.00	-----	-----	85.90	35.74	12.22	33.86	0.00 287 350 AVERAGE																																	





Mode	19																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.88</td><td>88.20</td><td>-34.32</td><td>59.53</td><td>39.66</td><td>20.64</td><td>66.83</td><td>0.88</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>30.44</td><td>74.00</td><td>-43.56</td><td>33.41</td><td>37.50</td><td>22.29</td><td>53.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.88	88.20	-34.32	59.53	39.66	20.64	66.83	0.88	--	PEAK	2	19695.00	30.44	74.00	-43.56	33.41	37.50	22.29	53.22	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13130.00	53.88	88.20	-34.32	59.53	39.66	20.64	66.83	0.88	--	PEAK																																																							
2	19695.00	30.44	74.00	-43.56	33.41	37.50	22.29	53.22	-9.54	--	Peak																																																							
Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.91</td><td>88.20</td><td>-34.29</td><td>59.56</td><td>39.66</td><td>20.64</td><td>66.83</td><td>0.88</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>30.05</td><td>74.00</td><td>-43.95</td><td>33.02</td><td>37.50</td><td>22.29</td><td>53.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.91	88.20	-34.29	59.56	39.66	20.64	66.83	0.88	--	PEAK	2	19695.00	30.05	74.00	-43.95	33.02	37.50	22.29	53.22	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13130.00	53.91	88.20	-34.29	59.56	39.66	20.64	66.83	0.88	--	PEAK																																																							
2	19695.00	30.05	74.00	-43.95	33.02	37.50	22.29	53.22	-9.54	--	Peak																																																							





Mode	19	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	19	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	20																																																		
	Band Edge																																																		
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																																		
ANT	4+3																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>108.88</td><td>-----</td><td>94.04</td><td>36.17</td><td>12.53</td><td>33.86</td><td>0.00</td><td>256</td><td>65 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	108.88	-----	94.04	36.17	12.53	33.86	0.00	256	65 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6685.00	108.88	-----	94.04	36.17	12.53	33.86	0.00	256	65 PEAK																																									
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>101.13</td><td>-----</td><td>86.29</td><td>36.17</td><td>12.53</td><td>33.86</td><td>0.00</td><td>256</td><td>65 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	101.13	-----	86.29	36.17	12.53	33.86	0.00	256	65 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6685.00	101.13	-----	86.29	36.17	12.53	33.86	0.00	256	65 AVERAGE																																									



Mode	20																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>106.76</td><td>-----</td><td>-----</td><td>91.92</td><td>36.17</td><td>12.53</td><td>33.86</td><td>0.00</td><td>278</td><td>355</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	106.76	-----	-----	91.92	36.17	12.53	33.86	0.00	278	355	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6685.00	106.76	-----	-----	91.92	36.17	12.53	33.86	0.00	278	355	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>99.22</td><td>-----</td><td>-----</td><td>84.35</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>278</td><td>355</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	99.22	-----	-----	84.35	36.18	12.55	33.86	0.00	278	355	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6685.00	99.22	-----	-----	84.35	36.18	12.55	33.86	0.00	278	355	AVERAGE																																		





Mode	20																																																																																																																																															
	Harmonic																																																																																																																																															
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																																																																																																																															
ANT	4+3																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>58.06</td><td>40.10</td><td>20.54</td><td>66.45</td><td>0.94</td><td>211</td><td>60</td><td>PEAK</td></tr><tr><td>2 13370.00</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>49.32</td><td>40.10</td><td>20.54</td><td>66.45</td><td>0.94</td><td>211</td><td>60</td><td>Average</td></tr><tr><td>3 20055.00</td><td>31.47</td><td>74.00</td><td>-42.53</td><td>34.08</td><td>37.59</td><td>22.41</td><td>53.07</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13370.00	53.99	74.00	-20.01	58.06	40.10	20.54	66.45	0.94	211	60	PEAK	2 13370.00	44.45	54.00	-9.55	49.32	40.10	20.54	66.45	0.94	211	60	Average	3 20055.00	31.47	74.00	-42.53	34.08	37.59	22.41	53.07	-9.54	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>58.08</td><td>40.10</td><td>20.54</td><td>66.45</td><td>0.94</td><td>136</td><td>125</td><td>PEAK</td></tr><tr><td>2 13370.00</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>49.17</td><td>40.10</td><td>20.54</td><td>66.45</td><td>0.94</td><td>136</td><td>125</td><td>Average</td></tr><tr><td>3 20055.00</td><td>30.65</td><td>74.00</td><td>-43.35</td><td>33.26</td><td>37.59</td><td>22.41</td><td>53.07</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13370.00	53.21	74.00	-20.79	58.08	40.10	20.54	66.45	0.94	136	125	PEAK	2 13370.00	44.30	54.00	-9.70	49.17	40.10	20.54	66.45	0.94	136	125	Average	3 20055.00	30.65	74.00	-43.35	33.26	37.59	22.41	53.07	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 13370.00	53.99	74.00	-20.01	58.06	40.10	20.54	66.45	0.94	211	60	PEAK																																																																																																																																					
2 13370.00	44.45	54.00	-9.55	49.32	40.10	20.54	66.45	0.94	211	60	Average																																																																																																																																					
3 20055.00	31.47	74.00	-42.53	34.08	37.59	22.41	53.07	-9.54	--	--	PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 13370.00	53.21	74.00	-20.79	58.08	40.10	20.54	66.45	0.94	136	125	PEAK																																																																																																																																					
2 13370.00	44.30	54.00	-9.70	49.17	40.10	20.54	66.45	0.94	136	125	Average																																																																																																																																					
3 20055.00	30.65	74.00	-43.35	33.26	37.59	22.41	53.07	-9.54	--	--	PEAK																																																																																																																																					





Mode	20	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	20	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	21																																												
	Band Edge																																												
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																												
ANT	4+3																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>110.54</td><td>-----</td><td>-----</td><td>95.43</td><td>36.10</td><td>12.87</td><td>33.86</td><td>0.00</td><td>358</td><td>21 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	110.54	-----	-----	95.43	36.10	12.87	33.86	0.00	358	21 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6845.00	110.54	-----	-----	95.43	36.10	12.87	33.86	0.00	358	21 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>101.76</td><td>-----</td><td>-----</td><td>86.64</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>358</td><td>21 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	101.76	-----	-----	86.64	36.10	12.88	33.86	0.00	358	21 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6845.00	101.76	-----	-----	86.64	36.10	12.88	33.86	0.00	358	21 AVERAGE																																		



Mode	21																																						
	Band Edge																																						
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																						
ANT	4+3																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6845.00</td><td>104.97</td><td>-----</td><td>89.85</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>281 348 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6845.00	104.97	-----	89.85	36.10	12.88	33.86	0.00	281 348 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6845.00	104.97	-----	89.85	36.10	12.88	33.86	0.00	281 348 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6845.00</td><td>98.05</td><td>-----</td><td>82.93</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>281 348 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6845.00	98.05	-----	82.93	36.10	12.88	33.86	0.00	281 348 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6845.00	98.05	-----	82.93	36.10	12.88	33.86	0.00	281 348 AVERAGE																														





Mode	21																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>52.84</td><td>88.20</td><td>-35.36</td><td>57.36</td><td>40.38</td><td>20.56</td><td>66.49</td><td>1.03</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>30.64</td><td>74.00</td><td>-43.36</td><td>32.48</td><td>37.73</td><td>22.76</td><td>52.79</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	52.84	88.20	-35.36	57.36	40.38	20.56	66.49	1.03	--	PEAK	2	20535.00	30.64	74.00	-43.36	32.48	37.73	22.76	52.79	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13690.00	52.84	88.20	-35.36	57.36	40.38	20.56	66.49	1.03	--	PEAK																																																							
2	20535.00	30.64	74.00	-43.36	32.48	37.73	22.76	52.79	-9.54	--	PEAK																																																							





Mode	21	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	21	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	22																																																
	Band Edge																																																
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																																
ANT	4+3																																																
Pol.	Horizontal					Fundamental																																											
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6625.00</td><td>107.26</td><td>-----</td><td>92.71</td><td>36.05</td><td>12.36</td><td>33.86</td><td>0.00</td><td>287 287 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6625.00	107.26	-----	92.71	36.05	12.36	33.86	0.00	287 287 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																								
1	6625.00	107.26	-----	92.71	36.05	12.36	33.86	0.00	287 287 PEAK																																								
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6625.00</td><td>99.04</td><td>-----</td><td>84.52</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>287 287 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6625.00	99.04	-----	84.52	36.03	12.35	33.86	0.00	287 287 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																								
1	6625.00	99.04	-----	84.52	36.03	12.35	33.86	0.00	287 287 AVERAGE																																								



Mode	22																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>104.59</td><td>-----</td><td>90.07</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>297 356 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	104.59	-----	90.07	36.03	12.35	33.86	0.00	297 356 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6625.00	104.59	-----	90.07	36.03	12.35	33.86	0.00	297 356 PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>97.09</td><td>-----</td><td>82.57</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>297 356 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	97.09	-----	82.57	36.03	12.35	33.86	0.00	297 356 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6625.00	97.09	-----	82.57	36.03	12.35	33.86	0.00	297 356 AVERAGE																																	





Mode	22																																																																																																																																																
	Harmonic																																																																																																																																																
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																																																																																																																																
ANT	4+3																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>59.54</td><td>39.00</td><td>20.59</td><td>66.64</td><td>0.91</td><td>205</td><td>56</td><td>PEAK</td></tr><tr><td>2 13250.00</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>49.77</td><td>39.00</td><td>20.59</td><td>66.64</td><td>0.91</td><td>205</td><td>56</td><td>Average</td></tr><tr><td>3 19875.00</td><td>31.11</td><td>74.00</td><td>-42.89</td><td>33.82</td><td>37.65</td><td>22.33</td><td>53.15</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13250.00	54.20	74.00	-19.80	59.54	39.00	20.59	66.64	0.91	205	56	PEAK	2 13250.00	44.43	54.00	-9.57	49.77	39.00	20.59	66.64	0.91	205	56	Average	3 19875.00	31.11	74.00	-42.89	33.82	37.65	22.33	53.15	-9.54	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>50.66</td><td>39.00</td><td>20.59</td><td>66.64</td><td>0.91</td><td>130</td><td>117</td><td>PEAK</td></tr><tr><td>2 13250.00</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>48.92</td><td>39.00</td><td>20.59</td><td>66.64</td><td>0.91</td><td>130</td><td>117</td><td>Average</td></tr><tr><td>3 19875.00</td><td>30.89</td><td>74.00</td><td>-43.11</td><td>33.60</td><td>37.65</td><td>22.33</td><td>53.15</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13250.00	53.32	74.00	-20.68	50.66	39.00	20.59	66.64	0.91	130	117	PEAK	2 13250.00	43.58	54.00	-10.42	48.92	39.00	20.59	66.64	0.91	130	117	Average	3 19875.00	30.89	74.00	-43.11	33.60	37.65	22.33	53.15	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13250.00	54.20	74.00	-19.80	59.54	39.00	20.59	66.64	0.91	205	56	PEAK																																																																																																																																						
2 13250.00	44.43	54.00	-9.57	49.77	39.00	20.59	66.64	0.91	205	56	Average																																																																																																																																						
3 19875.00	31.11	74.00	-42.89	33.82	37.65	22.33	53.15	-9.54	--	--	PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13250.00	53.32	74.00	-20.68	50.66	39.00	20.59	66.64	0.91	130	117	PEAK																																																																																																																																						
2 13250.00	43.58	54.00	-10.42	48.92	39.00	20.59	66.64	0.91	130	117	Average																																																																																																																																						
3 19875.00	30.89	74.00	-43.11	33.60	37.65	22.33	53.15	-9.54	--	--	PEAK																																																																																																																																						





Mode	22	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	22	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	23																																																			
	Band Edge																																																			
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																																			
ANT	4+3																																																			
Pol.	Horizontal					Fundamental																																														
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>106.26</td><td>-----</td><td>91.36</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>326</td><td>40</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6705.00	106.26	-----	91.36	36.20	12.56	33.86	0.00	326	40	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	6705.00	106.26	-----	91.36	36.20	12.56	33.86	0.00	326	40	PEAK																																									
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>98.00</td><td>-----</td><td>83.16</td><td>36.17</td><td>12.61</td><td>33.86</td><td>0.00</td><td>326</td><td>40</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6705.00	98.00	-----	83.16	36.17	12.61	33.86	0.00	326	40	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	6705.00	98.00	-----	83.16	36.17	12.61	33.86	0.00	326	40	AVERAGE																																									



Mode	23																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>104.73</td><td>-----</td><td>-----</td><td>89.81</td><td>36.18</td><td>12.60</td><td>33.86</td><td>0.00</td><td>278</td><td>349</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	104.73	-----	-----	89.81	36.18	12.60	33.86	0.00	278	349	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6705.00	104.73	-----	-----	89.81	36.18	12.60	33.86	0.00	278	349	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>97.36</td><td>-----</td><td>-----</td><td>82.49</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>278</td><td>349</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	97.36	-----	-----	82.49	36.18	12.55	33.86	0.00	278	349	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6705.00	97.36	-----	-----	82.49	36.18	12.55	33.86	0.00	278	349	AVERAGE																																		





Mode	23																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>55.15</td><td>88.20</td><td>-33.05</td><td>59.09</td><td>40.16</td><td>20.53</td><td>66.38</td><td>0.95</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>30.97</td><td>74.00</td><td>-43.03</td><td>33.58</td><td>37.50</td><td>22.46</td><td>53.03</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	55.15	88.20	-33.05	59.09	40.16	20.53	66.38	0.95	--	PEAK	2	20115.00	30.97	74.00	-43.03	33.58	37.50	22.46	53.03	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13410.00	55.15	88.20	-33.05	59.09	40.16	20.53	66.38	0.95	--	PEAK																																																							
2	20115.00	30.97	74.00	-43.03	33.58	37.50	22.46	53.03	-9.54	--	Peak																																																							





Mode	23	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	23	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	24																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>105.48</td><td>-----</td><td>-----</td><td>90.46</td><td>36.10</td><td>12.78</td><td>33.86</td><td>0.00</td><td>298</td><td>45</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	105.48	-----	-----	90.46	36.10	12.78	33.86	0.00	298	45	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	105.48	-----	-----	90.46	36.10	12.78	33.86	0.00	298	45	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>97.81</td><td>-----</td><td>-----</td><td>82.75</td><td>36.10</td><td>12.82</td><td>33.86</td><td>0.00</td><td>298</td><td>45</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	97.81	-----	-----	82.75	36.10	12.82	33.86	0.00	298	45	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	97.81	-----	-----	82.75	36.10	12.82	33.86	0.00	298	45	AVERAGE																																		



Mode	24																																														
	Band Edge																																														
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																														
ANT	4+3																																														
Pol.	Vertical	Fundamental																																													
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 6785.00</td><td>102.48</td><td>-----</td><td>-----</td><td>87.46</td><td>36.10</td><td>12.78</td><td>33.86</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>263 345 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6785.00	102.48	-----	-----	87.46	36.10	12.78	33.86	0.00									263 345 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 6785.00	102.48	-----	-----	87.46	36.10	12.78	33.86	0.00																																							
								263 345 PEAK																																							
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 6785.00</td><td>96.10</td><td>-----</td><td>-----</td><td>81.10</td><td>36.10</td><td>12.76</td><td>33.86</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>263 345 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6785.00	96.10	-----	-----	81.10	36.10	12.76	33.86	0.00									263 345 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 6785.00	96.10	-----	-----	81.10	36.10	12.76	33.86	0.00																																							
								263 345 AVERAGE																																							





Mode	24																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>54.35</td><td>88.20</td><td>-33.85</td><td>58.55</td><td>40.62</td><td>20.52</td><td>66.33</td><td>0.99</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20355.00</td><td>29.36</td><td>74.00</td><td>-44.64</td><td>31.41</td><td>37.72</td><td>22.66</td><td>52.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	54.35	88.20	-33.85	58.55	40.62	20.52	66.33	0.99	--	PEAK	2	20355.00	29.36	74.00	-44.64	31.41	37.72	22.66	52.89	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	13570.00	54.35	88.20	-33.85	58.55	40.62	20.52	66.33	0.99	--	PEAK																																																							
2	20355.00	29.36	74.00	-44.64	31.41	37.72	22.66	52.89	-9.54	--	Peak																																																							





Mode	24	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	24	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL







Mode	25																																																																																																																																																																																																																								
	LF																																																																																																																																																																																																																								
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																																																																																								
ANT	4+3																																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																																		
QPI/ Peak																																																																																																																																																																																																																									
	Site : 03CH12-HY Condition: QP 3m Bilog_37059_20231103 HORIZONTAL						Site : 03CH12-HY Condition: QP 3m Bilog_37059_20231103 VERTICAL																																																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>44.55</td><td>24.96</td><td>40.00</td><td>-15.04</td><td>35.90</td><td>17.48</td><td>1.24</td><td>29.67</td><td>0.01</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>200.72</td><td>35.89</td><td>43.50</td><td>-7.61</td><td>48.13</td><td>15.04</td><td>2.41</td><td>29.79</td><td>0.10</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>271.53</td><td>33.07</td><td>46.00</td><td>-12.93</td><td>40.90</td><td>18.90</td><td>2.73</td><td>29.62</td><td>0.16</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>274.44</td><td>34.17</td><td>46.00</td><td>-11.83</td><td>42.05</td><td>18.81</td><td>2.75</td><td>29.61</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>733.25</td><td>38.84</td><td>46.00</td><td>-7.16</td><td>34.88</td><td>28.08</td><td>4.51</td><td>28.96</td><td>0.33</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>896.21</td><td>38.38</td><td>46.00</td><td>-7.62</td><td>32.72</td><td>29.12</td><td>4.72</td><td>28.52</td><td>0.34</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	44.55	24.96	40.00	-15.04	35.90	17.48	1.24	29.67	0.01	--	Peak	2	200.72	35.89	43.50	-7.61	48.13	15.04	2.41	29.79	0.10	--	Peak	3	271.53	33.07	46.00	-12.93	40.90	18.90	2.73	29.62	0.16	--	Peak	4	274.44	34.17	46.00	-11.83	42.05	18.81	2.75	29.61	0.17	--	Peak	5	733.25	38.84	46.00	-7.16	34.88	28.08	4.51	28.96	0.33	--	Peak	6	896.21	38.38	46.00	-7.62	32.72	29.12	4.72	28.52	0.34	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>44.55</td><td>32.68</td><td>40.00</td><td>-7.32</td><td>43.62</td><td>17.48</td><td>1.24</td><td>29.67</td><td>0.01</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>93.05</td><td>33.37</td><td>43.50</td><td>-10.13</td><td>46.16</td><td>15.36</td><td>1.69</td><td>29.91</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>263.77</td><td>28.39</td><td>46.00</td><td>-17.61</td><td>35.17</td><td>20.04</td><td>2.68</td><td>29.64</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>276.38</td><td>28.00</td><td>46.00</td><td>-18.00</td><td>35.90</td><td>18.78</td><td>2.76</td><td>29.61</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>707.06</td><td>38.94</td><td>46.00</td><td>-7.06</td><td>36.48</td><td>26.83</td><td>4.32</td><td>29.00</td><td>0.31</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>901.06</td><td>39.05</td><td>46.00</td><td>-6.95</td><td>33.30</td><td>29.19</td><td>4.73</td><td>28.51</td><td>0.34</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	44.55	32.68	40.00	-7.32	43.62	17.48	1.24	29.67	0.01	--	Peak	2	93.05	33.37	43.50	-10.13	46.16	15.36	1.69	29.91	0.07	--	Peak	3	263.77	28.39	46.00	-17.61	35.17	20.04	2.68	29.64	0.14	--	Peak	4	276.38	28.00	46.00	-18.00	35.90	18.78	2.76	29.61	0.17	--	Peak	5	707.06	38.94	46.00	-7.06	36.48	26.83	4.32	29.00	0.31	--	Peak	6	901.06	39.05	46.00	-6.95	33.30	29.19	4.73	28.51	0.34	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	44.55	24.96	40.00	-15.04	35.90	17.48	1.24	29.67	0.01	--	Peak																																																																																																																																																																																																														
2	200.72	35.89	43.50	-7.61	48.13	15.04	2.41	29.79	0.10	--	Peak																																																																																																																																																																																																														
3	271.53	33.07	46.00	-12.93	40.90	18.90	2.73	29.62	0.16	--	Peak																																																																																																																																																																																																														
4	274.44	34.17	46.00	-11.83	42.05	18.81	2.75	29.61	0.17	--	Peak																																																																																																																																																																																																														
5	733.25	38.84	46.00	-7.16	34.88	28.08	4.51	28.96	0.33	--	Peak																																																																																																																																																																																																														
6	896.21	38.38	46.00	-7.62	32.72	29.12	4.72	28.52	0.34	--	Peak																																																																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	44.55	32.68	40.00	-7.32	43.62	17.48	1.24	29.67	0.01	--	Peak																																																																																																																																																																																																														
2	93.05	33.37	43.50	-10.13	46.16	15.36	1.69	29.91	0.07	--	Peak																																																																																																																																																																																																														
3	263.77	28.39	46.00	-17.61	35.17	20.04	2.68	29.64	0.14	--	Peak																																																																																																																																																																																																														
4	276.38	28.00	46.00	-18.00	35.90	18.78	2.76	29.61	0.17	--	Peak																																																																																																																																																																																																														
5	707.06	38.94	46.00	-7.06	36.48	26.83	4.32	29.00	0.31	--	Peak																																																																																																																																																																																																														
6	901.06	39.05	46.00	-6.95	33.30	29.19	4.73	28.51	0.34	--	Peak																																																																																																																																																																																																														







Mode	26	
	SHF	
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL







Mode	27																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																																																
ANT	4+3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.67</td><td>55.73</td><td>88.20</td><td>-32.47</td><td>43.46</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>155</td><td>21 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	55.73	88.20	-32.47	43.46	34.30	11.56	33.59	0.00	155	21 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.60</td><td>-----</td><td>-----</td><td>97.28</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>155</td><td>21 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.60	-----	-----	97.28	34.30	11.64	33.62	0.00	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.67	55.73	88.20	-32.47	43.46	34.30	11.56	33.59	0.00	155	21 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	109.60	-----	-----	97.28	34.30	11.64	33.62	0.00	155	21 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.88</td><td>47.20</td><td>68.20</td><td>-21.00</td><td>34.95</td><td>34.30</td><td>11.53</td><td>33.58</td><td>0.00</td><td>155</td><td>21 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.88	47.20	68.20	-21.00	34.95	34.30	11.53	33.58	0.00	155	21 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.18</td><td>-----</td><td>-----</td><td>90.86</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>155</td><td>21 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.18	-----	-----	90.86	34.30	11.64	33.62	0.00	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5912.88	47.20	68.20	-21.00	34.95	34.30	11.53	33.58	0.00	155	21 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	103.18	-----	-----	90.86	34.30	11.64	33.62	0.00	155	21 AVERAGE																																																																																						







Mode	27																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5826.56</td><td>56.11</td><td>88.20</td><td>-32.09</td><td>44.31</td><td>34.05</td><td>11.25</td><td>33.50</td><td>0.00</td><td>400</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5826.56	56.11	88.20	-32.09	44.31	34.05	11.25	33.50	0.00	400	179	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.98</td><td>-----</td><td>-----</td><td>93.66</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>400</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.98	-----	-----	93.66	34.30	11.64	33.62	0.00	400	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5826.56	56.11	88.20	-32.09	44.31	34.05	11.25	33.50	0.00	400	179	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	105.98	-----	-----	93.66	34.30	11.64	33.62	0.00	400	179	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5882.33</td><td>46.20</td><td>68.20</td><td>-22.00</td><td>34.09</td><td>34.23</td><td>11.43</td><td>33.55</td><td>0.00</td><td>400</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.33	46.20	68.20	-22.00	34.09	34.23	11.43	33.55	0.00	400	179	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.25</td><td>-----</td><td>-----</td><td>86.93</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>400</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.25	-----	-----	86.93	34.30	11.64	33.62	0.00	400	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5882.33	46.20	68.20	-22.00	34.09	34.23	11.43	33.55	0.00	400	179	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.25	-----	-----	86.93	34.30	11.64	33.62	0.00	400	179	AVERAGE																																																																																							







Mode	28																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																															
ANT	4+3																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.38</td><td>59.45</td><td>88.20</td><td>-28.75</td><td>47.19</td><td>34.30</td><td>11.55</td><td>33.59</td><td>0.00</td><td>146</td><td>24 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.38	59.45	88.20	-28.75	47.19	34.30	11.55	33.59	0.00	146	24 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.49</td><td>-----</td><td>-----</td><td>98.17</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>146</td><td>24 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.49	-----	-----	98.17	34.30	11.64	33.62	0.00	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5919.38	59.45	88.20	-28.75	47.19	34.30	11.55	33.59	0.00	146	24 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	110.49	-----	-----	98.17	34.30	11.64	33.62	0.00	146	24 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.17</td><td>49.26</td><td>68.20</td><td>-18.94</td><td>37.01</td><td>34.30</td><td>11.54</td><td>33.59</td><td>0.00</td><td>146</td><td>24 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.17	49.26	68.20	-18.94	37.01	34.30	11.54	33.59	0.00	146	24 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.41</td><td>-----</td><td>-----</td><td>91.09</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>146</td><td>24 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.41	-----	-----	91.09	34.30	11.64	33.62	0.00	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5917.17	49.26	68.20	-18.94	37.01	34.30	11.54	33.59	0.00	146	24 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	103.41	-----	-----	91.09	34.30	11.64	33.62	0.00	146	24 AVERAGE																																																																																					







Mode	28																																																																																																					
	Band Edge																																																																																																					
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																																					
ANT	4+3																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																															
Avg																																																																																																						
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.31</td><td>56.42</td><td>88.20</td><td>-31.78</td><td>44.17</td><td>34.30</td><td>11.53</td><td>33.58</td><td>0.00</td><td>287</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.31	56.42	88.20	-31.78	44.17	34.30	11.53	33.58	0.00	287	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.85</td><td>-----</td><td>-----</td><td>94.53</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>287</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.85	-----	-----	94.53	34.30	11.64	33.62	0.00	287	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5914.31	56.42	88.20	-31.78	44.17	34.30	11.53	33.58	0.00	287	0 PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	106.85	-----	-----	94.53	34.30	11.64	33.62	0.00	287	0 PEAK																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.30</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>35.07</td><td>34.30</td><td>11.54</td><td>33.59</td><td>0.00</td><td>287</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.30	47.32	68.20	-20.88	35.07	34.30	11.54	33.59	0.00	287	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.51</td><td>-----</td><td>-----</td><td>86.19</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>287</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.51	-----	-----	86.19	34.30	11.64	33.62	0.00	287	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5917.30	47.32	68.20	-20.88	35.07	34.30	11.54	33.59	0.00	287	0 AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	98.51	-----	-----	86.19	34.30	11.64	33.62	0.00	287	0 AVERAGE																																																																																											



Mode	29																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																															
ANT	4+3																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>74.15</td><td>88.20</td><td>-14.05</td><td>61.87</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>147</td><td>19 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	74.15	88.20	-14.05	61.87	34.30	11.57	33.59	0.00	147	19 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>112.37</td><td>-----</td><td>-----</td><td>100.05</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>147</td><td>19 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.37	-----	-----	100.05	34.30	11.64	33.62	0.00	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.97	74.15	88.20	-14.05	61.87	34.30	11.57	33.59	0.00	147	19 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	112.37	-----	-----	100.05	34.30	11.64	33.62	0.00	147	19 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>45.28</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>147</td><td>19 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	57.55	68.20	-10.65	45.28	34.30	11.56	33.59	0.00	147	19 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.98</td><td>-----</td><td>-----</td><td>91.65</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>147</td><td>19 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.98	-----	-----	91.65	34.29	11.66	33.62	0.00	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.45	57.55	68.20	-10.65	45.28	34.30	11.56	33.59	0.00	147	19 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	103.98	-----	-----	91.65	34.29	11.66	33.62	0.00	147	19 AVERAGE																																																																																					



Mode	29																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																															
ANT	4+3																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.50</td><td>65.93</td><td>88.20</td><td>-22.27</td><td>53.66</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.50	65.93	88.20	-22.27	53.66	34.30	11.56	33.59	0.00	300	0 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.00</td><td>-----</td><td>-----</td><td>95.68</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.00	-----	-----	95.68	34.30	11.64	33.62	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5922.50	65.93	88.20	-22.27	53.66	34.30	11.56	33.59	0.00	300	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	108.00	-----	-----	95.68	34.30	11.64	33.62	0.00	300	0 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>53.94</td><td>68.20</td><td>-14.26</td><td>41.66</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	53.94	68.20	-14.26	41.66	34.30	11.57	33.59	0.00	300	0 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.65</td><td>-----</td><td>-----</td><td>87.32</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.65	-----	-----	87.32	34.29	11.66	33.62	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.97	53.94	68.20	-14.26	41.66	34.30	11.57	33.59	0.00	300	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	99.65	-----	-----	87.32	34.29	11.66	33.62	0.00	300	0 AVERAGE																																																																																					




Appendix D. Duty Cycle Plots

<For Radiated Spurious Emission test>


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
4+3	6GHz 802.11a	93.44	1425	0.70	1kHz
4+3	6GHz 802.11ax HE20 Full RU	91.19	1035	0.97	1kHz
4+3	6GHz 802.11ax HE20 26 RU	97.88	1617	0.62	1kHz
4+3	6GHz 802.11ax HE20 52 RU	97.98	1458	0.69	1kHz
4+3	6GHz 802.11ax HE20 106 RU	97.60	1302	0.77	1kHz
4+3	6GHz 802.11ax HE40 Full RU	90.99	1010	0.99	1kHz
4+3	6GHz 802.11ax HE80 Full RU	86.39	730	1.37	3kHz

MIMO <Ant. 4+3>







6GHz 802.11ax HE20 26 RU




6GHz 802.11ax HE20 52 RU




6GHz 802.11ax HE20 106 RU



6GHz 802.11ax HE40 Full RU



6GHz 802.11ax HE80 Full RU






<For Conducted test>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
4+3	802.11a for Ant 4	93.72	1432	0.28
4+3	802.11a for Ant 3	93.46	1430	0.29
4+3	6GHz 802.11ax HE20 Full RU for Ant 4	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 Full RU for Ant 3	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 26 RU for Ant 4	89.47	850	0.48
4+3	6GHz 802.11ax HE20 26 RU for Ant 3	89.47	850	0.48
4+3	6GHz 802.11ax HE20 52 RU for Ant 4	88.57	775	0.53
4+3	6GHz 802.11ax HE20 52 RU for Ant 3	88.57	775	0.53
4+3	6GHz 802.11ax HE20 106 RU for Ant 4	87.42	695	0.58
4+3	6GHz 802.11ax HE20 106 RU for Ant 3	87.34	690	0.59
4+3	6GHz 802.11ax HE40 Full RU for Ant 4	91.11	1025	0.40
4+3	6GHz 802.11ax HE40 Full RU for Ant 3	91.15	1030	0.40
4+3	6GHz 802.11ax HE80 Full RU for Ant 4	88.24	750	0.54
4+3	6GHz 802.11ax HE80 Full RU for Ant 3	88.24	750	0.54

MIMO <Ant. 4>



—THE END—



Appendix E. Spot Check Evaluation on GTF7P, G3Y12

Conducted power test and radiated spurious emission test configurations were selected from the worst cases identified in the reference model and tested to demonstrate the test data from reference model remains representative for the variant model.

The deviation between the spot check and the referenced values is within 3dB, therefore data referencing is justified according to the guidance in the ECR inquiry

Test Item	Mode	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Conducted Power (dBm)	WWAN GPRS 850 Class 8 CH128	32.60	32.32	0.28
	WWAN GPRS 1900 Class 8 CH512	29.28	29.21	0.07
	WWAN WCDMA Band V RMC 12.2K CH4182	24.77	24.62	0.15
	WWAN LTE Band 5 10MHz 1RB0 QPSK Mid	24.72	24.71	0.01
	WWAN LTE Band 7 20MHz 1RB0 QPSK Mid	24.45	24.33	0.12
	WWAN LTE Band 12 10MHz 1RB0 QPSK Mid	24.66	24.66	0.00
	WWAN LTE Band 26 (90S) 5MHz 1RB0 QPSK High	24.70	24.65	0.05
	WWAN LTE Band 41 HPUE 15MHz 1RB37 QPSK Mid	26.43	26.36	0.07
	WWAN NR n5 10MHz 1RB1 QPSK Low	25.18	25.02	0.16
	WWAN NR n7 25MHz 1RB1 QPSK High	24.83	24.58	0.25
	WWAN NR n12 15MHz 36RB18 BPSK Low	24.88	24.84	0.04
	WWAN NR n26 5MHz 1RB23 QPSK Low	25.19	24.92	0.27
	WWAN NR n41 HPUE 100MHz 1RB1 QPSK Low	27.15	26.96	0.19
	WWAN NR n77 HPUE 50MHz 1RB1 QPSK Low	27.20	26.93	0.27

Test Item	Mode	ANT	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Conducted Power (dBm)	BT (BR 1Mbps CH39)	4	20.69	20.59	0.10
	BLE / BT EDR (BLE 2Mbps CH19)	4	20.20	20.16	0.04
	BLE CS GFSK_DTS (2Mbps CH38)	4	20.50	20.30	0.20
	BLE CS ASK_FHSS (2Mbps CH38)	4	20.29	20.12	0.17
	WiFi 2.4GHz (HE20 CH06 Full RU)	4+3	23.98	23.85	0.13
	WiFi 5GHz (11a CH169)	4+3	22.55	22.29	0.26
	WiFi 6GHz (11a CH049)	4+3	21.69	21.60	0.09



Test Item	Mode	ANT	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Field Strength (dBuV/m)	NFC 13.56MHz	-	25.45	23.86	1.59
Radiated Spurious Emission (dBuV/m)	NFC 13.56MHz	-	-3.19	-3.27	0.08
Radiated Spurious Emission (dBm)	WWAN GSM 850 CH189	0	-18.90	-21.23	2.33
	WWAN GSM 1900 CH512	2	-20.77	-22.79	2.02
	WWAN WCDMA Band V CH4132	0	-41.92	-43.94	2.02
	WWAN LTE Band 26 10MHz 1RB0 QPSK High	0	-32.45	-32.71	0.26
	WWAN LTE Band 7 10MHz 1RB0 QPSK High	0	-21.91	-23.47	1.56
	WWAN LTE Band 12 10MHz 1RB0 QPSK Low	1	-32.20	-33.22	1.02
	WWAN LTE Band 26 (90S) 15MHz 1RB0 QPSK Mid	0	-20.42	-22.30	1.88
	WWAN LTE Band 41 HPUE 10MHz 1RB0 QPSK Low	0	-10.25	-11.23	0.98
	WWAN NR n26 20MHz 1RB1 BPSK High	1	-29.65	-31.05	1.40
	WWAN NR n7 20MHz 1RB1 BPSK Low	0	-21.64	-21.87	0.23
	WWAN NR n12 10MHz 1RB1 BPSK Low	1	-35.23	-36.03	0.80
	WWAN NR n26 (90S) 15MHz 1RB1 BPSK Mid	1	-31.65	-33.29	1.64
	WWAN NR n41 20MHz 1RB1 BPSK Mid	2	-12.22	-14.37	2.15
	WWAN NR n77 HPUE (27Q) 20MHz 1RB1 BPSK Low	6	-20.74	-22.69	1.95
		2	-37.09	-39.98	2.89

Test Item	Mode	ANT	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Radiated Spurious Emission (dBuV/m)	BT (BR 1Mbps CH78)	4	-16.58	-19.44	2.86
	BLE / BT EDR (BLE 1Mbps CH39)	4	-4.11	-6.08	1.97
	BLE CS GFSK_DTS (2Mbps CH76)	3	-1.95	-2.16	0.21
	BLE CS ASK_FHSS (2Mbps CH76)	3	-10.53	-11.69	1.16
	WiFi 2.4GHz (HE20 CH12 Full RU)	4+3	-1.58	-2.78	1.20
	WiFi 5GHz (HE20 CH136 Full RU)	4+3	-1.52	-2.24	0.72
	WiFi 6GHz (11a CH001)	4+3	-1.89	-2.39	0.50

Note: BLE CS means BLE Channel Sounding.



Reference detail Section

Rule Part	Equipment Class	Wireless Technology	Rule Part & Frequency Band	Reference FCC ID (Parent)	Type Grant/ Permissive Change	Reference Exhibit	Full report referenced	FCC ID Filling (Variant)
15E	6CD	WiFi	§15.407 6GHz	A4RGXQ96	Original Grant	GXQ96_FCC Part 15E_WLAN B5_B7 Standard Client	Y	A4RGTF7P



List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
LOOP Antenna	Rohde & Schwarz	HFH2-Z2	100488	9 kHz~30 MHz	Sep. 12, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Sep. 11, 2024	Radiation (03CH21-HY)
Bilog Antenna	TESEQ & WOKEN	CBL 6111D & 00802N1D-06	63303 & 001	30MHz~1GHz	Oct. 15, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Oct. 14, 2024	Radiation (03CH21-HY)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00227880	1GHz~18GHz	Oct. 04, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Oct. 03, 2024	Radiation (03CH21-HY)
Double Ridged Guide Horn Antenna	RFSPIN	DRH18-E	LE2C03A18EN	1GHz~18GHz	Jul. 11, 2024	Aug. 08, 2024 ~ Aug. 12, 2024	Jul. 10, 2025	Radiation (03CH21-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	1223	18GHz~40GHz	Jun. 24, 2024	Aug. 08, 2024 ~ Aug. 12, 2024	Jun. 23, 2025	Radiation (03CH21-HY)
Amplifier	SONOMA	310N	421580	30MHz~1GHz	Jul. 14, 2024	Aug. 08, 2024 ~ Aug. 12, 2024	Jul. 13, 2025	Radiation (03CH21-HY)
Amplifier	EMEC	EM01G18GA	060876	1GHz~18GHz	Sep. 28, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Sep. 27, 2024	Radiation (03CH21-HY)
Preamplifier	EMEC	EM18G40G	060871	18GHz~40GHz	Aug. 30, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Aug. 29, 2024	Radiation (03CH21-HY)
Spectrum Analyzer	Keysight	N9010B	MY62170358	10Hz~44GHz	Aug. 28, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Aug. 27, 2024	Radiation (03CH21-HY)
Signal Generator	Rohde & Schwarz	SMW200A	111391	N/A	Jan. 23, 2024	Aug. 08, 2024 ~ Aug. 12, 2024	Jan. 22, 2025	Radiation (03CH21-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803951/2	9K~30M	Mar. 06, 2024	Aug. 08, 2024 ~ Aug. 12, 2024	Mar. 05, 2025	Radiation (03CH21-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	804397/2,804612/2,804614/2	30MHz~40GHz	Oct. 24, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Oct. 23, 2024	Radiation (03CH21-HY)
Hygrometer	TECPEL	DTM-303A	TP211568	N/A	Oct. 30, 2023	Aug. 08, 2024 ~ Aug. 12, 2024	Oct. 29, 2024	Radiation (03CH21-HY)
Controller	EMEC	EM 1000	N/A	Control Turn table & Ant Mast	N/A	Aug. 08, 2024 ~ Aug. 12, 2024	N/A	Radiation (03CH21-HY)
Antenna Mast	EMEC	AM-BS-4500-B	N/A	1~4m	N/A	Aug. 08, 2024 ~ Aug. 12, 2024	N/A	Radiation (03CH21-HY)
Turn Table	EMEC	TT 2000	N/A	0~360 Degree	N/A	Aug. 08, 2024 ~ Aug. 12, 2024	N/A	Radiation (03CH21-HY)
Software	Audix	E3 6.2009-8-24	RK-002349	N/A	N/A	Aug. 08, 2024 ~ Aug. 12, 2024	N/A	Radiation (03CH21-HY)
DC Power Supply	GW Instek	GPE2323	GET910884	0V~64V ;0A~6A	Nov. 16, 2023	Jul. 31, 2024~ Aug. 03, 2024	Nov. 15, 2024	Conducted (TH03-HY)
Signal Analyzer	Rohde & Schwarz	FSV3044	101049	10Hz~44GHz	Sep. 26, 2023	Jul. 31, 2024~ Aug. 03, 2024	Sep. 25, 2024	Conducted (TH03-HY)
Temperature Chamber	ESPEC	SU-241	92003713	-30℃ ~95℃	May 14, 2024	Jul. 31, 2024~ Aug. 03, 2024	May 13, 2025	Conducted (TH03-HY)
Hygrometer	TECPEL	DTM-303B	TP200886	NA	Mar. 14, 2024	Jul. 31, 2024~ Aug. 03, 2024	Mar. 13, 2025	Conducted (TH03-HY)
Base Station (Measure)	Anritsu	MT8000A	6262148275	FR1	Oct. 24, 2023	Jul. 31, 2024~ Aug. 03, 2024	Oct. 23, 2024	Conducted (TH03-HY)
Coupler	MVE	MVE-4816-10	A400024	N/A	Jun. 27, 2024	Jul. 31, 2024~ Aug. 03, 2024	Jun. 26, 2025	Conducted (TH03-HY)
Software 1	Sporton	FCC 5GNR_FSV3044_20231106	N/A	Conducted Test Item	N/A	Jul. 31, 2024~ Aug. 03, 2024	N/A	Conducted (TH03-HY)

————THE END————