

EXHIBIT 3**EXTERNAL PHOTOGRAPHS**

(Pursuant to FCC Part 2.1033(b)(7) and 2.1033(c)(12) and RSP 100 Annex C)

The following photographs are attached.

	<u>Exhibit</u>
1. Front View with O7 control head	3A
2. Front View with E5 control head	3B
3. Front View with O2 control head	3C
4. Front View with O5 control head	3D
5. Front view with O3 control head (Hand held)	3E
6. Back View	3F
7. View of FCC/IC label location	3G
8. Side view (Right)	3H
9. Side view (Left)	3I
10. Top view	3J
11. Bottom view	3K
12. Top view with microphone and rear accessory cable	3L



Exhibit 3A: Front view with O7 control head



Exhibit 3B: Front view with E5 control head



Exhibit 3C: Front view with O2 control head




Exhibit 3D: Front view with O5 control head



Exhibit 3E: Front view with O3 control head (Hand held)



Exhibit 3F: Back view



Exhibit 3G: View of FCC/IC Label Location (APX 1500/ APX 2500/ APX4500/ APX 6500/ APX6500Li)



Exhibit 3G: RF Exposure Label (Close View)



Exhibit 3H: Right view



Exhibit 3I: Left view



Exhibit 3J: Top view



Exhibit 3K: Bottom view



Exhibit 3L: Top view with microphone and rear accessory cable

Note:

1. Cables from the connector are wrapped and placed on the radio.
2. RF exposure label placed at the end of the Microphone cable.