







Plot 7-315. PSD SDM Antenna WF5T (20MHz BW 11ax Index 40 - RU52 - Ch.116)




Plot 7-318. PSD SDM Antenna WF2 (20MHz BW 11ax- RU242 - Ch.116)




Plot 7-316. PSD SDM Antenna WF2 (20MHz BW 11ax Index 40 - RU52 - Ch.116)



Plot 7-319. PSD SDM Antenna WF5T (40MHz BW 11ax Index 37 - RU52 - Ch.110)



Plot 7-317. PSD SDM Antenna WF5T (20MHz BW 11ax- RU242 - Ch.116)




Plot 7-320. PSD SDM Antenna WF2 (40MHz BW 11ax Index 37 - RU52 - Ch.110)


FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 132 of 274

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-321. PSD SDM Antenna WF5T (40MHz BW 11ax Index 40 - RU52 - Ch.110)




Plot 7-324. PSD SDM Antenna WF2 (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-322. PSD SDM Antenna WF2 (40MHz BW 11ax Index 40 - RU52 - Ch.110)



Plot 7-325. PSD CDD Antenna WF5T (40MHz BW 11ax - RU484 - Ch.110)



Plot 7-323. PSD SDM Antenna WF5T (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-326. PSD CDD Antenna WF2 (40MHz BW 11ax - RU484 - Ch.110)


FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 133 of 274

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-327. PSD SDM Antenna WF5T (80MHz BW 11ax Index 37 - RU52 - Ch.122)



Plot 7-330. PSD SDM Antenna WF2 (80MHz BW 11ax Index 44 - RU52 - Ch.122)




Plot 7-328. PSD SDM Antenna WF2 (80MHz BW 11ax Index 37 - RU52 - Ch.122)



Plot 7-331. PSD SDM Antenna WF5T (80MHz BW 11ax Index 52 - RU52 - Ch.122)



Plot 7-329. PSD SDM Antenna WF5T (80MHz BW 11ax Index 44 - RU52 - Ch.122)




Plot 7-332. PSD SDM Antenna WF2 (80MHz BW 11ax Index 52 - RU52 - Ch.122)


FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 134 of 274

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-333. PSD CDD Antenna WF5T (80MHz BW 11ax - RU996 - Ch.122)




Plot 7-336. PSD CDD Antenna WF2 (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))




Plot 7-334. PSD CDD Antenna WF2 (80MHz BW 11ax - RU996 - Ch.122)



Plot 7-337. PSD CDD Antenna WF5T (160MHz BW 11ax Index 44 - RU52 - Ch.114 (L))







Plot 7-335. PSD CDD Antenna WF5T (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))



Plot 7-338. PSD CDD Antenna WF2 (160MHz BW 11ax Index 44 - RU52 - Ch.114 (L))

FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 135 of 274



FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 136 of 274

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/500kHz]	Antenna WF2 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	6.32	6.66	9.50	30.0	-20.50
					26	4	25/29.4 (MCS11)	5.75	6.18	8.98	30.0	-21.02
					26	8	25/29.4 (MCS11)	5.85	6.52	9.21	30.0	-20.79
	5785	157	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	6.58	6.19	9.40	30.0	-20.60
					26	4	25/29.4 (MCS11)	6.22	6.32	9.28	30.0	-20.72
					26	8	25/29.4 (MCS11)	6.08	6.53	9.32	30.0	-20.68
	5825	165	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	6.64	6.56	9.61	30.0	-20.39
					26	4	25/29.4 (MCS11)	6.17	6.63	9.42	30.0	-20.58
					26	8	25/29.4 (MCS11)	6.60	6.62	9.62	30.0	-20.38
	5755	151	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	6.09	6.22	9.16	30.0	-20.84
					26	8	25/29.4 (MCS11)	6.02	5.82	8.93	30.0	-21.07
					26	17	25/29.4 (MCS11)	6.45	6.60	9.53	30.0	-20.47
	5795	159	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	5.84	6.58	9.24	30.0	-20.76
					26	8	25/29.4 (MCS11)	6.26	6.83	9.56	30.0	-20.44
					26	17	25/29.4 (MCS11)	6.24	6.46	9.36	30.0	-20.64
	5775	155	ax (80MHz)	CDD	26	0	25/29.4 (MCS11)	6.29	6.25	9.28	30.0	-20.72
					26	18	25/29.4 (MCS11)	5.56	6.55	9.09	30.0	-20.91
					26	36	25/29.4 (MCS11)	6.40	6.27	9.34	30.0	-20.66






Table 7-119. Band 3 Power Spectral Density Measurements CDD (RU26)

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/500kHz]	Antenna WF2 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	6.54	7.40	10.00	30.0	-20.00
	5785	157	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	6.84	7.63	10.26	30.0	-19.74
	5825	165	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	6.94	7.38	10.18	30.0	-19.82
	5755	151	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	3.65	3.90	6.79	30.0	-23.21
	5795	159	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	3.89	4.09	7.00	30.0	-23.00
	5775	155	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.38	-2.96	-0.15	30.0	-30.15

Table 7-120. Band 3 Power Spectral Density Measurements CDD (Fully-loaded RU)

FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 137 of 274


V 10.6 10/27/2023



FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 138 of 274

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-349. PSD CDD Antenna WF5T (20MHz BW 11ax - RU242 - Ch.157)




Plot 7-352. PSD CDD Antenna WF2 (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-350. PSD CDD Antenna WF2 (20MHz BW 11ax - RU242 - Ch.157)



Plot 7-353. PSD CDD Antenna WF5T (40MHz BW 11ax Index 8 - RU26 - Ch.151)



Plot 7-351. PSD CDD Antenna WF5T (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-354. PSD CDD Antenna WF2 (40MHz BW 11ax Index 8 - RU26 - Ch.151)


FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 139 of 274




Plot 7-355. PSD CDD Antenna WF5T (40MHz BW 11ax Index 17 - RU26 - Ch.151)




Plot 7-358. PSD CDD Antenna WF2 (40MHz BW 11ax - RU484 - Ch.151)




Plot 7-356. PSD CDD Antenna WF2 (40MHz BW 11ax Index 17 - RU26 - Ch.151)



Plot 7-359. PSD CDD Antenna WF5T (80MHz BW 11ax Index 0 - RU26 - Ch.155)



Plot 7-357. PSD CDD Antenna WF5T (40MHz BW 11ax - RU484 - Ch.151)







Plot 7-360. PSD CDD Antenna WF2 (80MHz BW 11ax Index 0 - RU26 - Ch.155)

FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 140 of 274

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 141 of 274

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WFST Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	-0.27	0.63	3.21	2.91	6.12	10.0	-3.88
					26	4	25/29.4 (MCS11)	-1.04	-0.09	2.47	2.91	5.38	10.0	-4.62
					26	8	25/29.4 (MCS11)	-0.02	0.66	3.34	2.91	6.25	10.0	-3.75
	5200	40	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	-0.02	0.63	3.33	2.91	6.23	10.0	-3.77
					26	4	25/29.4 (MCS11)	-0.61	-0.32	2.55	2.91	5.46	10.0	-4.54
					26	8	25/29.4 (MCS11)	0.12	0.86	3.51	2.91	6.42	10.0	-3.58
	5240	48	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	0.09	0.73	3.43	2.91	6.34	10.0	-3.66
					26	4	25/29.4 (MCS11)	-0.55	0.21	2.86	2.91	5.76	10.0	-4.24
					26	8	25/29.4 (MCS11)	0.05	0.87	3.49	2.91	6.40	10.0	-3.60
	5190	38	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	-0.34	0.53	3.13	2.91	6.04	10.0	-3.96
					26	8	25/29.4 (MCS11)	-0.03	1.01	3.53	2.91	6.44	10.0	-3.56
					26	17	25/29.4 (MCS11)	0.00	0.53	3.28	2.91	6.19	10.0	-3.81
	5230	46	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	-0.01	0.82	3.43	2.91	6.34	10.0	-3.66
					26	8	25/29.4 (MCS11)	-0.30	0.39	3.07	2.91	5.98	10.0	-4.02
					26	17	25/29.4 (MCS11)	0.60	0.94	3.79	2.91	6.70	10.0	-3.30
	5210	42	ax (80MHz)	SDM	26	0	25/29.4 (MCS11)	0.03	0.75	3.41	2.91	6.32	10.0	-3.68
					26	18	25/29.4 (MCS11)	-0.93	-0.10	2.51	2.91	5.42	10.0	-4.58
					26	36	25/29.4 (MCS11)	0.16	0.63	3.41	2.91	6.32	10.0	-3.68
	5250	50 (L)	ax (160MHz)	SDM	52	37	50/58.8 (MCS11)	0.66	1.47	4.09	2.91	7.00	10.0	-3.00
					52	52	50/58.8 (MCS11)	0.77	1.36	4.09	2.91	6.99	10.0	-3.01

Table 7-121. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM (RU26)

FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 142 of 274


V 10.6 10/27/2023

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	-0.77	-0.03	2.63	2.91	5.54	10.0	-4.46
	5200	40	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	-0.54	0.02	2.76	2.91	5.67	10.0	-4.33
	5240	48	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	-0.52	0.11	2.82	2.91	5.72	10.0	-4.28
	5190	38	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	-1.55	-0.96	1.76	2.91	4.67	10.0	-5.33
	5230	46	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	-0.37	-0.24	2.71	2.91	5.61	10.0	-4.39
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-5.33	-5.08	-2.19	5.65	3.45	10.0	-6.55
	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-9.18	-8.20	-5.65	5.65	0.00	10.0	-10.00


Table 7-122. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM (Fully-loaded RU)

FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 143 of 274


V 10.6 10/27/2023




Plot 7-367. ISED PSD SDM Antenna WF5T (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-370. ISED PSD SDM Antenna WF2 (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-368. ISED PSD SDM Antenna WF2 (20MHz BW 11ax Index 0 – RU26 – Ch.40)



Plot 7-371. ISED PSD SDM Antenna WF5T (20MHz BW 11ax Index 8 – RU26 – Ch.40)



Plot 7-369. ISED PSD SDM Antenna WF5T (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-372. ISED PSD SDM Antenna WF2 (20MHz BW 11ax Index 8 – RU26 – Ch.40)


FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 144 of 274

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-373. ISSED PSD SDM Antenna WF5T (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-376. ISSED PSD SDM Antenna WF2 (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-374. ISSED PSD SDM Antenna WF2 (20MHz BW 11ax- RU242 - Ch.40)



Plot 7-377. ISSED PSD SDM Antenna WF5T (40MHz BW 11ax Index 8 - RU26 - Ch.46)



Plot 7-375. ISSED PSD SDM Antenna WF5T (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-378. ISSED PSD SDM Antenna WF2 (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 145 of 274

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-379. ISED PSD SDM Antenna WF5T (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-382. ISED PSD SDM Antenna WF2 (40MHz BW 11ax - RU484 - Ch.46)




Plot 7-380. ISED PSD SDM Antenna WF2 (40MHz BW 11ax Index 17 - RU26 - Ch.46)



Plot 7-383. ISED PSD SDM Antenna WF5T (80MHz BW 11ax Index 0 - RU26 - Ch.42)



Plot 7-381. ISED PSD SDM Antenna WF5T (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-384. ISED PSD SDM Antenna WF2 (80MHz BW 11ax Index 0 - RU26 - Ch.42)


FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 146 of 274

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-385. ISSED PSD SDM Antenna WF5T (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-388. ISSED PSD SDM Antenna WF2 (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-386. ISSED PSD SDM Antenna WF2 (80MHz BW 11ax Index 18 - RU26 - Ch.42)



Plot 7-389. ISSED PSD CDD Antenna WF5T (80MHz BW 11ax - RU996 - Ch.42)



Plot 7-387. ISSED PSD SDM Antenna WF5T (80MHz BW 11ax Index 36 - RU26 - Ch.42)



Plot 7-390. ISSED PSD CDD Antenna WF2 (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200017-12-R1.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 147 of 274

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.