



Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.829	32.434	-30.171	74.000	11.394	PK
2	*	16500.000	52.536	33.576	-21.464	74.000	18.960	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.420	32.042	-30.580	74.000	11.378	PK
2	*	16560.000	51.694	32.776	-22.306	74.000	18.918	PK

Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.335	32.957	-29.665	74.000	11.378	PK
2	*	16560.000	52.455	33.537	-21.545	74.000	18.918	PK

Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.990	30.991	-31.010	74.000	11.999	PK
2	*	16740.000	51.169	32.564	-22.831	74.000	18.605	PK

Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.961	31.962	-30.039	74.000	11.999	PK
2	*	16740.000	52.039	33.434	-21.961	74.000	18.605	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.065	30.210	-31.935	74.000	11.855	PK
2	*	17100.000	52.630	32.580	-21.370	74.000	20.050	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.615	32.760	-29.385	74.000	11.855	PK
2	*	17100.000	53.146	33.096	-20.854	74.000	20.050	PK

Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.765	32.840	-30.235	74.000	10.925	PK
2	*	15780.000	49.710	32.394	-24.290	74.000	17.316	PK

Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.947	34.022	-29.053	74.000	10.925	PK
2	*	15780.000	50.151	32.835	-23.849	74.000	17.316	PK

Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.661	33.002	-30.339	74.000	10.658	PK
2	*	15900.000	49.769	32.614	-24.231	74.000	17.155	PK

Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.501	33.842	-29.499	74.000	10.658	PK
2	*	15900.000	50.378	33.223	-23.622	74.000	17.155	PK

Profile: 19A2144R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.047	32.622	-30.953	74.000	10.425	PK
2	*	15960.000	49.668	32.074	-24.332	74.000	17.594	PK

Profile: 19A2144R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.163	33.738	-29.837	74.000	10.425	PK
2	*	15960.000	50.154	32.560	-23.846	74.000	17.594	PK

Profile: 19A2144R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.335	31.940	-30.665	74.000	11.394	PK
2	*	16500.000	51.430	32.470	-22.570	74.000	18.960	PK

Profile: 19A2144R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.376	32.981	-29.624	74.000	11.394	PK
2	*	16500.000	52.375	33.415	-21.625	74.000	18.960	PK

Profile: 19A2144R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.328	31.950	-30.672	74.000	11.378	PK
2	*	16560.000	51.483	32.565	-22.517	74.000	18.918	PK

Profile: 19A2144R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.103	33.725	-28.897	74.000	11.378	PK
2	*	16560.000	52.697	33.779	-21.303	74.000	18.918	PK

Profile: 19A2144R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.714	32.715	-29.286	74.000	11.999	PK
2	*	16740.000	51.192	32.587	-22.808	74.000	18.605	PK

Profile: 19A2144R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.521	33.522	-28.479	74.000	11.999	PK
2	*	16740.000	52.286	33.681	-21.714	74.000	18.605	PK

Profile: 19A2144R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.824	32.969	-29.176	74.000	11.855	PK
2	*	17100.000	52.258	32.208	-21.742	74.000	20.050	PK

Profile: 19A2144R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.962	32.107	-30.038	74.000	11.855	PK
2	*	17100.000	53.246	33.196	-20.754	74.000	20.050	PK

Profile: 19A2144R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.623	33.474	-29.377	74.000	11.149	PK
2	*	15810.000	50.992	33.459	-23.008	74.000	17.533	PK

Profile: 19A2144R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.469	32.320	-30.531	74.000	11.149	PK
2	*	15810.000	52.031	34.498	-21.969	74.000	17.533	PK

Profile: 19A2144R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.182	32.750	-29.818	74.000	11.433	PK
2	*	15930.000	50.313	32.215	-23.687	74.000	18.099	PK

Profile: 19A2144R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.187	33.755	-28.813	74.000	11.433	PK
2	*	15930.000	51.430	33.332	-22.570	74.000	18.099	PK

Profile: 19A2144R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.171	32.041	-30.829	74.000	11.130	PK
2	*	16530.000	49.879	31.351	-24.121	74.000	18.529	PK

Profile: 19A2144R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.368	34.238	-28.632	74.000	11.130	PK
2	*	16530.000	50.187	31.659	-23.813	74.000	18.529	PK

Profile: 19A2144R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.392	31.956	-30.608	74.000	11.436	PK
2	*	16650.000	51.784	32.564	-22.216	74.000	19.221	PK

Profile: 19A2144R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.460	33.024	-29.540	74.000	11.436	PK
2	*	16650.000	51.333	32.113	-22.667	74.000	19.221	PK

Profile: 19A2144R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.261	31.254	-30.739	74.000	12.007	PK
2	*	17010.000	52.421	32.771	-21.579	74.000	19.650	PK

Profile: 19A2144R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.502	30.495	-31.498	74.000	12.007	PK
2	*	17010.000	53.371	33.721	-20.629	74.000	19.650	PK

Profile: 19A2144R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.984	33.059	-30.016	74.000	10.925	PK
2	*	15780.000	49.998	32.682	-24.002	74.000	17.316	PK

Profile: 19A2144R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.837	33.912	-29.163	74.000	10.925	PK
2	*	15780.000	49.377	32.061	-24.623	74.000	17.316	PK

Profile: 19A2144R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.374	32.715	-30.626	74.000	10.658	PK
2	*	15900.000	49.120	31.965	-24.880	74.000	17.155	PK

Profile: 19A2144R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.598	33.939	-29.402	74.000	10.658	PK
2	*	15900.000	48.905	31.750	-25.095	74.000	17.155	PK

Profile: 19A2144R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.612	32.187	-31.388	74.000	10.425	PK
2	*	15960.000	49.467	31.873	-24.533	74.000	17.594	PK

Profile: 19A2144R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.459	33.034	-30.541	74.000	10.425	PK
2	*	15960.000	51.583	33.989	-22.417	74.000	17.594	PK

Profile: 19A2144R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.727	32.332	-30.273	74.000	11.394	PK
2	*	16500.000	51.919	32.959	-22.081	74.000	18.960	PK

Profile: 19A2144R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.833	33.438	-29.167	74.000	11.394	PK
2	*	16500.000	52.981	34.021	-21.019	74.000	18.960	PK

Profile: 19A2144R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.270	33.892	-28.730	74.000	11.378	PK
2	*	16560.000	52.360	33.442	-21.640	74.000	18.918	PK

Profile: 19A2144R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.685	31.307	-31.315	74.000	11.378	PK
2	*	16560.000	50.960	32.042	-23.040	74.000	18.918	PK

Profile: 19A2144R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.507	31.508	-30.493	74.000	11.999	PK
2	*	16740.000	50.757	32.152	-23.243	74.000	18.605	PK

Profile: 19A2144R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.957	31.958	-30.043	74.000	11.999	PK
2	*	16740.000	52.277	33.672	-21.723	74.000	18.605	PK

Profile: 19A2144R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.082	30.227	-31.918	74.000	11.855	PK
2	*	17100.000	51.269	31.219	-22.731	74.000	20.050	PK

Profile: 19A2144R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.370	32.515	-29.630	74.000	11.855	PK
2	*	17100.000	52.470	32.420	-21.530	74.000	20.050	PK

Profile: 19A2144R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.870	32.721	-30.130	74.000	11.149	PK
2	*	15810.000	49.311	31.778	-24.689	74.000	17.533	PK

Profile: 19A2144R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.628	33.479	-29.372	74.000	11.149	PK
2	*	15810.000	50.138	32.605	-23.862	74.000	17.533	PK

Profile: 19A2144R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.824	32.392	-30.176	74.000	11.433	PK
2	*	15930.000	50.943	32.845	-23.057	74.000	18.099	PK

Profile: 19A2144R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.637	33.205	-29.363	74.000	11.433	PK
2	*	15930.000	49.996	31.898	-24.004	74.000	18.099	PK

Profile: 19A2144R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.117	33.987	-28.883	74.000	11.130	PK
2	*	16530.000	52.575	34.047	-21.425	74.000	18.529	PK

Profile: 19A2144R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.837	33.707	-29.163	74.000	11.130	PK
2	*	16530.000	50.361	31.833	-23.639	74.000	18.529	PK

Profile: 19A2144R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.006	31.570	-30.994	74.000	11.436	PK
2	*	16650.000	52.529	33.309	-21.471	74.000	19.221	PK

Profile: 19A2144R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.549	31.113	-31.451	74.000	11.436	PK
2	*	16650.000	51.733	32.513	-22.267	74.000	19.221	PK

Profile: 19A2144R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.233	31.226	-30.767	74.000	12.007	PK
2	*	17010.000	52.292	32.642	-21.708	74.000	19.650	PK

Profile: 19A2144R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.684	32.677	-29.316	74.000	12.007	PK
2	*	17010.000	53.364	33.714	-20.636	74.000	19.650	PK

Profile: 19A2144R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.018	34.463	-28.982	74.000	10.555	PK
2	*	15870.000	52.547	34.925	-21.453	74.000	17.622	PK

Profile: 19A2144R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.206	33.651	-29.794	74.000	10.555	PK
2	*	15870.000	51.486	33.864	-22.514	74.000	17.622	PK

Profile: 19A2144R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.299	33.166	-29.701	74.000	11.134	PK
2	*	16590.000	53.450	34.911	-20.550	74.000	18.539	PK

Profile: 19A2144R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.105	31.972	-30.895	74.000	11.134	PK
2	*	16590.000	51.918	33.379	-22.082	74.000	18.539	PK

Profile: 19A2144R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.465	31.792	-30.535	74.000	11.673	PK
2	*	16830.000	53.393	33.978	-20.607	74.000	19.415	PK

Profile: 19A2144R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.201	32.528	-29.799	74.000	11.673	PK
2	*	16830.000	52.864	33.449	-21.136	74.000	19.415	PK

Profile: 19A2144R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.563	33.638	-29.437	74.000	10.925	PK
2	*	15780.000	50.127	32.811	-23.873	74.000	17.316	PK

Profile: 19A2144R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.339	35.414	-27.661	74.000	10.925	PK
2	*	15780.000	51.645	34.329	-22.355	74.000	17.316	PK

Profile: 19A2144R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.775	35.116	-28.225	74.000	10.658	PK
2	*	15900.000	51.960	34.805	-22.040	74.000	17.155	PK

Profile: 19A2144R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.034	33.375	-29.966	74.000	10.658	PK
2	*	15900.000	52.485	35.330	-21.515	74.000	17.155	PK

Profile: 19A2144R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.906	33.481	-30.094	74.000	10.425	PK
2	*	15960.000	51.233	33.639	-22.767	74.000	17.594	PK

Profile: 19A2144R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.850	34.425	-29.150	74.000	10.425	PK
2	*	15960.000	52.304	34.710	-21.696	74.000	17.594	PK

Profile: 19A2144R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.855	33.460	-29.145	74.000	11.394	PK
2	*	16500.000	52.710	33.750	-21.290	74.000	18.960	PK

Profile: 19A2144R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.084	33.689	-28.916	74.000	11.394	PK
2	*	16500.000	53.244	34.284	-20.756	74.000	18.960	PK

Profile: 19A2144R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.982	32.604	-30.018	74.000	11.378	PK
2	*	16560.000	52.963	34.045	-21.037	74.000	18.918	PK

Profile: 19A2144R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.431	33.053	-29.569	74.000	11.378	PK
2	*	16560.000	52.423	33.505	-21.577	74.000	18.918	PK

Profile: 19A2144R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.334	33.335	-28.666	74.000	11.999	PK
2	*	16740.000	53.107	34.502	-20.893	74.000	18.605	PK

Profile: 19A2144R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.678	32.679	-29.322	74.000	11.999	PK
2	*	16740.000	52.510	33.905	-21.490	74.000	18.605	PK

Profile: 19A2144R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.453	31.598	-30.547	74.000	11.855	PK
2	*	17100.000	52.833	32.783	-21.167	74.000	20.050	PK

Profile: 19A2144R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.594	32.739	-29.406	74.000	11.855	PK
2	*	17100.000	53.238	33.188	-20.762	74.000	20.050	PK

Profile: 19A2144R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.405	34.256	-28.595	74.000	11.149	PK
2	*	15810.000	50.893	33.360	-23.107	74.000	17.533	PK

Profile: 19A2144R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.004	34.855	-27.996	74.000	11.149	PK
2	*	15810.000	51.184	33.651	-22.816	74.000	17.533	PK

Profile: 19A2144R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.056	34.624	-27.944	74.000	11.433	PK
2	*	15930.000	51.485	33.387	-22.515	74.000	18.099	PK

Profile: 19A2144R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.188	33.756	-28.812	74.000	11.433	PK
2	*	15930.000	52.409	34.311	-21.591	74.000	18.099	PK

Profile: 19A2144R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.074	33.944	-28.926	74.000	11.130	PK
2	*	16530.000	53.497	34.969	-20.503	74.000	18.529	PK

Profile: 19A2144R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.152	33.022	-29.848	74.000	11.130	PK
2	*	16530.000	52.117	33.589	-21.883	74.000	18.529	PK

Profile: 19A2144R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.854	32.418	-30.146	74.000	11.436	PK
2	*	16650.000	52.544	33.324	-21.456	74.000	19.221	PK

Profile: 19A2144R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.621	33.185	-29.379	74.000	11.436	PK
2	*	16650.000	53.357	34.137	-20.643	74.000	19.221	PK

Profile: 19A2144R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.587	33.580	-28.413	74.000	12.007	PK
2	*	17010.000	53.029	33.379	-20.971	74.000	19.650	PK

Profile: 19A2144R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.206	32.199	-29.794	74.000	12.007	PK
2	*	17010.000	52.634	32.984	-21.366	74.000	19.650	PK

Profile: 19A2144R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.383	33.828	-29.617	74.000	10.555	PK
2	*	15870.000	52.099	34.477	-21.901	74.000	17.622	PK

Profile: 19A2144R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.674	35.119	-28.326	74.000	10.555	PK
2	*	15870.000	53.131	35.509	-20.869	74.000	17.622	PK

Profile: 19A2144R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.101	32.968	-29.899	74.000	11.134	PK
2	*	16590.000	52.701	34.162	-21.299	74.000	18.539	PK

Profile: 19A2144R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.121	33.988	-28.879	74.000	11.134	PK
2	*	16590.000	51.861	33.322	-22.139	74.000	18.539	PK

Profile: 19A2144R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.118	32.445	-29.882	74.000	11.673	PK
2	*	16830.000	53.312	33.897	-20.688	74.000	19.415	PK

Profile: 19A2144R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.651	33.978	-28.349	74.000	11.673	PK
2	*	16830.000	52.565	33.150	-21.435	74.000	19.415	PK

Profile: 19A2144R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.420	34.700	-28.580	74.000	10.720	PK
2	*	15750.000	50.669	33.760	-23.331	74.000	16.909	PK

Profile: 19A2144R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.158	34.438	-28.842	74.000	10.720	PK
2	*	15750.000	51.552	34.643	-22.448	74.000	16.909	PK

Profile: 19A2144R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.354	33.564	-28.646	74.000	11.791	PK
2	*	16710.000	52.784	33.157	-21.216	74.000	19.627	PK


Profile: 19A2144R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/05/14 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.918	33.128	-29.082	74.000	11.791	PK
2	*	16710.000	53.068	33.441	-20.932	74.000	19.627	PK


2*2 Beamforming:

Profile: 19A2144R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.851	34.926	-28.149	74.000	10.925	PK
2	*	15780.000	50.557	33.241	-23.443	74.000	17.316	PK

Profile: 19A2144R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.712	35.787	-27.288	74.000	10.925	PK
2	*	15780.000	52.182	34.866	-21.818	74.000	17.316	PK

Profile: 19A2144R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.631	34.972	-28.369	74.000	10.658	PK
2	*	15900.000	51.595	34.440	-22.405	74.000	17.155	PK

Profile: 19A2144R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.422	34.763	-28.578	74.000	10.658	PK
2	*	15900.000	50.896	33.741	-23.104	74.000	17.155	PK

Profile: 19A2144R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.530	35.105	-28.470	74.000	10.425	PK
2	*	15960.000	51.686	34.092	-22.314	74.000	17.594	PK

Profile: 19A2144R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.822	34.397	-29.178	74.000	10.425	PK
2	*	15960.000	52.562	34.968	-21.438	74.000	17.594	PK

Profile: 19A2144R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.622	33.227	-29.378	74.000	11.394	PK
2	*	16500.000	53.160	34.200	-20.840	74.000	18.960	PK

Profile: 19A2144R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.219	33.824	-28.781	74.000	11.394	PK
2	*	16500.000	52.373	33.413	-21.627	74.000	18.960	PK

Profile: 19A2144R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.693	33.315	-29.307	74.000	11.378	PK
2	*	16560.000	53.329	34.411	-20.671	74.000	18.918	PK

Profile: 19A2144R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.041	33.663	-28.959	74.000	11.378	PK
2	*	16560.000	52.560	33.642	-21.440	74.000	18.918	PK

Profile: 19A2144R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.742	32.743	-29.258	74.000	11.999	PK
2	*	16740.000	53.288	34.683	-20.712	74.000	18.605	PK

Profile: 19A2144R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.387	33.388	-28.613	74.000	11.999	PK
2	*	16740.000	52.613	34.008	-21.387	74.000	18.605	PK

Profile: 19A2144R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.100	31.245	-30.900	74.000	11.855	PK
2	*	17100.000	53.037	32.987	-20.963	74.000	20.050	PK

Profile: 19A2144R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.920	33.065	-29.080	74.000	11.855	PK
2	*	17100.000	52.621	32.571	-21.379	74.000	20.050	PK

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.096	34.947	-27.904	74.000	11.149	PK
2	*	15810.000	50.688	33.155	-23.312	74.000	17.533	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.675	34.526	-28.325	74.000	11.149	PK
2	*	15810.000	52.129	34.596	-21.871	74.000	17.533	PK

Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.853	34.421	-28.147	74.000	11.433	PK
2	*	15930.000	52.354	34.256	-21.646	74.000	18.099	PK

Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.808	34.376	-28.192	74.000	11.433	PK
2	*	15930.000	51.839	33.741	-22.161	74.000	18.099	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.675	33.545	-29.325	74.000	11.130	PK
2	*	16530.000	52.624	34.096	-21.376	74.000	18.529	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.423	33.293	-29.577	74.000	11.130	PK
2	*	16530.000	53.156	34.628	-20.844	74.000	18.529	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.935	33.499	-29.065	74.000	11.436	PK
2	*	16650.000	53.339	34.119	-20.661	74.000	19.221	PK

Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.536	33.100	-29.464	74.000	11.436	PK
2	*	16650.000	52.622	33.402	-21.378	74.000	19.221	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.640	32.633	-29.360	74.000	12.007	PK
2	*	17010.000	53.017	33.367	-20.983	74.000	19.650	PK

Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.030	33.023	-28.970	74.000	12.007	PK
2	*	17010.000	52.738	33.088	-21.262	74.000	19.650	PK

Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.441	35.516	-27.559	74.000	10.925	PK
2	*	15780.000	51.286	33.970	-22.714	74.000	17.316	PK

Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.776	34.851	-28.224	74.000	10.925	PK
2	*	15780.000	51.094	33.778	-22.906	74.000	17.316	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.774	35.115	-28.226	74.000	10.658	PK
2	*	15900.000	50.546	33.391	-23.454	74.000	17.155	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.043	34.384	-28.957	74.000	10.658	PK
2	*	15900.000	51.745	34.590	-22.255	74.000	17.155	PK

Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.010	34.585	-28.990	74.000	10.425	PK
2	*	15960.000	51.861	34.267	-22.139	74.000	17.594	PK

Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.915	35.490	-28.085	74.000	10.425	PK
2	*	15960.000	52.573	34.979	-21.427	74.000	17.594	PK

Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.632	34.237	-28.368	74.000	11.394	PK
2	*	16500.000	53.002	34.042	-20.998	74.000	18.960	PK

Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.049	33.654	-28.951	74.000	11.394	PK
2	*	16500.000	52.381	33.421	-21.619	74.000	18.960	PK

Profile: 19A2144R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.013	33.635	-28.987	74.000	11.378	PK
2	*	16560.000	52.512	33.594	-21.488	74.000	18.918	PK

Profile: 19A2144R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	46.093	34.715	-27.907	74.000	11.378	PK
2	*	16560.000	53.415	34.497	-20.585	74.000	18.918	PK

Profile: 19A2144R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.070	34.071	-27.930	74.000	11.999	PK
2	*	16740.000	53.312	34.707	-20.688	74.000	18.605	PK

Profile: 19A2144R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.439	33.440	-28.561	74.000	11.999	PK
2	*	16740.000	52.526	33.921	-21.474	74.000	18.605	PK

Profile: 19A2144R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.790	31.935	-30.210	74.000	11.855	PK
2	*	17100.000	52.753	32.703	-21.247	74.000	20.050	PK

Profile: 19A2144R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.523	32.668	-29.477	74.000	11.855	PK
2	*	17100.000	53.204	33.154	-20.796	74.000	20.050	PK

Profile: 19A2144R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.352	34.203	-28.648	74.000	11.149	PK
2	*	15810.000	51.161	33.628	-22.839	74.000	17.533	PK

Profile: 19A2144R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.745	33.596	-29.255	74.000	11.149	PK
2	*	15810.000	50.581	33.048	-23.419	74.000	17.533	PK

Profile: 19A2144R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.407	33.975	-28.593	74.000	11.433	PK
2	*	15930.000	51.839	33.741	-22.161	74.000	18.099	PK

Profile: 19A2144R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.086	34.654	-27.914	74.000	11.433	PK
2	*	15930.000	52.568	34.470	-21.432	74.000	18.099	PK

Profile: 19A2144R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.172	34.042	-28.828	74.000	11.130	PK
2	*	16530.000	52.820	34.292	-21.180	74.000	18.529	PK

Profile: 19A2144R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.820	33.690	-29.180	74.000	11.130	PK
2	*	16530.000	51.967	33.439	-22.033	74.000	18.529	PK

Profile: 19A2144R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.181	33.745	-28.819	74.000	11.436	PK
2	*	16650.000	53.347	34.127	-20.653	74.000	19.221	PK

Profile: 19A2144R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.681	33.245	-29.319	74.000	11.436	PK
2	*	16650.000	52.612	33.392	-21.388	74.000	19.221	PK

Profile: 19A2144R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.028	34.021	-27.972	74.000	12.007	PK
2	*	17010.000	52.967	33.317	-21.033	74.000	19.650	PK

Profile: 19A2144R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.589	32.582	-29.411	74.000	12.007	PK
2	*	17010.000	52.216	32.566	-21.784	74.000	19.650	PK

Profile: 19A2144R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.452	34.897	-28.548	74.000	10.555	PK
2	*	15870.000	51.233	33.611	-22.767	74.000	17.622	PK

Profile: 19A2144R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.479	33.924	-29.521	74.000	10.555	PK
2	*	15870.000	52.239	34.617	-21.761	74.000	17.622	PK

Profile: 19A2144R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.002	33.869	-28.998	74.000	11.134	PK
2	*	16590.000	51.956	33.417	-22.044	74.000	18.539	PK

Profile: 19A2144R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.883	33.750	-29.117	74.000	11.134	PK
2	*	16590.000	52.687	34.148	-21.313	74.000	18.539	PK

Profile: 19A2144R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.535	32.862	-29.465	74.000	11.673	PK
2	*	16830.000	53.231	33.816	-20.769	74.000	19.415	PK

Profile: 19A2144R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.508	33.835	-28.492	74.000	11.673	PK
2	*	16830.000	53.304	33.889	-20.696	74.000	19.415	PK

Profile: 19A2144R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.405	35.480	-27.595	74.000	10.925	PK
2	*	15780.000	51.350	34.034	-22.650	74.000	17.316	PK

Profile: 19A2144R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.513	35.588	-27.487	74.000	10.925	PK
2	*	15780.000	52.380	35.064	-21.620	74.000	17.316	PK

Profile: 19A2144R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.034	35.375	-27.966	74.000	10.658	PK
2	*	15900.000	51.299	34.144	-22.701	74.000	17.155	PK

Profile: 19A2144R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.611	33.952	-29.389	74.000	10.658	PK
2	*	15900.000	50.649	33.494	-23.351	74.000	17.155	PK

Profile: 19A2144R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.315	33.890	-29.685	74.000	10.425	PK
2	*	15960.000	51.813	34.219	-22.187	74.000	17.594	PK

Profile: 19A2144R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.931	33.506	-30.069	74.000	10.425	PK
2	*	15960.000	51.329	33.735	-22.671	74.000	17.594	PK

Profile: 19A2144R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.573	34.178	-28.427	74.000	11.394	PK
2	*	16500.000	53.336	34.376	-20.664	74.000	18.960	PK

Profile: 19A2144R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.430	35.035	-27.570	74.000	11.394	PK
2	*	16500.000	52.588	33.628	-21.412	74.000	18.960	PK