




FR1 n48 / 80MHz / QPSK / CSE

Lowest Channel




12:44:52 05.11.2022

Middle Channel



18:25:35 05.11.2022

Highest Channel




20:40:08 05.11.2022




FR1 n48 / 90MHz / QPSK / CSE

Lowest Channel




12:06:38 05.11.2022

Middle Channel



19:21:50 05.11.2022

Highest Channel




20:21:19 05.11.2022




FR1 n48 / 100MHz / QPSK / CSE

Lowest Channel




11:47:36 05.11.2022

Middle Channel



19:45:44 05.11.2022

Highest Channel



20:12:43 05.11.2022

Frequency Stability

Test Conditions		FR1 n48 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Frequency Offset (ppm)	Result
50	Normal Voltage	0.0022	PASS
40	Normal Voltage	0.0014	
30	Normal Voltage	0.0099	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0017	
0	Normal Voltage	0.0006	
-10	Normal Voltage	0.0022	
-20	Normal Voltage	0.0028	
-30	Normal Voltage	0.0097	
20	Maximum Voltage	0.0041	
20	Normal Voltage	0.0017	
20	Minimum Voltage	0.0086	

Note:

1. Normal Voltage = 110 V. ; Minimum Voltage = 100 V. ; Maximum Voltage = 240 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

<MIMO ANT 4>

Maximum EIRP (dBm/10MHz)

Mode	FR1 n48 : Conducted (dBm/10MHz) <SISO> Lowest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	20.98	20.77	21.63	20.70	21.68	20.56	21.56	20.60
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	21.07	21.09	21.52	21.56	22.27	22.02	22.24	22.25
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	21.78	20.25	21.63	20.73	21.50	20.78	21.40	21.03
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	22.22	21.99	22.25	22.19	22.24	22.22	22.28	22.41

Mode	FR1 n48 : Maximum EIRP (dBm/10MHz) <MIMO 4TX> Lowest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	45.00	44.79	45.65	44.72	45.70	44.58	45.58	44.62
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	45.09	45.11	45.54	45.58	46.29	46.04	46.26	46.27
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	45.8	44.27	45.65	44.75	45.52	44.8	45.42	45.05
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	46.24	46.01	46.27	46.21	46.26	46.24	46.3	46.43
Limit	47dBm/10MHz							
Result	PASS							

Note

1. The measured conducted result has included duty cycle offset factor.
2. The Maximum EIRP = conducted result + 6.02dB (4TX) + 18dBi MIMO antenna gain.

Mode	FR1 n48 : Conducted (dBm/10MHz) <SISO> Middle Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	20.85	20.89	21.57	20.73	21.55	20.65	21.59	20.62
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	20.73	20.93	21.22	21.40	22.27	22.24	22.27	22.03
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	21.61	20.59	21.50	20.88	21.42	21.00	21.24	20.61
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	22.19	22.05	22.40	22.34	22.35	22.21	21.85	22.33

Mode	FR1 n48 : Maximum EIRP (dBm/10MHz) <MIMO 4TX> Middle Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	PSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	44.87	44.91	45.59	44.75	45.57	44.67	45.61	44.64
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	44.75	44.95	45.24	45.42	46.29	46.26	46.29	46.05
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	45.63	44.61	45.52	44.90	45.44	45.02	45.26	44.63
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	46.21	46.07	46.42	46.36	46.37	46.23	45.87	46.35
Limit	47dBm/10MHz							
Result	PASS							

Note

1. The measured conducted result has included duty cycle offset factor.
2. The Maximum EIRP = conducted result + 6.02dB (4TX) + 18dBi MIMO antenna gain.

Mode	FR1 n48 : Conducted (dBm/10MHz) <SISO> Highest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	20.74	20.81	21.41	20.65	21.48	20.71	21.45	20.62
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	20.64	20.93	21.47	21.27	22.34	22.21	22.26	22.15
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	21.6	20.17	21.5	20.86	21.42	20.5	21.35	20.35
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	22.38	22.14	22.46	22.17	22.11	22.22	21.83	22.41

Mode	FR1 n48 : Maximum EIRP (dBm/MHz) <MIMO 4TX> Highest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	44.76	44.83	45.43	44.67	45.50	44.73	45.47	44.64
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	44.66	44.95	45.49	45.29	46.36	46.23	46.28	46.17
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	45.62	44.19	45.52	44.88	45.44	44.52	45.37	44.37
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	46.40	46.16	46.48	46.19	46.13	46.24	45.85	46.43
Limit	47dBm/10MHz							
Result	PASS							


Note

1. The measured conducted result has included duty cycle offset factor.
2. The Maximum EIRP = conducted result + 6.02dB (4TX) + 18dBi MIMO antenna gain.




FR1 n48 / 10MHz / Lowest Channel / Conducted (dBm/10MHz)

QPSK




17:42:57 08.11.2022

16QAM




19:45:20 08.11.2022

64QAM



11:01:30 08.10.2022

256QAM




12:51:06 08.10.2022




FR1 n48 / 10MHz / Middle Channel / Conducted (dBm/10MHz)

QPSK




17:48:27 08.11.2022

16QAM




19:48:17 08.11.2022

64QAM



10:18:55 08.10.2022

256QAM




20:22:33 08.11.2022




FR1 n48 / 10MHz / Highest Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 20MHz / Lowest Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 20MHz / Middle Channel / Conducted (dBm/10MHz)

QPSK




19:04:45 08.11.2022

16QAM




07:42:57 29.10.2022

64QAM



10:08:02 30.10.2022

256QAM




16:29:52 26.10.2022




FR1 n48 / 20MHz / Highest Channel / Conducted (dBm/10MHz)

QPSK




19:09:49 08.11.2022

16QAM




06:21:06 01.11.2022

64QAM



17:04:56 27.10.2022

256QAM




14:03:37 27.10.2022




FR1 n48 / 40MHz / Lowest Channel / Conducted (dBm/10MHz)

QPSK




05:03:58 15.10.2022

16QAM




07:20:14 02.11.2022

64QAM



17:11:58 27.10.2022

256QAM




11:34:29 26.10.2022




FR1 n48 / 40MHz / Middle Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 40MHz / Highest Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 50MHz / Lowest Channel / Conducted (dBm/10MHz)

QPSK




07:40:03 18.10.2022

16QAM




06:12:50 04.11.2022

64QAM



16:29:40 22.10.2022

256QAM




11:54:00 22.10.2022




FR1 n48 / 50MHz / Middle Channel / Conducted (dBm/10MHz)

QPSK




07:39:31 15.10.2022

16QAM




07:08:41 03.11.2022

64QAM



13:02:30 22.10.2022

256QAM




11:36:28 22.10.2022




FR1 n48 / 50MHz / Highest Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 60MHz / Lowest Channel / Conducted (dBm/10MHz)

QPSK




05:46:10 20.10.2022

16QAM




14:32:39 04.11.2022

64QAM



09:42:33 20.10.2022

256QAM




11:55:45 20.10.2022




FR1 n48 / 60MHz / Middle Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 60MHz / Highest Channel / Conducted (dBm/10MHz)

QPSK




06:41:42 20.10.2022

16QAM




14:54:07 04.11.2022

64QAM



09:52:07 20.10.2022

256QAM



11:48:49 20.10.2022




FR1 n48 / 80MHz / Lowest Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM



256QAM






FR1 n48 / 80MHz / Middle Channel / Conducted (dBm/10MHz)

QPSK




07:37:46 21.10.2022

16QAM




17:17:08 03.11.2022

64QAM



18:06:59 15.10.2022

256QAM




20:38:33 08.11.2022



FR1 n48 / 80MHz / Highest Channel / Conducted (dBm/10MHz)

QPSK




06:18:38 22.10.2022

16QAM




15:50:48 03.11.2022

64QAM



18:18:09 15.10.2022

256QAM




17:26:45 18.10.2022




FR1 n48 / 90MHz / Lowest Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 90MHz / Middle Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 90MHz / Highest Channel / Conducted (dBm/10MHz)


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 100MHz / Lowest Channel / Conducted (dBm/10MHz)

QPSK




18:03:24 08.11.2022

16QAM




17:11:44 31.10.2022

64QAM



18:28:08 08.10.2022

256QAM




15:59:25 08.10.2022




FR1 n48 / 100MHz / Middle Channel / Conducted (dBm/10MHz)

QPSK




18:09:18 08.11.2022

16QAM




14:08:29 31.10.2022

64QAM



19:37:37 08.10.2022

256QAM




14:59:31 08.10.2022




FR1 n48 / 100MHz / Highest Channel / Conducted (dBm/10MHz)

QPSK




18:16:20 08.11.2022

16QAM




17:31:16 31.10.2022

64QAM



22:39:20 08.10.2022

256QAM



14:00:30 08.10.2022

Power Spectral Density

Mode	FR1 n48 : Conducted PSD (dBm/MHz) <SISO> Lowest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	12.95	12.94	12.93	12.93	12.97	12.93	12.93	12.94
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	12.97	12.94	12.92	12.94	12.95	12.86	12.86	12.98
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	12.96	12.98	12.94	12.91	12.97	12.85	12.94	12.88
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	12.82	12.88	12.94	12.92	12.88	12.91	12.87	12.85

Mode	FR1 n48 : EIRP PSD (dBm/MHz) <MIMO 4TX> Lowest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	36.97	36.96	36.95	36.95	36.99	36.95	36.95	36.96
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	36.99	36.96	36.94	36.96	36.97	36.88	36.88	37.00
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	36.98	37.00	36.96	36.93	36.99	36.87	36.96	36.90
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Lowest CH	36.84	36.90	36.96	36.94	36.90	36.93	36.89	36.87
Limit	37dBm/MHz							
Result	PASS							

Note

1. The measured conducted PSD result has included duty cycle offset factor.
2. The EIRP PSD = conducted PSD result + 6.02dB (4TX) + 18dBi MIMO antenna gain.

Mode	FR1 n48 : Conducted PSD (dBm/MHz) <SISO> Middle Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	12.92	12.96	12.97	12.97	12.93	12.98	12.93	12.94
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	12.96	12.94	12.95	12.98	12.96	12.86	12.95	12.83
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	12.93	12.95	12.95	12.83	12.95	12.93	12.98	12.92
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	12.87	12.92	12.92	12.90	12.87	12.91	12.92	12.92

Mode	FR1 n48 : EIRP PSD (dBm/MHz) <MIMO 4TX> Middle Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	36.94	36.94	36.99	36.99	36.95	37.00	36.95	36.96
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	36.98	36.96	36.97	37.00	36.98	36.88	36.97	36.85
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	36.95	36.97	36.97	36.85	36.97	36.95	37.00	36.94
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	36.89	36.94	36.94	36.92	36.89	36.93	36.94	36.94
Limit	37dBm/MHz							
Result	PASS							

Note

1. The measured conducted PSD result has included duty cycle offset factor.
2. The EIRP PSD = conducted PSD result + 6.02dB (4TX) + 18dBi MIMO antenna gain.



Mode	FR1 n48 : Conducted PSD (dBm/MHz) <SISO> Highest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	12.93	12.95	12.94	12.96	12.93	12.95	12.96	12.94
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	12.98	12.98	12.95	12.93	12.96	12.93	12.85	12.98
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	12.95	12.84	12.97	12.89	12.95	12.94	12.97	12.91
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	12.85	12.85	12.91	12.90	12.93	12.85	12.89	12.85

Mode	FR1 n48 : EIRP PSD (dBm/MHz) <MIMO 4TX> Highest Channel							
BW	10MHz		20MHz		40MHz		50MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	36.95	36.97	36.96	36.98	36.95	36.97	36.98	36.96
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	37.00	37.00	36.97	36.95	36.98	36.95	36.87	37.00
BW	60MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Highest CH	36.97	36.86	36.99	36.91	36.97	36.96	36.99	36.93
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Highest CH	36.87	36.87	36.93	36.92	36.95	36.87	36.91	36.87
Limit	37dBm/MHz							
Result	PASS							

Note

1. The measured conducted PSD result has included duty cycle offset factor.
2. The EIRP PSD = conducted PSD result + 6.02dB (4TX) + 18dBi MIMO antenna gain.