

ANNEX B: Test Results of Radiated Test

B.1 Unwanted Emissions

Test Result_Band Edges

Note: Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case.
Level=Reading+Factor; Margin=Limit-Level; V=Vertical, H=Horizontal.

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11A_20M_5180	5143.901087	34.98	53.88	18.90	74.00	20.12	V	PK
	5143.901087	21.48	40.38	18.90	54.00	13.62	V	AV
	5146.137417	36.19	55.07	18.88	74.00	18.93	V	PK
	5146.137417	21.65	40.53	18.88	54.00	13.47	V	AV
11A_20M_5320	5350.60485	37.30	58.03	20.73	74.00	15.97	V	PK
	5350.60485	22.11	42.84	20.73	54.00	11.16	V	AV
	5358.315417	34.28	54.53	20.25	74.00	19.47	V	PK
	5358.315417	20.41	40.66	20.25	54.00	13.34	V	AV
11A_20M_5500	5457.06068	33.94	53.19	19.25	74.00	20.81	V	PK
	5457.06068	20.76	40.01	19.25	54.00	13.99	V	AV
	5468.90175	38.75	58.51	19.76	68.20	9.69	V	PK
	5468.90175	22.76	42.52	19.76	54.00	11.48	V	AV
11A_20M_5700	5727.137507	38.73	58.95	20.22	68.20	9.25	V	PK
	5727.137507	23.19	43.41	20.22	54.00	10.59	V	AV
	5748.343583	32.60	52.85	20.25	68.20	15.35	V	PK
	5748.343583	19.86	40.11	20.25	54.00	13.89	V	AV
11A_20M_5720	5451.41918	32.15	51.81	19.66	74.00	22.19	V	PK
	5451.41918	19.38	39.04	19.66	54.00	14.96	V	AV
	5464.797583	32.14	51.56	19.42	68.20	16.64	V	PK
	5464.797583	19.41	38.83	19.42	54.00	15.17	V	AV
	5868.854083	31.04	52.21	21.17	68.20	15.99	V	PK
	5868.854083	18.88	40.05	21.17	54.00	13.95	V	AV

11A_20M_5745	5639.59001	37.08	56.88	19.80	68.20	11.32	V	PK
	5639.59001	24.53	44.33	19.80	--	--	V	AV
	5654.41875	36.91	56.47	19.56	71.48	15.01	H	PK
	5654.41875	24.51	44.07	19.56	--	--	H	AV
	5706.512917	37.07	57.02	19.95	107.03	50.01	H	PK
	5706.512917	24.40	44.35	19.95	--	--	H	AV
	5723.299417	43.92	64.10	20.18	118.32	54.22	V	PK
	5723.299417	28.30	48.48	20.18	--	--	V	AV
	5852.773583	36.75	57.34	20.59	115.88	58.54	H	PK
	5852.773583	24.49	45.08	20.59	--	--	H	AV
	5870.149583	37.11	58.25	21.14	106.56	48.31	H	PK
	5870.149583	24.58	45.72	21.14	--	--	H	AV
	5916.55125	36.93	57.97	21.04	74.43	16.46	H	PK
	5916.55125	24.72	45.76	21.04	--	--	H	AV
	5938.020917	36.84	58.04	21.20	68.20	10.16	V	PK
	5938.020917	24.79	45.99	21.20	--	--	V	AV
11A_20M_5825	5645.441197	37.10	57.21	20.11	68.20	10.99	H	PK
	5645.441197	24.49	44.60	20.11	--	--	H	AV
	5660.79575	36.75	56.85	20.10	76.22	19.37	V	PK
	5660.79575	24.51	44.61	20.10	--	--	V	AV
	5706.171583	37.18	57.11	19.93	106.93	49.82	V	PK
	5706.171583	24.46	44.39	19.93	--	--	V	AV
	5723.81475	37.54	57.72	20.18	119.50	61.78	V	PK
	5723.81475	24.44	44.62	20.18	--	--	V	AV
	5851.555583	44.22	64.87	20.65	118.65	53.78	V	PK
	5851.555583	28.61	49.26	20.65	--	--	V	AV
	5872.01925	37.64	58.76	21.12	106.03	47.27	V	PK
	5872.01925	24.76	45.88	21.12	--	--	V	AV
	5917.029917	37.25	58.29	21.04	74.08	15.79	H	PK

	5917.029917	24.75	45.79	21.04	--	--	H	AV
	5943.705917	37.94	59.27	21.33	68.20	8.93	H	PK
	5943.705917	24.81	46.14	21.33	--	--	H	AV
11N_20M_5180	5145.290973	36.66	55.59	18.93	74.00	18.41	V	PK
	5145.290973	21.80	40.73	18.93	54.00	13.27	V	AV
	5148.93975	39.85	58.56	18.71	74.00	15.44	V	PK
	5148.93975	23.22	41.93	18.71	54.00	12.07	V	AV
11N_20M_5320	5351.073257	37.77	58.46	20.69	74.00	15.54	V	PK
	5351.073257	22.15	42.84	20.69	54.00	11.16	V	AV
	5357.477583	35.16	55.43	20.27	74.00	18.57	V	PK
	5357.477583	21.38	41.65	20.27	54.00	12.35	V	AV
11N_20M_5500	5456.85468	32.34	51.59	19.25	74.00	22.41	V	PK
	5456.85468	19.81	39.06	19.25	54.00	14.94	V	AV
	5467.70675	36.64	56.30	19.66	68.20	11.90	V	PK
	5467.70675	21.92	41.58	19.66	54.00	12.42	V	AV
11N_20M_5700	5727.850183	37.79	58.01	20.22	68.20	10.19	V	PK
	5727.850183	23.04	43.26	20.22	54.00	10.74	V	AV
11N_20M_5720	5451.330827	32.02	51.69	19.67	74.00	22.31	V	PK
	5451.330827	19.41	39.08	19.67	54.00	14.92	V	AV
	5467.133583	32.03	51.65	19.62	68.20	16.55	H	PK
	5467.133583	19.32	38.94	19.62	54.00	15.06	H	AV
	5887.87375	31.89	53.33	21.44	68.20	14.87	H	PK
	5887.87375	19.03	40.47	21.44	54.00	13.53	H	AV
11N_20M_5745	5641.291347	36.89	56.77	19.88	68.20	11.43	H	PK
	5641.291347	24.48	44.36	19.88	--	--	H	AV
	5663.01225	37.47	57.43	19.96	77.86	20.43	V	PK
	5663.01225	24.66	44.62	19.96	--	--	V	AV
	5708.04675	37.64	57.70	20.06	107.46	49.76	V	PK
	5708.04675	24.89	44.95	20.06	--	--	V	AV

	5724.499917	44.99	65.18	20.19	121.06	55.88	V	PK
	5724.499917	26.80	46.99	20.19	--	--	V	AV
	5851.899417	36.89	57.53	20.64	117.87	60.34	H	PK
	5851.899417	24.50	45.14	20.64	--	--	H	AV
	5866.934083	36.92	58.14	21.22	107.46	49.32	H	PK
	5866.934083	24.48	45.70	21.22	--	--	H	AV
	5913.152583	36.84	57.74	20.90	76.94	19.20	H	PK
	5913.152583	24.70	45.60	20.90	--	--	H	AV
	5939.073417	37.33	58.57	21.24	68.20	9.63	V	PK
	5939.073417	24.78	46.02	21.24	--	--	V	AV
11N_20M_5825	5643.37852	36.80	56.81	20.01	68.20	11.39	V	PK
	5643.37852	24.50	44.51	20.01	--	--	V	AV
	5660.075917	37.04	57.19	20.15	75.68	18.49	V	PK
	5660.075917	24.50	44.65	20.15	--	--	V	AV
	5704.15175	37.35	57.12	19.77	106.36	49.24	H	PK
	5704.15175	24.39	44.16	19.77	--	--	H	AV
	5722.449917	37.22	57.39	20.17	116.39	59.00	V	PK
	5722.449917	24.40	44.57	20.17	--	--	V	AV
	5851.436417	43.80	64.46	20.66	118.92	54.46	V	PK
	5851.436417	28.12	48.78	20.66	--	--	V	AV
	5872.61375	37.25	58.36	21.11	105.87	47.51	H	PK
	5872.61375	24.56	45.67	21.11	--	--	H	AV
	5916.44975	37.66	58.70	21.04	74.51	15.81	H	PK
	5916.44975	24.70	45.74	21.04	--	--	H	AV
	5936.42525	37.36	58.52	21.16	68.20	9.68	V	PK
	5936.42525	24.80	45.96	21.16	--	--	V	AV

Test Result for AX Part RU_Band Edges


Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11AX20M_5180_26Tone_RU0	5138.116667	45.81	64.55	18.74	74.00	9.45	V	PK
	5137.833333	28.66	47.41	18.75	54.00	6.59	V	AV
11AX20M_5180_52Tone_RU37	5139.6	40.44	59.17	18.73	74.00	14.83	V	PK
	5145.016667	40.55	59.50	18.95	74.00	14.50	V	PK
	5138.983333	28.56	47.29	18.73	54.00	6.71	V	AV
	5145.066667	28.93	47.88	18.95	54.00	6.12	V	AV
11AX20M_5180_106Tone_RU53	5138.583333	40.44	59.18	18.74	74.00	14.82	H	PK
	5146.383333	41.14	60.00	18.86	74.00	14.00	V	PK
	5138.95	28.53	47.26	18.73	54.00	6.74	V	AV
	5146.283333	28.72	47.59	18.87	54.00	6.41	H	AV
11AX20M_5320_26Tone_RU8	5362.733333	46.30	66.58	20.28	74.00	7.42	V	PK
	5362.733333	24.80	45.08	20.28	54.00	8.92	V	AV
11AX20M_5320_52Tone_RU40	5353.833333	36.86	57.31	20.45	74.00	16.69	V	PK
	5358.9	36.84	57.07	20.23	74.00	16.93	V	PK
	5353.766667	24.96	45.41	20.45	54.00	8.59	V	AV
	5358.25	24.98	45.23	20.25	54.00	8.77	V	AV
11AX20M_5320_106Tone_RU54	5354.533333	37.05	57.44	20.39	74.00	16.56	H	PK
	5359.783333	36.76	56.95	20.19	74.00	17.05	V	PK
	5354.466667	24.91	45.30	20.39	54.00	8.70	V	AV
	5358.733333	24.75	44.98	20.23	54.00	9.02	V	AV
11AX20M_5500_26Tone_RU0	5454.43	35.31	54.64	19.33	74.00	19.36	H	PK
	5466.19	35.11	54.64	19.53	68.20	13.56	H	PK
	5453.02	28.16	47.65	19.49	54.00	6.35	V	AV
	5464.69	28.76	48.18	19.42	54.00	5.82	V	AV
11AX20M_5500_52Tone_RU37	5449.24	35.94	55.76	19.82	74.00	18.24	V	PK
	5462.11	35.45	54.75	19.30	68.20	13.45	V	PK


	5449.9	28.39	48.20	19.81	54.00	5.80	H	AV
	5461.54	28.35	47.62	19.27	54.00	6.38	V	AV
11AX20M_5500_106Tone_RU53	5454.97	36.12	55.39	19.27	74.00	18.61	H	PK
	5466.55	34.95	54.52	19.57	68.20	13.68	H	PK
	5455.42	28.73	47.99	19.26	54.00	6.01	V	AV
	5467.09	28.46	48.07	19.61	54.00	5.93	H	AV
11AX20M_5700_26Tone_RU8	5742.333333	44.26	64.73	20.47	68.20	3.47	V	PK
	5743.958333	29.27	49.87	20.60	54.00	4.13	V	AV
11AX20M_5700_52Tone_RU40	5732.625	41.26	61.34	20.08	68.20	6.86	V	PK
	5743.291667	41.11	61.66	20.55	68.20	6.54	H	PK
	5732.125	29.17	49.28	20.11	54.00	4.72	V	AV
	5742.583333	29.12	49.61	20.49	54.00	4.39	V	AV
11AX20M_5700_106Tone_RU54	5742.958333	41.48	62.00	20.52	68.20	6.20	H	PK
	5758.833333	41.43	61.93	20.50	68.20	6.27	V	PK
	5743.958333	29.37	49.97	20.60	54.00	4.03	H	AV
	5759	29.15	49.65	20.50	54.00	4.35	V	AV
11AX20M_5745_26Tone_RU0	5642.4	40.92	60.87	19.95	68.20	7.33	H	PK
	5660.266667	40.81	60.94	20.13	75.82	14.88	H	PK
	5702.533333	45.77	65.35	19.58	105.91	40.56	V	PK
	5724.133333	45.55	65.73	20.18	120.22	54.49	V	PK
	5852.333333	40.42	61.04	20.62	116.88	55.84	V	PK
	5868.266667	41.70	62.88	21.18	107.08	44.20	V	PK
	5916.4	41.25	62.29	21.04	74.54	12.25	H	PK
	5942.4	41.43	62.73	21.30	68.20	5.47	V	PK
11AX20M_5745_52Tone_RU37	5643.6	40.72	60.74	20.02	68.20	7.46	V	PK
	5653.666667	41.30	60.96	19.66	70.92	9.96	V	PK
	5707.466667	40.68	60.70	20.02	107.29	46.59	V	PK
	5722.066667	40.60	60.77	20.17	115.51	54.74	V	PK
	5850.066667	41.52	62.27	20.75	122.05	59.78	V	PK

	5868.6	41.39	62.56	21.17	106.99	44.43	H	PK
	5913.133333	41.20	62.10	20.90	76.95	14.85	H	PK
	5941.533333	41.44	62.72	21.28	68.20	5.48	H	PK
11AX20M_5745_106Tone_RU53	5630.6	41.17	60.74	19.57	68.20	7.46	H	PK
	5658.6	40.98	60.94	19.96	74.59	13.65	V	PK
	5704.466667	40.39	60.18	19.79	106.45	46.27	H	PK
	5723.266667	41.12	61.30	20.18	118.25	56.95	V	PK
	5853.8	40.79	61.31	20.52	113.54	52.23	H	PK
	5869.4	41.97	63.12	21.15	106.77	43.65	H	PK
	5910.133333	41.54	62.22	20.68	79.17	16.95	H	PK
	5945.8	42.09	63.27	21.18	68.20	4.93	V	PK
11AX20M_5825_26Tone_RU8	5643.933333	40.88	60.92	20.04	68.20	7.28	V	PK
	5659.6	40.85	60.95	20.10	75.33	14.38	H	PK
	5712.666667	41.57	61.75	20.18	108.75	47.00	H	PK
	5723.2	41.44	61.62	20.18	118.10	56.48	V	PK
	5850.866667	44.33	65.03	20.70	120.22	55.19	V	PK
	5870.266667	41.22	62.36	21.14	106.52	44.16	V	PK
	5916	41.02	62.06	21.04	74.84	12.78	V	PK
	5934.866667	41.15	62.27	21.12	68.20	5.93	V	PK
11AX20M_5825_52Tone_RU40	5634.533333	41.07	60.81	19.74	68.20	7.39	H	PK
	5659.866667	40.80	60.93	20.13	75.53	14.60	H	PK
	5706.8	41.68	61.66	19.98	107.11	45.45	V	PK
	5723.6	41.03	61.21	20.18	119.01	57.80	V	PK
	5853.066667	40.60	61.17	20.57	115.21	54.04	H	PK
	5871.533333	40.76	61.88	21.12	106.17	44.29	H	PK
	5913.533333	40.59	61.52	20.93	76.66	15.14	H	PK
	5939.066667	41.93	63.17	21.24	68.20	5.03	H	PK
11AX20M_5825_106Tone_RU54	5646.533333	41.01	61.15	20.14	68.20	7.05	V	PK
	5662.6	40.26	60.25	19.99	77.55	17.30	V	PK


	5708.533333	40.25	60.35	20.10	107.59	47.24	H	PK
	5722.333333	41.51	61.68	20.17	116.12	54.44	H	PK
	5853.2	41.63	62.19	20.56	114.90	52.71	V	PK
	5872.333333	41.35	62.47	21.12	105.95	43.48	V	PK
	5918.466667	40.94	61.97	21.03	73.02	11.05	V	PK
	5943.266667	41.62	62.94	21.32	68.20	5.26	H	PK

Test Graphs_Band Edges







11A_20M_5825




11N_20M_5180




11N_20M_5320




11N_20M_5500




11N_20M_5700





11N_20M_5720



11N_20M_5745




11N_20M_5825




Test Graphs for AX Part RU_Band Edges

11AX20M_5180_26Tone_RU0




11AX20M_5180_52Tone_RU37




11AX20M_5180_106Tone_RU53


11AX20M_5320_26Tone_RU8









11AX20M_5825_52Tone_RU40



11AX20M_5825_106Tone_RU54



Test Result_Spurious Emission

Note1: Test result Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier the Emissions in the frequency band 9kHz-30MHz and 18GHz-26.5GHz are more than 20dB below the limit are not reported.

Note2: Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case. Level=Reading+Factor; Margin=Limit-Level; V=Vertical , H=Horizontal.

Data --List

Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11A_20M_5180	2153.182334	51.80	51.56	-0.24	68.20	16.64	V	PK
	2153.182334	48.11	47.87	-0.24	--	--	V	AV
	3884.870834	51.74	57.37	5.63	74.00	16.63	V	PK
	3884.870834	45.53	51.16	5.63	54.00	2.84	V	AV
	10312.6	30.76	46.17	15.41	68.20	22.03	H	PK
	10312.6	18.46	33.87	15.41	--	--	H	AV
	15539.61	31.36	51.34	19.98	74.00	22.66	V	PK
	15539.61	19.53	39.51	19.98	54.00	14.49	V	AV
11A_20M_5220	2153.204334	51.81	51.57	-0.24	68.20	16.63	V	PK
	2153.204334	48.02	47.78	-0.24	--	--	V	AV
	3915.021666	50.92	56.55	5.63	74.00	17.45	V	PK
	3915.021666	44.06	49.69	5.63	54.00	4.31	V	AV
	10391.19	30.58	46.12	15.54	68.20	22.08	H	PK
	10391.19	18.36	33.90	15.54	--	--	H	AV
	15659.61	30.61	50.74	20.13	74.00	23.26	V	PK
	15659.61	18.68	38.81	20.13	54.00	15.19	V	AV
11A_20M_5240	2153.204334	50.90	50.66	-0.24	68.20	17.54	V	PK
	2153.204334	46.56	46.32	-0.24	--	--	V	AV
	3929.9925	51.26	56.75	5.49	74.00	17.25	V	PK
	3929.9925	44.35	49.84	5.49	54.00	4.16	V	AV
	10511.18	30.96	46.68	15.72	68.20	21.52	H	PK
	10511.18	18.52	34.24	15.72	--	--	H	AV

	15723.54	31.23	51.58	20.35	74.00	22.42	V	PK
	15723.54	17.51	37.86	20.35	54.00	16.14	V	AV
11A_20M_5260	2301.684166	49.60	49.67	0.07	68.20	18.53	V	PK
	2301.684166	43.42	43.49	0.07	--	--	V	AV
	3944.963334	50.38	55.84	5.46	74.00	18.16	V	PK
	3944.963334	43.75	49.21	5.46	54.00	4.79	V	AV
	10529.21	31.01	46.87	15.86	68.20	21.33	V	PK
	10529.21	18.58	34.44	15.86	--	--	V	AV
	15783.55	31.78	52.53	20.75	74.00	21.47	V	PK
	15783.55	17.98	38.73	20.75	54.00	15.27	V	AV
11A_20M_5300	2153.204334	52.05	51.81	-0.24	68.20	16.39	V	PK
	2153.204334	48.28	48.04	-0.24	--	--	V	AV
	3974.905	49.30	55.44	6.14	74.00	18.56	V	PK
	3974.905	42.27	48.41	6.14	54.00	5.59	V	AV
	10618.82	31.57	47.56	15.99	74.00	26.44	V	PK
	10618.82	18.62	34.61	15.99	54.00	19.39	V	AV
	15899.6	31.50	52.42	20.92	74.00	21.58	V	PK
	15899.6	19.82	40.74	20.92	54.00	13.26	V	AV
11A_20M_5320	2153.182334	51.68	51.44	-0.24	68.20	16.76	V	PK
	2153.182334	47.82	47.58	-0.24	--	--	V	AV
	3989.865834	48.39	54.48	6.09	74.00	19.52	V	PK
	3989.865834	40.81	46.90	6.09	54.00	7.10	V	AV
	10639.73	32.38	48.11	15.73	74.00	25.89	V	PK
	10639.73	19.51	35.24	15.73	54.00	18.76	V	AV
	15959.6	32.17	53.23	21.06	74.00	20.77	V	PK
	15959.6	19.55	40.61	21.06	54.00	13.39	V	AV
11A_20M_5500	2153.182334	51.65	51.59	-0.06	68.20	16.61	V	PK
	2153.182334	47.40	47.34	-0.06	--	--	V	AV
	3666.545	48.11	52.99	4.88	74.00	21.01	V	PK

	3666.545	39.59	44.47	4.88	54.00	9.53	V	AV
	11001.38	31.60	47.01	15.41	74.00	26.99	V	PK
	11001.38	18.82	34.23	15.41	54.00	19.77	V	AV
	16499.59	30.55	52.59	22.04	68.20	15.61	V	PK
	16499.59	19.28	41.32	22.04	--	--	V	AV
11A_20M_5580	2153.182334	51.49	51.43	-0.06	68.20	16.77	V	PK
	2153.182334	47.71	47.65	-0.06	--	--	V	AV
	3720.013334	49.80	54.99	5.19	74.00	19.01	V	PK
	3720.013334	42.12	47.31	5.19	54.00	6.69	V	AV
	11174.23	31.20	46.56	15.36	74.00	27.44	H	PK
	11174.23	18.91	34.27	15.36	54.00	19.73	H	AV
	16739.58	30.47	53.35	22.88	68.20	14.85	V	PK
	16739.58	19.13	42.01	22.88	--	--	V	AV
11A_20M_5700	2239.034166	43.09	43.32	0.23	74.00	30.68	H	PK
	2239.034166	30.80	31.03	0.23	54.00	22.97	H	AV
	3799.91	49.01	54.56	5.55	74.00	19.44	V	PK
	3799.91	42.22	47.77	5.55	54.00	6.23	V	AV
	11451.02	31.08	47.04	15.96	74.00	26.96	H	PK
	11451.02	18.71	34.67	15.96	54.00	19.33	H	AV
	17099.57	29.55	54.01	24.46	68.20	14.19	V	PK
	17099.57	18.11	42.57	24.46	--	--	V	AV
11A_20M_5720	2153.204334	51.66	51.60	-0.06	68.20	16.60	V	PK
	2153.204334	47.77	47.71	-0.06	--	--	V	AV
	3813.309166	49.85	55.21	5.36	74.00	18.79	V	PK
	3813.309166	42.91	48.27	5.36	54.00	5.73	V	AV
	11448.29	31.24	46.93	15.69	74.00	27.07	V	PK
	11448.29	18.83	34.52	15.69	54.00	19.48	V	AV
	17159.57	29.89	53.92	24.03	68.20	14.28	V	PK
	17159.57	18.68	42.71	24.03	--	--	V	AV

11A_20M_5725	2153.204334	52.05	51.79	-0.26	68.20	16.41	V	PK
	2153.204334	48.06	47.80	-0.26	--	--	V	AV
	3856.680834	50.43	55.76	5.33	74.00	18.24	V	PK
	3856.680834	43.11	48.44	5.33	54.00	5.56	V	AV
	5219.843334	42.29	51.99	9.70	68.20	16.21	H	PK
	5219.843334	28.97	38.67	9.70	--	--	H	AV
	11529.22	31.32	46.76	15.44	74.00	27.24	V	PK
	11529.22	18.90	34.34	15.44	54.00	19.66	V	AV
	17410.105	28.13	52.90	24.77	68.20	15.30	V	PK
	17410.105	14.70	39.47	24.77	--	--	V	AV
11A_20M_5745	2153.182334	51.57	51.31	-0.26	68.20	16.89	V	PK
	2153.182334	46.78	46.52	-0.26	--	--	V	AV
	3830.041666	49.68	55.48	5.80	74.00	18.52	V	PK
	3830.041666	43.28	49.08	5.80	54.00	4.92	V	AV
	11439.16	31.20	46.57	15.37	74.00	27.43	V	PK
	11439.16	18.72	34.09	15.37	54.00	19.91	V	AV
	17318.155	27.65	51.66	24.01	68.20	16.54	V	PK
	17318.155	15.08	39.09	24.01	--	--	V	AV
11A_20M_5825	2153.204334	51.74	51.48	-0.26	68.20	16.72	V	PK
	2153.204334	47.82	47.56	-0.26	--	--	V	AV
	3883.319166	50.49	56.58	6.09	74.00	17.42	V	PK
	3883.319166	43.88	49.97	6.09	54.00	4.03	V	AV
	11626.41	30.51	46.05	15.54	74.00	27.95	H	PK
	11626.41	18.37	33.91	15.54	54.00	20.09	H	AV
	17474.565	29.70	54.59	24.89	68.20	13.61	V	PK
	17474.565	17.59	42.48	24.89	--	--	V	AV
11N_20M_5180	2153.204334	51.92	51.68	-0.24	68.20	16.52	V	PK
	2153.204334	48.00	47.76	-0.24	--	--	V	AV
	3884.870834	51.45	57.08	5.63	74.00	16.92	V	PK

	3884.870834	45.52	51.15	5.63	54.00	2.85	V	AV
	10317.27	30.42	45.83	15.41	68.20	22.37	H	PK
	10317.27	18.33	33.74	15.41	--	--	H	AV
	15566.03	30.10	50.08	19.98	74.00	23.92	H	PK
	15566.03	16.85	36.83	19.98	54.00	17.17	H	AV
11N_20M_5220	1773.1005	42.72	39.82	-2.90	68.20	28.38	H	PK
	1773.1005	30.36	27.46	-2.90	--	--	H	AV
	2004.6475	50.38	49.58	-0.80	68.20	18.62	V	PK
	2004.6475	45.69	44.89	-0.80	--	--	V	AV
	2153.153334	52.38	52.14	-0.24	68.20	16.06	V	PK
	2153.153334	48.75	48.51	-0.24	--	--	V	AV
	2301.71	50.14	50.23	0.09	68.20	17.97	V	PK
	2301.71	44.02	44.11	0.09	--	--	V	AV
	3915.021666	49.68	55.31	5.63	74.00	18.69	V	PK
	3915.021666	42.48	48.11	5.63	54.00	5.89	V	AV
	10463.23	31.08	46.62	15.54	68.20	21.58	H	PK
	10463.23	18.46	34.00	15.54	--	--	H	AV
	15612.63	29.13	49.26	20.13	74.00	24.74	H	PK
	15612.63	16.93	37.06	20.13	54.00	16.94	H	AV
11N_20M_5240	1765.756666	62.01	59.12	-2.89	68.20	9.08	V	PK
	1765.756666	44.76	41.87	-2.89	--	--	V	AV
	2153.153334	52.66	52.42	-0.24	68.20	15.78	V	PK
	2153.153334	49.09	48.85	-0.24	--	--	V	AV
	2301.71	49.60	49.69	0.09	68.20	18.51	V	PK
	2301.71	43.35	43.44	0.09	--	--	V	AV
	3929.9925	50.16	55.65	5.49	74.00	18.35	V	PK
	3929.9925	43.17	48.66	5.49	54.00	5.34	V	AV
	10437.82	31.01	46.73	15.72	68.20	21.47	V	PK
	10437.82	18.41	34.13	15.72	--	--	V	AV

	15782.49	29.45	49.80	20.35	74.00	24.20	V	PK
	15782.49	17.20	37.55	20.35	54.00	16.45	V	AV
11N_20M_5260	2153.182334	52.62	52.38	-0.24	68.20	15.82	V	PK
	2153.182334	49.15	48.91	-0.24	--	--	V	AV
	3944.963334	50.36	55.82	5.46	74.00	18.18	V	PK
	3944.963334	43.02	48.48	5.46	54.00	5.52	V	AV
	5737.7575	41.62	51.83	10.21	68.20	16.37	V	PK
	5737.7575	28.97	39.18	10.21	--	--	V	AV
	10480.81	31.18	47.04	15.86	68.20	21.16	V	PK
	10480.81	18.36	34.22	15.86	--	--	V	AV
	15784.34	29.64	50.39	20.75	74.00	23.61	V	PK
	15784.34	17.12	37.87	20.75	54.00	16.13	V	AV
11N_20M_5300	2153.182334	52.36	52.12	-0.24	68.20	16.08	V	PK
	2153.182334	48.92	48.68	-0.24	--	--	V	AV
	3974.905	50.34	56.48	6.14	74.00	17.52	V	PK
	3974.905	43.02	49.16	6.14	54.00	4.84	V	AV
	10598.68	30.62	46.61	15.99	68.20	21.59	H	PK
	10598.68	18.15	34.14	15.99	--	--	H	AV
	15840.77	29.29	50.21	20.92	74.00	23.79	H	PK
	15840.77	16.56	37.48	20.92	54.00	16.52	H	AV
11N_20M_5320	2153.182334	52.59	52.35	-0.24	68.20	15.85	V	PK
	2153.182334	48.97	48.73	-0.24	--	--	V	AV
	3989.865834	49.33	55.42	6.09	74.00	18.58	V	PK
	3989.865834	42.29	48.38	6.09	54.00	5.62	V	AV
	10633.35	30.98	46.71	15.73	74.00	27.29	H	PK
	10633.35	18.18	33.91	15.73	54.00	20.09	H	AV
	15944.44	29.35	50.41	21.06	74.00	23.59	H	PK
	15944.44	16.98	38.04	21.06	54.00	15.96	H	AV
11N_20M_5500	2153.204334	51.79	51.73	-0.06	68.20	16.47	V	PK


	2153.204334	48.04	47.98	-0.06	--	--	V	AV
	3553.8075	42.77	46.86	4.09	68.20	21.34	H	PK
	3553.8075	30.45	34.54	4.09	--	--	H	AV
	5253.019166	41.33	51.08	9.75	68.20	17.12	V	PK
	5253.019166	28.92	38.67	9.75	--	--	V	AV
	10965.63	30.94	46.35	15.41	74.00	27.65	V	PK
	10965.63	18.28	33.69	15.41	54.00	20.31	V	AV
	16428.64	29.32	51.36	22.04	68.20	16.84	H	PK
	16428.64	16.73	38.77	22.04	--	--	H	AV
11N_20M_5580	2153.204334	52.26	52.20	-0.06	68.20	16.00	V	PK
	2153.204334	48.74	48.68	-0.06	--	--	V	AV
	3720.013334	48.05	53.24	5.19	74.00	20.76	V	PK
	3720.013334	39.02	44.21	5.19	54.00	9.79	V	AV
	11197.11	30.92	46.28	15.36	74.00	27.72	H	PK
	11197.11	18.66	34.02	15.36	54.00	19.98	H	AV
	16783.11	29.00	51.88	22.88	68.20	16.32	H	PK
	16783.11	16.64	39.52	22.88	--	--	H	AV
11N_20M_5700	2153.182334	52.50	52.44	-0.06	68.20	15.76	V	PK
	2153.182334	48.90	48.84	-0.06	--	--	V	AV
	3799.91	48.14	53.69	5.55	74.00	20.31	V	PK
	3799.91	39.48	45.03	5.55	54.00	8.97	V	AV
	11422.52	32.52	48.48	15.96	74.00	25.52	V	PK
	11422.52	18.66	34.62	15.96	54.00	19.38	V	AV
	17125.22	28.09	52.55	24.46	68.20	15.65	H	PK
	17125.22	15.38	39.84	24.46	--	--	H	AV
11N_20M_5720	2153.204334	52.52	52.46	-0.06	68.20	15.74	V	PK
	2153.204334	48.95	48.89	-0.06	--	--	V	AV
	3813.309166	46.25	51.61	5.36	74.00	22.39	V	PK
	3813.309166	36.48	41.84	5.36	54.00	12.16	V	AV


	11452.87	30.85	46.54	15.69	74.00	27.46	V	PK
	11452.87	18.58	34.27	15.69	54.00	19.73	V	AV
	17206.76	27.88	51.91	24.03	68.20	16.29	H	PK
	17206.76	15.59	39.62	24.03	--	--	H	AV
11N_20M_5745	2153.204334	52.55	52.29	-0.26	68.20	15.91	V	PK
	2153.204334	49.03	48.77	-0.26	--	--	V	AV
	3829.851666	46.38	52.18	5.80	74.00	21.82	V	PK
	3829.851666	37.43	43.23	5.80	54.00	10.77	V	AV
	11501.78	30.35	45.72	15.37	74.00	28.28	H	PK
	11501.78	18.31	33.68	15.37	54.00	20.32	H	AV
	17171.665	28.49	52.50	24.01	68.20	15.70	V	PK
	17171.665	15.56	39.57	24.01	--	--	V	AV
11N_20M_5785	2153.204334	52.54	52.28	-0.26	68.20	15.92	V	PK
	2153.204334	48.99	48.73	-0.26	--	--	V	AV
	3856.680834	48.41	53.74	5.33	74.00	20.26	V	PK
	3856.680834	40.15	45.48	5.33	54.00	8.52	V	AV
	11524.59	31.33	46.77	15.44	74.00	27.23	V	PK
	11524.59	18.46	33.90	15.44	54.00	20.10	V	AV
	17308.575	27.97	52.74	24.77	68.20	15.46	H	PK
	17308.575	15.29	40.06	24.77	--	--	H	AV
11N_20M_5825	2153.204334	52.71	52.45	-0.26	68.20	15.75	V	PK
	2153.204334	48.94	48.68	-0.26	--	--	V	AV
	3883.319166	47.29	53.38	6.09	74.00	20.62	V	PK
	3883.319166	38.03	44.12	6.09	54.00	9.88	V	AV
	11604.27	31.14	46.68	15.54	74.00	27.32	H	PK
	11604.27	18.44	33.98	15.54	54.00	20.02	H	AV
	17561.935	27.44	52.33	24.89	68.20	15.87	H	PK
	17561.935	15.17	40.06	24.89	--	--	H	AV

Data List


Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11N_20M_5240	35.704188	39.98	22.41	-17.57	40.00	17.59	V	QP
	59.969239	47.42	31.23	-16.19	40.00	8.77	V	QP
	199.993949	40.86	25.10	-15.76	43.50	18.40	V	QP
	255.890833	35.09	21.26	-13.83	46.00	24.74	H	QP
	703.039312	25.07	17.65	-7.42	46.00	28.35	V	QP
	992.743515	23.34	21.13	-2.21	54.00	32.87	V	QP

Test Graphs_Spurious Emission







11A_20M_5500




11A_20M_5580




11A_20M_5700




11A_20M_5720




11A_20M_5725




11A_20M_5745




11A_20M_5825




11N_20M_5180




11N_20M_5220




11N_20M_5240




11N_20M_5260




11N_20M_5300




11N_20M_5320




11N_20M_5500




11N_20M_5580




11N_20M_5700




11N_20M_5720




11N_20M_5745




11N_20M_5785




11N_20M_5825



11N_20M_5240



/



/

ANNEX C: The EUT Appearance

The EUT Appearance (internal and external photographs) are submitted separately.

ANNEX D: Test Setup Photograph

The Test Setup Photographs are submitted separately.