



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	8.99
802.11be EHT40_Nss2,(MCS0)_2TX	6.38
802.11be EHT80_Nss2,(MCS0)_2TX	2.58
5.25-5.35GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	9.99
802.11be EHT40_Nss2,(MCS0)_2TX	6.65
802.11be EHT80_Nss2,(MCS0)_2TX	2.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	3.49	5.76	6.24	8.99	17.00
5200MHz	Pass	3.49	5.62	5.86	8.73	17.00
5240MHz	Pass	3.49	4.46	4.79	7.58	17.00
5260MHz	Pass	3.73	5.70	5.64	8.61	11.00
5300MHz	Pass	3.73	7.23	6.85	9.99	11.00
5320MHz	Pass	3.73	7.23	6.78	9.93	11.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	3.49	3.48	3.29	6.38	17.00
5230MHz	Pass	3.49	2.47	2.26	5.32	17.00
5270MHz	Pass	3.73	3.71	3.51	6.58	11.00
5310MHz	Pass	3.73	3.93	3.50	6.65	11.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	3.49	-0.33	-0.50	2.58	17.00
5290MHz	Pass	3.73	-0.09	-0.00	2.92	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

22/10/2024

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.901

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.99	8.99	5.76	6.24

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

22/10/2024

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.81

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.38	6.38	3.48	3.29

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

22/10/2024

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
14.956

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.58	2.58	-0.33	-0.50

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5300MHz

22/10/2024

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.901

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.99	9.99	7.23	6.85

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5310MHz

22/10/2024

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.81

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
6.65	6.65	3.93	3.50

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

22/10/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
14.956

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
2.92	2.92	-0.09	-0.00



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
a20_Nss1,(6Mbps)_1TX	-0.19
a40_Nss1,(6Mbps)_1TX	-1.42
a80_Nss1,(6Mbps)_1TX	-5.78
a160_Nss1,(6Mbps)_1TX	-9.88
5.25-5.35GHz	-
a20_Nss1,(6Mbps)_1TX	6.13
a40_Nss1,(6Mbps)_1TX	1.75
a80_Nss1,(6Mbps)_1TX	-4.55
a160_Nss1,(6Mbps)_1TX	-9.68
5.47-5.725GHz	-
a20_Nss1,(6Mbps)_1TX	5.66
a40_Nss1,(6Mbps)_1TX	1.85
a80_Nss1,(6Mbps)_1TX	0.56
a160_Nss1,(6Mbps)_1TX	-8.94
5.725-5.85GHz	-
a20_Nss1,(6Mbps)_1TX	4.81
a40_Nss1,(6Mbps)_1TX	1.22
a80_Nss1,(6Mbps)_1TX	-2.72

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	3.14	-0.99	-0.99	17.00
5200MHz	Pass	3.14	-0.49	-0.49	17.00
5240MHz	Pass	3.14	-0.19	-0.19	17.00
5260MHz	Pass	3.33	6.04	6.04	11.00
5300MHz	Pass	3.33	6.13	6.13	11.00
5320MHz	Pass	3.33	3.84	3.84	11.00
5500MHz	Pass	3.41	3.53	3.53	11.00
5580MHz	Pass	3.41	5.66	5.66	11.00
5700MHz	Pass	3.41	3.90	3.90	11.00
5745MHz	Pass	4.50	4.81	4.81	30.00
5785MHz	Pass	4.50	4.71	4.71	30.00
5825MHz	Pass	4.50	4.51	4.51	30.00
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-
5190MHz	Pass	3.14	-3.72	-3.72	17.00
5230MHz	Pass	3.14	-1.42	-1.42	17.00
5270MHz	Pass	3.33	1.75	1.75	11.00
5310MHz	Pass	3.33	-2.00	-2.00	11.00
5510MHz	Pass	3.41	-3.77	-3.77	11.00
5550MHz	Pass	3.41	1.85	1.85	11.00
5670MHz	Pass	3.41	1.17	1.17	11.00
5755MHz	Pass	4.50	-0.28	-0.28	30.00
5795MHz	Pass	4.50	1.22	1.22	30.00
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-
5210MHz	Pass	3.14	-5.78	-5.78	17.00
5290MHz	Pass	3.33	-4.55	-4.55	11.00
5530MHz	Pass	3.41	-5.62	-5.62	11.00
5610MHz	Pass	3.41	0.56	0.56	11.00
5775MHz	Pass	4.50	-2.72	-2.72	30.00
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.14	-9.88	-9.88	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.33	-9.68	-9.68	11.00
5570MHz	Pass	3.41	-8.94	-8.94	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

PSD

5240MHz

08/11/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.363

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.19	-0.19	-0.19

5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

PSD

5230MHz

09/11/2024

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.84

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.42	-1.42	-1.42

5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX

PSD

5210MHz

09/11/2024




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.78	-5.78	-5.78

5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

06/12/2024



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.88	-9.88	-9.88

5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

PSD

5300MHz

06/12/2024

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.363

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.13	6.13	6.13

5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

PSD

5270MHz

06/12/2024

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.84

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.75	1.75	1.75

5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

PSD

5290MHz

06/12/2024




5.25-5.35GHz_a160_Nss1,(6Mbps)_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

06/12/2024



5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

PSD

5580MHz

06/12/2024

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.363

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.66	5.66	5.66

5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

PSD

5550MHz

06/12/2024

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.84

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.85	1.85	1.85

5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

PSD

5610MHz

06/12/2024

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.299

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.56	0.56	0.56

5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

PSD

5570MHz

06/12/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.397

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.94	-8.94	-8.94

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

PSD

5745MHz

12/11/2024

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
2.363

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.81	4.81	4.81

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

PSD

5795MHz

12/11/2024

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
1.84

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.22	1.22	1.22




5.725-5.85GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

PSD

5775MHz

09/11/2024

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
1.299
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.72	-2.72	-2.72



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	55.22M	35.81	40.00	-4.19	3	Vertical	0	1.00

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	55.22M	35.81	40.00	-4.19	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	83.35M	30.53	40.00	-9.47	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	142.52M	25.84	43.50	-17.66	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	185.2M	27.72	43.50	-15.78	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	428.67M	28.30	46.00	-17.70	3	Vertical	0	1.00
5775MHz_PoE	Pass	QP	37.76M	30.11	40.00	-9.89	3	Vertical	246	1.43
5775MHz_PoE	Pass	PK	49.4M	28.96	40.00	-11.04	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	97.9M	25.43	43.50	-18.07	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	147.37M	22.47	43.50	-21.03	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	187.14M	25.54	43.50	-17.96	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	250.19M	22.17	46.00	-23.83	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	350.1M	24.77	46.00	-21.23	3	Horizontal	360	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_PoE



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_PoE



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	45.48	54.00	-8.52	3	Vertical	192	2.19
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1402G	46.04	54.00	-7.96	3	Vertical	191	2.20
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.1484G	46.20	54.00	-7.80	3	Vertical	193	2.21
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.148G	48.83	54.00	-5.17	3	Vertical	193	2.22
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	46.57	54.00	-7.43	3	Vertical	160	2.31
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	46.89	54.00	-7.11	3	Vertical	159	2.42
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	49.14	54.00	-4.86	3	Vertical	160	2.19
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	49.32	54.00	-4.68	3	Vertical	160	2.55
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.35	54.00	-0.65	3	Vertical	190	2.08
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7272G	68.13	68.20	-0.07	3	Vertical	189	2.15
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7256G	66.14	68.20	-2.06	3	Vertical	187	2.14
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.7258G	67.55	68.20	-0.65	3	Vertical	189	2.06
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.468G	67.81	68.20	-0.39	3	Vertical	151	2.85
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4608G	65.92	68.20	-2.28	3	Vertical	190	2.24
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.9694G	60.35	68.20	-7.85	3	Vertical	190	2.34
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	6.0729G	59.98	68.20	-8.22	3	Vertical	189	1.91
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	6.0274G	59.54	68.20	-8.66	3	Vertical	164	2.30
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.649G	60.31	68.20	-7.89	3	Vertical	188	2.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	45.48	54.00	-8.52	3	Vertical	192	2.19
5180MHz	Pass	AV	5.1822G	100.11	Inf	-Inf	3	Vertical	192	2.19
5180MHz	Pass	PK	5.1384G	59.79	74.00	-14.21	3	Vertical	192	2.19
5180MHz	Pass	PK	5.1848G	111.23	Inf	-Inf	3	Vertical	192	2.19
5180MHz	Pass	PK	10.34746G	48.01	68.20	-20.19	3	Vertical	153	1.50
5180MHz	Pass	PK	10.35994G	47.21	68.20	-20.99	3	Horizontal	188	1.50
5200MHz	Pass	AV	5.1496G	44.54	54.00	-9.46	3	Vertical	192	2.28
5200MHz	Pass	AV	5.2028G	100.69	Inf	-Inf	3	Vertical	192	2.28
5200MHz	Pass	PK	5.1472G	58.15	74.00	-15.85	3	Vertical	192	2.28
5200MHz	Pass	PK	5.1952G	111.37	Inf	-Inf	3	Vertical	192	2.28
5200MHz	Pass	PK	10.4036G	47.22	68.20	-20.98	3	Vertical	313	1.50
5200MHz	Pass	PK	10.40678G	46.64	68.20	-21.56	3	Horizontal	75	1.50
5240MHz	Pass	AV	5.1494G	43.91	54.00	-10.09	3	Vertical	189	2.15
5240MHz	Pass	AV	5.2364G	100.82	Inf	-Inf	3	Vertical	189	2.15
5240MHz	Pass	AV	5.354G	43.86	54.00	-10.14	3	Vertical	189	2.15
5240MHz	Pass	PK	5.1182G	56.95	74.00	-17.05	3	Vertical	189	2.15
5240MHz	Pass	PK	5.2382G	111.92	Inf	-Inf	3	Vertical	189	2.15
5240MHz	Pass	PK	5.3798G	57.79	74.00	-16.21	3	Vertical	189	2.15
5240MHz	Pass	PK	10.47544G	46.30	68.20	-21.90	3	Vertical	252	1.50
5240MHz	Pass	PK	10.48918G	47.44	68.20	-20.76	3	Horizontal	201	1.58
5260MHz	Pass	AV	5.146G	43.91	54.00	-10.09	3	Vertical	191	2.05
5260MHz	Pass	AV	5.2612G	100.67	Inf	-Inf	3	Vertical	191	2.05
5260MHz	Pass	AV	5.3536G	44.02	54.00	-9.98	3	Vertical	191	2.05
5260MHz	Pass	PK	5.1358G	57.66	74.00	-16.34	3	Vertical	191	2.05
5260MHz	Pass	PK	5.2582G	112.12	Inf	-Inf	3	Vertical	191	2.05
5260MHz	Pass	PK	5.3818G	58.14	74.00	-15.86	3	Vertical	191	2.05
5260MHz	Pass	PK	10.5071G	47.16	68.20	-21.04	3	Vertical	95	1.50
5260MHz	Pass	PK	10.52684G	47.06	68.20	-21.14	3	Horizontal	123	1.50
5300MHz	Pass	AV	5.3028G	99.92	Inf	-Inf	3	Vertical	160	2.29
5300MHz	Pass	AV	5.3508G	44.80	54.00	-9.20	3	Vertical	160	2.29
5300MHz	Pass	PK	5.3G	111.31	Inf	-Inf	3	Vertical	160	2.29
5300MHz	Pass	PK	5.3632G	58.16	74.00	-15.84	3	Vertical	160	2.29
5300MHz	Pass	AV	10.60306G	34.04	54.00	-19.96	3	Vertical	218	1.50
5300MHz	Pass	PK	10.5994G	48.03	68.20	-20.17	3	Vertical	218	1.50
5300MHz	Pass	AV	10.6051G	34.00	54.00	-20.00	3	Horizontal	269	1.50
5300MHz	Pass	PK	10.59766G	47.38	68.20	-20.82	3	Horizontal	269	1.50
5320MHz	Pass	AV	5.3178G	99.33	Inf	-Inf	3	Vertical	160	2.31
5320MHz	Pass	AV	5.35G	46.57	54.00	-7.43	3	Vertical	160	2.31
5320MHz	Pass	PK	5.3176G	110.57	Inf	-Inf	3	Vertical	160	2.31
5320MHz	Pass	PK	5.3604G	60.28	74.00	-13.72	3	Vertical	160	2.31
5320MHz	Pass	AV	10.64744G	34.14	54.00	-19.86	3	Vertical	42	1.50
5320MHz	Pass	PK	10.64882G	47.84	74.00	-26.16	3	Vertical	42	1.50
5320MHz	Pass	AV	10.6463G	33.90	54.00	-20.10	3	Horizontal	352	2.21
5320MHz	Pass	PK	10.63874G	46.65	74.00	-27.35	3	Horizontal	352	2.21
5500MHz	Pass	AV	5.4596G	44.90	54.00	-9.10	3	Vertical	34	2.40
5500MHz	Pass	AV	5.5016G	98.31	Inf	-Inf	3	Vertical	34	2.40
5500MHz	Pass	PK	5.4558G	58.20	74.00	-15.80	3	Vertical	34	2.40
5500MHz	Pass	PK	5.4602G	58.67	68.20	-9.53	3	Vertical	34	2.40
5500MHz	Pass	PK	5.5048G	109.29	Inf	-Inf	3	Vertical	34	2.40
5500MHz	Pass	AV	10.98956G	34.16	54.00	-19.84	3	Vertical	205	1.50
5500MHz	Pass	PK	11.01068G	47.29	74.00	-26.71	3	Vertical	205	1.50
5500MHz	Pass	AV	10.99202G	34.28	54.00	-19.72	3	Horizontal	261	1.54
5500MHz	Pass	PK	11.01392G	47.87	74.00	-26.13	3	Horizontal	261	1.54
5580MHz	Pass	AV	5.4492G	44.22	54.00	-9.78	3	Vertical	190	2.17
5580MHz	Pass	AV	5.5824G	100.32	Inf	-Inf	3	Vertical	190	2.17
5580MHz	Pass	PK	5.4552G	57.51	74.00	-16.49	3	Vertical	190	2.17
5580MHz	Pass	PK	5.4696G	57.74	68.20	-10.46	3	Vertical	190	2.17
5580MHz	Pass	PK	5.5782G	111.66	Inf	-Inf	3	Vertical	190	2.17
5580MHz	Pass	PK	5.7252G	58.21	68.20	-9.99	3	Vertical	190	2.17
5580MHz	Pass	AV	11.17296G	34.14	54.00	-19.86	3	Vertical	352	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.17356G	47.78	74.00	-26.22	3	Vertical	352	1.50
5580MHz	Pass	AV	11.17206G	34.06	54.00	-19.94	3	Horizontal	32	1.50
5580MHz	Pass	PK	11.1591G	47.33	74.00	-26.67	3	Horizontal	32	1.50
5700MHz	Pass	AV	5.7024G	99.59	Inf	-Inf	3	Vertical	189	2.15
5700MHz	Pass	PK	5.7G	112.13	Inf	-Inf	3	Vertical	189	2.15
5700MHz	Pass	PK	5.7272G	68.13	68.20	-0.07	3	Vertical	189	2.15
5700MHz	Pass	AV	11.39442G	34.45	54.00	-19.55	3	Vertical	94	2.14
5700MHz	Pass	PK	11.41074G	48.00	74.00	-26.00	3	Vertical	94	2.14
5700MHz	Pass	AV	11.38872G	34.58	54.00	-19.42	3	Horizontal	223	1.50
5700MHz	Pass	PK	11.40948G	47.91	74.00	-26.09	3	Horizontal	223	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	43.90	54.00	-10.10	3	Vertical	188	1.75
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	102.22	Inf	-Inf	3	Vertical	188	1.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	57.37	74.00	-16.63	3	Vertical	188	1.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.47	68.20	-10.73	3	Vertical	188	1.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.72G	113.12	Inf	-Inf	3	Vertical	188	1.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9408G	59.50	68.20	-8.70	3	Vertical	188	1.75
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43466G	34.49	54.00	-19.51	3	Vertical	218	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44072G	48.23	74.00	-25.77	3	Vertical	218	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44204G	34.42	54.00	-19.58	3	Horizontal	225	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43448G	48.71	74.00	-25.29	3	Horizontal	225	1.50
5745MHz	Pass	AV	5.445G	43.95	54.00	-10.05	3	Vertical	190	2.34
5745MHz	Pass	AV	5.7402G	102.73	Inf	-Inf	3	Vertical	190	2.34
5745MHz	Pass	PK	5.6094G	58.40	68.20	-9.80	3	Vertical	190	2.34
5745MHz	Pass	PK	5.7498G	114.49	Inf	-Inf	3	Vertical	190	2.34
5745MHz	Pass	PK	5.9694G	60.35	68.20	-7.85	3	Vertical	190	2.34
5745MHz	Pass	AV	11.4885G	34.41	54.00	-19.59	3	Vertical	198	1.50
5745MHz	Pass	PK	11.50434G	48.03	74.00	-25.97	3	Vertical	198	1.50
5745MHz	Pass	AV	11.47842G	34.46	54.00	-19.54	3	Horizontal	29	1.50
5745MHz	Pass	PK	11.50122G	47.96	74.00	-26.04	3	Horizontal	29	1.50
5785MHz	Pass	AV	5.78008G	101.57	Inf	-Inf	3	Vertical	189	1.95
5785MHz	Pass	PK	5.63367G	57.83	68.20	-10.37	3	Vertical	189	1.95
5785MHz	Pass	PK	5.78371G	112.58	Inf	-Inf	3	Vertical	189	1.95
5785MHz	Pass	PK	6.00514G	59.31	68.20	-8.89	3	Vertical	189	1.95
5785MHz	Pass	AV	11.5607G	34.19	54.00	-19.81	3	Vertical	114	1.50
5785MHz	Pass	PK	11.55596G	47.41	74.00	-26.59	3	Vertical	114	1.50
5785MHz	Pass	AV	11.5571G	34.15	54.00	-19.85	3	Horizontal	95	1.50
5785MHz	Pass	PK	11.5574G	47.69	74.00	-26.31	3	Horizontal	95	1.50
5825MHz	Pass	AV	5.8274G	101.47	Inf	-Inf	3	Vertical	188	2.07
5825MHz	Pass	PK	5.5406G	58.01	68.20	-10.19	3	Vertical	188	2.07
5825MHz	Pass	PK	5.8262G	112.17	Inf	-Inf	3	Vertical	188	2.07
5825MHz	Pass	PK	5.999G	59.70	68.20	-8.50	3	Vertical	188	2.07
5825MHz	Pass	AV	11.63818G	33.87	54.00	-20.13	3	Vertical	103	2.03
5825MHz	Pass	PK	11.65288G	47.16	74.00	-26.84	3	Vertical	103	2.03
5825MHz	Pass	AV	11.64088G	33.85	54.00	-20.15	3	Horizontal	79	1.50
5825MHz	Pass	PK	11.6368G	47.23	74.00	-26.77	3	Horizontal	79	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1402G	46.04	54.00	-7.96	3	Vertical	191	2.20
5180MHz	Pass	AV	5.1872G	99.62	Inf	-Inf	3	Vertical	191	2.20
5180MHz	Pass	PK	5.1382G	59.79	74.00	-14.21	3	Vertical	191	2.20
5180MHz	Pass	PK	5.186G	113.56	Inf	-Inf	3	Vertical	191	2.20
5180MHz	Pass	PK	10.35688G	47.45	68.20	-20.75	3	Vertical	317	1.50
5180MHz	Pass	PK	10.35496G	47.07	68.20	-21.13	3	Horizontal	154	1.48
5200MHz	Pass	AV	5.15G	44.64	54.00	-9.36	3	Vertical	190	2.26
5200MHz	Pass	AV	5.2012G	100.16	Inf	-Inf	3	Vertical	190	2.26
5200MHz	Pass	PK	5.1436G	59.14	74.00	-14.86	3	Vertical	190	2.26
5200MHz	Pass	PK	5.204G	113.74	Inf	-Inf	3	Vertical	190	2.26
5200MHz	Pass	PK	10.3979G	46.48	68.20	-21.72	3	Vertical	163	1.50
5200MHz	Pass	PK	10.3913G	46.39	68.20	-21.81	3	Horizontal	295	1.50
5240MHz	Pass	AV	5.1482G	43.99	54.00	-10.01	3	Vertical	192	2.16
5240MHz	Pass	AV	5.2346G	100.08	Inf	-Inf	3	Vertical	192	2.16
5240MHz	Pass	AV	5.3648G	43.85	54.00	-10.15	3	Vertical	192	2.16
5240MHz	Pass	PK	5.093G	57.59	74.00	-16.41	3	Vertical	192	2.16



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2442G	113.29	Inf	-Inf	3	Vertical	192	2.16
5240MHz	Pass	PK	5.354G	58.20	74.00	-15.80	3	Vertical	192	2.16
5240MHz	Pass	PK	10.48708G	46.59	68.20	-21.61	3	Vertical	246	1.50
5240MHz	Pass	PK	10.4938G	46.90	68.20	-21.30	3	Horizontal	351	1.50
5260MHz	Pass	AV	5.1478G	43.81	54.00	-10.19	3	Vertical	161	2.32
5260MHz	Pass	AV	5.2552G	101.33	Inf	-Inf	3	Vertical	161	2.32
5260MHz	Pass	AV	5.3542G	44.03	54.00	-9.97	3	Vertical	161	2.32
5260MHz	Pass	PK	5.1328G	57.48	74.00	-16.52	3	Vertical	161	2.32
5260MHz	Pass	PK	5.2546G	114.50	Inf	-Inf	3	Vertical	161	2.32
5260MHz	Pass	PK	5.3692G	57.51	74.00	-16.49	3	Vertical	161	2.32
5260MHz	Pass	PK	10.50536G	46.02	68.20	-22.18	3	Vertical	50	1.50
5260MHz	Pass	PK	10.5251G	46.83	68.20	-21.37	3	Horizontal	40	1.50
5300MHz	Pass	AV	5.292G	99.52	Inf	-Inf	3	Vertical	163	2.19
5300MHz	Pass	AV	5.35G	44.80	54.00	-9.20	3	Vertical	163	2.19
5300MHz	Pass	PK	5.2908G	113.28	Inf	-Inf	3	Vertical	163	2.19
5300MHz	Pass	PK	5.3528G	58.27	74.00	-15.73	3	Vertical	163	2.19
5300MHz	Pass	AV	10.60798G	34.02	54.00	-19.98	3	Vertical	282	1.50
5300MHz	Pass	PK	10.59088G	47.24	68.20	-20.96	3	Vertical	282	1.50
5300MHz	Pass	AV	10.60468G	33.94	54.00	-20.06	3	Horizontal	112	3.00
5300MHz	Pass	PK	10.6093G	47.45	74.00	-26.55	3	Horizontal	112	3.00
5320MHz	Pass	AV	5.3112G	99.06	Inf	-Inf	3	Vertical	159	2.42
5320MHz	Pass	AV	5.3504G	46.89	54.00	-7.11	3	Vertical	159	2.42
5320MHz	Pass	PK	5.311G	112.75	Inf	-Inf	3	Vertical	159	2.42
5320MHz	Pass	PK	5.3532G	60.84	74.00	-13.16	3	Vertical	159	2.42
5320MHz	Pass	AV	10.64504G	34.06	54.00	-19.94	3	Vertical	308	1.50
5320MHz	Pass	PK	10.65254G	46.42	74.00	-27.58	3	Vertical	308	1.50
5320MHz	Pass	AV	10.64564G	33.88	54.00	-20.12	3	Horizontal	300	1.71
5320MHz	Pass	PK	10.64786G	47.38	74.00	-26.62	3	Horizontal	300	1.71
5500MHz	Pass	AV	5.4592G	46.78	54.00	-7.22	3	Vertical	192	2.19
5500MHz	Pass	AV	5.4972G	99.90	Inf	-Inf	3	Vertical	192	2.19
5500MHz	Pass	PK	5.46G	62.29	74.00	-11.71	3	Vertical	192	2.19
5500MHz	Pass	PK	5.4606G	61.10	68.20	-7.10	3	Vertical	192	2.19
5500MHz	Pass	PK	5.4946G	113.08	Inf	-Inf	3	Vertical	192	2.19
5500MHz	Pass	AV	10.99376G	34.06	54.00	-19.94	3	Vertical	170	1.50
5500MHz	Pass	PK	11.00702G	49.07	74.00	-24.93	3	Vertical	170	1.50
5500MHz	Pass	AV	10.99058G	34.11	54.00	-19.89	3	Horizontal	200	1.50
5500MHz	Pass	PK	10.98968G	47.86	74.00	-26.14	3	Horizontal	200	1.50
5580MHz	Pass	AV	5.4474G	44.24	54.00	-9.76	3	Vertical	191	2.16
5580MHz	Pass	AV	5.5812G	99.79	Inf	-Inf	3	Vertical	191	2.16
5580MHz	Pass	PK	5.4384G	58.43	74.00	-15.57	3	Vertical	191	2.16
5580MHz	Pass	PK	5.4672G	57.44	68.20	-10.76	3	Vertical	191	2.16
5580MHz	Pass	PK	5.5878G	112.98	Inf	-Inf	3	Vertical	191	2.16
5580MHz	Pass	PK	5.7288G	57.23	68.20	-10.97	3	Vertical	191	2.16
5580MHz	Pass	AV	11.17074G	34.10	54.00	-19.90	3	Vertical	0	1.50
5580MHz	Pass	PK	11.15796G	47.94	74.00	-26.06	3	Vertical	0	1.50
5580MHz	Pass	AV	11.17326G	34.02	54.00	-19.98	3	Horizontal	45	1.50
5580MHz	Pass	PK	11.15568G	46.85	74.00	-27.15	3	Horizontal	45	1.50
5700MHz	Pass	AV	5.7032G	97.48	Inf	-Inf	3	Vertical	187	2.14
5700MHz	Pass	PK	5.7032G	110.91	Inf	-Inf	3	Vertical	187	2.14
5700MHz	Pass	PK	5.7256G	66.14	68.20	-2.06	3	Vertical	187	2.14
5700MHz	Pass	AV	11.38662G	34.20	54.00	-19.80	3	Vertical	290	1.50
5700MHz	Pass	PK	11.40228G	47.98	74.00	-26.02	3	Vertical	290	1.50
5700MHz	Pass	AV	11.38716G	34.36	54.00	-19.64	3	Horizontal	293	1.50
5700MHz	Pass	PK	11.39232G	48.19	74.00	-25.81	3	Horizontal	293	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	43.84	54.00	-10.16	3	Vertical	186	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	101.49	Inf	-Inf	3	Vertical	186	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	57.78	74.00	-16.22	3	Vertical	186	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.50	68.20	-11.70	3	Vertical	186	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	114.27	Inf	-Inf	3	Vertical	186	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.894G	59.43	68.20	-8.77	3	Vertical	186	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44594G	34.39	54.00	-19.61	3	Vertical	25	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4316G	47.58	74.00	-26.42	3	Vertical	25	1.50



RSE TX above 1GHz Non-Beamforming Radio 2_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45044G	34.46	54.00	-19.54	3	Horizontal	332	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45182G	47.46	74.00	-26.54	3	Horizontal	332	1.50
5745MHz	Pass	AV	5.4498G	44.04	54.00	-9.96	3	Vertical	159	2.76
5745MHz	Pass	AV	5.739G	103.39	Inf	-Inf	3	Vertical	159	2.76
5745MHz	Pass	PK	5.6058G	58.32	68.20	-9.88	3	Vertical	159	2.76
5745MHz	Pass	PK	5.7426G	116.42	Inf	-Inf	3	Vertical	159	2.76
5745MHz	Pass	PK	6.033G	59.15	68.20	-9.05	3	Vertical	159	2.76
5745MHz	Pass	AV	11.4864G	34.43	54.00	-19.57	3	Vertical	92	2.22
5745MHz	Pass	PK	11.4804G	48.21	74.00	-25.79	3	Vertical	92	2.22
5745MHz	Pass	AV	11.4762G	34.45	54.00	-19.55	3	Horizontal	127	1.50
5745MHz	Pass	PK	11.48874G	47.57	74.00	-26.43	3	Horizontal	127	1.50
5785MHz	Pass	AV	5.77887G	101.23	Inf	-Inf	3	Vertical	189	1.91
5785MHz	Pass	PK	5.50299G	58.37	68.20	-9.83	3	Vertical	189	1.91
5785MHz	Pass	PK	5.77887G	114.32	Inf	-Inf	3	Vertical	189	1.91
5785MHz	Pass	PK	6.0729G	59.98	68.20	-8.22	3	Vertical	189	1.91
5785MHz	Pass	AV	11.55824G	34.22	54.00	-19.78	3	Vertical	57	1.40
5785MHz	Pass	PK	11.56214G	47.14	74.00	-26.86	3	Vertical	57	1.40
5785MHz	Pass	AV	11.55728G	34.03	54.00	-19.97	3	Horizontal	249	2.03
5785MHz	Pass	PK	11.5775G	46.79	74.00	-27.21	3	Horizontal	249	2.03
5825MHz	Pass	AV	5.8202G	101.95	Inf	-Inf	3	Vertical	158	2.74
5825MHz	Pass	PK	5.6414G	57.75	68.20	-10.45	3	Vertical	158	2.74
5825MHz	Pass	PK	5.819G	115.44	Inf	-Inf	3	Vertical	158	2.74
5825MHz	Pass	PK	6.0842G	59.81	68.20	-8.39	3	Vertical	158	2.74
5825MHz	Pass	AV	11.64448G	33.85	54.00	-20.15	3	Vertical	257	1.50
5825MHz	Pass	PK	11.64946G	46.83	74.00	-27.17	3	Vertical	257	1.50
5825MHz	Pass	AV	11.64034G	33.84	54.00	-20.16	3	Horizontal	9	1.37
5825MHz	Pass	PK	11.66002G	46.88	74.00	-27.12	3	Horizontal	9	1.37
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	46.20	54.00	-7.80	3	Vertical	193	2.21
5190MHz	Pass	AV	5.1948G	97.46	Inf	-Inf	3	Vertical	193	2.21
5190MHz	Pass	PK	5.1492G	59.22	74.00	-14.78	3	Vertical	193	2.21
5190MHz	Pass	PK	5.1876G	111.37	Inf	-Inf	3	Vertical	193	2.21
5190MHz	Pass	PK	10.35624G	46.51	68.20	-21.69	3	Vertical	44	1.76
5190MHz	Pass	PK	10.35936G	46.97	68.20	-21.23	3	Horizontal	0	1.50
5230MHz	Pass	AV	5.15G	45.03	54.00	-8.97	3	Vertical	192	2.19
5230MHz	Pass	AV	5.226G	97.90	Inf	-Inf	3	Vertical	192	2.19
5230MHz	Pass	PK	5.1488G	59.09	74.00	-14.91	3	Vertical	192	2.19
5230MHz	Pass	PK	5.2248G	111.88	Inf	-Inf	3	Vertical	192	2.19
5230MHz	Pass	PK	10.44812G	46.10	68.20	-22.10	3	Vertical	198	1.50
5230MHz	Pass	PK	10.44788G	47.56	68.20	-20.64	3	Horizontal	262	1.50
5270MHz	Pass	AV	5.2552G	99.20	Inf	-Inf	3	Vertical	161	2.31
5270MHz	Pass	AV	5.3512G	45.68	54.00	-8.32	3	Vertical	161	2.31
5270MHz	Pass	PK	5.2528G	113.25	Inf	-Inf	3	Vertical	161	2.31
5270MHz	Pass	PK	5.3528G	59.17	74.00	-14.83	3	Vertical	161	2.31
5270MHz	Pass	PK	10.52272G	47.29	68.20	-20.91	3	Vertical	194	1.50
5270MHz	Pass	PK	10.55764G	46.50	68.20	-21.70	3	Horizontal	334	1.50
5310MHz	Pass	AV	5.292G	97.22	Inf	-Inf	3	Vertical	160	2.19
5310MHz	Pass	AV	5.35G	49.14	54.00	-4.86	3	Vertical	160	2.19
5310MHz	Pass	PK	5.2968G	110.36	Inf	-Inf	3	Vertical	160	2.19
5310MHz	Pass	PK	5.3512G	61.55	74.00	-12.45	3	Vertical	160	2.19
5310MHz	Pass	AV	10.60392G	34.00	54.00	-20.00	3	Vertical	282	1.50
5310MHz	Pass	PK	10.59672G	47.66	68.20	-20.54	3	Vertical	282	1.50
5310MHz	Pass	AV	10.6434G	33.91	54.00	-20.09	3	Horizontal	71	1.50
5310MHz	Pass	PK	10.6494G	47.35	74.00	-26.65	3	Horizontal	71	1.50
5510MHz	Pass	AV	5.46G	47.71	54.00	-6.29	3	Vertical	192	2.03
5510MHz	Pass	AV	5.5172G	96.22	Inf	-Inf	3	Vertical	192	2.03
5510MHz	Pass	PK	5.4596G	62.39	74.00	-11.61	3	Vertical	192	2.03
5510MHz	Pass	PK	5.466G	66.34	68.20	-1.86	3	Vertical	192	2.03
5510MHz	Pass	PK	5.5156G	109.67	Inf	-Inf	3	Vertical	192	2.03
5510MHz	Pass	AV	10.99072G	34.12	54.00	-19.88	3	Vertical	169	1.50
5510MHz	Pass	PK	11.01616G	47.02	74.00	-26.98	3	Vertical	169	1.50
5510MHz	Pass	AV	10.99492G	34.07	54.00	-19.93	3	Horizontal	148	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	10.99288G	47.00	74.00	-27.00	3	Horizontal	148	1.50
5550MHz	Pass	AV	5.46G	44.93	54.00	-9.07	3	Vertical	192	1.99
5550MHz	Pass	AV	5.5628G	96.88	Inf	-Inf	3	Vertical	192	1.99
5550MHz	Pass	PK	5.4552G	59.05	74.00	-14.95	3	Vertical	192	1.99
5550MHz	Pass	PK	5.4652G	58.91	68.20	-9.29	3	Vertical	192	1.99
5550MHz	Pass	PK	5.5636G	110.22	Inf	-Inf	3	Vertical	192	1.99
5550MHz	Pass	AV	11.11476G	33.74	54.00	-20.26	3	Vertical	261	1.32
5550MHz	Pass	PK	11.12436G	47.36	74.00	-26.64	3	Vertical	261	1.32
5550MHz	Pass	AV	11.07288G	33.65	54.00	-20.35	3	Horizontal	297	1.50
5550MHz	Pass	PK	11.12256G	47.21	74.00	-26.79	3	Horizontal	297	1.50
5670MHz	Pass	AV	5.6724G	98.20	Inf	-Inf	3	Vertical	189	2.06
5670MHz	Pass	PK	5.6616G	111.73	Inf	-Inf	3	Vertical	189	2.06
5670MHz	Pass	PK	5.7258G	67.55	68.20	-0.65	3	Vertical	189	2.06
5670MHz	Pass	AV	11.36928G	34.45	54.00	-19.55	3	Vertical	42	1.50
5670MHz	Pass	PK	11.32044G	47.56	74.00	-26.44	3	Vertical	42	1.50
5670MHz	Pass	AV	11.36784G	34.43	54.00	-19.57	3	Horizontal	262	1.00
5670MHz	Pass	PK	11.316G	48.28	74.00	-25.72	3	Horizontal	262	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4472G	43.95	54.00	-10.05	3	Vertical	189	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	99.07	Inf	-Inf	3	Vertical	189	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.458G	57.19	74.00	-16.81	3	Vertical	189	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	56.64	68.20	-11.56	3	Vertical	189	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	112.62	Inf	-Inf	3	Vertical	189	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8948G	59.78	68.20	-8.42	3	Vertical	189	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.3912G	34.39	54.00	-19.61	3	Vertical	347	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44028G	47.72	74.00	-26.28	3	Vertical	347	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39564G	34.51	54.00	-19.49	3	Horizontal	172	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42096G	47.99	74.00	-26.01	3	Horizontal	172	1.50
5755MHz	Pass	AV	5.455G	43.85	54.00	-10.15	3	Vertical	164	2.30
5755MHz	Pass	AV	5.737G	98.80	Inf	-Inf	3	Vertical	164	2.30
5755MHz	Pass	PK	5.6446G	58.54	68.20	-9.66	3	Vertical	164	2.30
5755MHz	Pass	PK	5.7454G	112.21	Inf	-Inf	3	Vertical	164	2.30
5755MHz	Pass	PK	6.0274G	59.54	68.20	-8.66	3	Vertical	164	2.30
5755MHz	Pass	AV	11.48132G	34.31	54.00	-19.69	3	Vertical	245	1.50
5755MHz	Pass	PK	11.5166G	48.82	74.00	-25.18	3	Vertical	245	1.50
5755MHz	Pass	AV	11.48252G	34.34	54.00	-19.66	3	Horizontal	170	1.50
5755MHz	Pass	PK	11.48552G	47.40	74.00	-26.60	3	Horizontal	170	1.50
5795MHz	Pass	AV	5.7914G	98.08	Inf	-Inf	3	Vertical	188	2.08
5795MHz	Pass	PK	5.645G	58.02	68.20	-10.18	3	Vertical	188	2.08
5795MHz	Pass	PK	5.8022G	111.61	Inf	-Inf	3	Vertical	188	2.08
5795MHz	Pass	PK	5.9654G	59.54	68.20	-8.66	3	Vertical	188	2.08
5795MHz	Pass	AV	11.61072G	34.11	54.00	-19.89	3	Vertical	327	1.50
5795MHz	Pass	PK	11.61628G	47.34	74.00	-26.66	3	Vertical	327	1.50
5795MHz	Pass	AV	11.56108G	33.98	54.00	-20.02	3	Horizontal	28	1.61
5795MHz	Pass	PK	11.59696G	47.23	74.00	-26.77	3	Horizontal	28	1.61
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	48.83	54.00	-5.17	3	Vertical	193	2.22
5210MHz	Pass	AV	5.199G	94.55	Inf	-Inf	3	Vertical	193	2.22
5210MHz	Pass	AV	5.371G	44.59	54.00	-9.41	3	Vertical	193	2.22
5210MHz	Pass	PK	5.146G	61.81	74.00	-12.19	3	Vertical	193	2.22
5210MHz	Pass	PK	5.198G	109.22	Inf	-Inf	3	Vertical	193	2.22
5210MHz	Pass	PK	5.373G	58.31	74.00	-15.69	3	Vertical	193	2.22
5210MHz	Pass	PK	10.44448G	46.96	68.20	-21.24	3	Vertical	83	1.50
5210MHz	Pass	PK	10.41328G	46.29	68.20	-21.91	3	Horizontal	105	1.50
5290MHz	Pass	AV	5.15G	44.96	54.00	-9.04	3	Vertical	160	2.55
5290MHz	Pass	AV	5.261G	95.26	Inf	-Inf	3	Vertical	160	2.55
5290MHz	Pass	AV	5.35G	49.32	54.00	-4.68	3	Vertical	160	2.55
5290MHz	Pass	PK	5.128G	58.15	74.00	-15.85	3	Vertical	160	2.55
5290MHz	Pass	PK	5.259G	108.94	Inf	-Inf	3	Vertical	160	2.55
5290MHz	Pass	PK	5.35G	62.51	74.00	-11.49	3	Vertical	160	2.55
5290MHz	Pass	PK	5.478G	58.95	68.20	-9.25	3	Vertical	160	2.55
5290MHz	Pass	AV	10.60448G	33.98	54.00	-20.02	3	Vertical	51	1.50
5290MHz	Pass	PK	10.60712G	47.02	74.00	-26.98	3	Vertical	51	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	10.60832G	33.94	54.00	-20.06	3	Horizontal	231	1.50
5290MHz	Pass	PK	10.58744G	46.94	68.20	-21.26	3	Horizontal	231	1.50
5530MHz	Pass	AV	5.35G	44.35	54.00	-9.65	3	Vertical	151	2.85
5530MHz	Pass	AV	5.46G	52.12	54.00	-1.88	3	Vertical	151	2.85
5530MHz	Pass	AV	5.518G	95.75	Inf	-Inf	3	Vertical	151	2.85
5530MHz	Pass	PK	5.342G	57.54	68.20	-10.66	3	Vertical	151	2.85
5530MHz	Pass	PK	5.46G	66.09	74.00	-7.91	3	Vertical	151	2.85
5530MHz	Pass	PK	5.468G	67.81	68.20	-0.39	3	Vertical	151	2.85
5530MHz	Pass	PK	5.513G	109.87	Inf	-Inf	3	Vertical	151	2.85
5530MHz	Pass	PK	5.731G	59.62	68.20	-8.58	3	Vertical	151	2.85
5530MHz	Pass	AV	11.00648G	33.89	54.00	-20.11	3	Vertical	294	1.50
5530MHz	Pass	PK	11.00696G	47.86	74.00	-26.14	3	Vertical	294	1.50
5530MHz	Pass	AV	11.00408G	33.90	54.00	-20.10	3	Horizontal	170	1.50
5530MHz	Pass	PK	11.00744G	47.50	74.00	-26.50	3	Horizontal	170	1.50
5610MHz	Pass	AV	5.451G	45.52	54.00	-8.48	3	Vertical	190	2.17
5610MHz	Pass	AV	5.621G	94.51	Inf	-Inf	3	Vertical	190	2.17
5610MHz	Pass	PK	5.457G	59.07	74.00	-14.93	3	Vertical	190	2.17
5610MHz	Pass	PK	5.463G	58.77	68.20	-9.43	3	Vertical	190	2.17
5610MHz	Pass	PK	5.62G	108.48	Inf	-Inf	3	Vertical	190	2.17
5610MHz	Pass	PK	5.725G	60.75	68.20	-7.45	3	Vertical	190	2.17
5610MHz	Pass	AV	11.22192G	34.09	54.00	-19.91	3	Vertical	280	1.21
5610MHz	Pass	PK	11.21904G	47.98	74.00	-26.02	3	Vertical	280	1.21
5610MHz	Pass	AV	11.22496G	34.01	54.00	-19.99	3	Horizontal	18	2.02
5610MHz	Pass	PK	11.22756G	47.21	74.00	-26.79	3	Horizontal	18	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	44.01	54.00	-9.99	3	Vertical	189	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	95.29	Inf	-Inf	3	Vertical	189	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4284G	57.58	74.00	-16.42	3	Vertical	189	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.90	68.20	-10.30	3	Vertical	189	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	109.39	Inf	-Inf	3	Vertical	189	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.894G	59.58	68.20	-8.62	3	Vertical	189	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37016G	34.41	54.00	-19.59	3	Vertical	43	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37928G	47.59	74.00	-26.41	3	Vertical	43	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39152G	34.52	54.00	-19.48	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.43832G	47.95	74.00	-26.05	3	Horizontal	360	1.50
5775MHz	Pass	AV	5.7462G	95.76	Inf	-Inf	3	Vertical	188	2.12
5775MHz	Pass	PK	5.649G	60.31	68.20	-7.89	3	Vertical	188	2.12
5775MHz	Pass	PK	5.757G	108.55	Inf	-Inf	3	Vertical	188	2.12
5775MHz	Pass	PK	6.0738G	59.77	68.20	-8.43	3	Vertical	188	2.12
5775MHz	Pass	AV	11.49264G	34.29	54.00	-19.71	3	Vertical	155	1.50
5775MHz	Pass	PK	11.54304G	47.30	74.00	-26.70	3	Vertical	155	1.50
5775MHz	Pass	AV	11.49048G	34.37	54.00	-19.63	3	Horizontal	206	1.50
5775MHz	Pass	PK	11.5416G	47.37	74.00	-26.63	3	Horizontal	206	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	52.98	54.00	-1.02	3	Vertical	190	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2236G	91.48	Inf	-Inf	3	Vertical	190	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.35	54.00	-0.65	3	Vertical	190	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	70.42	74.00	-3.58	3	Vertical	190	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2188G	105.43	Inf	-Inf	3	Vertical	190	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	71.69	74.00	-2.31	3	Vertical	190	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	62.36	68.20	-5.84	3	Vertical	190	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.60752G	33.96	54.00	-20.04	3	Vertical	30	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.61184G	47.47	74.00	-26.53	3	Vertical	30	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.60848G	33.86	54.00	-20.14	3	Horizontal	270	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.62848G	47.30	68.20	-20.90	3	Horizontal	270	1.50
5570MHz	Pass	AV	5.4572G	48.91	54.00	-5.09	3	Vertical	190	2.24
5570MHz	Pass	AV	5.6468G	90.06	Inf	-Inf	3	Vertical	190	2.24
5570MHz	Pass	PK	5.3036G	59.05	68.20	-9.15	3	Vertical	190	2.24
5570MHz	Pass	PK	5.4344G	65.25	74.00	-8.75	3	Vertical	190	2.24
5570MHz	Pass	PK	5.4608G	65.92	68.20	-2.28	3	Vertical	190	2.24
5570MHz	Pass	PK	5.6444G	103.77	Inf	-Inf	3	Vertical	190	2.24
5570MHz	Pass	PK	5.732G	64.20	68.20	-4.00	3	Vertical	190	2.24
5570MHz	Pass	AV	11.23456G	33.96	54.00	-20.04	3	Vertical	286	1.49




RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.24656G	47.55	74.00	-26.45	3	Vertical	286	1.49
5570MHz	Pass	AV	11.1476G	33.99	54.00	-20.01	3	Horizontal	360	1.50
5570MHz	Pass	PK	11.14408G	47.25	74.00	-26.75	3	Horizontal	360	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.20	54.00	-7.80	4.79	3	Vertical	193	2.21	41.41	33.09	6.77	35.07
AV	5.1948G	97.46	Inf	-Inf	4.73	3	Vertical	193	2.21	92.73	33.01	6.79	35.07
PK	5.1492G	59.22	74.00	-14.78	4.80	3	Vertical	193	2.21	54.42	33.10	6.77	35.07
PK	5.1876G	111.37	Inf	-Inf	4.74	3	Vertical	193	2.21	106.63	33.02	6.79	35.07

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35624G	46.51	68.20	-21.69	14.20	3	Vertical	44	1.76	32.31	38.59	10.33	34.72


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	99.33	Inf	-Inf	4.70	3	Vertical	160	2.31	94.63	32.80	6.97	35.07
AV	5.35G	46.57	54.00	-7.43	4.74	3	Vertical	160	2.31	41.83	32.80	7.01	35.07
PK	5.3176G	110.57	Inf	-Inf	4.70	3	Vertical	160	2.31	105.87	32.80	6.97	35.07
PK	5.3604G	60.28	74.00	-13.72	4.74	3	Vertical	160	2.31	55.54	32.78	7.03	35.07

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64744G	34.14	54.00	-19.86	14.94	3	Vertical	42	1.50	19.20	38.99	10.40	34.45
PK	10.64882G	47.84	74.00	-26.16	14.95	3	Vertical	42	1.50	32.89	39.00	10.40	34.45


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	97.22	Inf	-Inf	4.68	3	Vertical	160	2.19	92.54	32.82	6.93	35.07
AV	5.35G	49.14	54.00	-4.86	4.74	3	Vertical	160	2.19	44.40	32.80	7.01	35.07
PK	5.2968G	110.36	Inf	-Inf	4.68	3	Vertical	160	2.19	105.68	32.81	6.94	35.07
PK	5.3512G	61.55	74.00	-12.45	4.75	3	Vertical	160	2.19	56.80	32.80	7.02	35.07

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60392G	34.00	54.00	-20.00	14.81	3	Vertical	282	1.50	19.19	38.91	10.39	34.49
PK	10.59672G	47.66	68.20	-20.54	14.79	3	Vertical	282	1.50	32.87	38.89	10.39	34.49


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.98	54.00	-1.02	4.80	3	Vertical	190	2.08	48.18	33.10	6.77	35.07
AV	5.2236G	91.48	Inf	-Inf	4.71	3	Vertical	190	2.08	86.77	32.95	6.83	35.07
AV	5.35G	53.35	54.00	-0.65	4.74	3	Vertical	190	2.08	48.61	32.80	7.01	35.07
PK	5.1492G	70.42	74.00	-3.58	4.80	3	Vertical	190	2.08	65.62	33.10	6.77	35.07
PK	5.2188G	105.43	Inf	-Inf	4.71	3	Vertical	190	2.08	100.72	32.96	6.82	35.07
PK	5.3544G	71.69	74.00	-2.31	4.74	3	Vertical	190	2.08	66.95	32.79	7.02	35.07
PK	5.4648G	62.36	68.20	-5.84	4.84	3	Vertical	190	2.08	57.52	32.80	7.11	35.07

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60752G	33.96	54.00	-20.04	14.83	3	Vertical	30	3.00	19.13	38.92	10.39	34.48
PK	10.61184G	47.47	74.00	-26.53	14.83	3	Vertical	30	3.00	32.64	38.92	10.39	34.48


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.35	54.00	-9.65	4.74	3	Vertical	151	2.85	39.61	32.80	7.01	35.07
AV	5.46G	52.12	54.00	-1.88	4.84	3	Vertical	151	2.85	47.28	32.80	7.11	35.07
AV	5.518G	95.75	Inf	-Inf	4.89	3	Vertical	151	2.85	90.86	32.84	7.13	35.08
PK	5.342G	57.54	68.20	-10.66	4.73	3	Vertical	151	2.85	52.81	32.80	7.00	35.07
PK	5.46G	66.09	74.00	-7.91	4.84	3	Vertical	151	2.85	61.25	32.80	7.11	35.07
PK	5.468G	67.81	68.20	-0.39	4.84	3	Vertical	151	2.85	62.97	32.80	7.11	35.07
PK	5.513G	109.87	Inf	-Inf	4.88	3	Vertical	151	2.85	104.99	32.83	7.13	35.08
PK	5.731G	59.62	68.20	-8.58	5.70	3	Vertical	151	2.85	53.92	33.66	7.21	35.17

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00648G	33.89	54.00	-20.11	15.00	3	Vertical	294	1.50	18.89	38.69	10.48	34.17
PK	11.00696G	47.86	74.00	-26.14	15.00	3	Vertical	294	1.50	32.86	38.69	10.48	34.17


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	43.95	54.00	-10.05	4.83	3	Vertical	190	2.34	39.12	32.79	7.11	35.07
AV	5.7402G	102.73	Inf	-Inf	5.72	3	Vertical	190	2.34	97.01	33.68	7.21	35.17
PK	5.6094G	58.40	68.20	-9.80	4.90	3	Vertical	190	2.34	53.50	32.86	7.16	35.12
PK	5.7498G	114.49	Inf	-Inf	5.74	3	Vertical	190	2.34	108.75	33.70	7.21	35.17
PK	5.9694G	60.35	68.20	-7.85	6.09	3	Vertical	190	2.34	54.26	34.04	7.32	35.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4885G	34.41	54.00	-19.59	15.47	3	Vertical	198	1.50	18.94	38.90	10.59	34.02
PK	11.50434G	48.03	74.00	-25.97	15.47	3	Vertical	198	1.50	32.56	38.89	10.60	34.02


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.85	54.00	-10.15	4.84	3	Vertical	164	2.30	39.01	32.80	7.11	35.07
AV	5.737G	98.80	Inf	-Inf	5.71	3	Vertical	164	2.30	93.09	33.67	7.21	35.17
PK	5.6446G	58.54	68.20	-9.66	5.12	3	Vertical	164	2.30	53.42	33.07	7.18	35.13
PK	5.7454G	112.21	Inf	-Inf	5.73	3	Vertical	164	2.30	106.48	33.69	7.21	35.17
PK	6.0274G	59.54	68.20	-8.66	6.12	3	Vertical	164	2.30	53.42	34.05	7.36	35.29

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48132G	34.31	54.00	-19.69	15.46	3	Vertical	245	1.50	18.85	38.90	10.59	34.03
PK	11.5166G	48.82	74.00	-25.18	15.45	3	Vertical	245	1.50	33.37	38.87	10.60	34.02


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	QP	35.82M	31.45	40.00	-8.55	3	Vertical	199	1.32

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	92.08M	33.90	43.50	-9.60	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	143.49M	25.02	43.50	-18.48	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	186.17M	29.11	43.50	-14.39	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	313.24M	25.94	46.00	-20.06	3	Vertical	0	1.00
5775MHz_PoE	Pass	QP	35.82M	31.45	40.00	-8.55	3	Vertical	199	1.32
5775MHz_PoE	Pass	QP	53.28M	23.01	40.00	-16.99	3	Vertical	105	1.10
5775MHz_PoE	Pass	PK	30M	22.56	40.00	-17.44	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	52.31M	25.64	40.00	-14.36	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	92.08M	28.10	43.50	-15.40	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	187.14M	24.01	43.50	-19.49	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	319.06M	25.08	46.00	-20.92	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	350.1M	25.32	46.00	-20.68	3	Horizontal	360	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	92.08M	33.90	43.50	-9.60	-12.07	3	Vertical	0	1.00	45.97	14.46	0.72	27.25
PK	143.49M	25.02	43.50	-18.48	-10.22	3	Vertical	0	1.00	35.24	15.96	0.91	27.09
PK	186.17M	29.11	43.50	-14.39	-11.69	3	Vertical	0	1.00	40.80	14.16	1.05	26.90
PK	313.24M	25.94	46.00	-20.06	-6.84	3	Vertical	0	1.00	32.78	18.59	1.34	26.77
QP	35.82M	31.45	40.00	-8.55	-6.53	3	Vertical	199	1.32	37.98	20.41	0.44	27.38
QP	53.28M	23.01	40.00	-16.99	-14.71	3	Vertical	105	1.10	37.72	12.09	0.55	27.35

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	22.56	40.00	-17.44	-3.60	3	Horizontal	360	1.00	26.16	23.36	0.42	27.38
PK	52.31M	25.64	40.00	-14.36	-14.43	3	Horizontal	360	1.00	40.07	12.38	0.54	27.35
PK	92.08M	28.10	43.50	-15.40	-12.07	3	Horizontal	360	1.00	40.17	14.46	0.72	27.25
PK	187.14M	24.01	43.50	-19.49	-11.69	3	Horizontal	360	1.00	35.70	14.15	1.05	26.89
PK	319.06M	25.08	46.00	-20.92	-6.75	3	Horizontal	360	1.00	31.83	18.70	1.36	26.81
PK	350.1M	25.32	46.00	-20.68	-6.23	3	Horizontal	360	1.00	31.55	19.37	1.43	27.03



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1484G	46.80	54.00	-7.20	3	Horizontal	294	1.91
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1392G	48.01	54.00	-5.99	3	Horizontal	300	1.90
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	49.88	54.00	-4.12	3	Horizontal	299	1.96
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	50.56	54.00	-3.44	3	Horizontal	297	1.95
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.352G	47.52	54.00	-6.48	3	Horizontal	77	2.58
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.352G	47.87	54.00	-6.13	3	Horizontal	68	2.12
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	51.74	54.00	-2.26	3	Horizontal	74	2.57
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.351G	52.09	54.00	-1.91	3	Horizontal	298	1.98
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	53.20	54.00	-0.80	3	Horizontal	302	1.94
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7264G	65.85	68.20	-2.35	3	Horizontal	76	1.87
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	66.71	68.20	-1.49	3	Horizontal	76	1.88
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.40	68.20	-0.80	3	Horizontal	74	1.91
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.466G	67.82	68.20	-0.38	3	Horizontal	76	2.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.468G	67.96	68.20	-0.24	3	Horizontal	296	1.96
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	6.0122G	60.16	68.20	-8.04	3	Horizontal	321	2.43
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.0818G	60.60	68.20	-7.60	3	Vertical	75	1.33
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	6.0346G	60.44	68.20	-7.76	3	Horizontal	325	2.37
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	61.40	68.20	-6.80	3	Horizontal	323	2.24

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	45.39	54.00	-8.61	3	Vertical	49	1.50
5180MHz	Pass	AV	5.1822G	102.08	Inf	-Inf	3	Vertical	49	1.50
5180MHz	Pass	PK	5.1368G	58.89	74.00	-15.11	3	Vertical	49	1.50
5180MHz	Pass	PK	5.1774G	113.22	Inf	-Inf	3	Vertical	49	1.50
5180MHz	Pass	AV	5.1484G	46.80	54.00	-7.20	3	Horizontal	294	1.91
5180MHz	Pass	AV	5.1848G	104.63	Inf	-Inf	3	Horizontal	294	1.91
5180MHz	Pass	PK	5.1392G	61.83	74.00	-12.17	3	Horizontal	294	1.91
5180MHz	Pass	PK	5.1842G	115.67	Inf	-Inf	3	Horizontal	294	1.91
5180MHz	Pass	PK	10.35334G	47.64	68.20	-20.56	3	Vertical	360	1.50
5180MHz	Pass	PK	10.35946G	48.06	68.20	-20.14	3	Horizontal	323	1.50
5200MHz	Pass	AV	5.1496G	44.38	54.00	-9.62	3	Vertical	50	1.27
5200MHz	Pass	AV	5.1976G	102.26	Inf	-Inf	3	Vertical	50	1.27
5200MHz	Pass	PK	5.1496G	58.25	74.00	-15.75	3	Vertical	50	1.27
5200MHz	Pass	PK	5.1924G	112.76	Inf	-Inf	3	Vertical	50	1.27
5200MHz	Pass	AV	5.1496G	45.40	54.00	-8.60	3	Horizontal	298	1.86
5200MHz	Pass	AV	5.1944G	105.15	Inf	-Inf	3	Horizontal	298	1.86
5200MHz	Pass	PK	5.1428G	59.38	74.00	-14.62	3	Horizontal	298	1.86
5200MHz	Pass	PK	5.2048G	115.74	Inf	-Inf	3	Horizontal	298	1.86
5200MHz	Pass	PK	10.39658G	47.67	68.20	-20.53	3	Vertical	20	1.50
5200MHz	Pass	PK	10.40576G	49.02	68.20	-19.18	3	Horizontal	19	1.50
5240MHz	Pass	AV	5.15G	43.97	54.00	-10.03	3	Vertical	52	1.00
5240MHz	Pass	AV	5.2388G	101.88	Inf	-Inf	3	Vertical	52	1.00
5240MHz	Pass	AV	5.3552G	43.92	54.00	-10.08	3	Vertical	52	1.00
5240MHz	Pass	PK	5.1194G	57.34	74.00	-16.66	3	Vertical	52	1.00
5240MHz	Pass	PK	5.2436G	112.17	Inf	-Inf	3	Vertical	52	1.00
5240MHz	Pass	PK	5.3648G	58.01	74.00	-15.99	3	Vertical	52	1.00
5240MHz	Pass	AV	5.1458G	44.37	54.00	-9.63	3	Horizontal	302	1.95
5240MHz	Pass	AV	5.2442G	104.61	Inf	-Inf	3	Horizontal	302	1.95
5240MHz	Pass	AV	5.3642G	44.43	54.00	-9.57	3	Horizontal	302	1.95
5240MHz	Pass	PK	5.147G	57.74	74.00	-16.26	3	Horizontal	302	1.95
5240MHz	Pass	PK	5.2448G	115.53	Inf	-Inf	3	Horizontal	302	1.95
5240MHz	Pass	PK	5.3546G	57.87	74.00	-16.13	3	Horizontal	302	1.95
5240MHz	Pass	PK	10.48276G	47.17	68.20	-21.03	3	Vertical	344	2.49
5240MHz	Pass	PK	10.47496G	47.32	68.20	-20.88	3	Horizontal	77	1.14
5260MHz	Pass	AV	5.1466G	43.81	54.00	-10.19	3	Vertical	4	2.88
5260MHz	Pass	AV	5.2624G	101.81	Inf	-Inf	3	Vertical	4	2.88
5260MHz	Pass	AV	5.371G	43.97	54.00	-10.03	3	Vertical	4	2.88
5260MHz	Pass	PK	5.1436G	57.54	74.00	-16.46	3	Vertical	4	2.88
5260MHz	Pass	PK	5.2582G	111.97	Inf	-Inf	3	Vertical	4	2.88
5260MHz	Pass	PK	5.3614G	57.51	74.00	-16.49	3	Vertical	4	2.88
5260MHz	Pass	AV	5.1466G	44.24	54.00	-9.76	3	Horizontal	64	2.00
5260MHz	Pass	AV	5.2582G	104.47	Inf	-Inf	3	Horizontal	64	2.00
5260MHz	Pass	AV	5.353G	44.36	54.00	-9.64	3	Horizontal	64	2.00
5260MHz	Pass	PK	5.137G	57.40	74.00	-16.60	3	Horizontal	64	2.00
5260MHz	Pass	PK	5.2534G	114.82	Inf	-Inf	3	Horizontal	64	2.00
5260MHz	Pass	PK	5.404G	58.04	74.00	-15.96	3	Horizontal	64	2.00
5260MHz	Pass	PK	10.52516G	47.60	68.20	-20.60	3	Vertical	6	1.50
5260MHz	Pass	PK	10.50596G	48.03	68.20	-20.17	3	Horizontal	272	1.50
5300MHz	Pass	AV	5.3036G	101.58	Inf	-Inf	3	Vertical	51	1.05
5300MHz	Pass	AV	5.35G	44.56	54.00	-9.44	3	Vertical	51	1.05
5300MHz	Pass	PK	5.3036G	112.70	Inf	-Inf	3	Vertical	51	1.05
5300MHz	Pass	PK	5.3676G	57.76	74.00	-16.24	3	Vertical	51	1.05
5300MHz	Pass	AV	5.306G	104.47	Inf	-Inf	3	Horizontal	298	1.88
5300MHz	Pass	AV	5.3512G	45.62	54.00	-8.38	3	Horizontal	298	1.88
5300MHz	Pass	PK	5.3064G	115.59	Inf	-Inf	3	Horizontal	298	1.88
5300MHz	Pass	PK	5.3524G	59.33	74.00	-14.67	3	Horizontal	298	1.88
5300MHz	Pass	AV	10.6081G	33.97	54.00	-20.03	3	Vertical	120	1.50
5300MHz	Pass	PK	10.61374G	47.25	74.00	-26.75	3	Vertical	120	1.50
5300MHz	Pass	AV	10.60378G	33.94	54.00	-20.06	3	Horizontal	32	1.50
5300MHz	Pass	PK	10.59502G	48.49	68.20	-19.71	3	Horizontal	32	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3248G	100.73	Inf	-Inf	3	Vertical	46	1.00
5320MHz	Pass	AV	5.3502G	46.06	54.00	-7.94	3	Vertical	46	1.00
5320MHz	Pass	PK	5.3248G	111.55	Inf	-Inf	3	Vertical	46	1.00
5320MHz	Pass	PK	5.3598G	62.24	74.00	-11.76	3	Vertical	46	1.00
5320MHz	Pass	AV	5.327G	104.05	Inf	-Inf	3	Horizontal	77	2.58
5320MHz	Pass	AV	5.352G	47.52	54.00	-6.48	3	Horizontal	77	2.58
5320MHz	Pass	PK	5.3268G	114.40	Inf	-Inf	3	Horizontal	77	2.58
5320MHz	Pass	PK	5.3622G	61.40	74.00	-12.60	3	Horizontal	77	2.58
5320MHz	Pass	AV	10.64642G	33.96	54.00	-20.04	3	Vertical	360	1.50
5320MHz	Pass	PK	10.64186G	47.47	74.00	-26.53	3	Vertical	360	1.50
5320MHz	Pass	AV	10.64516G	34.02	54.00	-19.98	3	Horizontal	311	1.50
5320MHz	Pass	PK	10.62542G	47.37	74.00	-26.63	3	Horizontal	311	1.50
5500MHz	Pass	AV	5.459G	44.93	54.00	-9.07	3	Vertical	33	1.15
5500MHz	Pass	AV	5.4988G	100.29	Inf	-Inf	3	Vertical	33	1.15
5500MHz	Pass	PK	5.4594G	58.35	74.00	-15.65	3	Vertical	33	1.15
5500MHz	Pass	PK	5.4682G	58.14	68.20	-10.06	3	Vertical	33	1.15
5500MHz	Pass	PK	5.4988G	110.54	Inf	-Inf	3	Vertical	33	1.15
5500MHz	Pass	AV	5.46G	47.33	54.00	-6.67	3	Horizontal	62	1.87
5500MHz	Pass	AV	5.4956G	105.06	Inf	-Inf	3	Horizontal	62	1.87
5500MHz	Pass	PK	5.46G	63.74	74.00	-10.26	3	Horizontal	62	1.87
5500MHz	Pass	PK	5.4604G	61.94	68.20	-6.26	3	Horizontal	62	1.87
5500MHz	Pass	PK	5.4956G	115.39	Inf	-Inf	3	Horizontal	62	1.87
5500MHz	Pass	AV	10.99604G	34.49	54.00	-19.51	3	Vertical	118	1.50
5500MHz	Pass	PK	11.00684G	47.53	74.00	-26.47	3	Vertical	118	1.50
5500MHz	Pass	AV	10.99148G	34.49	54.00	-19.51	3	Horizontal	36	1.50
5500MHz	Pass	PK	10.99232G	47.72	74.00	-26.28	3	Horizontal	36	1.50
5580MHz	Pass	AV	5.4336G	43.78	54.00	-10.22	3	Vertical	36	1.48
5580MHz	Pass	AV	5.5788G	98.97	Inf	-Inf	3	Vertical	36	1.48
5580MHz	Pass	PK	5.4312G	57.25	74.00	-16.75	3	Vertical	36	1.48
5580MHz	Pass	PK	5.463G	56.84	68.20	-11.36	3	Vertical	36	1.48
5580MHz	Pass	PK	5.5836G	110.54	Inf	-Inf	3	Vertical	36	1.48
5580MHz	Pass	PK	5.7294G	57.77	68.20	-10.43	3	Vertical	36	1.48
5580MHz	Pass	AV	5.4516G	44.33	54.00	-9.67	3	Horizontal	78	2.12
5580MHz	Pass	AV	5.5734G	104.62	Inf	-Inf	3	Horizontal	78	2.12
5580MHz	Pass	PK	5.4438G	58.84	74.00	-15.16	3	Horizontal	78	2.12
5580MHz	Pass	PK	5.469G	58.66	68.20	-9.54	3	Horizontal	78	2.12
5580MHz	Pass	PK	5.5788G	115.21	Inf	-Inf	3	Horizontal	78	2.12
5580MHz	Pass	PK	5.7264G	58.18	68.20	-10.02	3	Horizontal	78	2.12
5580MHz	Pass	AV	11.17344G	34.36	54.00	-19.64	3	Vertical	194	1.50
5580MHz	Pass	PK	11.14854G	47.40	74.00	-26.60	3	Vertical	194	1.50
5580MHz	Pass	AV	11.16132G	34.90	54.00	-19.10	3	Horizontal	355	1.38
5580MHz	Pass	PK	11.16222G	48.25	74.00	-25.75	3	Horizontal	355	1.38
5700MHz	Pass	AV	5.6952G	96.47	Inf	-Inf	3	Vertical	23	2.93
5700MHz	Pass	PK	5.6952G	106.63	Inf	-Inf	3	Vertical	23	2.93
5700MHz	Pass	PK	5.7492G	58.23	68.20	-9.97	3	Vertical	23	2.93
5700MHz	Pass	AV	5.6952G	102.47	Inf	-Inf	3	Horizontal	76	1.87
5700MHz	Pass	PK	5.6948G	112.98	Inf	-Inf	3	Horizontal	76	1.87
5700MHz	Pass	PK	5.7264G	65.85	68.20	-2.35	3	Horizontal	76	1.87
5700MHz	Pass	AV	11.3865G	34.90	54.00	-19.10	3	Vertical	287	1.50
5700MHz	Pass	PK	11.39208G	48.02	74.00	-25.98	3	Vertical	287	1.50
5700MHz	Pass	AV	11.3904G	34.92	54.00	-19.08	3	Horizontal	71	1.50
5700MHz	Pass	PK	11.40186G	48.38	74.00	-25.62	3	Horizontal	71	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	43.87	54.00	-10.13	3	Vertical	29	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	101.58	Inf	-Inf	3	Vertical	29	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4308G	57.90	74.00	-16.10	3	Vertical	29	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.17	68.20	-11.03	3	Vertical	29	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	111.87	Inf	-Inf	3	Vertical	29	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	60.14	68.20	-8.06	3	Vertical	29	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	44.26	54.00	-9.74	3	Horizontal	322	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	105.73	Inf	-Inf	3	Horizontal	322	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	57.97	74.00	-16.03	3	Horizontal	322	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.63	68.20	-10.57	3	Horizontal	322	1.88

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	116.34	Inf	-Inf	3	Horizontal	322	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9756G	59.34	68.20	-8.86	3	Horizontal	322	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44096G	34.91	54.00	-19.09	3	Vertical	3	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45128G	49.37	74.00	-24.63	3	Vertical	3	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44048G	35.19	54.00	-18.81	3	Horizontal	352	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45368G	48.06	74.00	-25.94	3	Horizontal	352	1.49
5745MHz	Pass	AV	5.4486G	43.71	54.00	-10.29	3	Vertical	73	1.44
5745MHz	Pass	AV	5.7414G	99.80	Inf	-Inf	3	Vertical	73	1.44
5745MHz	Pass	PK	5.649G	57.71	68.20	-10.49	3	Vertical	73	1.44
5745MHz	Pass	PK	5.7426G	110.16	Inf	-Inf	3	Vertical	73	1.44
5745MHz	Pass	PK	5.9766G	59.28	68.20	-8.92	3	Vertical	73	1.44
5745MHz	Pass	AV	5.451G	44.08	54.00	-9.92	3	Horizontal	305	2.14
5745MHz	Pass	AV	5.7462G	103.86	Inf	-Inf	3	Horizontal	305	2.14
5745MHz	Pass	PK	5.5146G	57.61	68.20	-10.59	3	Horizontal	305	2.14
5745MHz	Pass	PK	5.7402G	114.13	Inf	-Inf	3	Horizontal	305	2.14
5745MHz	Pass	PK	6.0234G	59.10	68.20	-9.10	3	Horizontal	305	2.14
5745MHz	Pass	AV	11.47578G	34.74	54.00	-19.26	3	Vertical	45	1.50
5745MHz	Pass	PK	11.47812G	49.46	74.00	-24.54	3	Vertical	45	1.50
5745MHz	Pass	AV	11.49G	34.99	54.00	-19.01	3	Horizontal	349	1.50
5745MHz	Pass	PK	11.5041G	48.08	74.00	-25.92	3	Horizontal	349	1.50
5785MHz	Pass	AV	5.77766G	99.08	Inf	-Inf	3	Vertical	71	1.29
5785MHz	Pass	PK	5.53324G	57.27	68.20	-10.93	3	Vertical	71	1.29
5785MHz	Pass	PK	5.78855G	109.53	Inf	-Inf	3	Vertical	71	1.29
5785MHz	Pass	PK	6.04386G	59.48	68.20	-8.72	3	Vertical	71	1.29
5785MHz	Pass	AV	5.78371G	104.88	Inf	-Inf	3	Horizontal	321	1.84
5785MHz	Pass	PK	5.52356G	58.64	68.20	-9.56	3	Horizontal	321	1.84
5785MHz	Pass	PK	5.78371G	115.67	Inf	-Inf	3	Horizontal	321	1.84
5785MHz	Pass	PK	5.98941G	60.02	68.20	-8.18	3	Horizontal	321	1.84
5785MHz	Pass	AV	11.56604G	34.74	54.00	-19.26	3	Vertical	4	1.50
5785MHz	Pass	PK	11.57642G	47.46	74.00	-26.54	3	Vertical	4	1.50
5785MHz	Pass	AV	11.57054G	35.09	54.00	-18.91	3	Horizontal	0	1.50
5785MHz	Pass	PK	11.57624G	47.62	74.00	-26.38	3	Horizontal	0	1.50
5825MHz	Pass	AV	5.8238G	98.52	Inf	-Inf	3	Vertical	68	1.01
5825MHz	Pass	PK	5.615G	57.78	68.20	-10.42	3	Vertical	68	1.01
5825MHz	Pass	PK	5.8238G	108.42	Inf	-Inf	3	Vertical	68	1.01
5825MHz	Pass	PK	5.9702G	59.58	68.20	-8.62	3	Vertical	68	1.01
5825MHz	Pass	AV	5.8226G	105.08	Inf	-Inf	3	Horizontal	321	2.43
5825MHz	Pass	PK	5.5298G	58.39	68.20	-9.81	3	Horizontal	321	2.43
5825MHz	Pass	PK	5.8274G	115.44	Inf	-Inf	3	Horizontal	321	2.43
5825MHz	Pass	PK	6.0122G	60.16	68.20	-8.04	3	Horizontal	321	2.43
5825MHz	Pass	AV	11.6428G	34.36	54.00	-19.64	3	Vertical	36	1.50
5825MHz	Pass	PK	11.64292G	48.07	74.00	-25.93	3	Vertical	36	1.50
5825MHz	Pass	AV	11.64622G	34.56	54.00	-19.44	3	Horizontal	16	1.68
5825MHz	Pass	PK	11.6449G	47.06	74.00	-26.94	3	Horizontal	16	1.68
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1386G	46.18	54.00	-7.82	3	Vertical	50	1.31
5180MHz	Pass	AV	5.1812G	101.56	Inf	-Inf	3	Vertical	50	1.31
5180MHz	Pass	PK	5.1388G	59.86	74.00	-14.14	3	Vertical	50	1.31
5180MHz	Pass	PK	5.1736G	115.01	Inf	-Inf	3	Vertical	50	1.31
5180MHz	Pass	AV	5.1392G	48.01	54.00	-5.99	3	Horizontal	300	1.90
5180MHz	Pass	AV	5.1872G	103.95	Inf	-Inf	3	Horizontal	300	1.90
5180MHz	Pass	PK	5.139G	63.59	74.00	-10.41	3	Horizontal	300	1.90
5180MHz	Pass	PK	5.1824G	117.13	Inf	-Inf	3	Horizontal	300	1.90
5180MHz	Pass	PK	10.357G	47.69	68.20	-20.51	3	Vertical	255	1.50
5180MHz	Pass	PK	10.36204G	47.73	68.20	-20.47	3	Horizontal	18	1.50
5200MHz	Pass	AV	5.148G	44.67	54.00	-9.33	3	Vertical	52	1.62
5200MHz	Pass	AV	5.196G	101.32	Inf	-Inf	3	Vertical	52	1.62
5200MHz	Pass	PK	5.1244G	58.63	74.00	-15.37	3	Vertical	52	1.62
5200MHz	Pass	PK	5.2056G	114.02	Inf	-Inf	3	Vertical	52	1.62
5200MHz	Pass	AV	5.1492G	45.53	54.00	-8.47	3	Horizontal	292	1.86
5200MHz	Pass	AV	5.1976G	104.51	Inf	-Inf	3	Horizontal	292	1.86
5200MHz	Pass	PK	5.15G	59.62	74.00	-14.38	3	Horizontal	292	1.86

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	5.1948G	117.97	Inf	-Inf	3	Horizontal	292	1.86
5200MHz	Pass	PK	10.40996G	48.02	68.20	-20.18	3	Vertical	349	1.21
5200MHz	Pass	PK	10.4126G	47.88	68.20	-20.32	3	Horizontal	26	1.50
5240MHz	Pass	AV	5.1446G	43.91	54.00	-10.09	3	Vertical	50	1.00
5240MHz	Pass	AV	5.2442G	101.21	Inf	-Inf	3	Vertical	50	1.00
5240MHz	Pass	AV	5.3528G	43.94	54.00	-10.06	3	Vertical	50	1.00
5240MHz	Pass	PK	5.1308G	57.89	74.00	-16.11	3	Vertical	50	1.00
5240MHz	Pass	PK	5.2394G	114.12	Inf	-Inf	3	Vertical	50	1.00
5240MHz	Pass	PK	5.3714G	57.71	74.00	-16.29	3	Vertical	50	1.00
5240MHz	Pass	AV	5.1494G	44.36	54.00	-9.64	3	Horizontal	298	1.91
5240MHz	Pass	AV	5.2352G	104.19	Inf	-Inf	3	Horizontal	298	1.91
5240MHz	Pass	AV	5.35G	44.41	54.00	-9.59	3	Horizontal	298	1.91
5240MHz	Pass	PK	5.1446G	58.94	74.00	-15.06	3	Horizontal	298	1.91
5240MHz	Pass	PK	5.2352G	117.10	Inf	-Inf	3	Horizontal	298	1.91
5240MHz	Pass	PK	5.3564G	58.23	74.00	-15.77	3	Horizontal	298	1.91
5240MHz	Pass	PK	10.4746G	47.08	68.20	-21.12	3	Vertical	222	1.50
5240MHz	Pass	PK	10.4851G	46.62	68.20	-21.58	3	Horizontal	103	1.50
5260MHz	Pass	AV	5.1316G	43.87	54.00	-10.13	3	Vertical	1	3.00
5260MHz	Pass	AV	5.254G	101.48	Inf	-Inf	3	Vertical	1	3.00
5260MHz	Pass	AV	5.386G	43.97	54.00	-10.03	3	Vertical	1	3.00
5260MHz	Pass	PK	5.1232G	57.20	74.00	-16.80	3	Vertical	1	3.00
5260MHz	Pass	PK	5.2642G	114.74	Inf	-Inf	3	Vertical	1	3.00
5260MHz	Pass	PK	5.3536G	57.97	74.00	-16.03	3	Vertical	1	3.00
5260MHz	Pass	AV	5.1484G	44.27	54.00	-9.73	3	Horizontal	304	2.05
5260MHz	Pass	AV	5.2546G	104.24	Inf	-Inf	3	Horizontal	304	2.05
5260MHz	Pass	AV	5.35G	44.53	54.00	-9.47	3	Horizontal	304	2.05
5260MHz	Pass	PK	5.1448G	57.86	74.00	-16.14	3	Horizontal	304	2.05
5260MHz	Pass	PK	5.2522G	117.84	Inf	-Inf	3	Horizontal	304	2.05
5260MHz	Pass	PK	5.4094G	58.63	74.00	-15.37	3	Horizontal	304	2.05
5260MHz	Pass	PK	10.50578G	47.94	68.20	-20.26	3	Vertical	66	1.01
5260MHz	Pass	PK	10.52474G	47.19	68.20	-21.01	3	Horizontal	354	1.50
5300MHz	Pass	AV	5.2968G	100.40	Inf	-Inf	3	Vertical	48	1.13
5300MHz	Pass	AV	5.35G	44.61	54.00	-9.39	3	Vertical	48	1.13
5300MHz	Pass	PK	5.302G	114.06	Inf	-Inf	3	Vertical	48	1.13
5300MHz	Pass	PK	5.352G	58.11	74.00	-15.89	3	Vertical	48	1.13
5300MHz	Pass	AV	5.2928G	103.69	Inf	-Inf	3	Horizontal	302	1.92
5300MHz	Pass	AV	5.3512G	45.89	54.00	-8.11	3	Horizontal	302	1.92
5300MHz	Pass	PK	5.308G	116.83	Inf	-Inf	3	Horizontal	302	1.92
5300MHz	Pass	PK	5.3504G	59.09	74.00	-14.91	3	Horizontal	302	1.92
5300MHz	Pass	AV	10.60888G	34.46	54.00	-19.54	3	Vertical	347	3.00
5300MHz	Pass	PK	10.6072G	47.57	74.00	-26.43	3	Vertical	347	3.00
5300MHz	Pass	AV	10.60816G	34.40	54.00	-19.60	3	Horizontal	10	1.50
5300MHz	Pass	PK	10.6006G	48.77	74.00	-25.23	3	Horizontal	10	1.50
5320MHz	Pass	AV	5.3118G	99.72	Inf	-Inf	3	Vertical	52	1.00
5320MHz	Pass	AV	5.35G	46.18	54.00	-7.82	3	Vertical	52	1.00
5320MHz	Pass	PK	5.3168G	112.72	Inf	-Inf	3	Vertical	52	1.00
5320MHz	Pass	PK	5.3618G	60.14	74.00	-13.86	3	Vertical	52	1.00
5320MHz	Pass	AV	5.3114G	102.63	Inf	-Inf	3	Horizontal	68	2.12
5320MHz	Pass	AV	5.352G	47.87	54.00	-6.13	3	Horizontal	68	2.12
5320MHz	Pass	PK	5.3116G	116.22	Inf	-Inf	3	Horizontal	68	2.12
5320MHz	Pass	PK	5.3616G	63.60	74.00	-10.40	3	Horizontal	68	2.12
5320MHz	Pass	AV	10.64666G	34.34	54.00	-19.66	3	Vertical	24	1.50
5320MHz	Pass	PK	10.65098G	47.83	74.00	-26.17	3	Vertical	24	1.50
5320MHz	Pass	AV	10.64978G	34.33	54.00	-19.67	3	Horizontal	113	1.18
5320MHz	Pass	PK	10.6454G	47.30	74.00	-26.70	3	Horizontal	113	1.18
5500MHz	Pass	AV	5.4586G	45.12	54.00	-8.88	3	Vertical	32	2.96
5500MHz	Pass	AV	5.496G	99.50	Inf	-Inf	3	Vertical	32	2.96
5500MHz	Pass	PK	5.4538G	58.62	74.00	-15.38	3	Vertical	32	2.96
5500MHz	Pass	PK	5.4606G	58.89	68.20	-9.31	3	Vertical	32	2.96
5500MHz	Pass	PK	5.4988G	112.76	Inf	-Inf	3	Vertical	32	2.96
5500MHz	Pass	AV	5.4592G	48.34	54.00	-5.66	3	Horizontal	297	1.92
5500MHz	Pass	AV	5.4944G	104.28	Inf	-Inf	3	Horizontal	297	1.92

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4592G	63.50	74.00	-10.50	3	Horizontal	297	1.92
5500MHz	Pass	PK	5.4628G	60.81	68.20	-7.39	3	Horizontal	297	1.92
5500MHz	Pass	PK	5.5074G	116.80	Inf	-Inf	3	Horizontal	297	1.92
5500MHz	Pass	AV	10.99094G	34.52	54.00	-19.48	3	Vertical	272	1.50
5500MHz	Pass	PK	10.98752G	47.34	74.00	-26.66	3	Vertical	272	1.50
5500MHz	Pass	AV	10.99004G	34.50	54.00	-19.50	3	Horizontal	315	1.50
5500MHz	Pass	PK	10.99022G	47.26	74.00	-26.74	3	Horizontal	315	1.50
5580MHz	Pass	AV	5.4522G	43.87	54.00	-10.13	3	Vertical	36	1.39
5580MHz	Pass	AV	5.577G	98.33	Inf	-Inf	3	Vertical	36	1.39
5580MHz	Pass	PK	5.4468G	57.40	74.00	-16.60	3	Vertical	36	1.39
5580MHz	Pass	PK	5.4606G	56.95	68.20	-11.25	3	Vertical	36	1.39
5580MHz	Pass	PK	5.5794G	111.73	Inf	-Inf	3	Vertical	36	1.39
5580MHz	Pass	PK	5.7294G	58.48	68.20	-9.72	3	Vertical	36	1.39
5580MHz	Pass	AV	5.4546G	44.38	54.00	-9.62	3	Horizontal	77	2.12
5580MHz	Pass	AV	5.574G	104.00	Inf	-Inf	3	Horizontal	77	2.12
5580MHz	Pass	PK	5.4534G	57.49	74.00	-16.51	3	Horizontal	77	2.12
5580MHz	Pass	PK	5.4654G	58.29	68.20	-9.91	3	Horizontal	77	2.12
5580MHz	Pass	PK	5.5746G	117.09	Inf	-Inf	3	Horizontal	77	2.12
5580MHz	Pass	PK	5.7294G	58.36	68.20	-9.84	3	Horizontal	77	2.12
5580MHz	Pass	AV	11.17296G	34.37	54.00	-19.63	3	Vertical	274	1.50
5580MHz	Pass	PK	11.16408G	47.51	74.00	-26.49	3	Vertical	274	1.50
5580MHz	Pass	AV	11.1723G	34.41	54.00	-19.59	3	Horizontal	304	1.49
5580MHz	Pass	PK	11.16372G	47.03	74.00	-26.97	3	Horizontal	304	1.49
5700MHz	Pass	AV	5.6976G	96.27	Inf	-Inf	3	Vertical	25	2.92
5700MHz	Pass	PK	5.698G	109.07	Inf	-Inf	3	Vertical	25	2.92
5700MHz	Pass	PK	5.7256G	59.07	68.20	-9.13	3	Vertical	25	2.92
5700MHz	Pass	AV	5.6948G	101.35	Inf	-Inf	3	Horizontal	76	1.88
5700MHz	Pass	PK	5.7052G	114.57	Inf	-Inf	3	Horizontal	76	1.88
5700MHz	Pass	PK	5.7252G	66.71	68.20	-1.49	3	Horizontal	76	1.88
5700MHz	Pass	AV	11.3889G	35.02	54.00	-18.98	3	Vertical	176	1.50
5700MHz	Pass	PK	11.41146G	48.75	74.00	-25.25	3	Vertical	176	1.50
5700MHz	Pass	AV	11.3976G	35.03	54.00	-18.97	3	Horizontal	360	1.50
5700MHz	Pass	PK	11.403G	48.81	74.00	-25.19	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	43.74	54.00	-10.26	3	Vertical	36	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	98.67	Inf	-Inf	3	Vertical	36	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4224G	57.10	74.00	-16.90	3	Vertical	36	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.82	68.20	-11.38	3	Vertical	36	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	110.79	Inf	-Inf	3	Vertical	36	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.978G	59.50	68.20	-8.70	3	Vertical	36	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	44.17	54.00	-9.83	3	Horizontal	321	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	104.62	Inf	-Inf	3	Horizontal	321	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	57.79	74.00	-16.21	3	Horizontal	321	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.89	68.20	-10.31	3	Horizontal	321	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	117.52	Inf	-Inf	3	Horizontal	321	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9396G	59.77	68.20	-8.43	3	Horizontal	321	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45464G	34.81	54.00	-19.19	3	Vertical	97	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4511G	48.70	74.00	-25.30	3	Vertical	97	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44012G	35.26	54.00	-18.74	3	Horizontal	354	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43232G	48.15	74.00	-25.85	3	Horizontal	354	1.35
5745MHz	Pass	AV	5.4498G	43.63	54.00	-10.37	3	Vertical	75	1.47
5745MHz	Pass	AV	5.7378G	99.48	Inf	-Inf	3	Vertical	75	1.47
5745MHz	Pass	PK	5.487G	57.52	68.20	-10.68	3	Vertical	75	1.47
5745MHz	Pass	PK	5.7402G	111.78	Inf	-Inf	3	Vertical	75	1.47
5745MHz	Pass	PK	5.9658G	59.52	68.20	-8.68	3	Vertical	75	1.47
5745MHz	Pass	AV	5.445G	44.09	54.00	-9.91	3	Horizontal	324	2.14
5745MHz	Pass	AV	5.7402G	106.08	Inf	-Inf	3	Horizontal	324	2.14
5745MHz	Pass	PK	5.619G	58.16	68.20	-10.04	3	Horizontal	324	2.14
5745MHz	Pass	PK	5.7462G	118.91	Inf	-Inf	3	Horizontal	324	2.14
5745MHz	Pass	PK	6.0366G	60.06	68.20	-8.14	3	Horizontal	324	2.14
5745MHz	Pass	AV	11.4858G	34.91	54.00	-19.09	3	Vertical	342	1.50
5745MHz	Pass	PK	11.48022G	48.00	74.00	-26.00	3	Vertical	342	1.50
5745MHz	Pass	AV	11.4879G	34.96	54.00	-19.04	3	Horizontal	4	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	11.4888G	48.03	74.00	-25.97	3	Horizontal	4	1.50
5785MHz	Pass	AV	5.77645G	98.86	Inf	-Inf	3	Vertical	74	1.27
5785MHz	Pass	PK	5.57559G	57.37	68.20	-10.83	3	Vertical	74	1.27
5785MHz	Pass	PK	5.77645G	111.32	Inf	-Inf	3	Vertical	74	1.27
5785MHz	Pass	PK	6.02813G	59.36	68.20	-8.84	3	Vertical	74	1.27
5785MHz	Pass	AV	5.77645G	104.25	Inf	-Inf	3	Horizontal	322	1.88
5785MHz	Pass	PK	5.52719G	58.70	68.20	-9.50	3	Horizontal	322	1.88
5785MHz	Pass	PK	5.78734G	117.07	Inf	-Inf	3	Horizontal	322	1.88
5785MHz	Pass	PK	5.96521G	59.60	68.20	-8.60	3	Horizontal	322	1.88
5785MHz	Pass	AV	11.55806G	34.52	54.00	-19.48	3	Vertical	174	1.50
5785MHz	Pass	PK	11.57978G	47.54	74.00	-26.46	3	Vertical	174	1.50
5785MHz	Pass	AV	11.5679G	34.81	54.00	-19.19	3	Horizontal	12	1.50
5785MHz	Pass	PK	11.58194G	48.33	74.00	-25.67	3	Horizontal	12	1.50
5825MHz	Pass	AV	5.8238G	96.93	Inf	-Inf	3	Vertical	75	1.33
5825MHz	Pass	PK	5.6186G	57.59	68.20	-10.61	3	Vertical	75	1.33
5825MHz	Pass	PK	5.8238G	109.67	Inf	-Inf	3	Vertical	75	1.33
5825MHz	Pass	PK	6.0818G	60.60	68.20	-7.60	3	Vertical	75	1.33
5825MHz	Pass	AV	5.8286G	106.60	Inf	-Inf	3	Horizontal	72	2.05
5825MHz	Pass	PK	5.5346G	58.12	68.20	-10.08	3	Horizontal	72	2.05
5825MHz	Pass	PK	5.8226G	119.58	Inf	-Inf	3	Horizontal	72	2.05
5825MHz	Pass	PK	6.0398G	59.86	68.20	-8.34	3	Horizontal	72	2.05
5825MHz	Pass	AV	11.64352G	34.18	54.00	-19.82	3	Vertical	35	1.50
5825MHz	Pass	PK	11.6434G	47.26	74.00	-26.74	3	Vertical	35	1.50
5825MHz	Pass	AV	11.64844G	34.30	54.00	-19.70	3	Horizontal	14	1.48
5825MHz	Pass	PK	11.66014G	46.86	74.00	-27.14	3	Horizontal	14	1.48
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	46.65	54.00	-7.35	3	Vertical	54	1.46
5190MHz	Pass	AV	5.1956G	98.23	Inf	-Inf	3	Vertical	54	1.46
5190MHz	Pass	PK	5.1488G	59.38	74.00	-14.62	3	Vertical	54	1.46
5190MHz	Pass	PK	5.196G	111.09	Inf	-Inf	3	Vertical	54	1.46
5190MHz	Pass	AV	5.1496G	49.88	54.00	-4.12	3	Horizontal	299	1.96
5190MHz	Pass	AV	5.1948G	101.90	Inf	-Inf	3	Horizontal	299	1.96
5190MHz	Pass	PK	5.15G	63.72	74.00	-10.28	3	Horizontal	299	1.96
5190MHz	Pass	PK	5.1824G	115.45	Inf	-Inf	3	Horizontal	299	1.96
5190MHz	Pass	PK	10.39824G	47.23	68.20	-20.97	3	Vertical	154	1.50
5190MHz	Pass	PK	10.39524G	47.44	68.20	-20.76	3	Horizontal	351	1.50
5230MHz	Pass	AV	5.15G	44.97	54.00	-9.03	3	Vertical	64	1.21
5230MHz	Pass	AV	5.2276G	98.32	Inf	-Inf	3	Vertical	64	1.21
5230MHz	Pass	PK	5.1496G	57.93	74.00	-16.07	3	Vertical	64	1.21
5230MHz	Pass	PK	5.2256G	111.22	Inf	-Inf	3	Vertical	64	1.21
5230MHz	Pass	AV	5.15G	45.85	54.00	-8.15	3	Horizontal	74	2.48
5230MHz	Pass	AV	5.2436G	102.01	Inf	-Inf	3	Horizontal	74	2.48
5230MHz	Pass	PK	5.1456G	59.16	74.00	-14.84	3	Horizontal	74	2.48
5230MHz	Pass	PK	5.228G	115.07	Inf	-Inf	3	Horizontal	74	2.48
5230MHz	Pass	PK	10.43564G	46.94	68.20	-21.26	3	Vertical	204	2.21
5230MHz	Pass	PK	10.46984G	48.10	68.20	-20.10	3	Horizontal	218	1.50
5270MHz	Pass	AV	5.276G	98.02	Inf	-Inf	3	Vertical	9	3.00
5270MHz	Pass	AV	5.3512G	44.23	54.00	-9.77	3	Vertical	9	3.00
5270MHz	Pass	PK	5.276G	110.59	Inf	-Inf	3	Vertical	9	3.00
5270MHz	Pass	PK	5.3512G	57.50	74.00	-16.50	3	Vertical	9	3.00
5270MHz	Pass	AV	5.2648G	98.22	Inf	-Inf	3	Horizontal	15	2.94
5270MHz	Pass	AV	5.3504G	45.54	54.00	-8.46	3	Horizontal	15	2.94
5270MHz	Pass	PK	5.2728G	111.13	Inf	-Inf	3	Horizontal	15	2.94
5270MHz	Pass	PK	5.3528G	58.76	74.00	-15.24	3	Horizontal	15	2.94
5270MHz	Pass	PK	10.5562G	46.95	68.20	-21.25	3	Vertical	98	1.50
5270MHz	Pass	PK	10.53988G	46.92	68.20	-21.28	3	Horizontal	350	2.30
5310MHz	Pass	AV	5.3044G	98.71	Inf	-Inf	3	Vertical	37	2.92
5310MHz	Pass	AV	5.35G	47.20	54.00	-6.80	3	Vertical	37	2.92
5310MHz	Pass	PK	5.3072G	112.46	Inf	-Inf	3	Vertical	37	2.92
5310MHz	Pass	PK	5.3504G	59.52	74.00	-14.48	3	Vertical	37	2.92
5310MHz	Pass	AV	5.306G	101.30	Inf	-Inf	3	Horizontal	74	2.57
5310MHz	Pass	AV	5.3516G	51.74	54.00	-2.26	3	Horizontal	74	2.57



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	5.3108G	115.64	Inf	-Inf	3	Horizontal	74	2.57
5310MHz	Pass	PK	5.3536G	64.32	74.00	-9.68	3	Horizontal	74	2.57
5310MHz	Pass	AV	10.60644G	34.23	54.00	-19.77	3	Vertical	297	2.98
5310MHz	Pass	PK	10.5942G	47.54	68.20	-20.66	3	Vertical	297	2.98
5310MHz	Pass	AV	10.60548G	34.26	54.00	-19.74	3	Horizontal	358	1.50
5310MHz	Pass	PK	10.60404G	47.89	74.00	-26.11	3	Horizontal	358	1.50
5510MHz	Pass	AV	5.46G	46.31	54.00	-7.69	3	Vertical	348	1.62
5510MHz	Pass	AV	5.5136G	95.68	Inf	-Inf	3	Vertical	348	1.62
5510MHz	Pass	PK	5.4548G	61.19	74.00	-12.81	3	Vertical	348	1.62
5510MHz	Pass	PK	5.4676G	64.67	68.20	-3.53	3	Vertical	348	1.62
5510MHz	Pass	PK	5.5184G	109.02	Inf	-Inf	3	Vertical	348	1.62
5510MHz	Pass	AV	5.46G	47.11	54.00	-6.89	3	Horizontal	0	2.98
5510MHz	Pass	AV	5.5032G	98.57	Inf	-Inf	3	Horizontal	0	2.98
5510MHz	Pass	PK	5.4596G	60.59	74.00	-13.41	3	Horizontal	0	2.98
5510MHz	Pass	PK	5.4672G	65.28	68.20	-2.92	3	Horizontal	0	2.98
5510MHz	Pass	PK	5.496G	112.51	Inf	-Inf	3	Horizontal	0	2.98
5510MHz	Pass	AV	10.99048G	34.27	54.00	-19.73	3	Vertical	360	2.96
5510MHz	Pass	PK	11.0278G	47.04	74.00	-26.96	3	Vertical	360	2.96
5510MHz	Pass	AV	10.99036G	34.24	54.00	-19.76	3	Horizontal	223	1.50
5510MHz	Pass	PK	10.99348G	47.90	74.00	-26.10	3	Horizontal	223	1.50
5550MHz	Pass	AV	5.4592G	44.49	54.00	-9.51	3	Vertical	32	1.24
5550MHz	Pass	AV	5.5344G	96.22	Inf	-Inf	3	Vertical	32	1.24
5550MHz	Pass	PK	5.4552G	58.01	74.00	-15.99	3	Vertical	32	1.24
5550MHz	Pass	PK	5.4672G	58.88	68.20	-9.32	3	Vertical	32	1.24
5550MHz	Pass	PK	5.532G	109.64	Inf	-Inf	3	Vertical	32	1.24
5550MHz	Pass	AV	5.4588G	46.12	54.00	-7.88	3	Horizontal	76	2.02
5550MHz	Pass	AV	5.534G	102.90	Inf	-Inf	3	Horizontal	76	2.02
5550MHz	Pass	PK	5.4588G	59.27	74.00	-14.73	3	Horizontal	76	2.02
5550MHz	Pass	PK	5.4664G	61.04	68.20	-7.16	3	Horizontal	76	2.02
5550MHz	Pass	PK	5.5364G	116.35	Inf	-Inf	3	Horizontal	76	2.02
5550MHz	Pass	AV	11.11332G	34.29	54.00	-19.71	3	Vertical	14	1.50
5550MHz	Pass	PK	11.10072G	47.12	74.00	-26.88	3	Vertical	14	1.50
5550MHz	Pass	AV	11.11968G	33.96	54.00	-20.04	3	Horizontal	57	1.50
5550MHz	Pass	PK	11.12184G	47.27	74.00	-26.73	3	Horizontal	57	1.50
5670MHz	Pass	AV	5.6598G	96.75	Inf	-Inf	3	Vertical	28	2.96
5670MHz	Pass	PK	5.6724G	109.70	Inf	-Inf	3	Vertical	28	2.96
5670MHz	Pass	PK	5.7258G	60.31	68.20	-7.89	3	Vertical	28	2.96
5670MHz	Pass	AV	5.6748G	102.16	Inf	-Inf	3	Horizontal	74	1.91
5670MHz	Pass	PK	5.6796G	116.14	Inf	-Inf	3	Horizontal	74	1.91
5670MHz	Pass	PK	5.7252G	67.40	68.20	-0.80	3	Horizontal	74	1.91
5670MHz	Pass	AV	11.36172G	34.81	54.00	-19.19	3	Vertical	250	1.50
5670MHz	Pass	PK	11.36112G	48.28	74.00	-25.72	3	Vertical	250	1.50
5670MHz	Pass	AV	11.36892G	34.90	54.00	-19.10	3	Horizontal	128	1.50
5670MHz	Pass	PK	11.31948G	48.96	74.00	-25.04	3	Horizontal	128	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4472G	43.88	54.00	-10.12	3	Vertical	30	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	98.54	Inf	-Inf	3	Vertical	30	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4532G	57.40	74.00	-16.60	3	Vertical	30	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	56.89	68.20	-11.31	3	Vertical	30	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	111.27	Inf	-Inf	3	Vertical	30	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.914G	59.38	68.20	-8.82	3	Vertical	30	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4364G	44.06	54.00	-9.94	3	Horizontal	303	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	101.62	Inf	-Inf	3	Horizontal	303	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4412G	58.17	74.00	-15.83	3	Horizontal	303	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	57.39	68.20	-10.81	3	Horizontal	303	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	115.03	Inf	-Inf	3	Horizontal	303	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9668G	59.17	68.20	-9.03	3	Horizontal	303	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39372G	34.97	54.00	-19.03	3	Vertical	59	1.91
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40068G	47.84	74.00	-26.16	3	Vertical	59	1.91
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39252G	34.94	54.00	-19.06	3	Horizontal	146	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44088G	48.63	74.00	-25.37	3	Horizontal	146	1.50
5755MHz	Pass	AV	5.455G	43.59	54.00	-10.41	3	Vertical	74	1.48
5755MHz	Pass	AV	5.7406G	96.65	Inf	-Inf	3	Vertical	74	1.48



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	5.6458G	58.57	68.20	-9.63	3	Vertical	74	1.48
5755MHz	Pass	PK	5.7454G	109.10	Inf	-Inf	3	Vertical	74	1.48
5755MHz	Pass	PK	5.9698G	59.96	68.20	-8.24	3	Vertical	74	1.48
5755MHz	Pass	AV	5.4598G	44.04	54.00	-9.96	3	Horizontal	325	2.37
5755MHz	Pass	AV	5.7502G	103.22	Inf	-Inf	3	Horizontal	325	2.37
5755MHz	Pass	PK	5.6434G	58.92	68.20	-9.28	3	Horizontal	325	2.37
5755MHz	Pass	PK	5.761G	115.96	Inf	-Inf	3	Horizontal	325	2.37
5755MHz	Pass	PK	6.0346G	60.44	68.20	-7.76	3	Horizontal	325	2.37
5755MHz	Pass	AV	11.4812G	34.65	54.00	-19.35	3	Vertical	173	1.50
5755MHz	Pass	PK	11.50784G	48.27	74.00	-25.73	3	Vertical	173	1.50
5755MHz	Pass	AV	11.483G	34.66	54.00	-19.34	3	Horizontal	183	1.76
5755MHz	Pass	PK	11.49944G	47.56	74.00	-26.44	3	Horizontal	183	1.76
5795MHz	Pass	AV	5.7782G	95.66	Inf	-Inf	3	Vertical	76	1.27
5795MHz	Pass	PK	5.6426G	57.35	68.20	-10.85	3	Vertical	76	1.27
5795MHz	Pass	PK	5.7782G	109.34	Inf	-Inf	3	Vertical	76	1.27
5795MHz	Pass	PK	6.0098G	59.59	68.20	-8.61	3	Vertical	76	1.27
5795MHz	Pass	AV	5.789G	100.93	Inf	-Inf	3	Horizontal	301	1.78
5795MHz	Pass	PK	5.6414G	59.02	68.20	-9.18	3	Horizontal	301	1.78
5795MHz	Pass	PK	5.8034G	114.18	Inf	-Inf	3	Horizontal	301	1.78
5795MHz	Pass	PK	6.0494G	60.10	68.20	-8.10	3	Horizontal	301	1.78
5795MHz	Pass	AV	11.56072G	34.18	54.00	-19.82	3	Vertical	300	1.50
5795MHz	Pass	PK	11.56024G	48.50	74.00	-25.50	3	Vertical	300	1.50
5795MHz	Pass	AV	11.56204G	34.16	54.00	-19.84	3	Horizontal	46	1.50
5795MHz	Pass	PK	11.56G	47.08	74.00	-26.92	3	Horizontal	46	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	47.35	54.00	-6.65	3	Vertical	50	1.18
5210MHz	Pass	AV	5.196G	95.26	Inf	-Inf	3	Vertical	50	1.18
5210MHz	Pass	AV	5.35G	44.83	54.00	-9.17	3	Vertical	50	1.18
5210MHz	Pass	PK	5.148G	60.71	74.00	-13.29	3	Vertical	50	1.18
5210MHz	Pass	PK	5.196G	107.82	Inf	-Inf	3	Vertical	50	1.18
5210MHz	Pass	PK	5.37G	58.47	74.00	-15.53	3	Vertical	50	1.18
5210MHz	Pass	AV	5.15G	50.56	54.00	-3.44	3	Horizontal	297	1.95
5210MHz	Pass	AV	5.225G	98.95	Inf	-Inf	3	Horizontal	297	1.95
5210MHz	Pass	AV	5.354G	45.97	54.00	-8.03	3	Horizontal	297	1.95
5210MHz	Pass	PK	5.147G	63.63	74.00	-10.37	3	Horizontal	297	1.95
5210MHz	Pass	PK	5.18G	112.03	Inf	-Inf	3	Horizontal	297	1.95
5210MHz	Pass	PK	5.387G	59.82	74.00	-14.18	3	Horizontal	297	1.95
5210MHz	Pass	PK	10.37152G	47.44	68.20	-20.76	3	Vertical	320	2.40
5210MHz	Pass	PK	10.3636G	47.20	68.20	-21.00	3	Horizontal	46	1.50
5290MHz	Pass	AV	5.146G	45.19	54.00	-8.81	3	Vertical	0	2.98
5290MHz	Pass	AV	5.274G	96.33	Inf	-Inf	3	Vertical	0	2.98
5290MHz	Pass	AV	5.35G	47.46	54.00	-6.54	3	Vertical	0	2.98
5290MHz	Pass	PK	5.143G	58.19	74.00	-15.81	3	Vertical	0	2.98
5290MHz	Pass	PK	5.279G	109.48	Inf	-Inf	3	Vertical	0	2.98
5290MHz	Pass	PK	5.365G	59.95	74.00	-14.05	3	Vertical	0	2.98
5290MHz	Pass	PK	5.518G	57.71	68.20	-10.49	3	Vertical	0	2.98
5290MHz	Pass	AV	5.144G	45.78	54.00	-8.22	3	Horizontal	298	1.98
5290MHz	Pass	AV	5.275G	98.27	Inf	-Inf	3	Horizontal	298	1.98
5290MHz	Pass	AV	5.351G	52.09	54.00	-1.91	3	Horizontal	298	1.98
5290MHz	Pass	PK	5.148G	59.85	74.00	-14.15	3	Horizontal	298	1.98
5290MHz	Pass	PK	5.321G	111.19	Inf	-Inf	3	Horizontal	298	1.98
5290MHz	Pass	PK	5.352G	64.34	74.00	-9.66	3	Horizontal	298	1.98
5290MHz	Pass	PK	5.494G	59.67	68.20	-8.53	3	Horizontal	298	1.98
5290MHz	Pass	AV	10.61072G	34.14	54.00	-19.86	3	Vertical	200	1.44
5290MHz	Pass	PK	10.6108G	47.38	74.00	-26.62	3	Vertical	200	1.44
5290MHz	Pass	AV	10.60472G	34.13	54.00	-19.87	3	Horizontal	222	1.50
5290MHz	Pass	PK	10.60136G	47.33	74.00	-26.67	3	Horizontal	222	1.50
5530MHz	Pass	AV	5.35G	43.78	54.00	-10.22	3	Vertical	349	1.60
5530MHz	Pass	AV	5.46G	47.79	54.00	-6.21	3	Vertical	349	1.60
5530MHz	Pass	AV	5.541G	91.88	Inf	-Inf	3	Vertical	349	1.60
5530MHz	Pass	PK	5.332G	57.85	68.20	-10.35	3	Vertical	349	1.60
5530MHz	Pass	PK	5.438G	60.96	74.00	-13.04	3	Vertical	349	1.60



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.47G	62.04	68.20	-6.16	3	Vertical	349	1.60
5530MHz	Pass	PK	5.551G	105.25	Inf	-Inf	3	Vertical	349	1.60
5530MHz	Pass	PK	5.762G	58.14	68.20	-10.06	3	Vertical	349	1.60
5530MHz	Pass	AV	5.35G	44.19	54.00	-9.81	3	Horizontal	76	2.00
5530MHz	Pass	AV	5.459G	53.60	54.00	-0.40	3	Horizontal	76	2.00
5530MHz	Pass	AV	5.519G	98.96	Inf	-Inf	3	Horizontal	76	2.00
5530MHz	Pass	PK	5.307G	57.81	68.20	-10.39	3	Horizontal	76	2.00
5530MHz	Pass	PK	5.458G	67.40	74.00	-6.60	3	Horizontal	76	2.00
5530MHz	Pass	PK	5.466G	67.82	68.20	-0.38	3	Horizontal	76	2.00
5530MHz	Pass	PK	5.522G	111.79	Inf	-Inf	3	Horizontal	76	2.00
5530MHz	Pass	PK	5.774G	59.62	68.20	-8.58	3	Horizontal	76	2.00
5530MHz	Pass	AV	11.00072G	34.08	54.00	-19.92	3	Vertical	282	1.50
5530MHz	Pass	PK	11.05208G	47.10	74.00	-26.90	3	Vertical	282	1.50
5530MHz	Pass	AV	11.07048G	34.12	54.00	-19.88	3	Horizontal	318	1.50
5530MHz	Pass	PK	11.07992G	47.69	74.00	-26.31	3	Horizontal	318	1.50
5610MHz	Pass	AV	5.449G	44.57	54.00	-9.43	3	Vertical	38	1.31
5610MHz	Pass	AV	5.597G	92.16	Inf	-Inf	3	Vertical	38	1.31
5610MHz	Pass	PK	5.417G	57.64	74.00	-16.36	3	Vertical	38	1.31
5610MHz	Pass	PK	5.467G	58.41	68.20	-9.79	3	Vertical	38	1.31
5610MHz	Pass	PK	5.622G	104.82	Inf	-Inf	3	Vertical	38	1.31
5610MHz	Pass	PK	5.728G	60.24	68.20	-7.96	3	Vertical	38	1.31
5610MHz	Pass	AV	5.46G	46.69	54.00	-7.31	3	Horizontal	62	1.92
5610MHz	Pass	AV	5.621G	97.30	Inf	-Inf	3	Horizontal	62	1.92
5610MHz	Pass	PK	5.452G	59.85	74.00	-14.15	3	Horizontal	62	1.92
5610MHz	Pass	PK	5.463G	60.26	68.20	-7.94	3	Horizontal	62	1.92
5610MHz	Pass	PK	5.631G	110.34	Inf	-Inf	3	Horizontal	62	1.92
5610MHz	Pass	PK	5.736G	61.47	68.20	-6.73	3	Horizontal	62	1.92
5610MHz	Pass	AV	11.22504G	34.43	54.00	-19.57	3	Vertical	134	1.50
5610MHz	Pass	PK	11.16864G	47.95	74.00	-26.05	3	Vertical	134	1.50
5610MHz	Pass	AV	11.22528G	34.34	54.00	-19.66	3	Horizontal	179	1.50
5610MHz	Pass	PK	11.21016G	48.01	74.00	-25.99	3	Horizontal	179	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	43.87	54.00	-10.13	3	Vertical	28	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	95.93	Inf	-Inf	3	Vertical	28	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4368G	57.62	74.00	-16.38	3	Vertical	28	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.52	68.20	-11.68	3	Vertical	28	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	108.20	Inf	-Inf	3	Vertical	28	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	59.66	68.20	-8.54	3	Vertical	28	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	44.46	54.00	-9.54	3	Horizontal	74	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	100.53	Inf	-Inf	3	Horizontal	74	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	57.62	74.00	-16.38	3	Horizontal	74	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.63	68.20	-10.57	3	Horizontal	74	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6696G	113.56	Inf	-Inf	3	Horizontal	74	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	59.81	68.20	-8.39	3	Horizontal	74	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38312G	34.94	54.00	-19.06	3	Vertical	16	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39632G	48.45	74.00	-25.55	3	Vertical	16	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38912G	34.93	54.00	-19.07	3	Horizontal	266	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39776G	48.10	74.00	-25.90	3	Horizontal	266	1.50
5775MHz	Pass	AV	5.745G	95.57	Inf	-Inf	3	Vertical	25	3.00
5775MHz	Pass	PK	5.643G	59.72	68.20	-8.48	3	Vertical	25	3.00
5775MHz	Pass	PK	5.745G	108.21	Inf	-Inf	3	Vertical	25	3.00
5775MHz	Pass	PK	5.9958G	59.50	68.20	-8.70	3	Vertical	25	3.00
5775MHz	Pass	AV	5.763G	100.08	Inf	-Inf	3	Horizontal	323	2.24
5775MHz	Pass	PK	5.6478G	61.40	68.20	-6.80	3	Horizontal	323	2.24
5775MHz	Pass	PK	5.7558G	113.34	Inf	-Inf	3	Horizontal	323	2.24
5775MHz	Pass	PK	5.9598G	59.52	68.20	-8.68	3	Horizontal	323	2.24
5775MHz	Pass	AV	11.49264G	34.59	54.00	-19.41	3	Vertical	1	2.99
5775MHz	Pass	PK	11.54208G	47.51	74.00	-26.49	3	Vertical	1	2.99
5775MHz	Pass	AV	11.49024G	34.58	54.00	-19.42	3	Horizontal	131	1.50
5775MHz	Pass	PK	11.50272G	48.81	74.00	-25.19	3	Horizontal	131	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.48	54.00	-3.52	3	Vertical	51	1.07
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.274G	90.83	Inf	-Inf	3	Vertical	51	1.07




RSE TX above 1GHz Non-Beamforming Radio 2 2T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	49.64	54.00	-4.36	3	Vertical	51	1.07
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	67.70	74.00	-6.30	3	Vertical	51	1.07
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.262G	103.67	Inf	-Inf	3	Vertical	51	1.07
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	68.58	74.00	-5.42	3	Vertical	51	1.07
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4888G	58.53	68.20	-9.67	3	Vertical	51	1.07
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	52.98	54.00	-1.02	3	Horizontal	302	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2248G	94.59	Inf	-Inf	3	Horizontal	302	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	53.20	54.00	-0.80	3	Horizontal	302	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	72.65	74.00	-1.35	3	Horizontal	302	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2248G	107.97	Inf	-Inf	3	Horizontal	302	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3688G	73.00	74.00	-1.00	3	Horizontal	302	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	65.47	68.20	-2.73	3	Horizontal	302	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.60704G	34.09	54.00	-19.91	3	Vertical	316	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.60509G	47.15	68.20	-21.05	3	Vertical	316	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.60752G	34.09	54.00	-19.91	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.56816G	47.44	68.20	-20.76	3	Horizontal	0	1.50
5570MHz	Pass	AV	5.4584G	46.92	54.00	-7.08	3	Vertical	33	3.00
5570MHz	Pass	AV	5.5964G	87.78	Inf	-Inf	3	Vertical	33	3.00
5570MHz	Pass	PK	5.3492G	58.01	68.20	-10.19	3	Vertical	33	3.00
5570MHz	Pass	PK	5.45G	64.27	74.00	-9.73	3	Vertical	33	3.00
5570MHz	Pass	PK	5.4608G	63.42	68.20	-4.78	3	Vertical	33	3.00
5570MHz	Pass	PK	5.5868G	100.46	Inf	-Inf	3	Vertical	33	3.00
5570MHz	Pass	PK	5.7452G	61.08	68.20	-7.12	3	Vertical	33	3.00
5570MHz	Pass	AV	5.4584G	49.64	54.00	-4.36	3	Horizontal	296	1.96
5570MHz	Pass	AV	5.4944G	92.74	Inf	-Inf	3	Horizontal	296	1.96
5570MHz	Pass	PK	5.3252G	59.23	68.20	-8.97	3	Horizontal	296	1.96
5570MHz	Pass	PK	5.4476G	68.14	74.00	-5.86	3	Horizontal	296	1.96
5570MHz	Pass	PK	5.468G	67.96	68.20	-0.24	3	Horizontal	296	1.96
5570MHz	Pass	PK	5.5148G	106.12	Inf	-Inf	3	Horizontal	296	1.96
5570MHz	Pass	PK	5.7464G	63.46	68.20	-4.74	3	Horizontal	296	1.96
5570MHz	Pass	AV	11.22592G	34.46	54.00	-19.54	3	Vertical	191	2.96
5570MHz	Pass	PK	11.20816G	47.58	74.00	-26.42	3	Vertical	191	2.96
5570MHz	Pass	AV	11.2384G	34.47	54.00	-19.53	3	Horizontal	167	1.84
5570MHz	Pass	PK	11.2616G	47.28	74.00	-26.72	3	Horizontal	167	1.84


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	46.18	54.00	-7.82	4.73	3	Vertical	50	1.31	41.45	33.03	6.77	35.07
AV	5.1812G	101.56	Inf	-Inf	4.75	3	Vertical	50	1.31	96.81	33.04	6.78	35.07
PK	5.1388G	59.86	74.00	-14.14	4.73	3	Vertical	50	1.31	55.13	33.03	6.77	35.07
PK	5.1736G	115.01	Inf	-Inf	4.76	3	Vertical	50	1.31	110.25	33.05	6.78	35.07

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1392G	48.01	54.00	-5.99	4.74	3	Horizontal	300	1.90	43.27	33.04	6.77	35.07
AV	5.1872G	103.95	Inf	-Inf	4.75	3	Horizontal	300	1.90	99.20	33.03	6.79	35.07
PK	5.139G	63.59	74.00	-10.41	4.73	3	Horizontal	300	1.90	58.86	33.03	6.77	35.07
PK	5.1824G	117.13	Inf	-Inf	4.75	3	Horizontal	300	1.90	112.38	33.04	6.78	35.07


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.65	54.00	-7.35	4.80	3	Vertical	54	1.46	41.85	33.10	6.77	35.07
AV	5.1956G	98.23	Inf	-Inf	4.73	3	Vertical	54	1.46	93.50	33.01	6.79	35.07
PK	5.1488G	59.38	74.00	-14.62	4.79	3	Vertical	54	1.46	54.59	33.09	6.77	35.07
PK	5.196G	111.09	Inf	-Inf	4.73	3	Vertical	54	1.46	106.36	33.01	6.79	35.07

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.88	54.00	-4.12	4.80	3	Horizontal	299	1.96	45.08	33.10	6.77	35.07
AV	5.1948G	101.90	Inf	-Inf	4.73	3	Horizontal	299	1.96	97.17	33.01	6.79	35.07
PK	5.15G	63.72	74.00	-10.28	4.80	3	Horizontal	299	1.96	58.92	33.10	6.77	35.07
PK	5.1824G	115.45	Inf	-Inf	4.75	3	Horizontal	299	1.96	110.70	33.04	6.78	35.07


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.3118G	99.72	Inf	-Inf	4.69	3	Vertical	52	1.00	95.03	32.80	6.96	35.07				
AV	5.35G	46.18	54.00	-7.82	4.74	3	Vertical	52	1.00	41.44	32.80	7.01	35.07				
PK	5.3168G	112.72	Inf	-Inf	4.70	3	Vertical	52	1.00	108.02	32.80	6.97	35.07				
PK	5.3618G	60.14	74.00	-13.86	4.74	3	Vertical	52	1.00	55.40	32.78	7.03	35.07				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.3114G	102.63	Inf	-Inf	4.69	3	Horizontal	68	2.12	97.94	32.80	6.96	35.07				
AV	5.352G	47.87	54.00	-6.13	4.75	3	Horizontal	68	2.12	43.12	32.80	7.02	35.07				
PK	5.3116G	116.22	Inf	-Inf	4.69	3	Horizontal	68	2.12	111.53	32.80	6.96	35.07				
PK	5.3616G	63.60	74.00	-10.40	4.74	3	Horizontal	68	2.12	58.86	32.78	7.03	35.07				


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.3044G	98.71	Inf	-Inf	4.68	3	Vertical	37	2.92	94.03	32.80	6.95	35.07				
AV	5.35G	47.20	54.00	-6.80	4.74	3	Vertical	37	2.92	42.46	32.80	7.01	35.07				
PK	5.3072G	112.46	Inf	-Inf	4.68	3	Vertical	37	2.92	107.78	32.80	6.95	35.07				
PK	5.3504G	59.52	74.00	-14.48	4.75	3	Vertical	37	2.92	54.77	32.80	7.02	35.07				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.306G	101.30	Inf	-Inf	4.68	3	Horizontal	74	2.57	96.62	32.80	6.95	35.07			
AV	5.3516G	51.74	54.00	-2.26	4.75	3	Horizontal	74	2.57	46.99	32.80	7.02	35.07			
PK	5.3108G	115.64	Inf	-Inf	4.69	3	Horizontal	74	2.57	110.95	32.80	6.96	35.07			
PK	5.3536G	64.32	74.00	-9.68	4.74	3	Horizontal	74	2.57	59.58	32.79	7.02	35.07			


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	45.19	54.00	-8.81	4.78	3	Vertical	0	2.98	40.41	33.08	6.77	35.07
AV	5.274G	96.33	Inf	-Inf	4.68	3	Vertical	0	2.98	91.65	32.85	6.90	35.07
AV	5.35G	47.46	54.00	-6.54	4.74	3	Vertical	0	2.98	42.72	32.80	7.01	35.07
PK	5.143G	58.19	74.00	-15.81	4.76	3	Vertical	0	2.98	53.43	33.06	6.77	35.07
PK	5.279G	109.48	Inf	-Inf	4.68	3	Vertical	0	2.98	104.80	32.84	6.91	35.07
PK	5.365G	59.95	74.00	-14.05	4.74	3	Vertical	0	2.98	55.21	32.77	7.04	35.07
PK	5.518G	57.71	68.20	-10.49	4.89	3	Vertical	0	2.98	52.82	32.84	7.13	35.08

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.78	54.00	-8.22	4.76	3	Horizontal	298	1.98	41.02	33.06	6.77	35.07
AV	5.275G	98.27	Inf	-Inf	4.68	3	Horizontal	298	1.98	93.59	32.85	6.90	35.07
AV	5.351G	52.09	54.00	-1.91	4.75	3	Horizontal	298	1.98	47.34	32.80	7.02	35.07
PK	5.148G	59.85	74.00	-14.15	4.79	3	Horizontal	298	1.98	55.06	33.09	6.77	35.07
PK	5.321G	111.19	Inf	-Inf	4.70	3	Horizontal	298	1.98	106.49	32.80	6.97	35.07
PK	5.352G	64.34	74.00	-9.66	4.75	3	Horizontal	298	1.98	59.59	32.80	7.02	35.07
PK	5.494G	59.67	68.20	-8.53	4.85	3	Horizontal	298	1.98	54.82	32.80	7.12	35.07


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.78	54.00	-10.22	4.74	3	Vertical	349	1.60	39.04	32.80	7.01	35.07
AV	5.46G	47.79	54.00	-6.21	4.84	3	Vertical	349	1.60	42.95	32.80	7.11	35.07
AV	5.541G	91.88	Inf	-Inf	4.93	3	Vertical	349	1.60	86.95	32.88	7.14	35.09
PK	5.332G	57.85	68.20	-10.35	4.72	3	Vertical	349	1.60	53.13	32.80	6.99	35.07
PK	5.438G	60.96	74.00	-13.04	4.81	3	Vertical	349	1.60	56.15	32.78	7.10	35.07
PK	5.47G	62.04	68.20	-6.16	4.84	3	Vertical	349	1.60	57.20	32.80	7.11	35.07
PK	5.551G	105.25	Inf	-Inf	4.95	3	Vertical	349	1.60	100.30	32.90	7.14	35.09
PK	5.762G	58.14	68.20	-10.06	5.79	3	Vertical	349	1.60	52.35	33.75	7.22	35.18

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.19	54.00	-9.81	4.74	3	Horizontal	76	2.00	39.45	32.80	7.01	35.07
AV	5.459G	53.60	54.00	-0.40	4.84	3	Horizontal	76	2.00	48.76	32.80	7.11	35.07
AV	5.519G	98.96	Inf	-Inf	4.89	3	Horizontal	76	2.00	94.07	32.84	7.13	35.08
PK	5.307G	57.81	68.20	-10.39	4.68	3	Horizontal	76	2.00	53.13	32.80	6.95	35.07
PK	5.458G	67.40	74.00	-6.60	4.84	3	Horizontal	76	2.00	62.56	32.80	7.11	35.07
PK	5.466G	67.82	68.20	-0.38	4.84	3	Horizontal	76	2.00	62.98	32.80	7.11	35.07
PK	5.522G	111.79	Inf	-Inf	4.89	3	Horizontal	76	2.00	106.90	32.84	7.13	35.08
PK	5.774G	59.62	68.20	-8.58	5.83	3	Horizontal	76	2.00	53.79	33.80	7.22	35.19


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.92	54.00	-7.08	4.84	3	Vertical	33	3.00	42.08	32.80	7.11	35.07
AV	5.5964G	87.78	Inf	-Inf	4.86	3	Vertical	33	3.00	82.92	32.81	7.16	35.11
PK	5.3492G	58.01	68.20	-10.19	4.74	3	Vertical	33	3.00	53.27	32.80	7.01	35.07
PK	5.45G	64.27	74.00	-9.73	4.84	3	Vertical	33	3.00	59.43	32.80	7.11	35.07
PK	5.4608G	63.42	68.20	-4.78	4.84	3	Vertical	33	3.00	58.58	32.80	7.11	35.07
PK	5.5868G	100.46	Inf	-Inf	4.88	3	Vertical	33	3.00	95.58	32.83	7.16	35.11
PK	5.7452G	61.08	68.20	-7.12	5.73	3	Vertical	33	3.00	55.35	33.69	7.21	35.17

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.64	54.00	-4.36	4.84	3	Horizontal	296	1.96	44.80	32.80	7.11	35.07
AV	5.4944G	92.74	Inf	-Inf	4.85	3	Horizontal	296	1.96	87.89	32.80	7.12	35.07
PK	5.3252G	59.23	68.20	-8.97	4.71	3	Horizontal	296	1.96	54.52	32.80	6.98	35.07
PK	5.4476G	68.14	74.00	-5.86	4.84	3	Horizontal	296	1.96	63.30	32.80	7.11	35.07
PK	5.468G	67.96	68.20	-0.24	4.84	3	Horizontal	296	1.96	63.12	32.80	7.11	35.07
PK	5.5148G	106.12	Inf	-Inf	4.88	3	Horizontal	296	1.96	101.24	32.83	7.13	35.08
PK	5.7464G	63.46	68.20	-4.74	5.73	3	Horizontal	296	1.96	57.73	33.69	7.21	35.17


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	98.52	Inf	-Inf	5.98	3	Vertical	68	1.01	92.54	33.95	7.24	35.21
PK	5.615G	57.78	68.20	-10.42	4.94	3	Vertical	68	1.01	52.84	32.89	7.17	35.12
PK	5.8238G	108.42	Inf	-Inf	5.98	3	Vertical	68	1.01	102.44	33.95	7.24	35.21
PK	5.9702G	59.58	68.20	-8.62	6.09	3	Vertical	68	1.01	53.49	34.04	7.32	35.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	105.08	Inf	-Inf	5.98	3	Horizontal	321	2.43	99.10	33.95	7.24	35.21
PK	5.5298G	58.39	68.20	-9.81	4.92	3	Horizontal	321	2.43	53.47	32.86	7.14	35.08
PK	5.8274G	115.44	Inf	-Inf	5.99	3	Horizontal	321	2.43	109.45	33.95	7.25	35.21
PK	6.0122G	60.16	68.20	-8.04	6.14	3	Horizontal	321	2.43	54.02	34.08	7.35	35.29


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	96.93	Inf	-Inf	5.98	3	Vertical	75	1.33	90.95	33.95	7.24	35.21
PK	5.6186G	57.99	68.20	-10.61	4.96	3	Vertical	75	1.33	52.63	32.91	7.17	35.12
PK	5.8238G	109.67	Inf	-Inf	5.98	3	Vertical	75	1.33	103.69	33.95	7.24	35.21
PK	6.0818G	60.60	68.20	-7.60	6.07	3	Vertical	75	1.33	54.53	34.00	7.39	35.32

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	106.60	Inf	-Inf	6.00	3	Horizontal	72	2.05	100.60	33.96	7.25	35.21
PK	5.5346G	58.12	68.20	-10.08	4.93	3	Horizontal	72	2.05	53.19	32.87	7.14	35.08
PK	5.8226G	119.58	Inf	-Inf	5.98	3	Horizontal	72	2.05	113.60	33.95	7.24	35.21
PK	6.0398G	59.86	68.20	-8.34	6.08	3	Horizontal	72	2.05	53.78	34.02	7.36	35.30


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.455G	43.59	54.00	-10.41	4.84	3	Vertical	74	1.48	38.75	32.80	7.11	35.07				
AV	5.7406G	96.65	Inf	-Inf	5.72	3	Vertical	74	1.48	90.93	33.68	7.21	35.17				
PK	5.6458G	58.57	68.20	-9.63	5.12	3	Vertical	74	1.48	53.45	33.07	7.18	35.13				
PK	5.7454G	109.10	Inf	-Inf	5.73	3	Vertical	74	1.48	103.37	33.69	7.21	35.17				
PK	5.9698G	59.96	68.20	-8.24	6.09	3	Vertical	74	1.48	53.87	34.04	7.32	35.27				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4598G	44.04	54.00	-9.96	4.84	3	Horizontal	325	2.37	39.20	32.80	7.11	35.07				
AV	5.7502G	103.22	Inf	-Inf	5.73	3	Horizontal	325	2.37	97.49	33.70	7.21	35.18				
PK	5.6434G	58.92	68.20	-9.28	5.11	3	Horizontal	325	2.37	53.81	33.06	7.18	35.13				
PK	5.761G	115.96	Inf	-Inf	5.78	3	Horizontal	325	2.37	110.18	33.74	7.22	35.18				
PK	6.0346G	60.44	68.20	-7.76	6.09	3	Horizontal	325	2.37	54.35	34.03	7.36	35.30				


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.745G	95.57	Inf	-Inf	5.73	3	Vertical	25	3.00	89.84	33.69	7.21	35.17				
PK	5.643G	59.72	68.20	-8.48	5.11	3	Vertical	25	3.00	54.61	33.06	7.18	35.13				
PK	5.745G	108.21	Inf	-Inf	5.73	3	Vertical	25	3.00	102.48	33.69	7.21	35.17				
PK	5.9958G	59.50	68.20	-8.70	6.15	3	Vertical	25	3.00	53.35	34.09	7.34	35.28				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.763G	100.08	Inf	-Inf	5.79	3	Horizontal	323	2.24	94.29	33.75	7.22	35.18				
PK	5.6478G	61.40	68.20	-6.80	5.14	3	Horizontal	323	2.24	56.26	33.09	7.18	35.13				
PK	5.7558G	113.34	Inf	-Inf	5.75	3	Horizontal	323	2.24	107.59	33.72	7.21	35.18				
PK	5.9598G	59.52	68.20	-8.68	6.08	3	Horizontal	323	2.24	53.44	34.02	7.32	35.26				


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	52.31M	36.81	40.00	-3.19	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	52.31M	36.81	40.00	-3.19	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	93.05M	33.72	43.50	-9.78	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	142.52M	26.61	43.50	-16.89	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	188.11M	29.85	43.50	-13.65	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	711.91M	38.71	46.00	-7.29	3	Vertical	0	1.00
5775MHz_PoE	Pass	QP	35.82M	31.70	40.00	-8.30	3	Vertical	203	1.45
5775MHz_PoE	Pass	PK	51.34M	24.80	40.00	-15.20	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	93.05M	33.72	43.50	-9.78	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	186.17M	24.32	43.50	-19.18	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	315.18M	25.81	46.00	-20.19	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	350.1M	25.54	46.00	-20.46	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	708.03M	36.25	46.00	-9.75	3	Horizontal	360	1.00

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	52.31M	36.81	40.00	-3.19	-14.43	3	Vertical	0	1.00	51.24	12.38	0.54	27.35
PK	93.05M	33.72	43.50	-9.78	-11.92	3	Vertical	0	1.00	45.64	14.60	0.73	27.25
PK	142.52M	26.61	43.50	-16.89	-10.20	3	Vertical	0	1.00	36.81	15.98	0.91	27.09
PK	188.11M	29.85	43.50	-13.65	-11.69	3	Vertical	0	1.00	41.54	14.15	1.05	26.89
PK	711.91M	38.71	46.00	-7.29	-2.20	3	Vertical	0	1.00	40.91	24.12	2.00	28.32
QP	35.82M	31.70	40.00	-8.30	-6.53	3	Vertical	203	1.45	38.23	20.41	0.44	27.38

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	51.34M	24.80	40.00	-15.20	-14.06	3	Horizontal	360	1.00	38.86	12.76	0.53	27.35
PK	93.05M	33.72	43.50	-9.78	-11.92	3	Horizontal	360	1.00	45.64	14.60	0.73	27.25
PK	186.17M	24.32	43.50	-19.18	-11.69	3	Horizontal	360	1.00	36.01	14.16	1.05	26.90
PK	315.18M	25.81	46.00	-20.19	-6.82	3	Horizontal	360	1.00	32.63	18.61	1.35	26.78
PK	350.1M	25.54	46.00	-20.46	-6.23	3	Horizontal	360	1.00	31.77	19.37	1.43	27.03
PK	708.03M	36.25	46.00	-9.75	-2.27	3	Horizontal	360	1.00	38.52	24.06	2.00	28.33

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1396G	47.31	54.00	-6.69	3	Horizontal	297	1.94
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1496G	50.11	54.00	-3.89	3	Horizontal	295	1.95
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	49.64	54.00	-4.36	3	Horizontal	292	1.89
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3502G	48.51	54.00	-5.49	3	Horizontal	74	2.52
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	50.82	54.00	-3.18	3	Horizontal	72	2.35
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	52.24	54.00	-1.76	3	Horizontal	75	2.63
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.07	54.00	-0.93	3	Horizontal	71	2.46
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7256G	67.64	68.20	-0.56	3	Horizontal	64	1.92
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4676G	67.70	68.20	-0.50	3	Horizontal	72	1.88
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.46G	53.64	54.00	-0.36	3	Horizontal	59	2.09
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.468G	67.77	68.20	-0.43	3	Horizontal	72	2.17
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	6.0002G	59.67	68.20	-8.53	3	Horizontal	0	2.38
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	6.0842G	59.99	68.20	-8.21	3	Horizontal	67	2.13
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6502G	62.61	68.35	-5.74	3	Horizontal	322	2.28

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1396G	47.31	54.00	-6.69	3	Horizontal	297	1.94
5180MHz	Pass	AV	5.187G	102.20	Inf	-Inf	3	Horizontal	297	1.94
5180MHz	Pass	PK	5.1388G	62.74	74.00	-11.26	3	Horizontal	297	1.94
5180MHz	Pass	PK	5.1868G	116.26	Inf	-Inf	3	Horizontal	297	1.94
5180MHz	Pass	PK	10.35976G	49.05	68.20	-19.15	3	Vertical	18	1.49
5180MHz	Pass	PK	10.36174G	47.87	68.20	-20.33	3	Horizontal	183	1.77
5200MHz	Pass	AV	5.15G	45.59	54.00	-8.41	3	Horizontal	296	2.02
5200MHz	Pass	AV	5.2068G	102.33	Inf	-Inf	3	Horizontal	296	2.02
5200MHz	Pass	PK	5.1496G	58.44	74.00	-15.56	3	Horizontal	296	2.02
5200MHz	Pass	PK	5.2056G	115.76	Inf	-Inf	3	Horizontal	296	2.02
5200MHz	Pass	PK	10.40096G	47.94	68.20	-20.26	3	Vertical	18	1.48
5200MHz	Pass	PK	10.4135G	48.28	68.20	-19.92	3	Horizontal	20	1.58
5240MHz	Pass	AV	5.1428G	44.25	54.00	-9.75	3	Horizontal	71	2.43
5240MHz	Pass	AV	5.2364G	102.56	Inf	-Inf	3	Horizontal	71	2.43
5240MHz	Pass	AV	5.3582G	44.29	54.00	-9.71	3	Horizontal	71	2.43
5240MHz	Pass	PK	5.1332G	58.88	74.00	-15.12	3	Horizontal	71	2.43
5240MHz	Pass	PK	5.2448G	116.09	Inf	-Inf	3	Horizontal	71	2.43
5240MHz	Pass	PK	5.369G	58.00	74.00	-16.00	3	Horizontal	71	2.43
5240MHz	Pass	PK	10.49392G	46.59	68.20	-21.61	3	Vertical	31	1.50
5240MHz	Pass	PK	10.49452G	47.66	68.20	-20.54	3	Horizontal	276	1.00
5260MHz	Pass	AV	5.143G	44.12	54.00	-9.88	3	Horizontal	43	1.99
5260MHz	Pass	AV	5.2582G	101.60	Inf	-Inf	3	Horizontal	43	1.99
5260MHz	Pass	AV	5.3536G	44.22	54.00	-9.78	3	Horizontal	43	1.99
5260MHz	Pass	PK	5.14G	58.26	74.00	-15.74	3	Horizontal	43	1.99
5260MHz	Pass	PK	5.2582G	115.03	Inf	-Inf	3	Horizontal	43	1.99
5260MHz	Pass	PK	5.3548G	58.40	74.00	-15.60	3	Horizontal	43	1.99
5260MHz	Pass	PK	10.51292G	47.05	68.20	-21.15	3	Vertical	71	1.50
5260MHz	Pass	PK	10.50944G	48.75	68.20	-19.45	3	Horizontal	120	1.60
5300MHz	Pass	AV	5.2984G	102.66	Inf	-Inf	3	Horizontal	76	2.63
5300MHz	Pass	AV	5.35G	45.71	54.00	-8.29	3	Horizontal	76	2.63
5300MHz	Pass	PK	5.3052G	115.26	Inf	-Inf	3	Horizontal	76	2.63
5300MHz	Pass	PK	5.3556G	59.26	74.00	-14.74	3	Horizontal	76	2.63
5300MHz	Pass	AV	10.60816G	34.11	54.00	-19.89	3	Vertical	310	1.50
5300MHz	Pass	PK	10.60558G	47.65	74.00	-26.35	3	Vertical	310	1.50
5300MHz	Pass	AV	10.60858G	34.16	54.00	-19.84	3	Horizontal	24	1.50
5300MHz	Pass	PK	10.60168G	48.00	74.00	-26.00	3	Horizontal	24	1.50
5320MHz	Pass	AV	5.3162G	101.90	Inf	-Inf	3	Horizontal	74	2.52
5320MHz	Pass	AV	5.3502G	48.51	54.00	-5.49	3	Horizontal	74	2.52
5320MHz	Pass	PK	5.3212G	115.93	Inf	-Inf	3	Horizontal	74	2.52
5320MHz	Pass	PK	5.3504G	62.28	74.00	-11.72	3	Horizontal	74	2.52
5320MHz	Pass	AV	10.64792G	34.07	54.00	-19.93	3	Vertical	242	2.84
5320MHz	Pass	PK	10.6466G	48.58	74.00	-25.42	3	Vertical	242	2.84
5320MHz	Pass	AV	10.6475G	34.12	54.00	-19.88	3	Horizontal	60	1.00
5320MHz	Pass	PK	10.6445G	48.19	74.00	-25.81	3	Horizontal	60	1.00
5500MHz	Pass	AV	5.4598G	47.57	54.00	-6.43	3	Horizontal	69	1.88
5500MHz	Pass	AV	5.5072G	102.34	Inf	-Inf	3	Horizontal	69	1.88
5500MHz	Pass	PK	5.4596G	62.94	74.00	-11.06	3	Horizontal	69	1.88
5500MHz	Pass	PK	5.4604G	61.52	68.20	-6.68	3	Horizontal	69	1.88
5500MHz	Pass	PK	5.5084G	115.82	Inf	-Inf	3	Horizontal	69	1.88
5500MHz	Pass	AV	10.98992G	34.41	54.00	-19.59	3	Vertical	103	1.82
5500MHz	Pass	PK	11.00468G	47.65	74.00	-26.35	3	Vertical	103	1.82
5500MHz	Pass	AV	10.98938G	34.38	54.00	-19.62	3	Horizontal	257	1.50
5500MHz	Pass	PK	10.99214G	48.61	74.00	-25.39	3	Horizontal	257	1.50
5580MHz	Pass	AV	5.4492G	44.41	54.00	-9.59	3	Horizontal	75	2.02
5580MHz	Pass	AV	5.5752G	102.25	Inf	-Inf	3	Horizontal	75	2.02
5580MHz	Pass	PK	5.4348G	58.90	74.00	-15.10	3	Horizontal	75	2.02
5580MHz	Pass	PK	5.4612G	58.03	68.20	-10.17	3	Horizontal	75	2.02
5580MHz	Pass	PK	5.5734G	115.94	Inf	-Inf	3	Horizontal	75	2.02
5580MHz	Pass	PK	5.7276G	59.00	68.20	-9.20	3	Horizontal	75	2.02
5580MHz	Pass	AV	11.1732G	34.25	54.00	-19.75	3	Vertical	258	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15364G	47.50	74.00	-26.50	3	Vertical	258	1.50
5580MHz	Pass	AV	11.17272G	34.31	54.00	-19.69	3	Horizontal	12	1.12
5580MHz	Pass	PK	11.15838G	48.00	74.00	-26.00	3	Horizontal	12	1.12
5700MHz	Pass	AV	5.6932G	98.74	Inf	-Inf	3	Horizontal	64	1.92
5700MHz	Pass	PK	5.698G	112.76	Inf	-Inf	3	Horizontal	64	1.92
5700MHz	Pass	PK	5.7256G	67.64	68.20	-0.56	3	Horizontal	64	1.92
5700MHz	Pass	AV	11.3919G	34.88	54.00	-19.12	3	Vertical	336	1.50
5700MHz	Pass	PK	11.3898G	49.32	74.00	-24.68	3	Vertical	336	1.50
5700MHz	Pass	AV	11.39088G	34.82	54.00	-19.18	3	Horizontal	156	1.49
5700MHz	Pass	PK	11.39478G	48.21	74.00	-25.79	3	Horizontal	156	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	44.14	54.00	-9.86	3	Horizontal	70	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	104.14	Inf	-Inf	3	Horizontal	70	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	58.52	74.00	-15.48	3	Horizontal	70	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.23	68.20	-10.97	3	Horizontal	70	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	117.71	Inf	-Inf	3	Horizontal	70	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8832G	59.59	68.20	-8.61	3	Horizontal	70	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45338G	34.58	54.00	-19.42	3	Vertical	64	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44732G	48.03	74.00	-25.97	3	Vertical	64	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4391G	34.73	54.00	-19.27	3	Horizontal	8	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43964G	48.44	74.00	-25.56	3	Horizontal	8	1.50
5745MHz	Pass	AV	5.4522G	44.07	54.00	-9.93	3	Horizontal	307	1.00
5745MHz	Pass	AV	5.7378G	102.86	Inf	-Inf	3	Horizontal	307	1.00
5745MHz	Pass	PK	5.6346G	58.33	68.20	-9.87	3	Horizontal	307	1.00
5745MHz	Pass	PK	5.7402G	115.40	Inf	-Inf	3	Horizontal	307	1.00
5745MHz	Pass	PK	5.9274G	59.52	68.20	-8.68	3	Horizontal	307	1.00
5745MHz	Pass	AV	11.48814G	34.65	54.00	-19.35	3	Vertical	4	1.50
5745MHz	Pass	PK	11.48796G	48.60	74.00	-25.40	3	Vertical	4	1.50
5745MHz	Pass	AV	11.48736G	34.65	54.00	-19.35	3	Horizontal	352	2.17
5745MHz	Pass	PK	11.48802G	49.79	74.00	-24.21	3	Horizontal	352	2.17
5785MHz	Pass	AV	5.77766G	104.46	Inf	-Inf	3	Horizontal	68	2.14
5785MHz	Pass	PK	5.64335G	58.10	68.20	-10.10	3	Horizontal	68	2.14
5785MHz	Pass	PK	5.78371G	117.26	Inf	-Inf	3	Horizontal	68	2.14
5785MHz	Pass	PK	6.00393G	59.58	68.20	-8.62	3	Horizontal	68	2.14
5785MHz	Pass	AV	11.55902G	34.39	54.00	-19.61	3	Vertical	57	1.26
5785MHz	Pass	PK	11.55656G	48.60	74.00	-25.40	3	Vertical	57	1.26
5785MHz	Pass	AV	11.56976G	34.74	54.00	-19.26	3	Horizontal	359	1.50
5785MHz	Pass	PK	11.56688G	48.03	74.00	-25.97	3	Horizontal	359	1.50
5825MHz	Pass	AV	5.8322G	97.83	Inf	-Inf	3	Horizontal	0	2.38
5825MHz	Pass	PK	5.555G	57.86	68.20	-10.34	3	Horizontal	0	2.38
5825MHz	Pass	PK	5.8322G	111.06	Inf	-Inf	3	Horizontal	0	2.38
5825MHz	Pass	PK	6.0002G	59.67	68.20	-8.53	3	Horizontal	0	2.38
5825MHz	Pass	AV	11.64172G	34.19	54.00	-19.81	3	Vertical	126	1.09
5825MHz	Pass	PK	11.65132G	47.37	74.00	-26.63	3	Vertical	126	1.09
5825MHz	Pass	AV	11.6428G	34.38	54.00	-19.62	3	Horizontal	360	1.50
5825MHz	Pass	PK	11.65054G	47.66	74.00	-26.34	3	Horizontal	360	1.50
802.11be EHT40_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	50.11	54.00	-3.89	3	Horizontal	295	1.95
5190MHz	Pass	AV	5.1928G	100.07	Inf	-Inf	3	Horizontal	295	1.95
5190MHz	Pass	PK	5.1472G	63.34	74.00	-10.66	3	Horizontal	295	1.95
5190MHz	Pass	PK	5.2024G	113.41	Inf	-Inf	3	Horizontal	295	1.95
5190MHz	Pass	PK	10.36728G	47.35	68.20	-20.85	3	Vertical	119	1.12
5190MHz	Pass	PK	10.36476G	47.25	68.20	-20.95	3	Horizontal	280	1.50
5230MHz	Pass	AV	5.1496G	46.14	54.00	-7.86	3	Horizontal	296	2.01
5230MHz	Pass	AV	5.2392G	100.06	Inf	-Inf	3	Horizontal	296	2.01
5230MHz	Pass	PK	5.1416G	59.32	74.00	-14.68	3	Horizontal	296	2.01
5230MHz	Pass	PK	5.2368G	113.68	Inf	-Inf	3	Horizontal	296	2.01
5230MHz	Pass	PK	10.46168G	47.13	68.20	-21.07	3	Vertical	213	1.50
5230MHz	Pass	PK	10.4522G	48.45	68.20	-19.75	3	Horizontal	91	1.50
5270MHz	Pass	AV	5.264G	100.11	Inf	-Inf	3	Horizontal	67	2.20
5270MHz	Pass	AV	5.35G	46.25	54.00	-7.75	3	Horizontal	67	2.20
5270MHz	Pass	PK	5.2632G	113.69	Inf	-Inf	3	Horizontal	67	2.20
5270MHz	Pass	PK	5.3536G	59.31	74.00	-14.69	3	Horizontal	67	2.20



RSE TX above 1GHz Non-Beamforming Radio 2 2T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.513G	47.26	68.20	-20.94	3	Vertical	268	1.50
5270MHz	Pass	PK	10.54216G	47.38	68.20	-20.82	3	Horizontal	48	1.50
5310MHz	Pass	AV	5.304G	99.19	Inf	-Inf	3	Horizontal	72	2.35
5310MHz	Pass	AV	5.35G	50.82	54.00	-3.18	3	Horizontal	72	2.35
5310MHz	Pass	PK	5.2952G	113.22	Inf	-Inf	3	Horizontal	72	2.35
5310MHz	Pass	PK	5.35G	64.52	74.00	-9.48	3	Horizontal	72	2.35
5310MHz	Pass	AV	10.60872G	34.11	54.00	-19.89	3	Vertical	200	3.00
5310MHz	Pass	PK	10.63344G	47.29	74.00	-26.71	3	Vertical	200	3.00
5310MHz	Pass	AV	10.60872G	34.18	54.00	-19.82	3	Horizontal	313	1.50
5310MHz	Pass	PK	10.60464G	47.57	74.00	-26.43	3	Horizontal	313	1.50
5510MHz	Pass	AV	5.46G	49.34	54.00	-4.66	3	Horizontal	72	1.88
5510MHz	Pass	AV	5.5156G	99.56	Inf	-Inf	3	Horizontal	72	1.88
5510MHz	Pass	PK	5.4564G	66.81	74.00	-7.19	3	Horizontal	72	1.88
5510MHz	Pass	PK	5.4676G	67.70	68.20	-0.50	3	Horizontal	72	1.88
5510MHz	Pass	PK	5.4968G	113.60	Inf	-Inf	3	Horizontal	72	1.88
5510MHz	Pass	AV	10.99096G	34.48	54.00	-19.52	3	Vertical	198	1.50
5510MHz	Pass	PK	10.99912G	48.43	74.00	-25.57	3	Vertical	198	1.50
5510MHz	Pass	AV	10.99108G	34.44	54.00	-19.56	3	Horizontal	18	1.50
5510MHz	Pass	PK	11.0206G	47.37	74.00	-26.63	3	Horizontal	18	1.50
5550MHz	Pass	AV	5.458G	45.81	54.00	-8.19	3	Horizontal	72	2.11
5550MHz	Pass	AV	5.5472G	100.30	Inf	-Inf	3	Horizontal	72	2.11
5550MHz	Pass	PK	5.4596G	59.49	74.00	-14.51	3	Horizontal	72	2.11
5550MHz	Pass	PK	5.4656G	60.56	68.20	-7.64	3	Horizontal	72	2.11
5550MHz	Pass	PK	5.536G	113.52	Inf	-Inf	3	Horizontal	72	2.11
5550MHz	Pass	AV	11.07276G	34.13	54.00	-19.87	3	Vertical	3	1.50
5550MHz	Pass	PK	11.0814G	47.59	74.00	-26.41	3	Vertical	3	1.50
5550MHz	Pass	AV	11.07108G	34.09	54.00	-19.91	3	Horizontal	9	1.50
5550MHz	Pass	PK	11.11584G	48.06	74.00	-25.94	3	Horizontal	9	1.50
5670MHz	Pass	AV	5.682G	101.18	Inf	-Inf	3	Horizontal	72	2.07
5670MHz	Pass	PK	5.6784G	114.39	Inf	-Inf	3	Horizontal	72	2.07
5670MHz	Pass	PK	5.7258G	67.42	68.20	-0.78	3	Horizontal	72	2.07
5670MHz	Pass	AV	11.36964G	34.84	54.00	-19.16	3	Vertical	344	1.50
5670MHz	Pass	PK	11.36952G	48.04	74.00	-25.96	3	Vertical	344	1.50
5670MHz	Pass	AV	11.36976G	34.82	54.00	-19.18	3	Horizontal	0	1.50
5670MHz	Pass	PK	11.3628G	48.96	74.00	-25.04	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	44.22	54.00	-9.78	3	Horizontal	75	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	101.42	Inf	-Inf	3	Horizontal	75	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	58.14	74.00	-15.86	3	Horizontal	75	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	57.39	68.20	-10.81	3	Horizontal	75	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	114.11	Inf	-Inf	3	Horizontal	75	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	59.54	68.20	-8.66	3	Horizontal	75	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39024G	34.90	54.00	-19.10	3	Vertical	302	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40908G	48.84	74.00	-25.16	3	Vertical	302	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39084G	34.83	54.00	-19.17	3	Horizontal	322	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43944G	48.86	74.00	-25.14	3	Horizontal	322	1.50
5755MHz	Pass	AV	5.4574G	44.06	54.00	-9.94	3	Horizontal	321	2.25
5755MHz	Pass	AV	5.7502G	100.85	Inf	-Inf	3	Horizontal	321	2.25
5755MHz	Pass	PK	5.6434G	58.41	68.20	-9.79	3	Horizontal	321	2.25
5755MHz	Pass	PK	5.7526G	114.97	Inf	-Inf	3	Horizontal	321	2.25
5755MHz	Pass	PK	5.983G	59.71	68.20	-8.49	3	Horizontal	321	2.25
5755MHz	Pass	AV	11.48528G	34.62	54.00	-19.38	3	Vertical	203	1.50
5755MHz	Pass	PK	11.4842G	48.11	74.00	-25.89	3	Vertical	203	1.50
5755MHz	Pass	AV	11.48528G	34.57	54.00	-19.43	3	Horizontal	210	1.50
5755MHz	Pass	PK	11.52884G	48.09	74.00	-25.91	3	Horizontal	210	1.50
5795MHz	Pass	AV	5.7902G	100.90	Inf	-Inf	3	Horizontal	67	2.13
5795MHz	Pass	PK	5.5178G	59.24	68.20	-8.96	3	Horizontal	67	2.13
5795MHz	Pass	PK	5.7962G	114.72	Inf	-Inf	3	Horizontal	67	2.13
5795MHz	Pass	PK	6.0842G	59.99	68.20	-8.21	3	Horizontal	67	2.13
5795MHz	Pass	AV	11.56096G	34.37	54.00	-19.63	3	Vertical	206	1.33
5795MHz	Pass	PK	11.61184G	47.68	74.00	-26.32	3	Vertical	206	1.33
5795MHz	Pass	AV	11.56072G	34.37	54.00	-19.63	3	Horizontal	36	1.50
5795MHz	Pass	PK	11.56048G	47.36	74.00	-26.64	3	Horizontal	36	1.50



RSE TX above 1GHz Non-Beamforming Radio 2 2T2S

Appendix E.6


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	49.64	54.00	-4.36	3	Horizontal	292	1.89
5210MHz	Pass	AV	5.202G	97.20	Inf	-Inf	3	Horizontal	292	1.89
5210MHz	Pass	AV	5.355G	46.32	54.00	-7.68	3	Horizontal	292	1.89
5210MHz	Pass	PK	5.146G	62.22	74.00	-11.78	3	Horizontal	292	1.89
5210MHz	Pass	PK	5.198G	110.18	Inf	-Inf	3	Horizontal	292	1.89
5210MHz	Pass	PK	5.391G	59.18	74.00	-14.82	3	Horizontal	292	1.89
5210MHz	Pass	PK	10.47832G	47.56	68.20	-20.64	3	Vertical	196	1.50
5210MHz	Pass	PK	10.36792G	47.26	68.20	-20.94	3	Horizontal	82	1.50
5290MHz	Pass	AV	5.141G	46.47	54.00	-7.53	3	Horizontal	75	2.63
5290MHz	Pass	AV	5.278G	98.33	Inf	-Inf	3	Horizontal	75	2.63
5290MHz	Pass	AV	5.35G	52.24	54.00	-1.76	3	Horizontal	75	2.63
5290MHz	Pass	PK	5.125G	59.21	74.00	-14.79	3	Horizontal	75	2.63
5290MHz	Pass	PK	5.277G	111.22	Inf	-Inf	3	Horizontal	75	2.63
5290MHz	Pass	PK	5.358G	64.61	74.00	-9.39	3	Horizontal	75	2.63
5290MHz	Pass	PK	5.474G	59.57	68.20	-8.63	3	Horizontal	75	2.63
5290MHz	Pass	PK	10.584G	48.04	68.20	-20.16	3	Vertical	186	2.04
5290MHz	Pass	PK	10.58428G	46.48	68.20	-21.72	3	Horizontal	13	2.92
5530MHz	Pass	AV	5.35G	44.99	54.00	-9.01	3	Horizontal	59	2.09
5530MHz	Pass	AV	5.46G	53.64	54.00	-0.36	3	Horizontal	59	2.09
5530MHz	Pass	AV	5.519G	96.60	Inf	-Inf	3	Horizontal	59	2.09
5530MHz	Pass	PK	5.321G	58.07	68.20	-10.13	3	Horizontal	59	2.09
5530MHz	Pass	PK	5.458G	67.04	74.00	-6.96	3	Horizontal	59	2.09
5530MHz	Pass	PK	5.468G	67.28	68.20	-0.92	3	Horizontal	59	2.09
5530MHz	Pass	PK	5.522G	110.02	Inf	-Inf	3	Horizontal	59	2.09
5530MHz	Pass	PK	5.77G	59.72	68.20	-8.48	3	Horizontal	59	2.09
5530MHz	Pass	AV	11.01728G	35.25	54.00	-18.75	3	Vertical	341	1.50
5530MHz	Pass	PK	11.02568G	48.25	74.00	-25.75	3	Vertical	341	1.50
5530MHz	Pass	AV	11.00024G	35.12	54.00	-18.88	3	Horizontal	82	1.50
5530MHz	Pass	PK	11.0048G	47.56	74.00	-26.44	3	Horizontal	82	1.50
5610MHz	Pass	AV	5.453G	45.87	54.00	-8.13	3	Horizontal	17	2.64
5610MHz	Pass	AV	5.58G	93.43	Inf	-Inf	3	Horizontal	17	2.64
5610MHz	Pass	PK	5.444G	59.70	74.00	-14.30	3	Horizontal	17	2.64
5610MHz	Pass	PK	5.466G	58.65	68.20	-9.55	3	Horizontal	17	2.64
5610MHz	Pass	PK	5.572G	106.83	Inf	-Inf	3	Horizontal	17	2.64
5610MHz	Pass	PK	5.729G	59.88	68.20	-8.32	3	Horizontal	17	2.64
5610MHz	Pass	AV	11.2668G	35.56	54.00	-18.44	3	Vertical	202	1.50
5610MHz	Pass	PK	11.25648G	47.68	74.00	-26.32	3	Vertical	202	1.50
5610MHz	Pass	AV	11.26872G	35.45	54.00	-18.55	3	Horizontal	62	1.50
5610MHz	Pass	PK	11.2716G	48.07	74.00	-25.93	3	Horizontal	62	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	44.94	54.00	-9.06	3	Horizontal	66	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	97.48	Inf	-Inf	3	Horizontal	66	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.39G	58.36	74.00	-15.64	3	Horizontal	66	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.69	68.20	-10.51	3	Horizontal	66	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7032G	110.55	Inf	-Inf	3	Horizontal	66	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9768G	59.85	68.20	-8.35	3	Horizontal	66	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37256G	35.88	54.00	-18.12	3	Vertical	317	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.332G	48.39	74.00	-25.61	3	Vertical	317	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36416G	35.84	54.00	-18.16	3	Horizontal	160	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39224G	49.04	74.00	-24.96	3	Horizontal	160	1.50
5775MHz	Pass	AV	5.757G	98.07	Inf	-Inf	3	Horizontal	322	2.28
5775MHz	Pass	PK	5.6502G	62.61	68.35	-5.74	3	Horizontal	322	2.28
5775MHz	Pass	PK	5.763G	112.48	Inf	-Inf	3	Horizontal	322	2.28
5775MHz	Pass	PK	6.0654G	59.71	68.20	-8.49	3	Horizontal	322	2.28
5775MHz	Pass	AV	11.4948G	35.60	54.00	-18.40	3	Vertical	91	1.50
5775MHz	Pass	PK	11.56704G	48.64	74.00	-25.36	3	Vertical	91	1.50
5775MHz	Pass	AV	11.52528G	35.57	54.00	-18.43	3	Horizontal	160	1.17
5775MHz	Pass	PK	11.5584G	48.19	74.00	-25.81	3	Horizontal	160	1.17
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	52.53	54.00	-1.47	3	Horizontal	71	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2308G	93.60	Inf	-Inf	3	Horizontal	71	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.07	54.00	-0.93	3	Horizontal	71	2.46



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	71.91	74.00	-2.09	3	Horizontal	71	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.214G	106.01	Inf	-Inf	3	Horizontal	71	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	70.64	74.00	-3.36	3	Horizontal	71	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4792G	63.07	68.20	-5.13	3	Horizontal	71	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.60224G	47.70	74.00	-26.30	3	Vertical	210	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.55232G	47.14	68.20	-21.06	3	Horizontal	275	1.49
5570MHz	Pass	AV	5.4596G	49.66	54.00	-4.34	3	Horizontal	72	2.17
5570MHz	Pass	AV	5.5088G	92.31	Inf	-Inf	3	Horizontal	72	2.17
5570MHz	Pass	PK	5.2856G	58.06	68.20	-10.14	3	Horizontal	72	2.17
5570MHz	Pass	PK	5.4476G	68.32	74.00	-5.68	3	Horizontal	72	2.17
5570MHz	Pass	PK	5.468G	67.77	68.20	-0.43	3	Horizontal	72	2.17
5570MHz	Pass	PK	5.5112G	105.08	Inf	-Inf	3	Horizontal	72	2.17
5570MHz	Pass	PK	5.7404G	63.77	68.20	-4.43	3	Horizontal	72	2.17
5570MHz	Pass	AV	11.22112G	35.50	54.00	-18.50	3	Vertical	106	1.50
5570MHz	Pass	PK	11.15296G	47.95	74.00	-26.05	3	Vertical	106	1.50
5570MHz	Pass	AV	11.22256G	35.45	54.00	-18.55	3	Horizontal	77	1.58
5570MHz	Pass	PK	11.2168G	47.66	74.00	-26.34	3	Horizontal	77	1.58


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.64	54.00	-4.36	4.80	3	Horizontal	292	1.89	44.84	33.10	6.77	35.07
AV	5.202G	97.20	Inf	-Inf	4.72	3	Horizontal	292	1.89	92.48	33.00	6.79	35.07
AV	5.355G	46.32	54.00	-7.68	4.74	3	Horizontal	292	1.89	41.58	32.79	7.02	35.07
PK	5.146G	62.22	74.00	-11.78	4.78	3	Horizontal	292	1.89	57.44	33.08	6.77	35.07
PK	5.198G	110.18	Inf	-Inf	4.72	3	Horizontal	292	1.89	105.46	33.00	6.79	35.07
PK	5.391G	59.18	74.00	-14.82	4.73	3	Horizontal	292	1.89	54.45	32.72	7.08	35.07

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.47832G	47.56	68.20	-20.64	14.27	3	Vertical	196	1.50	33.29	38.50	10.36	34.59


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	99.19	Inf	-Inf	4.68	3	Horizontal	72	2.35	94.51	32.80	6.95	35.07
AV	5.35G	50.82	54.00	-3.18	4.74	3	Horizontal	72	2.35	46.08	32.80	7.01	35.07
PK	5.2952G	113.22	Inf	-Inf	4.67	3	Horizontal	72	2.35	108.55	32.81	6.93	35.07
PK	5.35G	64.52	74.00	-9.48	4.74	3	Horizontal	72	2.35	59.78	32.80	7.01	35.07

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60872G	34.11	54.00	-19.89	14.83	3	Vertical	200	3.00	19.28	38.92	10.39	34.48
PK	10.63344G	47.29	74.00	-26.71	14.91	3	Vertical	200	3.00	32.38	38.97	10.40	34.46


5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.53	54.00	-1.47	4.80	3	Horizontal	71	2.46	47.73	33.10	6.77	35.07
AV	5.2308G	93.60	Inf	-Inf	4.71	3	Horizontal	71	2.46	88.89	32.94	6.84	35.07
AV	5.35G	53.07	54.00	-0.93	4.74	3	Horizontal	71	2.46	48.33	32.80	7.01	35.07
PK	5.1456G	71.91	74.00	-2.09	4.77	3	Horizontal	71	2.46	67.14	33.07	6.77	35.07
PK	5.214G	106.01	Inf	-Inf	4.71	3	Horizontal	71	2.46	101.30	32.97	6.81	35.07
PK	5.3568G	70.64	74.00	-3.36	4.75	3	Horizontal	71	2.46	65.89	32.79	7.03	35.07
PK	5.4792G	63.07	68.20	-5.13	4.85	3	Horizontal	71	2.46	58.22	32.80	7.12	35.07

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60224G	47.70	74.00	-26.30	14.80	3	Vertical	210	1.50	32.90	38.90	10.39	34.49


5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	49.34	54.00	-4.66	4.84	3	Horizontal	72	1.88	44.50	32.80	7.11	35.07				
AV	5.5156G	99.56	Inf	-Inf	4.88	3	Horizontal	72	1.88	94.68	32.83	7.13	35.08				
PK	5.4564G	66.81	74.00	-7.19	4.84	3	Horizontal	72	1.88	61.97	32.80	7.11	35.07				
PK	5.4676G	67.70	68.20	-0.50	4.84	3	Horizontal	72	1.88	62.86	32.80	7.11	35.07				
PK	5.4968G	113.60	Inf	-Inf	4.85	3	Horizontal	72	1.88	108.75	32.80	7.12	35.07				

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	10.99096G	34.48	54.00	-19.52	15.02	3	Vertical	198	1.50	19.46	38.72	10.48	34.18				
PK	10.99912G	48.43	74.00	-25.57	15.01	3	Vertical	198	1.50	33.42	38.70	10.48	34.17				


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.66	54.00	-4.34	4.84	3	Horizontal	72	2.17	44.82	32.80	7.11	35.07
AV	5.5088G	92.31	Inf	-Inf	4.88	3	Horizontal	72	2.17	87.43	32.82	7.13	35.07
PK	5.2856G	58.06	68.20	-10.14	4.68	3	Horizontal	72	2.17	53.38	32.83	6.92	35.07
PK	5.4476G	68.32	74.00	-5.68	4.84	3	Horizontal	72	2.17	63.48	32.80	7.11	35.07
PK	5.468G	67.77	68.20	-0.43	4.84	3	Horizontal	72	2.17	62.93	32.80	7.11	35.07
PK	5.5112G	105.08	Inf	-Inf	4.88	3	Horizontal	72	2.17	100.20	32.82	7.13	35.07
PK	5.7404G	63.77	68.20	-4.43	5.72	3	Horizontal	72	2.17	58.05	33.68	7.21	35.17

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22112G	35.50	54.00	-18.50	15.17	3	Vertical	106	1.50	20.33	38.74	10.53	34.10
PK	11.15296G	47.95	74.00	-26.05	15.01	3	Vertical	106	1.50	32.94	38.61	10.52	34.12


5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	100.90	Inf	-Inf	5.90	3	Horizontal	67	2.13	95.00	33.86	7.23	35.19
PK	5.5178G	59.24	68.20	-8.96	4.89	3	Horizontal	67	2.13	54.35	32.84	7.13	35.08
PK	5.7962G	114.72	Inf	-Inf	5.92	3	Horizontal	67	2.13	108.80	33.88	7.23	35.19
PK	6.0842G	59.99	68.20	-8.21	6.07	3	Horizontal	67	2.13	53.92	34.00	7.39	35.32

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56096G	34.37	54.00	-19.63	15.36	3	Vertical	206	1.33	19.01	38.76	10.61	34.01
PK	11.61184G	47.68	74.00	-26.32	15.20	3	Vertical	206	1.33	32.48	38.58	10.62	34.00


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	52.31M	36.54	40.00	-3.46	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz_PoE	Pass	PK	52.31M	36.54	40.00	-3.46	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	92.08M	33.50	43.50	-10.00	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	143.49M	25.93	43.50	-17.57	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	187.14M	27.12	43.50	-16.38	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	732.28M	32.49	46.00	-13.51	3	Vertical	0	1.00
5290MHz_PoE	Pass	QP	36.79M	31.26	40.00	-8.74	3	Vertical	161	1.21
5290MHz_PoE	Pass	PK	52.31M	24.52	40.00	-15.48	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	92.08M	34.31	43.50	-9.19	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	151.25M	22.28	43.50	-21.22	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	250.19M	21.92	46.00	-24.08	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	349.13M	24.07	46.00	-21.93	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	600.36M	28.49	46.00	-17.51	3	Horizontal	360	1.00

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5290MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	52.31M	36.54	40.00	-3.46	-14.43	3	Vertical	0	1.00	50.97	12.38	0.54	27.35
PK	92.08M	33.50	43.50	-10.00	-12.07	3	Vertical	0	1.00	45.57	14.46	0.72	27.25
PK	143.49M	25.93	43.50	-17.57	-10.22	3	Vertical	0	1.00	36.15	15.96	0.91	27.09
PK	187.14M	27.12	43.50	-16.38	-11.69	3	Vertical	0	1.00	38.81	14.15	1.05	26.89
PK	732.28M	32.49	46.00	-13.51	-1.66	3	Vertical	0	1.00	34.15	24.60	2.03	28.29
QP	36.79M	31.26	40.00	-8.74	-7.08	3	Vertical	161	1.21	38.34	19.85	0.45	27.38

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	52.31M	24.52	40.00	-15.48	-14.43	3	Horizontal	360	1.00	38.95	12.38	0.54	27.35
PK	92.08M	34.31	43.50	-9.19	-12.07	3	Horizontal	360	1.00	46.38	14.46	0.72	27.25
PK	151.25M	22.28	43.50	-21.22	-10.60	3	Horizontal	360	1.00	32.88	15.52	0.93	27.05
PK	250.19M	21.92	46.00	-24.08	-7.91	3	Horizontal	360	1.00	29.83	17.52	1.21	26.64
PK	349.13M	24.07	46.00	-21.93	-6.28	3	Horizontal	360	1.00	30.35	19.31	1.43	27.02
PK	600.36M	28.49	46.00	-17.51	-2.67	3	Horizontal	360	1.00	31.16	23.70	1.83	28.20

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1394G	45.97	54.00	-8.03	3	Vertical	309	1.74
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1392G	46.61	54.00	-7.39	3	Vertical	307	1.75
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	47.09	54.00	-6.91	3	Vertical	314	1.63
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.144G	51.96	54.00	-2.04	3	Vertical	308	2.35
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3504G	45.81	54.00	-8.19	3	Vertical	313	1.64
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3602G	46.23	54.00	-7.77	3	Vertical	314	1.75
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.41	54.00	-0.59	3	Vertical	315	1.67
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.79	54.00	-0.21	3	Vertical	312	1.67

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1394G	45.97	54.00	-8.03	3	Vertical	309	1.74
5180MHz	Pass	AV	5.1772G	102.83	Inf	-Inf	3	Vertical	309	1.74
5180MHz	Pass	PK	5.139G	60.64	74.00	-13.36	3	Vertical	309	1.74
5180MHz	Pass	PK	5.18G	114.68	Inf	-Inf	3	Vertical	309	1.74
5180MHz	Pass	PK	10.35472G	47.86	68.20	-20.34	3	Vertical	173	1.10
5180MHz	Pass	PK	10.36342G	47.93	68.20	-20.27	3	Horizontal	132	1.12
5200MHz	Pass	AV	5.15G	44.65	54.00	-9.35	3	Vertical	308	1.62
5200MHz	Pass	AV	5.2024G	102.42	Inf	-Inf	3	Vertical	308	1.62
5200MHz	Pass	PK	5.1348G	58.44	74.00	-15.56	3	Vertical	308	1.62
5200MHz	Pass	PK	5.202G	113.72	Inf	-Inf	3	Vertical	308	1.62
5200MHz	Pass	PK	10.39598G	48.29	68.20	-19.91	3	Vertical	341	3.00
5200MHz	Pass	PK	10.40234G	47.78	68.20	-20.42	3	Horizontal	6	2.59
5240MHz	Pass	AV	5.1452G	44.00	54.00	-10.00	3	Vertical	314	2.24
5240MHz	Pass	AV	5.237G	101.27	Inf	-Inf	3	Vertical	314	2.24
5240MHz	Pass	AV	5.3504G	43.97	54.00	-10.03	3	Vertical	314	2.24
5240MHz	Pass	PK	5.1398G	57.93	74.00	-16.07	3	Vertical	314	2.24
5240MHz	Pass	PK	5.2376G	113.36	Inf	-Inf	3	Vertical	314	2.24
5240MHz	Pass	PK	5.3816G	58.28	74.00	-15.72	3	Vertical	314	2.24
5240MHz	Pass	PK	10.47226G	47.09	68.20	-21.11	3	Vertical	272	1.50
5240MHz	Pass	PK	10.49392G	47.83	68.20	-20.37	3	Horizontal	7	1.50
5260MHz	Pass	AV	5.15G	44.31	54.00	-9.69	3	Vertical	313	1.77
5260MHz	Pass	AV	5.2528G	103.22	Inf	-Inf	3	Vertical	313	1.77
5260MHz	Pass	AV	5.35G	44.26	54.00	-9.74	3	Vertical	313	1.77
5260MHz	Pass	PK	5.128G	57.94	74.00	-16.06	3	Vertical	313	1.77
5260MHz	Pass	PK	5.2576G	114.26	Inf	-Inf	3	Vertical	313	1.77
5260MHz	Pass	PK	5.3566G	57.89	74.00	-16.11	3	Vertical	313	1.77
5260MHz	Pass	PK	10.50962G	46.86	68.20	-21.34	3	Vertical	279	1.52
5260MHz	Pass	PK	10.5062G	47.47	68.20	-20.73	3	Horizontal	8	2.76
5300MHz	Pass	AV	5.3044G	104.73	Inf	-Inf	3	Vertical	314	1.67
5300MHz	Pass	AV	5.3512G	45.17	54.00	-8.83	3	Vertical	314	1.67
5300MHz	Pass	PK	5.2976G	115.93	Inf	-Inf	3	Vertical	314	1.67
5300MHz	Pass	PK	5.378G	58.69	74.00	-15.31	3	Vertical	314	1.67
5300MHz	Pass	AV	10.60792G	34.00	54.00	-20.00	3	Vertical	259	1.50
5300MHz	Pass	PK	10.6102G	47.63	74.00	-26.37	3	Vertical	259	1.50
5300MHz	Pass	AV	10.60804G	33.98	54.00	-20.02	3	Horizontal	68	1.50
5300MHz	Pass	PK	10.60462G	47.71	74.00	-26.29	3	Horizontal	68	1.50
5320MHz	Pass	AV	5.3224G	103.99	Inf	-Inf	3	Vertical	313	1.64
5320MHz	Pass	AV	5.3504G	45.81	54.00	-8.19	3	Vertical	313	1.64
5320MHz	Pass	PK	5.3176G	115.66	Inf	-Inf	3	Vertical	313	1.64
5320MHz	Pass	PK	5.3608G	60.56	74.00	-13.44	3	Vertical	313	1.64
5320MHz	Pass	AV	10.64762G	33.96	54.00	-20.04	3	Vertical	179	1.50
5320MHz	Pass	PK	10.64894G	48.26	74.00	-25.74	3	Vertical	179	1.50
5320MHz	Pass	AV	10.6466G	33.98	54.00	-20.02	3	Horizontal	28	1.50
5320MHz	Pass	PK	10.62836G	47.72	74.00	-26.28	3	Horizontal	28	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	46.61	54.00	-7.39	3	Vertical	307	1.75
5180MHz	Pass	AV	5.175G	102.25	Inf	-Inf	3	Vertical	307	1.75
5180MHz	Pass	PK	5.1404G	62.18	74.00	-11.82	3	Vertical	307	1.75
5180MHz	Pass	PK	5.1732G	116.06	Inf	-Inf	3	Vertical	307	1.75
5180MHz	Pass	PK	10.35226G	47.79	68.20	-20.41	3	Vertical	262	1.50
5180MHz	Pass	PK	10.3492G	47.37	68.20	-20.83	3	Horizontal	80	1.50
5200MHz	Pass	AV	5.15G	44.87	54.00	-9.13	3	Vertical	306	1.63
5200MHz	Pass	AV	5.2016G	102.27	Inf	-Inf	3	Vertical	306	1.63
5200MHz	Pass	PK	5.1336G	58.22	74.00	-15.78	3	Vertical	306	1.63
5200MHz	Pass	PK	5.1956G	115.67	Inf	-Inf	3	Vertical	306	1.63
5200MHz	Pass	PK	10.3916G	47.97	68.20	-20.23	3	Vertical	23	1.67
5200MHz	Pass	PK	10.39436G	47.43	68.20	-20.77	3	Horizontal	343	1.50
5240MHz	Pass	AV	5.1482G	44.02	54.00	-9.98	3	Vertical	312	2.23
5240MHz	Pass	AV	5.237G	100.96	Inf	-Inf	3	Vertical	312	2.23
5240MHz	Pass	AV	5.3516G	43.98	54.00	-10.02	3	Vertical	312	2.23


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1308G	57.76	74.00	-16.24	3	Vertical	312	2.23
5240MHz	Pass	PK	5.237G	114.69	Inf	-Inf	3	Vertical	312	2.23
5240MHz	Pass	PK	5.369G	58.14	74.00	-15.86	3	Vertical	312	2.23
5240MHz	Pass	PK	10.4773G	47.11	68.20	-21.09	3	Vertical	124	1.50
5240MHz	Pass	PK	10.47928G	46.58	68.20	-21.62	3	Horizontal	105	1.50
5260MHz	Pass	AV	5.15G	44.24	54.00	-9.76	3	Vertical	313	1.79
5260MHz	Pass	AV	5.2558G	102.73	Inf	-Inf	3	Vertical	313	1.79
5260MHz	Pass	AV	5.353G	44.25	54.00	-9.75	3	Vertical	313	1.79
5260MHz	Pass	PK	5.1496G	57.92	74.00	-16.08	3	Vertical	313	1.79
5260MHz	Pass	PK	5.2678G	116.43	Inf	-Inf	3	Vertical	313	1.79
5260MHz	Pass	PK	5.3878G	58.04	74.00	-15.96	3	Vertical	313	1.79
5260MHz	Pass	PK	10.5278G	47.28	68.20	-20.92	3	Vertical	238	1.50
5260MHz	Pass	PK	10.51814G	47.46	68.20	-20.74	3	Horizontal	204	1.50
5300MHz	Pass	AV	5.3032G	104.54	Inf	-Inf	3	Vertical	313	1.66
5300MHz	Pass	AV	5.35G	45.34	54.00	-8.66	3	Vertical	313	1.66
5300MHz	Pass	PK	5.3024G	117.86	Inf	-Inf	3	Vertical	313	1.66
5300MHz	Pass	PK	5.3568G	58.28	74.00	-15.72	3	Vertical	313	1.66
5300MHz	Pass	AV	10.60672G	34.04	54.00	-19.96	3	Vertical	338	1.50
5300MHz	Pass	PK	10.59958G	47.91	68.20	-20.29	3	Vertical	338	1.50
5300MHz	Pass	AV	10.60822G	33.96	54.00	-20.04	3	Horizontal	52	1.50
5300MHz	Pass	PK	10.6129G	47.45	74.00	-26.55	3	Horizontal	52	1.50
5320MHz	Pass	AV	5.315G	103.65	Inf	-Inf	3	Vertical	314	1.75
5320MHz	Pass	AV	5.3602G	46.23	54.00	-7.77	3	Vertical	314	1.75
5320MHz	Pass	PK	5.3186G	117.14	Inf	-Inf	3	Vertical	314	1.75
5320MHz	Pass	PK	5.3608G	62.10	74.00	-11.90	3	Vertical	314	1.75
5320MHz	Pass	AV	10.64996G	33.97	54.00	-20.03	3	Vertical	306	1.50
5320MHz	Pass	PK	10.64456G	46.89	74.00	-27.11	3	Vertical	306	1.50
5320MHz	Pass	AV	10.6493G	34.00	54.00	-20.00	3	Horizontal	47	1.50
5320MHz	Pass	PK	10.65254G	47.55	74.00	-26.45	3	Horizontal	47	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	47.09	54.00	-6.91	3	Vertical	314	1.63
5190MHz	Pass	AV	5.1976G	99.85	Inf	-Inf	3	Vertical	314	1.63
5190MHz	Pass	PK	5.1444G	60.60	74.00	-13.40	3	Vertical	314	1.63
5190MHz	Pass	PK	5.1984G	114.08	Inf	-Inf	3	Vertical	314	1.63
5190MHz	Pass	PK	10.35024G	47.48	68.20	-20.72	3	Vertical	132	1.50
5190MHz	Pass	PK	10.40796G	47.25	68.20	-20.95	3	Horizontal	58	1.50
5230MHz	Pass	AV	5.15G	45.45	54.00	-8.55	3	Vertical	309	1.75
5230MHz	Pass	AV	5.2124G	99.35	Inf	-Inf	3	Vertical	309	1.75
5230MHz	Pass	PK	5.146G	58.99	74.00	-15.01	3	Vertical	309	1.75
5230MHz	Pass	PK	5.2124G	112.98	Inf	-Inf	3	Vertical	309	1.75
5230MHz	Pass	PK	10.44824G	47.64	68.20	-20.56	3	Vertical	149	1.50
5230MHz	Pass	PK	10.46096G	47.46	68.20	-20.74	3	Horizontal	136	1.50
5270MHz	Pass	AV	5.2872G	100.70	Inf	-Inf	3	Vertical	312	1.68
5270MHz	Pass	AV	5.35G	45.76	54.00	-8.24	3	Vertical	312	1.68
5270MHz	Pass	PK	5.2836G	114.53	Inf	-Inf	3	Vertical	312	1.68
5270MHz	Pass	PK	5.3564G	59.74	74.00	-14.26	3	Vertical	312	1.68
5270MHz	Pass	PK	10.55056G	47.29	68.20	-20.91	3	Vertical	253	1.50
5270MHz	Pass	PK	10.55464G	47.23	68.20	-20.97	3	Horizontal	6	1.50
5310MHz	Pass	AV	5.3044G	101.02	Inf	-Inf	3	Vertical	315	1.67
5310MHz	Pass	AV	5.35G	53.41	54.00	-0.59	3	Vertical	315	1.67
5310MHz	Pass	PK	5.3048G	115.19	Inf	-Inf	3	Vertical	315	1.67
5310MHz	Pass	PK	5.3504G	68.63	74.00	-5.37	3	Vertical	315	1.67
5310MHz	Pass	AV	10.64652G	34.19	54.00	-19.81	3	Vertical	172	1.08
5310MHz	Pass	PK	10.60896G	47.70	74.00	-26.30	3	Vertical	172	1.08
5310MHz	Pass	AV	10.60752G	34.18	54.00	-19.82	3	Horizontal	94	1.50
5310MHz	Pass	PK	10.59408G	47.86	68.20	-20.34	3	Horizontal	94	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.144G	51.96	54.00	-2.04	3	Vertical	308	2.35
5210MHz	Pass	AV	5.203G	96.84	Inf	-Inf	3	Vertical	308	2.35
5210MHz	Pass	AV	5.35G	44.89	54.00	-9.11	3	Vertical	308	2.35
5210MHz	Pass	PK	5.125G	66.32	74.00	-7.68	3	Vertical	308	2.35
5210MHz	Pass	PK	5.198G	110.50	Inf	-Inf	3	Vertical	308	2.35



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.418G	59.06	74.00	-14.94	3	Vertical	308	2.35
5210MHz	Pass	PK	10.43464G	46.90	68.20	-21.30	3	Vertical	358	1.50
5210MHz	Pass	PK	10.39984G	47.21	68.20	-20.99	3	Horizontal	330	1.49
5290MHz	Pass	AV	5.15G	45.77	54.00	-8.23	3	Vertical	312	1.67
5290MHz	Pass	AV	5.304G	97.84	Inf	-Inf	3	Vertical	312	1.67
5290MHz	Pass	AV	5.35G	53.79	54.00	-0.21	3	Vertical	312	1.67
5290MHz	Pass	PK	5.149G	59.36	74.00	-14.64	3	Vertical	312	1.67
5290MHz	Pass	PK	5.306G	110.88	Inf	-Inf	3	Vertical	312	1.67
5290MHz	Pass	PK	5.35G	66.10	74.00	-7.90	3	Vertical	312	1.67
5290MHz	Pass	PK	5.488G	58.41	68.20	-9.79	3	Vertical	312	1.67
5290MHz	Pass	AV	10.60952G	34.11	54.00	-19.89	3	Vertical	182	1.50
5290MHz	Pass	PK	10.63664G	48.27	74.00	-25.73	3	Vertical	182	1.50
5290MHz	Pass	AV	10.6064G	34.23	54.00	-19.77	3	Horizontal	182	3.00
5290MHz	Pass	PK	10.60976G	47.62	74.00	-26.38	3	Horizontal	182	3.00


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.09	54.00	-6.91	4.80	3	Vertical	314	1.63	42.29	33.10	6.77	35.07
AV	5.1976G	99.85	Inf	-Inf	4.72	3	Vertical	314	1.63	95.13	33.00	6.79	35.07
PK	5.1444G	60.60	74.00	-13.40	4.77	3	Vertical	314	1.63	55.83	33.07	6.77	35.07
PK	5.1984G	114.08	Inf	-Inf	4.72	3	Vertical	314	1.63	109.36	33.00	6.79	35.07

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35024G	47.48	68.20	-20.72	14.21	3	Vertical	132	1.50	33.27	38.60	10.33	34.72


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3224G	103.99	Inf	-Inf	4.70	3	Vertical	313	1.64	99.29	32.80	6.97	35.07
AV	5.3504G	45.81	54.00	-8.19	4.75	3	Vertical	313	1.64	41.06	32.80	7.02	35.07
PK	5.3176G	115.66	Inf	-Inf	4.70	3	Vertical	313	1.64	110.96	32.80	6.97	35.07
PK	5.3608G	60.56	74.00	-13.44	4.74	3	Vertical	313	1.64	55.82	32.78	7.03	35.07

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64762G	33.96	54.00	-20.04	14.95	3	Vertical	179	1.50	19.01	39.00	10.40	34.45
PK	10.64894G	48.26	74.00	-25.74	14.95	3	Vertical	179	1.50	33.31	39.00	10.40	34.45


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.3044G	101.02	Inf	-Inf	4.68	3	Vertical	315	1.67	96.34	32.80	6.95	35.07
AV	5.35G	53.41	54.00	-0.59	4.74	3	Vertical	315	1.67	48.67	32.80	7.01	35.07
PK	5.3048G	115.19	Inf	-Inf	4.68	3	Vertical	315	1.67	110.51	32.80	6.95	35.07
PK	5.3504G	68.63	74.00	-5.37	4.75	3	Vertical	315	1.67	63.88	32.80	7.02	35.07

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	10.64652G	34.19	54.00	-19.81	14.94	3	Vertical	172	1.08	19.25	38.99	10.40	34.45
PK	10.60896G	47.70	74.00	-26.30	14.83	3	Vertical	172	1.08	32.87	38.92	10.39	34.48


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	704.15M	40.42	46.00	-5.58	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_PoE	Pass	PK	92.08M	34.17	43.50	-9.33	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	142.52M	24.75	43.50	-18.75	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	191.99M	26.36	43.50	-17.14	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	704.15M	40.42	46.00	-5.58	3	Vertical	0	1.00
5290MHz_PoE	Pass	QP	35.82M	32.39	40.00	-7.61	3	Vertical	255	1.13
5290MHz_PoE	Pass	QP	51.34M	22.17	40.00	-17.83	3	Vertical	132	1.08
5290MHz_PoE	Pass	PK	30M	23.83	40.00	-16.17	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	52.31M	23.43	40.00	-16.57	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	92.08M	30.33	43.50	-13.17	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	188.11M	22.32	43.50	-21.18	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	250.19M	24.01	46.00	-21.99	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	351.07M	24.10	46.00	-21.90	3	Horizontal	360	1.00

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	92.08M	34.17	43.50	-9.33	-12.07	3	Vertical	0	1.00	46.24	14.46	0.72	27.25				
PK	142.52M	24.75	43.50	-18.75	-10.20	3	Vertical	0	1.00	34.95	15.98	0.91	27.09				
PK	191.99M	26.36	43.50	-17.14	-11.74	3	Vertical	0	1.00	38.10	14.06	1.07	26.87				
PK	704.15M	40.42	46.00	-5.58	-2.35	3	Vertical	0	1.00	42.77	23.99	1.99	28.33				
QP	35.82M	32.39	40.00	-7.61	-6.53	3	Vertical	255	1.13	38.92	20.41	0.44	27.38				
QP	51.34M	22.17	40.00	-17.83	-14.06	3	Vertical	132	1.08	36.23	12.76	0.53	27.35				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	30M	23.83	40.00	-16.17	-3.60	3	Horizontal	360	1.00	27.43	23.36	0.42	27.38				
PK	52.31M	23.43	40.00	-16.57	-14.43	3	Horizontal	360	1.00	37.86	12.38	0.54	27.35				
PK	92.08M	30.33	43.50	-13.17	-12.07	3	Horizontal	360	1.00	42.40	14.46	0.72	27.25				
PK	188.11M	22.32	43.50	-21.18	-11.69	3	Horizontal	360	1.00	34.01	14.15	1.05	26.89				
PK	250.19M	24.01	46.00	-21.99	-7.91	3	Horizontal	360	1.00	31.92	17.52	1.21	26.64				
PK	351.07M	24.10	46.00	-21.90	-6.19	3	Horizontal	360	1.00	30.29	19.42	1.43	27.04				

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1494G	46.28	54.00	-7.72	3	Vertical	314	1.74
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.139G	47.20	54.00	-6.80	3	Vertical	311	1.74
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1484G	50.76	54.00	-3.24	3	Vertical	312	1.68
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	53.51	54.00	-0.49	3	Vertical	305	1.70
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	46.30	54.00	-7.70	3	Vertical	311	1.75
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3618G	47.74	54.00	-6.26	3	Vertical	314	1.76
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	310	1.77
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.53	54.00	-0.47	3	Vertical	315	1.70

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	46.28	54.00	-7.72	3	Vertical	314	1.74
5180MHz	Pass	AV	5.178G	106.14	Inf	-Inf	3	Vertical	314	1.74
5180MHz	Pass	PK	5.147G	60.39	74.00	-13.61	3	Vertical	314	1.74
5180MHz	Pass	PK	5.178G	117.32	Inf	-Inf	3	Vertical	314	1.74
5180MHz	Pass	PK	10.3477G	47.31	68.20	-20.89	3	Vertical	213	1.50
5180MHz	Pass	PK	10.3588G	47.33	68.20	-20.87	3	Horizontal	215	1.50
5200MHz	Pass	AV	5.15G	45.31	54.00	-8.69	3	Vertical	310	1.74
5200MHz	Pass	AV	5.1932G	106.30	Inf	-Inf	3	Vertical	310	1.74
5200MHz	Pass	PK	5.1496G	59.09	74.00	-14.91	3	Vertical	310	1.74
5200MHz	Pass	PK	5.1932G	116.79	Inf	-Inf	3	Vertical	310	1.74
5200MHz	Pass	PK	10.39016G	48.54	68.20	-19.66	3	Vertical	340	1.63
5200MHz	Pass	PK	10.4063G	47.52	68.20	-20.68	3	Horizontal	330	1.49
5240MHz	Pass	AV	5.15G	44.58	54.00	-9.42	3	Vertical	314	1.70
5240MHz	Pass	AV	5.2334G	105.08	Inf	-Inf	3	Vertical	314	1.70
5240MHz	Pass	AV	5.3738G	44.22	54.00	-9.78	3	Vertical	314	1.70
5240MHz	Pass	PK	5.1188G	57.91	74.00	-16.09	3	Vertical	314	1.70
5240MHz	Pass	PK	5.2328G	115.40	Inf	-Inf	3	Vertical	314	1.70
5240MHz	Pass	PK	5.3564G	57.52	74.00	-16.48	3	Vertical	314	1.70
5240MHz	Pass	PK	10.48726G	46.34	68.20	-21.86	3	Vertical	231	1.20
5240MHz	Pass	PK	10.4686G	47.75	68.20	-20.45	3	Horizontal	103	1.50
5260MHz	Pass	AV	5.1484G	44.65	54.00	-9.35	3	Vertical	313	1.64
5260MHz	Pass	AV	5.2534G	105.49	Inf	-Inf	3	Vertical	313	1.64
5260MHz	Pass	AV	5.35G	44.57	54.00	-9.43	3	Vertical	313	1.64
5260MHz	Pass	PK	5.1496G	59.30	74.00	-14.70	3	Vertical	313	1.64
5260MHz	Pass	PK	5.2534G	116.06	Inf	-Inf	3	Vertical	313	1.64
5260MHz	Pass	PK	5.3506G	57.63	74.00	-16.37	3	Vertical	313	1.64
5260MHz	Pass	PK	10.5167G	46.53	68.20	-21.67	3	Vertical	15	1.50
5260MHz	Pass	PK	10.52522G	46.40	68.20	-21.80	3	Horizontal	350	1.00
5300MHz	Pass	AV	5.3036G	106.78	Inf	-Inf	3	Vertical	314	1.77
5300MHz	Pass	AV	5.35G	45.34	54.00	-8.66	3	Vertical	314	1.77
5300MHz	Pass	PK	5.3036G	117.24	Inf	-Inf	3	Vertical	314	1.77
5300MHz	Pass	PK	5.3744G	59.42	74.00	-14.58	3	Vertical	314	1.77
5300MHz	Pass	AV	10.60912G	34.20	54.00	-19.80	3	Vertical	91	1.01
5300MHz	Pass	PK	10.60738G	48.30	74.00	-25.70	3	Vertical	91	1.01
5300MHz	Pass	AV	10.60756G	34.13	54.00	-19.87	3	Horizontal	63	1.50
5300MHz	Pass	PK	10.60888G	47.58	74.00	-26.42	3	Horizontal	63	1.50
5320MHz	Pass	AV	5.3138G	106.70	Inf	-Inf	3	Vertical	311	1.75
5320MHz	Pass	AV	5.35G	46.30	54.00	-7.70	3	Vertical	311	1.75
5320MHz	Pass	PK	5.3192G	117.35	Inf	-Inf	3	Vertical	311	1.75
5320MHz	Pass	PK	5.3502G	61.11	74.00	-12.89	3	Vertical	311	1.75
5320MHz	Pass	AV	10.64702G	34.23	54.00	-19.77	3	Vertical	82	1.50
5320MHz	Pass	PK	10.65128G	47.17	74.00	-26.83	3	Vertical	82	1.50
5320MHz	Pass	AV	10.65056G	34.17	54.00	-19.83	3	Horizontal	274	1.50
5320MHz	Pass	PK	10.6415G	47.40	74.00	-26.60	3	Horizontal	274	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.139G	47.20	54.00	-6.80	3	Vertical	311	1.74
5180MHz	Pass	AV	5.179G	105.55	Inf	-Inf	3	Vertical	311	1.74
5180MHz	Pass	PK	5.1394G	63.55	74.00	-10.45	3	Vertical	311	1.74
5180MHz	Pass	PK	5.1842G	119.04	Inf	-Inf	3	Vertical	311	1.74
5180MHz	Pass	PK	10.36258G	46.95	68.20	-21.25	3	Vertical	28	1.50
5180MHz	Pass	PK	10.35766G	48.06	68.20	-20.14	3	Horizontal	258	1.49
5200MHz	Pass	AV	5.1484G	45.39	54.00	-8.61	3	Vertical	311	1.70
5200MHz	Pass	AV	5.1916G	105.29	Inf	-Inf	3	Vertical	311	1.70
5200MHz	Pass	PK	5.1432G	58.46	74.00	-15.54	3	Vertical	311	1.70
5200MHz	Pass	PK	5.1916G	118.95	Inf	-Inf	3	Vertical	311	1.70
5200MHz	Pass	PK	10.39442G	48.65	68.20	-19.55	3	Vertical	339	1.50
5200MHz	Pass	PK	10.4093G	47.51	68.20	-20.69	3	Horizontal	306	1.00
5240MHz	Pass	AV	5.1476G	44.38	54.00	-9.62	3	Vertical	314	1.70
5240MHz	Pass	AV	5.2316G	104.13	Inf	-Inf	3	Vertical	314	1.70
5240MHz	Pass	AV	5.3612G	44.11	54.00	-9.89	3	Vertical	314	1.70



RSE TX above 1GHz Non-Beamforming Radio 3_2T1S


Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1428G	57.95	74.00	-16.05	3	Vertical	314	1.70
5240MHz	Pass	PK	5.2364G	116.84	Inf	-Inf	3	Vertical	314	1.70
5240MHz	Pass	PK	5.3714G	57.90	74.00	-16.10	3	Vertical	314	1.70
5240MHz	Pass	PK	10.4656G	47.80	68.20	-20.40	3	Vertical	275	1.50
5240MHz	Pass	PK	10.47802G	46.69	68.20	-21.51	3	Horizontal	210	1.50
5260MHz	Pass	AV	5.1484G	44.63	54.00	-9.37	3	Vertical	315	1.65
5260MHz	Pass	AV	5.254G	104.74	Inf	-Inf	3	Vertical	315	1.65
5260MHz	Pass	AV	5.3506G	44.49	54.00	-9.51	3	Vertical	315	1.65
5260MHz	Pass	PK	5.15G	58.64	74.00	-15.36	3	Vertical	315	1.65
5260MHz	Pass	PK	5.269G	117.72	Inf	-Inf	3	Vertical	315	1.65
5260MHz	Pass	PK	5.3548G	58.18	74.00	-15.82	3	Vertical	315	1.65
5260MHz	Pass	PK	10.51004G	47.31	68.20	-20.89	3	Vertical	241	1.50
5260MHz	Pass	PK	10.5263G	47.33	68.20	-20.87	3	Horizontal	246	1.50
5300MHz	Pass	AV	5.3016G	105.82	Inf	-Inf	3	Vertical	314	1.75
5300MHz	Pass	AV	5.35G	45.84	54.00	-8.16	3	Vertical	314	1.75
5300MHz	Pass	PK	5.304G	119.54	Inf	-Inf	3	Vertical	314	1.75
5300MHz	Pass	PK	5.3536G	59.48	74.00	-14.52	3	Vertical	314	1.75
5300MHz	Pass	AV	10.60792G	34.22	54.00	-19.78	3	Vertical	11	1.50
5300MHz	Pass	PK	10.58638G	47.88	68.20	-20.32	3	Vertical	11	1.50
5300MHz	Pass	AV	10.60948G	34.17	54.00	-19.83	3	Horizontal	360	1.50
5300MHz	Pass	PK	10.59298G	47.20	68.20	-21.00	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.3118G	105.99	Inf	-Inf	3	Vertical	314	1.76
5320MHz	Pass	AV	5.3618G	47.74	54.00	-6.26	3	Vertical	314	1.76
5320MHz	Pass	PK	5.3218G	119.06	Inf	-Inf	3	Vertical	314	1.76
5320MHz	Pass	PK	5.3596G	65.00	74.00	-9.00	3	Vertical	314	1.76
5320MHz	Pass	AV	10.64498G	34.12	54.00	-19.88	3	Vertical	333	1.83
5320MHz	Pass	PK	10.63784G	47.30	74.00	-26.70	3	Vertical	333	1.83
5320MHz	Pass	AV	10.65428G	34.17	54.00	-19.83	3	Horizontal	12	1.50
5320MHz	Pass	PK	10.6535G	47.57	74.00	-26.43	3	Horizontal	12	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	50.76	54.00	-3.24	3	Vertical	312	1.68
5190MHz	Pass	AV	5.194G	102.52	Inf	-Inf	3	Vertical	312	1.68
5190MHz	Pass	PK	5.1488G	64.75	74.00	-9.25	3	Vertical	312	1.68
5190MHz	Pass	PK	5.1916G	116.18	Inf	-Inf	3	Vertical	312	1.68
5190MHz	Pass	PK	10.3626G	47.73	68.20	-20.47	3	Vertical	49	1.50
5190MHz	Pass	PK	10.38708G	47.84	68.20	-20.36	3	Horizontal	40	1.00
5230MHz	Pass	AV	5.1488G	45.86	54.00	-8.14	3	Vertical	313	1.72
5230MHz	Pass	AV	5.2268G	102.10	Inf	-Inf	3	Vertical	313	1.72
5230MHz	Pass	PK	5.1468G	59.44	74.00	-14.56	3	Vertical	313	1.72
5230MHz	Pass	PK	5.2216G	115.45	Inf	-Inf	3	Vertical	313	1.72
5230MHz	Pass	PK	10.47392G	48.15	68.20	-20.05	3	Vertical	239	2.10
5230MHz	Pass	PK	10.45412G	47.54	68.20	-20.66	3	Horizontal	15	1.01
5270MHz	Pass	AV	5.284G	102.67	Inf	-Inf	3	Vertical	313	1.84
5270MHz	Pass	AV	5.352G	46.39	54.00	-7.61	3	Vertical	313	1.84
5270MHz	Pass	PK	5.284G	115.55	Inf	-Inf	3	Vertical	313	1.84
5270MHz	Pass	PK	5.3528G	59.44	74.00	-14.56	3	Vertical	313	1.84
5270MHz	Pass	PK	10.52524G	47.92	68.20	-20.28	3	Vertical	336	1.50
5270MHz	Pass	PK	10.516G	46.74	68.20	-21.46	3	Horizontal	26	1.50
5310MHz	Pass	AV	5.3168G	101.87	Inf	-Inf	3	Vertical	310	1.77
5310MHz	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	310	1.77
5310MHz	Pass	PK	5.3144G	114.86	Inf	-Inf	3	Vertical	310	1.77
5310MHz	Pass	PK	5.3548G	67.52	74.00	-6.48	3	Vertical	310	1.77
5310MHz	Pass	AV	10.61028G	34.21	54.00	-19.79	3	Vertical	327	1.50
5310MHz	Pass	PK	10.60728G	47.55	74.00	-26.45	3	Vertical	327	1.50
5310MHz	Pass	AV	10.64928G	34.20	54.00	-19.80	3	Horizontal	112	1.50
5310MHz	Pass	PK	10.60008G	47.59	74.00	-26.41	3	Horizontal	112	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.51	54.00	-0.49	3	Vertical	305	1.70
5210MHz	Pass	AV	5.199G	99.16	Inf	-Inf	3	Vertical	305	1.70
5210MHz	Pass	AV	5.37G	44.79	54.00	-9.21	3	Vertical	305	1.70
5210MHz	Pass	PK	5.146G	66.99	74.00	-7.01	3	Vertical	305	1.70
5210MHz	Pass	PK	5.199G	112.65	Inf	-Inf	3	Vertical	305	1.70

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.369G	58.30	74.00	-15.70	3	Vertical	305	1.70
5210MHz	Pass	PK	10.4248G	47.21	68.20	-20.99	3	Vertical	81	1.50
5210MHz	Pass	PK	10.38832G	47.83	68.20	-20.37	3	Horizontal	346	1.50
5290MHz	Pass	AV	5.146G	45.34	54.00	-8.66	3	Vertical	315	1.70
5290MHz	Pass	AV	5.304G	98.39	Inf	-Inf	3	Vertical	315	1.70
5290MHz	Pass	AV	5.35G	53.53	54.00	-0.47	3	Vertical	315	1.70
5290MHz	Pass	PK	5.144G	58.35	74.00	-15.65	3	Vertical	315	1.70
5290MHz	Pass	PK	5.305G	111.57	Inf	-Inf	3	Vertical	315	1.70
5290MHz	Pass	PK	5.362G	67.09	74.00	-6.91	3	Vertical	315	1.70
5290MHz	Pass	PK	5.463G	57.43	68.20	-10.77	3	Vertical	315	1.70
5290MHz	Pass	AV	10.60184G	34.23	54.00	-19.77	3	Vertical	351	1.50
5290MHz	Pass	PK	10.59392G	47.25	68.20	-20.95	3	Vertical	351	1.50
5290MHz	Pass	AV	10.6088G	34.18	54.00	-19.82	3	Horizontal	193	1.50
5290MHz	Pass	PK	10.62272G	47.75	74.00	-26.25	3	Horizontal	193	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.76	54.00	-3.24	4.79	3	Vertical	312	1.68	45.97	33.09	6.77	35.07
AV	5.194G	102.52	Inf	-Inf	4.73	3	Vertical	312	1.68	97.79	33.01	6.79	35.07
PK	5.1488G	64.75	74.00	-9.25	4.79	3	Vertical	312	1.68	59.96	33.09	6.77	35.07
PK	5.1916G	116.18	Inf	-Inf	4.74	3	Vertical	312	1.68	111.44	33.02	6.79	35.07

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3626G	47.73	68.20	-20.47	14.19	3	Vertical	49	1.50	33.54	38.57	10.33	34.71


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3138G	106.70	Inf	-Inf	4.69	3	Vertical	311	1.75	102.01	32.80	6.96	35.07
AV	5.35G	46.30	54.00	-7.70	4.74	3	Vertical	311	1.75	41.56	32.80	7.01	35.07
PK	5.3192G	117.35	Inf	-Inf	4.70	3	Vertical	311	1.75	112.65	32.80	6.97	35.07
PK	5.3502G	61.11	74.00	-12.89	4.75	3	Vertical	311	1.75	56.36	32.80	7.02	35.07

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64702G	34.23	54.00	-19.77	14.94	3	Vertical	82	1.50	19.29	38.99	10.40	34.45
PK	10.65128G	47.17	74.00	-26.83	14.95	3	Vertical	82	1.50	32.22	39.00	10.40	34.45


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	101.87	Inf	-Inf	4.70	3	Vertical	310	1.77	97.17	32.80	6.97	35.07
AV	5.35G	53.42	54.00	-0.58	4.74	3	Vertical	310	1.77	48.68	32.80	7.01	35.07
PK	5.3144G	114.86	Inf	-Inf	4.69	3	Vertical	310	1.77	110.17	32.80	6.96	35.07
PK	5.3548G	67.52	74.00	-6.48	4.74	3	Vertical	310	1.77	62.78	32.79	7.02	35.07

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61028G	34.21	54.00	-19.79	14.83	3	Vertical	327	1.50	19.38	38.92	10.39	34.48
PK	10.60728G	47.55	74.00	-26.45	14.82	3	Vertical	327	1.50	32.73	38.91	10.39	34.48


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	710.94M	40.87	46.00	-5.13	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz_PoE	Pass	PK	146.4M	27.05	43.50	-16.45	3	Vertical	0	1.00
5270MHz_PoE	Pass	PK	186.17M	24.86	43.50	-18.64	3	Vertical	0	1.00
5270MHz_PoE	Pass	PK	430.61M	27.29	46.00	-18.71	3	Vertical	0	1.00
5270MHz_PoE	Pass	PK	710.94M	40.87	46.00	-5.13	3	Vertical	0	1.00
5270MHz_PoE	Pass	QP	36.79M	31.72	40.00	-8.28	3	Vertical	260	1.00
5270MHz_PoE	Pass	QP	50.37M	24.18	40.00	-15.82	3	Vertical	95	1.00
5270MHz_PoE	Pass	PK	68.8M	29.90	40.00	-10.10	3	Horizontal	360	1.00
5270MHz_PoE	Pass	PK	93.05M	34.24	43.50	-9.26	3	Horizontal	360	1.00
5270MHz_PoE	Pass	PK	158.04M	22.96	43.50	-20.54	3	Horizontal	360	1.00
5270MHz_PoE	Pass	PK	188.11M	22.54	43.50	-20.96	3	Horizontal	360	1.00
5270MHz_PoE	Pass	PK	333.61M	25.09	46.00	-20.91	3	Horizontal	360	1.00
5270MHz_PoE	Pass	PK	710.94M	36.26	46.00	-9.74	3	Horizontal	360	1.00

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5270MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	146.4M	27.05	43.50	-16.45	-10.32	3	Vertical	0	1.00	37.37	15.83	0.92	27.07
PK	186.17M	24.86	43.50	-18.64	-11.69	3	Vertical	0	1.00	36.55	14.16	1.05	26.90
PK	430.61M	27.29	46.00	-18.71	-4.50	3	Vertical	0	1.00	31.79	21.64	1.57	27.71
PK	710.94M	40.87	46.00	-5.13	-2.22	3	Vertical	0	1.00	43.09	24.10	2.00	28.32
QP	36.79M	31.72	40.00	-8.28	-7.08	3	Vertical	260	1.00	38.80	19.85	0.45	27.38
QP	50.37M	24.18	40.00	-15.82	-13.70	3	Vertical	95	1.00	37.88	13.14	0.52	27.36

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	68.8M	29.90	40.00	-10.10	-15.29	3	Horizontal	360	1.00	45.19	11.41	0.62	27.32
PK	93.05M	34.24	43.50	-9.26	-11.92	3	Horizontal	360	1.00	46.16	14.60	0.73	27.25
PK	158.04M	22.96	43.50	-20.54	-10.84	3	Horizontal	360	1.00	33.80	15.24	0.95	27.03
PK	188.11M	22.54	43.50	-20.96	-11.69	3	Horizontal	360	1.00	34.23	14.15	1.05	26.89
PK	333.61M	25.09	46.00	-20.91	-6.77	3	Horizontal	360	1.00	31.86	18.75	1.39	26.91
PK	710.94M	36.26	46.00	-9.74	-2.22	3	Horizontal	360	1.00	38.48	24.10	2.00	28.32

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1394G	46.88	54.00	-7.12	3	Vertical	312	1.74
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	50.14	54.00	-3.86	3	Vertical	311	1.71
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.95	54.00	-0.05	3	Vertical	311	1.64
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.361G	47.04	54.00	-6.96	3	Vertical	312	1.83
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	315	1.83
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.75	54.00	-0.25	3	Vertical	313	1.66

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1394G	46.88	54.00	-7.12	3	Vertical	312	1.74
5180MHz	Pass	AV	5.1818G	103.59	Inf	-Inf	3	Vertical	312	1.74
5180MHz	Pass	PK	5.1378G	61.06	74.00	-12.94	3	Vertical	312	1.74
5180MHz	Pass	PK	5.1756G	117.29	Inf	-Inf	3	Vertical	312	1.74
5180MHz	Pass	PK	10.35028G	47.16	68.20	-21.04	3	Vertical	32	1.50
5180MHz	Pass	PK	10.35616G	48.21	68.20	-19.99	3	Horizontal	74	1.50
5200MHz	Pass	AV	5.1496G	45.47	54.00	-8.53	3	Vertical	314	1.64
5200MHz	Pass	AV	5.2016G	103.41	Inf	-Inf	3	Vertical	314	1.64
5200MHz	Pass	PK	5.1488G	58.92	74.00	-15.08	3	Vertical	314	1.64
5200MHz	Pass	PK	5.2032G	116.52	Inf	-Inf	3	Vertical	314	1.64
5200MHz	Pass	PK	10.3886G	47.64	68.20	-20.56	3	Vertical	344	1.55
5200MHz	Pass	PK	10.39694G	47.10	68.20	-21.10	3	Horizontal	98	1.50
5240MHz	Pass	AV	5.147G	44.35	54.00	-9.65	3	Vertical	311	1.62
5240MHz	Pass	AV	5.2358G	102.09	Inf	-Inf	3	Vertical	311	1.62
5240MHz	Pass	AV	5.3576G	44.11	54.00	-9.89	3	Vertical	311	1.62
5240MHz	Pass	PK	5.1482G	58.54	74.00	-15.46	3	Vertical	311	1.62
5240MHz	Pass	PK	5.2364G	115.32	Inf	-Inf	3	Vertical	311	1.62
5240MHz	Pass	PK	5.3606G	58.49	74.00	-15.51	3	Vertical	311	1.62
5240MHz	Pass	PK	10.48558G	47.01	68.20	-21.19	3	Vertical	152	1.50
5240MHz	Pass	PK	10.49068G	46.85	68.20	-21.35	3	Horizontal	61	1.50
5260MHz	Pass	AV	5.1478G	44.58	54.00	-9.42	3	Vertical	312	1.77
5260MHz	Pass	AV	5.2612G	103.01	Inf	-Inf	3	Vertical	312	1.77
5260MHz	Pass	AV	5.3512G	44.52	54.00	-9.48	3	Vertical	312	1.77
5260MHz	Pass	PK	5.1202G	58.48	74.00	-15.52	3	Vertical	312	1.77
5260MHz	Pass	PK	5.2636G	116.24	Inf	-Inf	3	Vertical	312	1.77
5260MHz	Pass	PK	5.3728G	58.52	74.00	-15.48	3	Vertical	312	1.77
5260MHz	Pass	PK	10.51826G	46.91	68.20	-21.29	3	Vertical	25	1.50
5260MHz	Pass	PK	10.5275G	46.74	68.20	-21.46	3	Horizontal	165	1.24
5300MHz	Pass	AV	5.302G	104.08	Inf	-Inf	3	Vertical	316	1.70
5300MHz	Pass	AV	5.3504G	45.41	54.00	-8.59	3	Vertical	316	1.70
5300MHz	Pass	PK	5.3016G	117.26	Inf	-Inf	3	Vertical	316	1.70
5300MHz	Pass	PK	5.3504G	59.20	74.00	-14.80	3	Vertical	316	1.70
5300MHz	Pass	AV	10.60149G	33.87	54.00	-20.13	3	Vertical	74	1.62
5300MHz	Pass	PK	10.6011G	47.10	74.00	-26.90	3	Vertical	74	1.62
5300MHz	Pass	AV	10.60137G	33.88	54.00	-20.12	3	Horizontal	140	2.20
5300MHz	Pass	PK	10.60088G	47.19	74.00	-26.81	3	Horizontal	140	2.20
5320MHz	Pass	AV	5.3162G	103.88	Inf	-Inf	3	Vertical	312	1.83
5320MHz	Pass	AV	5.361G	47.04	54.00	-6.96	3	Vertical	312	1.83
5320MHz	Pass	PK	5.3168G	118.04	Inf	-Inf	3	Vertical	312	1.83
5320MHz	Pass	PK	5.3604G	61.41	74.00	-12.59	3	Vertical	312	1.83
5320MHz	Pass	AV	10.64798G	34.08	54.00	-19.92	3	Vertical	88	3.00
5320MHz	Pass	PK	10.64426G	46.95	74.00	-27.05	3	Vertical	88	3.00
5320MHz	Pass	AV	10.65026G	34.06	54.00	-19.94	3	Horizontal	224	1.50
5320MHz	Pass	PK	10.64162G	47.20	74.00	-26.80	3	Horizontal	224	1.50
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.14	54.00	-3.86	3	Vertical	311	1.71
5190MHz	Pass	AV	5.184G	101.04	Inf	-Inf	3	Vertical	311	1.71
5190MHz	Pass	PK	5.1472G	64.69	74.00	-9.31	3	Vertical	311	1.71
5190MHz	Pass	PK	5.1816G	114.91	Inf	-Inf	3	Vertical	311	1.71
5190MHz	Pass	PK	10.40592G	48.04	68.20	-20.16	3	Vertical	335	1.50
5190MHz	Pass	PK	10.40856G	47.50	68.20	-20.70	3	Horizontal	241	1.50
5230MHz	Pass	AV	5.15G	45.79	54.00	-8.21	3	Vertical	312	1.73
5230MHz	Pass	AV	5.224G	100.20	Inf	-Inf	3	Vertical	312	1.73
5230MHz	Pass	PK	5.1484G	59.28	74.00	-14.72	3	Vertical	312	1.73
5230MHz	Pass	PK	5.2244G	113.66	Inf	-Inf	3	Vertical	312	1.73
5230MHz	Pass	PK	10.47128G	47.00	68.20	-21.20	3	Vertical	304	1.22
5230MHz	Pass	PK	10.44368G	47.02	68.20	-21.18	3	Horizontal	328	2.22
5270MHz	Pass	AV	5.276G	100.51	Inf	-Inf	3	Vertical	316	1.78
5270MHz	Pass	AV	5.35G	46.29	54.00	-7.71	3	Vertical	316	1.78
5270MHz	Pass	PK	5.274G	114.34	Inf	-Inf	3	Vertical	316	1.78




RSE TX above 1GHz Non-Beamforming Radio 3_2T2S

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.3508G	59.45	74.00	-14.55	3	Vertical	316	1.78
5270MHz	Pass	PK	10.5208G	46.53	68.20	-21.67	3	Vertical	247	1.50
5270MHz	Pass	PK	10.56832G	46.85	68.20	-21.35	3	Horizontal	81	1.50
5310MHz	Pass	AV	5.3164G	100.65	Inf	-Inf	3	Vertical	315	1.83
5310MHz	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	315	1.83
5310MHz	Pass	PK	5.3204G	114.56	Inf	-Inf	3	Vertical	315	1.83
5310MHz	Pass	PK	5.3512G	69.89	74.00	-4.11	3	Vertical	315	1.83
5310MHz	Pass	AV	10.61863G	33.53	54.00	-20.47	3	Vertical	172	1.37
5310MHz	Pass	PK	10.619G	46.60	74.00	-27.40	3	Vertical	172	1.37
5310MHz	Pass	AV	10.60812G	34.09	54.00	-19.91	3	Horizontal	214	1.47
5310MHz	Pass	PK	10.60068G	47.67	74.00	-26.33	3	Horizontal	214	1.47
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.95	54.00	-0.05	3	Vertical	311	1.64
5210MHz	Pass	AV	5.202G	97.91	Inf	-Inf	3	Vertical	311	1.64
5210MHz	Pass	AV	5.377G	45.62	54.00	-8.38	3	Vertical	311	1.64
5210MHz	Pass	PK	5.148G	66.87	74.00	-7.13	3	Vertical	311	1.64
5210MHz	Pass	PK	5.209G	111.39	Inf	-Inf	3	Vertical	311	1.64
5210MHz	Pass	PK	5.361G	58.48	74.00	-15.52	3	Vertical	311	1.64
5210MHz	Pass	PK	10.41808G	46.82	68.20	-21.38	3	Vertical	147	1.00
5210MHz	Pass	PK	10.40056G	47.34	68.20	-20.86	3	Horizontal	146	1.50
5290MHz	Pass	AV	5.15G	46.27	54.00	-7.73	3	Vertical	313	1.66
5290MHz	Pass	AV	5.303G	97.70	Inf	-Inf	3	Vertical	313	1.66
5290MHz	Pass	AV	5.35G	53.75	54.00	-0.25	3	Vertical	313	1.66
5290MHz	Pass	PK	5.147G	59.65	74.00	-14.35	3	Vertical	313	1.66
5290MHz	Pass	PK	5.304G	110.88	Inf	-Inf	3	Vertical	313	1.66
5290MHz	Pass	PK	5.351G	66.60	74.00	-7.40	3	Vertical	313	1.66
5290MHz	Pass	PK	5.491G	57.74	68.20	-10.46	3	Vertical	313	1.66
5290MHz	Pass	PK	10.5838G	46.72	68.20	-21.48	3	Vertical	150	1.10
5290MHz	Pass	PK	10.58156G	46.93	68.20	-21.27	3	Horizontal	250	1.09


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	100.65	Inf	-Inf	4.69	3	Vertical	315	1.83	95.96	32.80	6.96	35.07
AV	5.35G	53.78	54.00	-0.22	4.74	3	Vertical	315	1.83	49.04	32.80	7.01	35.07
PK	5.3204G	114.56	Inf	-Inf	4.70	3	Vertical	315	1.83	109.86	32.80	6.97	35.07
PK	5.3512G	69.89	74.00	-4.11	4.75	3	Vertical	315	1.83	65.14	32.80	7.02	35.07

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61863G	33.53	54.00	-20.47	14.85	3	Vertical	172	1.37	18.68	38.94	10.39	34.48
PK	10.619G	46.60	74.00	-27.40	14.86	3	Vertical	172	1.37	31.74	38.94	10.39	34.47


5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a40_Nss1,(6Mbps)_1TX	Pass	PK	41.64M	32.54	40.00	-7.46	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5755MHz_PoE	Pass	PK	41.64M	32.54	40.00	-7.46	3	Vertical	0	1.00
5755MHz_PoE	Pass	PK	103.72M	23.70	43.50	-19.80	3	Vertical	0	1.00
5755MHz_PoE	Pass	PK	253.1M	22.75	46.00	-23.25	3	Vertical	0	1.00
5755MHz_PoE	Pass	PK	348.16M	26.96	46.00	-19.04	3	Vertical	0	1.00
5755MHz_PoE	Pass	PK	468.44M	26.44	46.00	-19.56	3	Vertical	0	1.00
5755MHz_PoE	Pass	PK	549.92M	28.07	46.00	-17.93	3	Vertical	0	1.00
5755MHz_PoE	Pass	PK	33.88M	26.29	40.00	-13.71	3	Horizontal	360	1.00
5755MHz_PoE	Pass	PK	113.42M	23.46	43.50	-20.04	3	Horizontal	360	1.00
5755MHz_PoE	Pass	PK	249.22M	29.11	46.00	-16.89	3	Horizontal	360	1.00
5755MHz_PoE	Pass	PK	344.28M	25.91	46.00	-20.09	3	Horizontal	360	1.00
5755MHz_PoE	Pass	PK	445.16M	25.18	46.00	-20.82	3	Horizontal	360	1.00
5755MHz_PoE	Pass	PK	575.14M	28.24	46.00	-17.76	3	Horizontal	360	1.00

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	32.54	40.00	-7.46	-8.07	3	Vertical	0	1.00	40.61	16.70	1.41	26.18
PK	103.72M	23.70	43.50	-19.80	-9.57	3	Vertical	0	1.00	33.27	16.03	2.03	27.63
PK	253.11M	22.75	46.00	-23.25	-6.34	3	Vertical	0	1.00	29.09	17.46	3.26	27.06
PK	348.16M	26.96	46.00	-19.04	-4.41	3	Vertical	0	1.00	31.37	19.08	3.85	27.34
PK	468.44M	26.44	46.00	-19.56	-1.60	3	Vertical	0	1.00	28.04	21.86	4.70	28.16
PK	549.92M	28.07	46.00	-17.93	0.31	3	Vertical	0	1.00	27.76	23.49	5.13	28.31

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

5755MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	26.29	40.00	-13.71	-4.63	3	Horizontal	360	1.00	30.92	21.15	1.28	27.06
PK	113.42M	23.46	43.50	-20.04	-8.87	3	Horizontal	360	1.00	32.33	16.60	2.15	27.62
PK	249.22M	29.11	46.00	-16.89	-6.85	3	Horizontal	360	1.00	35.96	16.98	3.23	27.06
PK	344.28M	25.91	46.00	-20.09	-4.63	3	Horizontal	360	1.00	30.54	18.84	3.84	27.31
PK	445.16M	25.18	46.00	-20.82	-2.13	3	Horizontal	360	1.00	27.31	21.34	4.56	28.03
PK	575.14M	28.24	46.00	-17.76	0.28	3	Horizontal	360	1.00	27.96	23.17	5.47	28.36