



Appendix 3: AP305CX-Eth1 RSE

Profile: 1962097R	Page No.: 81
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.422	31.903	-30.578	74.000	11.519	PK
2	*	15540.000	51.302	33.445	-22.698	74.000	17.857	PK

Profile: 1962097R	Page No.: 82
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.061	32.542	-29.939	74.000	11.519	PK
2	*	15540.000	49.828	31.971	-24.172	74.000	17.857	PK

Profile: 1962097R	Page No.: 83
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.416	30.347	-31.584	74.000	12.070	PK
2	*	15660.000	48.805	31.200	-25.195	74.000	17.605	PK

Profile: 1962097R	Page No.: 84
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.209	30.140	-31.791	74.000	12.070	PK
2	*	15660.000	48.248	30.643	-25.752	74.000	17.605	PK

Profile: 1962097R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.016	29.744	-31.984	74.000	12.272	PK
2	*	15720.000	48.692	30.655	-25.308	74.000	18.038	PK

Profile: 1962097R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.892	30.620	-31.108	74.000	12.272	PK
2	*	15720.000	50.327	32.290	-23.673	74.000	18.038	PK

Profile: 1962097R	Page No.: 241
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.001	32.482	-29.999	74.000	11.519	PK
2	*	15540.000	50.500	32.643	-23.500	74.000	17.857	PK

Profile: 1962097R	Page No.: 242
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.852	30.333	-32.148	74.000	11.519	PK
2	*	15540.000	48.808	30.951	-25.192	74.000	17.857	PK

Profile: 1962097R	Page No.: 243
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.927	29.858	-32.073	74.000	12.070	PK
2	*	15660.000	48.604	30.999	-25.396	74.000	17.605	PK

Profile: 1962097R	Page No.: 244
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.818	29.749	-32.182	74.000	12.070	PK
2	*	15660.000	48.008	30.403	-25.992	74.000	17.605	PK

Profile: 1962097R	Page No.: 245
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.792	30.520	-31.208	74.000	12.272	PK
2	*	15720.000	49.015	30.978	-24.985	74.000	18.038	PK

Profile: 1962097R	Page No.: 246
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.704	30.432	-31.296	74.000	12.272	PK
2	*	15720.000	48.736	30.699	-25.264	74.000	18.038	PK

Profile: 1962097R	Page No.: 247
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.589	30.070	-32.411	74.000	11.519	PK
2	*	15540.000	49.161	31.304	-24.839	74.000	17.857	PK

Profile: 1962097R	Page No.: 248
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.501	29.982	-32.499	74.000	11.519	PK
2	*	15540.000	48.973	31.116	-25.027	74.000	17.857	PK

Profile: 1962097R	Page No.: 249
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.238	30.169	-31.762	74.000	12.070	PK
2	*	15660.000	48.365	30.760	-25.635	74.000	17.605	PK

Profile: 1962097R	Page No.: 250
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.058	30.989	-30.942	74.000	12.070	PK
2	*	15660.000	49.116	31.511	-24.884	74.000	17.605	PK

Profile: 1962097R	Page No.: 251
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.380	30.108	-31.620	74.000	12.272	PK
2	*	15720.000	49.257	31.220	-24.743	74.000	18.038	PK

Profile: 1962097R	Page No.: 252
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.714	29.442	-32.286	74.000	12.272	PK
2	*	15720.000	48.992	30.955	-25.008	74.000	18.038	PK

Profile: 1962097R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.355	31.836	-30.645	74.000	11.519	PK
2	*	15540.000	50.393	32.536	-23.607	74.000	17.857	PK

Profile: 1962097R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.721	31.202	-31.279	74.000	11.519	PK
2	*	15540.000	50.216	32.359	-23.784	74.000	17.857	PK

Profile: 1962097R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.655	30.586	-31.345	74.000	12.070	PK
2	*	15660.000	49.023	31.418	-24.977	74.000	17.605	PK

Profile: 1962097R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.747	30.678	-31.253	74.000	12.070	PK
2	*	15660.000	48.820	31.215	-25.180	74.000	17.605	PK

Profile: 1962097R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.883	30.611	-31.117	74.000	12.272	PK
2	*	15720.000	48.884	30.847	-25.116	74.000	18.038	PK

Profile: 1962097R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.742	30.470	-31.258	74.000	12.272	PK
2	*	15720.000	49.503	31.466	-24.497	74.000	18.038	PK

Profile: 1962097R	Page No.: 253
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.052	30.533	-31.948	74.000	11.519	PK
2	*	15540.000	49.263	31.406	-24.737	74.000	17.857	PK

Profile: 1962097R	Page No.: 254
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.634	30.115	-32.366	74.000	11.519	PK
2	*	15540.000	49.713	31.856	-24.287	74.000	17.857	PK

Profile: 1962097R	Page No.: 255
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.567	29.498	-32.433	74.000	12.070	PK
2	*	15660.000	48.478	30.873	-25.522	74.000	17.605	PK

Profile: 1962097R	Page No.: 256
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.146	30.077	-31.854	74.000	12.070	PK
2	*	15660.000	48.097	30.492	-25.903	74.000	17.605	PK

Profile: 1962097R	Page No.: 257
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.912	30.640	-31.088	74.000	12.272	PK
2	*	15720.000	49.640	31.603	-24.360	74.000	18.038	PK

Profile: 1962097R	Page No.: 258
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.300	30.028	-31.700	74.000	12.272	PK
2	*	15720.000	48.896	30.859	-25.104	74.000	18.038	PK

Profile: 1962097R	Page No.: 259
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.034	31.515	-30.966	74.000	11.519	PK
2	*	15540.000	50.131	32.274	-23.869	74.000	17.857	PK

Profile: 1962097R	Page No.: 260
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.595	30.076	-32.405	74.000	11.519	PK
2	*	15540.000	48.811	30.954	-25.189	74.000	17.857	PK

Profile: 1962097R	Page No.: 261
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.816	30.747	-31.184	74.000	12.070	PK
2	*	15660.000	48.251	30.646	-25.749	74.000	17.605	PK

Profile: 1962097R	Page No.: 262
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.816	29.747	-32.184	74.000	12.070	PK
2	*	15660.000	48.310	30.705	-25.690	74.000	17.605	PK

Profile: 1962097R	Page No.: 263
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.713	29.441	-32.287	74.000	12.272	PK
2	*	15720.000	48.584	30.547	-25.416	74.000	18.038	PK

Profile: 1962097R	Page No.: 264
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.700	30.428	-31.300	74.000	12.272	PK
2	*	15720.000	48.469	30.432	-25.531	74.000	18.038	PK

Profile: 1962097R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.206	30.687	-31.794	74.000	11.519	PK
2	*	15540.000	49.503	31.646	-24.497	74.000	17.857	PK

Profile: 1962097R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.200	32.681	-29.800	74.000	11.519	PK
2	*	15540.000	50.291	32.434	-23.709	74.000	17.857	PK

Profile: 1962097R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.510	30.441	-31.490	74.000	12.070	PK
2	*	15660.000	48.983	31.378	-25.017	74.000	17.605	PK

Profile: 1962097R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.816	30.747	-31.184	74.000	12.070	PK
2	*	15660.000	49.099	31.494	-24.901	74.000	17.605	PK

Profile: 1962097R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.728	29.456	-32.272	74.000	12.272	PK
2	*	15720.000	49.331	31.294	-24.669	74.000	18.038	PK

Profile: 1962097R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.926	31.654	-30.074	74.000	12.272	PK
2	*	15720.000	49.616	31.579	-24.384	74.000	18.038	PK

Profile: 1962097R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.538	31.888	-30.462	74.000	11.650	PK
2	*	15570.000	50.229	32.355	-23.771	74.000	17.874	PK

Profile: 1962097R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.374	31.724	-30.626	74.000	11.650	PK
2	*	15570.000	50.278	32.404	-23.722	74.000	17.874	PK

Profile: 1962097R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.342	30.278	-31.658	74.000	12.064	PK
2	*	15690.000	48.599	30.741	-25.401	74.000	17.857	PK

Profile: 1962097R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.127	30.063	-31.873	74.000	12.064	PK
2	*	15690.000	49.887	32.029	-24.113	74.000	17.857	PK

Profile: 1962097R	Page No.: 265
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.312	30.662	-31.688	74.000	11.650	PK
2	*	15570.000	49.322	31.448	-24.678	74.000	17.874	PK

Profile: 1962097R	Page No.: 266
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.608	29.958	-32.392	74.000	11.650	PK
2	*	15570.000	48.234	30.360	-25.766	74.000	17.874	PK

Profile: 1962097R	Page No.: 267
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.564	28.500	-33.436	74.000	12.064	PK
2	*	15690.000	47.817	29.959	-26.183	74.000	17.857	PK

Profile: 1962097R	Page No.: 268
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.248	30.184	-31.752	74.000	12.064	PK
2	*	15690.000	48.835	30.977	-25.165	74.000	17.857	PK

Profile: 1962097R	Page No.: 269
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.587	28.937	-33.413	74.000	11.650	PK
2	*	15570.000	48.069	30.195	-25.931	74.000	17.874	PK

Profile: 1962097R	Page No.: 270
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.385	29.735	-32.615	74.000	11.650	PK
2	*	15570.000	48.885	31.011	-25.115	74.000	17.874	PK

Profile: 1962097R	Page No.: 271
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.607	28.543	-33.393	74.000	12.064	PK
2	*	15690.000	48.598	30.740	-25.402	74.000	17.857	PK

Profile: 1962097R	Page No.: 272
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.101	29.037	-32.899	74.000	12.064	PK
2	*	15690.000	48.207	30.349	-25.793	74.000	17.857	PK

Profile: 1962097R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.422	30.772	-31.578	74.000	11.650	PK
2	*	15570.000	49.549	31.675	-24.451	74.000	17.874	PK

Profile: 1962097R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.865	31.215	-31.135	74.000	11.650	PK
2	*	15570.000	50.376	32.502	-23.624	74.000	17.874	PK

Profile: 1962097R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.689	29.625	-32.311	74.000	12.064	PK
2	*	15690.000	48.980	31.122	-25.020	74.000	17.857	PK

Profile: 1962097R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.091	31.027	-30.909	74.000	12.064	PK
2	*	15690.000	49.433	31.575	-24.567	74.000	17.857	PK

Profile: 1962097R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.109	30.590	-31.891	74.000	11.519	PK
2	*	15540.000	49.215	31.358	-24.785	74.000	17.857	PK

Profile: 1962097R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.504	30.985	-31.496	74.000	11.519	PK
2	*	15540.000	49.664	31.807	-24.336	74.000	17.857	PK

Profile: 1962097R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.434	30.365	-31.566	74.000	12.070	PK
2	*	15660.000	48.813	31.208	-25.187	74.000	17.605	PK

Profile: 1962097R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.996	29.927	-32.004	74.000	12.070	PK
2	*	15660.000	48.196	30.591	-25.804	74.000	17.605	PK

Profile: 1962097R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.217	30.945	-30.783	74.000	12.272	PK
2	*	15720.000	49.461	31.424	-24.539	74.000	18.038	PK

Profile: 1962097R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.497	31.225	-30.503	74.000	12.272	PK
2	*	15720.000	49.508	31.471	-24.492	74.000	18.038	PK

Profile: 1962097R	Page No.: 273
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.164	31.645	-30.836	74.000	11.519	PK
2	*	15540.000	50.661	32.804	-23.339	74.000	17.857	PK

Profile: 1962097R	Page No.: 274
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.125	30.606	-31.875	74.000	11.519	PK
2	*	15540.000	48.634	30.777	-25.366	74.000	17.857	PK

Profile: 1962097R	Page No.: 275
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.437	29.368	-32.563	74.000	12.070	PK
2	*	15660.000	48.794	31.189	-25.206	74.000	17.605	PK

Profile: 1962097R	Page No.: 276
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.316	30.247	-31.684	74.000	12.070	PK
2	*	15660.000	47.207	29.602	-26.793	74.000	17.605	PK

Profile: 1962097R	Page No.: 277
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.968	30.696	-31.032	74.000	12.272	PK
2	*	15720.000	48.774	30.737	-25.226	74.000	18.038	PK

Profile: 1962097R	Page No.: 278
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.854	29.582	-32.146	74.000	12.272	PK
2	*	15720.000	48.560	30.523	-25.440	74.000	18.038	PK

Profile: 1962097R	Page No.: 279
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.851	30.332	-32.149	74.000	11.519	PK
2	*	15540.000	48.885	31.028	-25.115	74.000	17.857	PK

Profile: 1962097R	Page No.: 280
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.085	30.566	-31.915	74.000	11.519	PK
2	*	15540.000	49.303	31.446	-24.697	74.000	17.857	PK

Profile: 1962097R	Page No.: 281
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.858	29.789	-32.142	74.000	12.070	PK
2	*	15660.000	48.459	30.854	-25.541	74.000	17.605	PK

Profile: 1962097R	Page No.: 282
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.125	32.056	-29.875	74.000	12.070	PK
2	*	15660.000	48.113	30.508	-25.887	74.000	17.605	PK

Profile: 1962097R	Page No.: 283
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.490	31.218	-30.510	74.000	12.272	PK
2	*	15720.000	48.924	30.887	-25.076	74.000	18.038	PK

Profile: 1962097R	Page No.: 284
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.581	29.309	-32.419	74.000	12.272	PK
2	*	15720.000	48.526	30.489	-25.474	74.000	18.038	PK

Profile: 1962097R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.384	30.865	-31.616	74.000	11.519	PK
2	*	15540.000	49.364	31.507	-24.636	74.000	17.857	PK

Profile: 1962097R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.173	31.654	-30.827	74.000	11.519	PK
2	*	15540.000	50.810	32.953	-23.190	74.000	17.857	PK

Profile: 1962097R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.129	31.060	-30.871	74.000	12.070	PK
2	*	15660.000	49.598	31.993	-24.402	74.000	17.605	PK

Profile: 1962097R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.025	29.956	-31.975	74.000	12.070	PK
2	*	15660.000	49.486	31.881	-24.514	74.000	17.605	PK

Profile: 1962097R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.970	30.698	-31.030	74.000	12.272	PK
2	*	15720.000	49.006	30.969	-24.994	74.000	18.038	PK

Profile: 1962097R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.662	30.390	-31.338	74.000	12.272	PK
2	*	15720.000	49.622	31.585	-24.378	74.000	18.038	PK

Profile: 1962097R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.621	30.971	-31.379	74.000	11.650	PK
2	*	15570.000	50.062	32.188	-23.938	74.000	17.874	PK

Profile: 1962097R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.555	30.905	-31.445	74.000	11.650	PK
2	*	15570.000	49.949	32.075	-24.051	74.000	17.874	PK

Profile: 1962097R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.108	30.044	-31.892	74.000	12.064	PK
2	*	15690.000	49.783	31.925	-24.217	74.000	17.857	PK

Profile: 1962097R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.547	29.483	-32.453	74.000	12.064	PK
2	*	15690.000	48.958	31.100	-25.042	74.000	17.857	PK

Profile: 1962097R	Page No.: 285
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.468	30.818	-31.532	74.000	11.650	PK
2	*	15570.000	48.641	30.767	-25.359	74.000	17.874	PK

Profile: 1962097R	Page No.: 286
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.619	30.969	-31.381	74.000	11.650	PK
2	*	15570.000	50.048	32.174	-23.952	74.000	17.874	PK

Profile: 1962097R	Page No.: 287
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.148	30.084	-31.852	74.000	12.064	PK
2	*	15690.000	48.833	30.975	-25.167	74.000	17.857	PK

Profile: 1962097R	Page No.: 288
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.677	28.613	-33.323	74.000	12.064	PK
2	*	15690.000	48.448	30.590	-25.552	74.000	17.857	PK

Profile: 1962097R	Page No.: 289
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.852	31.202	-31.148	74.000	11.650	PK
2	*	15570.000	49.862	31.988	-24.138	74.000	17.874	PK

Profile: 1962097R	Page No.: 290
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.746	30.096	-32.254	74.000	11.650	PK
2	*	15570.000	48.263	30.389	-25.737	74.000	17.874	PK

Profile: 1962097R	Page No.: 291
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.459	29.395	-32.541	74.000	12.064	PK
2	*	15690.000	48.617	30.759	-25.383	74.000	17.857	PK

Profile: 1962097R	Page No.: 292
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.283	30.219	-31.717	74.000	12.064	PK
2	*	15690.000	48.759	30.901	-25.241	74.000	17.857	PK

Profile: 1962097R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.769	32.119	-30.231	74.000	11.650	PK
2	*	15570.000	50.411	32.537	-23.589	74.000	17.874	PK

Profile: 1962097R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.321	30.671	-31.679	74.000	11.650	PK
2	*	15570.000	49.462	31.588	-24.538	74.000	17.874	PK

Profile: 1962097R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.237	30.173	-31.763	74.000	12.064	PK
2	*	15690.000	49.316	31.458	-24.684	74.000	17.857	PK

Profile: 1962097R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.412	30.348	-31.588	74.000	12.064	PK
2	*	15690.000	50.712	32.854	-23.288	74.000	17.857	PK

Profile: 1962097R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.009	30.927	-30.991	74.000	12.083	PK
2	*	15630.000	49.606	31.866	-24.394	74.000	17.740	PK

Profile: 1962097R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.801	30.719	-31.199	74.000	12.083	PK
2	*	15630.000	49.567	31.827	-24.433	74.000	17.740	PK

Profile: 1962097R	Page No.: 293
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.264	30.182	-31.736	74.000	12.083	PK
2	*	15630.000	47.705	29.965	-26.295	74.000	17.740	PK

Profile: 1962097R	Page No.: 294
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.471	29.389	-32.529	74.000	12.083	PK
2	*	15630.000	48.327	30.587	-25.673	74.000	17.740	PK

Profile: 1962097R	Page No.: 295
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.552	28.470	-33.448	74.000	12.083	PK
2	*	15630.000	48.006	30.266	-25.994	74.000	17.740	PK

Profile: 1962097R	Page No.: 296
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.918	30.836	-31.082	74.000	12.083	PK
2	*	15630.000	48.898	31.158	-25.102	74.000	17.740	PK

Profile: 1962097R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.308	31.226	-30.692	74.000	12.083	PK
2	*	15630.000	49.713	31.973	-24.287	74.000	17.740	PK

Profile: 1962097R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.084	31.002	-30.916	74.000	12.083	PK
2	*	15630.000	49.781	32.041	-24.219	74.000	17.740	PK

Profile: 1962097R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.533	31.014	-31.467	74.000	11.519	PK
2	*	15540.000	50.095	32.238	-23.905	74.000	17.857	PK

Profile: 1962097R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.835	30.316	-32.165	74.000	11.519	PK
2	*	15540.000	49.686	31.829	-24.314	74.000	17.857	PK

Profile: 1962097R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.364	30.295	-31.636	74.000	12.070	PK
2	*	15660.000	49.024	31.419	-24.976	74.000	17.605	PK

Profile: 1962097R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.344	30.275	-31.656	74.000	12.070	PK
2	*	15660.000	49.796	32.191	-24.204	74.000	17.605	PK

Profile: 1962097R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.782	30.510	-31.218	74.000	12.272	PK
2	*	15720.000	48.982	30.945	-25.018	74.000	18.038	PK

Profile: 1962097R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.513	30.241	-31.487	74.000	12.272	PK
2	*	15720.000	49.397	31.360	-24.603	74.000	18.038	PK

Profile: 1962097R	Page No.: 297
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.637	31.118	-31.363	74.000	11.519	PK
2	*	15540.000	50.024	32.167	-23.976	74.000	17.857	PK

Profile: 1962097R	Page No.: 298
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.987	31.468	-31.013	74.000	11.519	PK
2	*	15540.000	49.925	32.068	-24.075	74.000	17.857	PK

Profile: 1962097R	Page No.: 299
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.916	29.847	-32.084	74.000	12.070	PK
2	*	15660.000	48.029	30.424	-25.971	74.000	17.605	PK

Profile: 1962097R	Page No.: 300
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.057	29.988	-31.943	74.000	12.070	PK
2	*	15660.000	47.850	30.245	-26.150	74.000	17.605	PK

Profile: 1962097R	Page No.: 301
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.634	31.362	-30.366	74.000	12.272	PK
2	*	15720.000	49.593	31.556	-24.407	74.000	18.038	PK

Profile: 1962097R	Page No.: 302
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.265	29.993	-31.735	74.000	12.272	PK
2	*	15720.000	47.734	29.697	-26.266	74.000	18.038	PK

Profile: 1962097R	Page No.: 303
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.695	30.176	-32.305	74.000	11.519	PK
2	*	15540.000	49.141	31.284	-24.859	74.000	17.857	PK

Profile: 1962097R	Page No.: 304
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.277	30.758	-31.723	74.000	11.519	PK
2	*	15540.000	50.051	32.194	-23.949	74.000	17.857	PK

Profile: 1962097R	Page No.: 305
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.811	29.742	-32.189	74.000	12.070	PK
2	*	15660.000	47.771	30.166	-26.229	74.000	17.605	PK

Profile: 1962097R	Page No.: 306
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.390	30.321	-31.610	74.000	12.070	PK
2	*	15660.000	47.261	29.656	-26.739	74.000	17.605	PK

Profile: 1962097R	Page No.: 307
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.525	29.253	-32.475	74.000	12.272	PK
2	*	15720.000	48.797	30.760	-25.203	74.000	18.038	PK

Profile: 1962097R	Page No.: 308
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.940	29.668	-32.060	74.000	12.272	PK
2	*	15720.000	48.350	30.313	-25.650	74.000	18.038	PK

Profile: 1962097R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.007	31.488	-30.993	74.000	11.519	PK
2	*	15540.000	50.105	32.248	-23.895	74.000	17.857	PK

Profile: 1962097R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.585	31.066	-31.415	74.000	11.519	PK
2	*	15540.000	49.686	31.829	-24.314	74.000	17.857	PK

Profile: 1962097R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.331	31.262	-30.669	74.000	12.070	PK
2	*	15660.000	50.020	32.415	-23.980	74.000	17.605	PK

Profile: 1962097R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.359	30.290	-31.641	74.000	12.070	PK
2	*	15660.000	47.890	30.285	-26.110	74.000	17.605	PK

Profile: 1962097R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.306	30.034	-31.694	74.000	12.272	PK
2	*	15720.000	49.117	31.080	-24.883	74.000	18.038	PK

Profile: 1962097R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.335	31.063	-30.665	74.000	12.272	PK
2	*	15720.000	50.024	31.987	-23.976	74.000	18.038	PK

Profile: 1962097R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.786	31.136	-31.214	74.000	11.650	PK
2	*	15570.000	50.983	33.109	-23.017	74.000	17.874	PK

Profile: 1962097R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.265	30.615	-31.735	74.000	11.650	PK
2	*	15570.000	50.194	32.320	-23.806	74.000	17.874	PK

Profile: 1962097R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.863	30.799	-31.137	74.000	12.064	PK
2	*	15690.000	49.433	31.575	-24.567	74.000	17.857	PK

Profile: 1962097R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.073	29.009	-32.927	74.000	12.064	PK
2	*	15690.000	48.851	30.993	-25.149	74.000	17.857	PK

Profile: 1962097R	Page No.: 309
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.854	30.204	-32.146	74.000	11.650	PK
2	*	15570.000	48.649	30.775	-25.351	74.000	17.874	PK

Profile: 1962097R	Page No.: 310
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.051	30.401	-31.949	74.000	11.650	PK
2	*	15570.000	48.403	30.529	-25.597	74.000	17.874	PK

Profile: 1962097R	Page No.: 311
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.747	29.683	-32.253	74.000	12.064	PK
2	*	15690.000	48.071	30.213	-25.929	74.000	17.857	PK

Profile: 1962097R	Page No.: 312
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.527	29.463	-32.473	74.000	12.064	PK
2	*	15690.000	48.139	30.281	-25.861	74.000	17.857	PK

Profile: 1962097R	Page No.: 313
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.174	30.524	-31.826	74.000	11.650	PK
2	*	15570.000	48.185	30.311	-25.815	74.000	17.874	PK

Profile: 1962097R	Page No.: 314
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.123	30.473	-31.877	74.000	11.650	PK
2	*	15570.000	49.763	31.889	-24.237	74.000	17.874	PK

Profile: 1962097R	Page No.: 315
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.919	28.855	-33.081	74.000	12.064	PK
2	*	15690.000	48.311	30.453	-25.689	74.000	17.857	PK

Profile: 1962097R	Page No.: 316
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.482	29.418	-32.518	74.000	12.064	PK
2	*	15690.000	48.642	30.784	-25.358	74.000	17.857	PK

Profile: 1962097R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.980	31.330	-31.020	74.000	11.650	PK
2	*	15570.000	50.199	32.325	-23.801	74.000	17.874	PK

Profile: 1962097R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.223	30.573	-31.777	74.000	11.650	PK
2	*	15570.000	50.410	32.536	-23.590	74.000	17.874	PK

Profile: 1962097R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.281	30.217	-31.719	74.000	12.064	PK
2	*	15690.000	49.552	31.694	-24.448	74.000	17.857	PK

Profile: 1962097R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.059	29.995	-31.941	74.000	12.064	PK
2	*	15690.000	50.501	32.643	-23.499	74.000	17.857	PK

Profile: 1962097R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.023	30.941	-30.977	74.000	12.083	PK
2	*	15630.000	49.702	31.962	-24.298	74.000	17.740	PK

Profile: 1962097R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.910	30.828	-31.090	74.000	12.083	PK
2	*	15630.000	50.616	32.876	-23.384	74.000	17.740	PK

Profile: 1962097R	Page No.: 317
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.600	30.518	-31.400	74.000	12.083	PK
2	*	15630.000	49.148	31.408	-24.852	74.000	17.740	PK

Profile: 1962097R	Page No.: 318
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.400	29.318	-32.600	74.000	12.083	PK
2	*	15630.000	48.861	31.121	-25.139	74.000	17.740	PK

Profile: 1962097R	Page No.: 319
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.820	31.738	-30.180	74.000	12.083	PK
2	*	15630.000	49.781	32.041	-24.219	74.000	17.740	PK

Profile: 1962097R	Page No.: 320
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.049	30.967	-30.951	74.000	12.083	PK
2	*	15630.000	48.315	30.575	-25.685	74.000	17.740	PK

Profile: 1962097R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.461	31.379	-30.539	74.000	12.083	PK
2	*	15630.000	49.561	31.821	-24.439	74.000	17.740	PK

Profile: 1962097R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.676	30.594	-31.324	74.000	12.083	PK
2	*	15630.000	50.034	32.294	-23.966	74.000	17.740	PK