

Series: Rod antenna

TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030



Features:

- Frequency 2400-2500MHz
- Gain 2.33 dBi
- Return Loss -10dB
- Length 108mm Straight position
- Connector:
 - RP SMA Male as default
 - SMA Male available by request

Applications:

- · 2.4GHz ISM band radios
- · Bluetooth, BLE, Zigbee
- WLAN, WiFi 802.11x for 2.4GHz
- Indoor use

All dimensions are in mm / inches

Issue: 2047

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Series: Rod antenna

TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

ELECTRICAL SPECIFICATIONS

Antenna Type Rod antenna Frequency 2.4-2.5 GHz

Nominal Impedance 50Ω

Return Loss≤ -10dBRadiation PatternOmniGain2.33 dBiPolarizationVertical

Electrical Length 1/2 λ dipole

MECHANICAL SPECIFICATIONS

Overall Length 108 mm
Weight 6.3 g
Antenna Color Black

Connector type Reverse SMA (Male), default

SMA (Male), by request

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature $-40\sim+85^{\circ}$ C Storage Temperature $-40\sim+85^{\circ}$ C RoHS Compliant Yes








TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

MECHANICAL DRAWING






TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

Return Loss






TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

Gain and efficiency









TECHNICAL DATA SHEET


Description: 2.4-2.5GHz Dipole swivel stick


antenna


PART NUMBER: W1030

CHARTS

Radiation pattern







Issue: 2047



TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

PACKAGING

Pack 20pcs antenna in one PE bag, 30pcs PE bag (600pcs Antenna) in one carton.

