





TEST REPORT

REPORT NUMBER: I20W00023-EMC_Rev.2

ON

Type of Equipment: IoT Module

Type of Designation: L710HG

Manufacturer: Shanghai Mobile Tek Communication Ltd.

ACCORDING TO

Subpart B, PART 15, RADIO FREQUENCY DEVICES, 2019

Chongqing Academy of Information and Communication Technology

Month date, year Jan, 21, 2021

Signature

Director

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of Chongqing Academy of Information and Communication Technology.





Revision Version

Report Number	Revision	Date	Memo
I20W00023-EMC	00	2021-01-07	Initial creation of test report
I20W00023-EMC	01	2021-01-19	Revised report
I20W00023-EMC	02	2021-01-21	Revised report





IC ID: 2AK9D-L710HG

Report Date: 2021-01-21

Test Firm Name: Chongqing Academy of Information and

Communication Technology

FCC Registration Number: CN1239

Statement

The measurements shown in this report were made in accordance with the procedures described on test pages. All reported tests were carried out on a sample equipment to demonstrate limited compliance with FCC CFR 47 Part 15B. The sample tested was found to comply with the requirements defined in the applied rules.





CONTENTS

1 GENERAL INFORMATION	4
1.1 Notes	4
1.2 Testers	5
1.3 TESTING LABORATORY INFORMATION	6
1.4 DETAILS OF APPLICANT OR MANUFACTURER	7
2 TEST ITEM	8
2.1 General Information	8
2.2 OUTLINE OF EUT	8
2.3 MODIFICATIONS INCORPORATED IN EUT	
2.4 EQUIPMENT CONFIGURATION	8
2.5 OTHER INFORMATION	
3 SUMMARY OF TEST RESULTS	9
4.TEST EQUIPMENT AND TEST SOFTWARE	9
5 TEST RESULTS	10
5.1 RADIATED EMISSION	10
5.2 CONDUCTED EMISSION	14
ANNEX A EXTERNAL PHOTOS	17
ANNEX B INTERNAL PHOTOS	17
ANNEX C DEVIATIONS FROM PRESCRIBED TEST METHODS	17





1 General Information

1.1 Notes

All reported tests were carried out on a sample equipment to demonstrate limited compliance with FCC CFR 47 Part 15B.

The test results of this test report relate exclusively to the item(s) tested as specified in section 2.

The following deviation from, additions to, or exclusions from the test specifications have been made. See Annex C.

Chongqing Academy of Information and Communications authorizes the applicant or manufacturer (see section 1.4) to reproduce this report provided, and the test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of Chongqing Academy of Information and Communication Technology Mr. Zhang Yan.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. Chongqing Institute of Telecommunications accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.



Signature:



1.2 Testers		
Name:	Chen Xin	
Position:	Engineer	
Department:	Department of EMC test	
Date:	2020-12-31-2021-01-19	
Signature:	陈鑫	
Editor of this test report:		
Name:	Xiao Yu	
Position:	Engineer	
Department:	Department of EMC test	
Date:	2021-01-21	
Signature:	1020	
Technical responsibility for ar	ea of testing:	
Name:	Zhang Yan	
Position:	Manager	
Department:	Department of EMC test	
Date:	2021-01-21	





1.3 Testing Laboratory information

1.3.1 Location	
Name:	Chongqing Academy of Information and Communcations
Address:	Building B, Technology Innovation Center, No.8, Yuma
	Road, Chayuan New Area, Nan'an District, Chongqing,
	People's Republic of China, 401336
Tel:	+86 23 88069965
Fax:	+86 23 88608777
Email:	liqiao@caict.ac.cn
1.3.2 Details of accreditation s	tatus
Accredited by:	
Registration number:	
Standard:	
1.3.3 Test location, where diffe	erent from section 1.3.1
Name:	
Address:	



1.4.1 Applicant



1.4 Details of applicant or manufacturer

Name: Shanghai MobileTek Communication Ltd. Address: Free Trade Zone No.33, No.17 building 6H3 Xiya Road, Shanghai. China Country: Shanghai. Telephone: 18616835910 Fax: Contact: bin yang Email: b.yang@mobiletek.cn 1.4.2 Manufacturer (if different from applicant in section 1.4.1) Name: Address: Country:





2 Test Item

2.1 General Information

Manufacturer: Shanghai MobileTek Communication Ltd.

Name: IoT Module Model Number: L710HG

Serial Number: G4KB2504010060 IMEI: 866884045632254

Production Status: Product
Receipt date of test item: 2020-12-16

2.2 Outline of EUT

The EUT, L710HG is a Product supporting GSM 850, PCS 1900, CAT-M BAND 2, Band 4, Band 5, Band 12, Band 13, Band 26, NB-IoT BAND 2, Band 4, Band 5, Band 12, Band 13, Band 26.

2.3 Modifications Incorporated in EUT

The EUT has not been modified from what is described by the brand name and unique type identification stated above.

2.4 Equipment Configuration

Equipment configuration list:

Item	Generic Description	Manufacturer	Туре	Serial No.	Remarks
A	Module	Shanghai MobileTek Communication Ltd.	L506	G4JA310202 0006	None

2.5 Other Information

--





3 Summary of Test Results

A brief summary of the tests carried out is shown as following.

Configuration1		
Specification Clause	Name of Test	Result
15.109	Radiated Emission limits	Pass
15.107	Conducted Emission limits	Pass

4.Test equipment and Test software

Test equip	Test equipment Used:					
Number	Description	Manufact urer	Model Number	Serial Number	Cal Due	State
1	EMI Test Receiver	R&S	ESU	100367	2021-06-26	Normal
2	Ultra Broadband Antenna	R&S	VULB 9163	vulb9163— 544	2021-12-24	Normal
3	Double-Ridged Horn Antenna	R&S	HF907	100357	2021-08-20	Normal
4	Fully-Anechoic Chamber	ETS	11.8m×6.5m×6. 3m	CT000174-103 5	2021-06-26	Normal
5	AMN	R&S	ENV216	101128	2021-06-26	Normal
6	EMI Test Receiver	R&S	ESCI	101214	2021-06-26	Normal

Test software Used:					
Number	Test item	Test software name	Manufacturer	Version:	
1	Radiated Emission	EMC32	R&S	V8.51.0	
2.	Conducted Emission	EMC32	R&S	V8.51.0	

Test auxilia	ry equipment Used:			
Number	Description	Manufacturer	Model Number	Serial Number
1	Single-stage sub-antenna		5J002B	
2	Adapter	Shenzhen Yixiantian Intelligent Technology Co., Ltd.	YXT901-0502000C L	

Note: The L710HG module is sold without an antenna and an adapter. They are only used for matching

Chongqing Academy of Information and Communication Technology Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336 Tel: 0086-23-88069965 FAX:0086-23-88608777





5 Test Results

5.1 Radiated Emission


Specifications:	15.109
Date of Tests	2020-12-31
Test conditions:	Ambient Temperature:15°C-35°C
	Relative Humidity:30%-60%
	Air pressure: 86-106kPa
Operation Mode	Normal(The EUT connects to the power supply and turns on the switch.
	The EUT connected to communication tester. The worst case is GSM
	850RX)
Test Results:	Pass

Limit Level Construction(Except for Class A digital devices):

Frequency Range (MHz)	Quasi-Peak (dBuV/m)
30-88	40
88-216	43.5
216-960	46
Above 960	54

Frequency Range (MHz)	Peak (dBuV/m)	Average (dBuV/m)
Above 1000	74	54


EUT Setup:








Test Setup:



Test Method:

For 30-1000MHz, the EUT was placed on the top of a rotating 0.8-m table above the ground at a semi-anechoic chamber. The distance between the EUT and the received antenna was 3 meters. The table was rotated 360 degree and the received antenna mounted on a variable-height antenna tower was varied from 1m to 4m to find the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna were set during the measurement. Tested in accordance with the procedures of ANSI C63.4-2014, section 8.3.



For 1000-18000MHz, the maximal emission value was acquired by adjusting the antenna height, and the table was rotated 360 degree to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna were set during the measurement.

Uncertainty Measurement

The measurement uncertainty (30MHz-1000MHz) is 3.79 dB(MAX) (k=2).


The measurement uncertainty (1000MHz-18000MHz) is 4.84 dB (k=2).

Chongqing Academy of Information and Communication Technology





RE 30MHz-1GHz




the test results are cumulative (horizontal and vertical)

, , , , , , , , , , , , , , , , , , , ,								
Frequency	QP	Mea.Time	RBW	Height	Polarity	Azimuth	Margin	Limit
MHz	dBuV/m	ms	KHz	cm		deg	dB	dBuV/m
209.301500	37.4	5000.0	120.000	115.0	Н	90.0	6.1	43.5
209.480500	35.7	5000.0	120.000	100.0	V	270.0	7.8	43.5
239.126000	40.7	5000.0	120.000	115.0	Н	270.0	5.3	46.0
540.217000	18.9	5000.0	120.000	100.0	V	180.0	27.1	46.0
650.024000	34.6	5000.0	120.000	115.0	Н	180.0	11.4	46.0
807.446000	37.0	5000.0	120.000	100.0	Н	0.0	9.0	46.0






RE 1GHz-3GHz



the test results are cumulative (horizontal and vertical)

RE 3GHz-18GHz



the test results are cumulative (horizontal and vertical)

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965
FAX:0086-23-88608777






5.2 Conducted Emission

Specifications:	15.107			
Date of Tests	2021-01-19			
Test conditions:	Ambient Temperature:15°C-35°C			
	Relative Humidity:30%-60%			
	Air pressure: 86-106kPa			
Operation Mode	Normal(The EUT connects to the power supply and turns on the switch.			
	The EUT connected to communication tester. The worst case is GSM			
	850RX)			
Test Results:	Pass			

Limit Level Construction:

Frequency Range (MHz)	Conducted Limit (dBuV)		
	Quasi-peak	Average	
0.15-0.5	66 to 56*	56 to 46*	
0.5-5	56	46	
5-30	60	50	
*Decreases with the logarithm of the f	requency	•	


EUT Setup:



Test Setup:







Test Method:

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies with the band 150 kHz to 30MHz shall not exceed the limits. Both lines of the power mains connected to the EUT were checked for maximum conducted interference. Tested in accordance with the procedures of ANSI C63.4-2014, section 7.3

Uncertainty Measurement


The measurement uncertainty is 1.83dB (k=2).

Test Data





Copy of CISPR N&L1 Voltage 150k to 30MHz-Class B



the test results are cumulative (L1 and N)

			` ,		
Frequency	QP	Mea.Time	Line	Margin	Limit
MHz	dBuV	ms		dB	dBuV
0.209700	26.3	1000.0	N	36.9	63.2
0.541781	31.3	1000.0	L1	24.7	56.0
0.754462	21.0	1000.0	L1	35.0	56.0
2.452181	16.7	1000.0	L1	39.3	56.0
11.638519	30.8	1000.0	L1	29.2	60.0
15.231712	19.2	1000.0	L1	40.8	60.0

Frequency	AV	Mea.Time	Line	Margin	Limit
MHz	dBuV	ms		dB	dBuV
0.336562	23.3	1000.0	L1	26.0	49.3
0.541781	24.1	1000.0	L1	21.9	46.0
0.754462	13.7	1000.0	L1	32.3	46.0
2.463375	7.7	1000.0	L1	38.3	46.0
11.530312	21.5	1000.0	L1	28.5	50.0
13.048931	17.5	1000.0	L1	32.5	50.0



CAICT

Test photo

See the Pic1~2 in document" L710HG_EMC Test Setup Photos".

Annex	A	External	l Photos
-------	---	----------	----------

See the document" L710HG -External Photos".

Annex B Internal Photos

See the document" L710HG -Internal Photos".

ANNEX C Deviations from Prescribed Test Methods

No deviation from Prescribed Test Methods.

