





Date: 30 NOV.2022 10:25:12



Date: 30 NOV.2022 10:30:05

Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C,DC3.2725V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C,DC3.85V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C,DC4.4275V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C,DC3.85V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-10C,DC3.85V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C,DC3.85V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C,DC3.85V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C,DC3.85V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
40C,DC3.85V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C,DC3.85V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C,DC3.2725V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C,DC3.85V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C,DC4.4275V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-20C,DC3.85V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-10C,DC3.85V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
0C,DC3.85V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
10C,DC3.85V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
30C,DC3.85V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
40C,DC3.85V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
50C,DC3.85V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C,DC3.2725V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C,DC3.85V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C,DC4.4275V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-20C,DC3.85V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-10C,DC3.85V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C,DC3.85V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
10C,DC3.85V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
30C,DC3.85V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
40C,DC3.85V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
50C,DC3.85V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C,DC3.2725V	a	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C,DC3.85V	a	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C,DC4.4275V	a	5260	Ant1	5259.96	-40000	-7.6	25	Pass
-20C,DC3.85V	a	5260	Ant1	5259.94	-60000	-11.41	25	Pass
-10C,DC3.85V	a	5260	Ant1	5259.94	-60000	-11.41	25	Pass
0C,DC3.85V	a	5260	Ant1	5259.96	-40000	-7.6	25	Pass
10C,DC3.85V	a	5260	Ant1	5259.92	-80000	-15.21	25	Pass

30C,DC3.85V	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
40C,DC3.85V	a	5260	Ant1	5259.94	-60000	-11.41	25	Pass
50C,DC3.85V	a	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C,DC3.2725V	a	5280	Ant1	5279.96	-40000	-7.58	25	Pass
20C,DC3.85V	a	5280	Ant1	5279.92	-80000	-15.15	25	Pass
20C,DC4.4275V	a	5280	Ant1	5279.96	-40000	-7.58	25	Pass
-20C,DC3.85V	a	5280	Ant1	5279.96	-40000	-7.58	25	Pass
-10C,DC3.85V	a	5280	Ant1	5279.94	-60000	-11.36	25	Pass
0C,DC3.85V	a	5280	Ant1	5279.94	-60000	-11.36	25	Pass
10C,DC3.85V	a	5280	Ant1	5279.94	-60000	-11.36	25	Pass
30C,DC3.85V	a	5280	Ant1	5279.96	-40000	-7.58	25	Pass
40C,DC3.85V	a	5280	Ant1	5279.94	-60000	-11.36	25	Pass
50C,DC3.85V	a	5280	Ant1	5279.96	-40000	-7.58	25	Pass
20C,DC3.2725V	a	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C,DC3.85V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C,DC4.4275V	a	5320	Ant1	5319.94	-60000	-11.28	25	Pass
-20C,DC3.85V	a	5320	Ant1	5319.96	-40000	-7.52	25	Pass
-10C,DC3.85V	a	5320	Ant1	5319.96	-40000	-7.52	25	Pass
0C,DC3.85V	a	5320	Ant1	5319.94	-60000	-11.28	25	Pass
10C,DC3.85V	a	5320	Ant1	5319.94	-60000	-11.28	25	Pass
30C,DC3.85V	a	5320	Ant1	5319.94	-60000	-11.28	25	Pass
40C,DC3.85V	a	5320	Ant1	5319.94	-60000	-11.28	25	Pass
50C,DC3.85V	a	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C,DC3.2725V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C,DC3.85V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C,DC4.4275V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C,DC3.85V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
-10C,DC3.85V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
0C,DC3.85V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C,DC3.85V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C,DC3.85V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
40C,DC3.85V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
50C,DC3.85V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C,DC3.2725V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C,DC4.4275V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-20C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-10C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
0C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
10C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
30C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass

40C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
50C,DC3.85V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C,DC3.2725V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C,DC3.85V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C,DC4.4275V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-20C,DC3.85V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-10C,DC3.85V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C,DC3.85V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
10C,DC3.85V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C,DC3.85V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C,DC3.85V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C,DC3.85V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C,DC3.2725V	n20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
20C,DC3.85V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C,DC4.4275V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C,DC3.85V	n20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
-10C,DC3.85V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C,DC3.85V	n20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
10C,DC3.85V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
30C,DC3.85V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
40C,DC3.85V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
50C,DC3.85V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C,DC3.2725V	n20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C,DC3.85V	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C,DC4.4275V	n20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-20C,DC3.85V	n20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-10C,DC3.85V	n20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
0C,DC3.85V	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C,DC3.85V	n20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
30C,DC3.85V	n20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
40C,DC3.85V	n20	5200	Ant1	5199.92	-80000	-15.38	25	Pass
50C,DC3.85V	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C,DC3.2725V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
20C,DC3.85V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
20C,DC4.4275V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-20C,DC3.85V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
-10C,DC3.85V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
0C,DC3.85V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
10C,DC3.85V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C,DC3.85V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
40C,DC3.85V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass

50C,DC3.85V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C,DC3.2725V	n20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C,DC3.85V	n20	5260	Ant1	5259.92	-80000	-15.21	25	Pass
20C,DC4.4275V	n20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
-20C,DC3.85V	n20	5260	Ant1	5259.92	-80000	-15.21	25	Pass
-10C,DC3.85V	n20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
0C,DC3.85V	n20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
10C,DC3.85V	n20	5260	Ant1	5259.92	-80000	-15.21	25	Pass
30C,DC3.85V	n20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
40C,DC3.85V	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
50C,DC3.85V	n20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C,DC3.2725V	n20	5280	Ant1	5279.94	-60000	-11.36	25	Pass
20C,DC3.85V	n20	5280	Ant1	5279.98	-20000	-3.79	25	Pass
20C,DC4.4275V	n20	5280	Ant1	5279.98	-20000	-3.79	25	Pass
-20C,DC3.85V	n20	5280	Ant1	5279.9	-100000	-18.94	25	Pass
-10C,DC3.85V	n20	5280	Ant1	5279.94	-60000	-11.36	25	Pass
0C,DC3.85V	n20	5280	Ant1	5279.9	-100000	-18.94	25	Pass
10C,DC3.85V	n20	5280	Ant1	5279.98	-20000	-3.79	25	Pass
30C,DC3.85V	n20	5280	Ant1	5279.96	-40000	-7.58	25	Pass
40C,DC3.85V	n20	5280	Ant1	5279.92	-80000	-15.15	25	Pass
50C,DC3.85V	n20	5280	Ant1	5279.96	-40000	-7.58	25	Pass
20C,DC3.2725V	n20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C,DC3.85V	n20	5320	Ant1	5319.92	-80000	-15.04	25	Pass
20C,DC4.4275V	n20	5320	Ant1	5319.94	-60000	-11.28	25	Pass
-20C,DC3.85V	n20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
-10C,DC3.85V	n20	5320	Ant1	5319.92	-80000	-15.04	25	Pass
0C,DC3.85V	n20	5320	Ant1	5319.92	-80000	-15.04	25	Pass
10C,DC3.85V	n20	5320	Ant1	5319.94	-60000	-11.28	25	Pass
30C,DC3.85V	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
40C,DC3.85V	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
50C,DC3.85V	n20	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C,DC3.2725V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C,DC3.85V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C,DC4.4275V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
-20C,DC3.85V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C,DC3.85V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
0C,DC3.85V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C,DC3.85V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C,DC3.85V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
40C,DC3.85V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
50C,DC3.85V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass

20C,DC3.2725V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C,DC3.85V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C,DC4.4275V	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
-20C,DC3.85V	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
-10C,DC3.85V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
0C,DC3.85V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
10C,DC3.85V	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
30C,DC3.85V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
40C,DC3.85V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
50C,DC3.85V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C,DC3.2725V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C,DC3.85V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C,DC4.4275V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-20C,DC3.85V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C,DC3.85V	n20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
0C,DC3.85V	n20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
10C,DC3.85V	n20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
30C,DC3.85V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C,DC3.85V	n20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
50C,DC3.85V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C,DC3.2725V	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
20C,DC3.85V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C,DC4.4275V	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
-20C,DC3.85V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C,DC3.85V	n40	5190	Ant1	5189.88	-120000	-23.12	25	Pass
0C,DC3.85V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C,DC3.85V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C,DC3.85V	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
40C,DC3.85V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C,DC3.85V	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
20C,DC3.2725V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
20C,DC3.85V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
20C,DC4.4275V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
-20C,DC3.85V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
-10C,DC3.85V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
0C,DC3.85V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
10C,DC3.85V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
30C,DC3.85V	n40	5230	Ant1	5230	0	0	25	Pass
40C,DC3.85V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
50C,DC3.85V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C,DC3.2725V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass

20C,DC3.85V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
20C,DC4.4275V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
-20C,DC3.85V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
-10C,DC3.85V	n40	5270	Ant1	5269.88	-120000	-22.77	25	Pass
0C,DC3.85V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
10C,DC3.85V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
30C,DC3.85V	n40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
40C,DC3.85V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
50C,DC3.85V	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
20C,DC3.2725V	n40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
20C,DC3.85V	n40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
20C,DC4.4275V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
-20C,DC3.85V	n40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
-10C,DC3.85V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
0C,DC3.85V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
10C,DC3.85V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
30C,DC3.85V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
40C,DC3.85V	n40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
50C,DC3.85V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C,DC3.2725V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C,DC3.85V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C,DC4.4275V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-20C,DC3.85V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-10C,DC3.85V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C,DC3.85V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C,DC3.85V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C,DC3.85V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C,DC3.85V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
50C,DC3.85V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C,DC3.2725V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C,DC3.85V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C,DC4.4275V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-20C,DC3.85V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C,DC3.85V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
0C,DC3.85V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
10C,DC3.85V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
30C,DC3.85V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
40C,DC3.85V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
50C,DC3.85V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C,DC3.2725V	ac20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
20C,DC3.85V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass

20C,DC4.4275V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C,DC3.85V	ac20	5180	Ant1	5179.9	-100000	-19.31	25	Pass
-10C,DC3.85V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C,DC3.85V	ac20	5180	Ant1	5179.9	-100000	-19.31	25	Pass
10C,DC3.85V	ac20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
30C,DC3.85V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
40C,DC3.85V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C,DC3.85V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C,DC3.2725V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C,DC3.85V	ac20	5200	Ant1	5199.92	-80000	-15.38	25	Pass
20C,DC4.4275V	ac20	5200	Ant1	5199.92	-80000	-15.38	25	Pass
-20C,DC3.85V	ac20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-10C,DC3.85V	ac20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
0C,DC3.85V	ac20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
10C,DC3.85V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
30C,DC3.85V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
40C,DC3.85V	ac20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
50C,DC3.85V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C,DC3.2725V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C,DC3.85V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C,DC4.4275V	ac20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
-20C,DC3.85V	ac20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
-10C,DC3.85V	ac20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
0C,DC3.85V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
10C,DC3.85V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
30C,DC3.85V	ac20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
40C,DC3.85V	ac20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
50C,DC3.85V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C,DC3.2725V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C,DC3.85V	ac20	5260	Ant1	5259.9	-100000	-19.01	25	Pass
20C,DC4.4275V	ac20	5260	Ant1	5259.9	-100000	-19.01	25	Pass
-20C,DC3.85V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
-10C,DC3.85V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
0C,DC3.85V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
10C,DC3.85V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
30C,DC3.85V	ac20	5260	Ant1	5259.92	-80000	-15.21	25	Pass
40C,DC3.85V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
50C,DC3.85V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C,DC3.2725V	ac20	5280	Ant1	5279.92	-80000	-15.15	25	Pass
20C,DC3.85V	ac20	5280	Ant1	5279.92	-80000	-15.15	25	Pass
20C,DC4.4275V	ac20	5280	Ant1	5279.94	-60000	-11.36	25	Pass

-20C,DC3.85V	ac20	5280	Ant1	5279.94	-60000	-11.36	25	Pass
-10C,DC3.85V	ac20	5280	Ant1	5279.96	-40000	-7.58	25	Pass
0C,DC3.85V	ac20	5280	Ant1	5279.96	-40000	-7.58	25	Pass
10C,DC3.85V	ac20	5280	Ant1	5279.98	-20000	-3.79	25	Pass
30C,DC3.85V	ac20	5280	Ant1	5279.96	-40000	-7.58	25	Pass
40C,DC3.85V	ac20	5280	Ant1	5279.94	-60000	-11.36	25	Pass
50C,DC3.85V	ac20	5280	Ant1	5279.96	-40000	-7.58	25	Pass
20C,DC3.2725V	ac20	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C,DC3.85V	ac20	5320	Ant1	5319.9	-100000	-18.8	25	Pass
20C,DC4.4275V	ac20	5320	Ant1	5319.9	-100000	-18.8	25	Pass
-20C,DC3.85V	ac20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
-10C,DC3.85V	ac20	5320	Ant1	5319.94	-60000	-11.28	25	Pass
0C,DC3.85V	ac20	5320	Ant1	5319.92	-80000	-15.04	25	Pass
10C,DC3.85V	ac20	5320	Ant1	5319.92	-80000	-15.04	25	Pass
30C,DC3.85V	ac20	5320	Ant1	5319.94	-60000	-11.28	25	Pass
40C,DC3.85V	ac20	5320	Ant1	5319.92	-80000	-15.04	25	Pass
50C,DC3.85V	ac20	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C,DC3.2725V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C,DC3.85V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C,DC4.4275V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C,DC3.85V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-10C,DC3.85V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
0C,DC3.85V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C,DC3.85V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C,DC3.85V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
40C,DC3.85V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
50C,DC3.85V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C,DC3.2725V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C,DC3.85V	ac20	5785	Ant1	5784.9	-100000	-17.29	25	Pass
20C,DC4.4275V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
-20C,DC3.85V	ac20	5785	Ant1	5784.9	-100000	-17.29	25	Pass
-10C,DC3.85V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
0C,DC3.85V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
10C,DC3.85V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
30C,DC3.85V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
40C,DC3.85V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
50C,DC3.85V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C,DC3.2725V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C,DC3.85V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
20C,DC4.4275V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C,DC3.85V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass

-10C,DC3.85V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
0C,DC3.85V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
10C,DC3.85V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C,DC3.85V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C,DC3.85V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C,DC3.85V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C,DC3.2725V	ac40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
20C,DC3.85V	ac40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
20C,DC4.4275V	ac40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
-20C,DC3.85V	ac40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
-10C,DC3.85V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C,DC3.85V	ac40	5190	Ant1	5190.12	120000	23.12	25	Pass
10C,DC3.85V	ac40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
30C,DC3.85V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C,DC3.85V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C,DC3.85V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C,DC3.2725V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C,DC3.85V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C,DC4.4275V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-20C,DC3.85V	ac40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
-10C,DC3.85V	ac40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
0C,DC3.85V	ac40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
10C,DC3.85V	ac40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
30C,DC3.85V	ac40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
40C,DC3.85V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
50C,DC3.85V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C,DC3.2725V	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
20C,DC3.85V	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C,DC4.4275V	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
-20C,DC3.85V	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
-10C,DC3.85V	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
0C,DC3.85V	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
10C,DC3.85V	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
30C,DC3.85V	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
40C,DC3.85V	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
50C,DC3.85V	ac40	5270	Ant1	5269.88	-120000	-22.77	25	Pass
20C,DC3.2725V	ac40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
20C,DC3.85V	ac40	5310	Ant1	5310	0	0	25	Pass
20C,DC4.4275V	ac40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
-20C,DC3.85V	ac40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
-10C,DC3.85V	ac40	5310	Ant1	5309.92	-80000	-15.07	25	Pass



0C,DC3.85V	ac40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
10C,DC3.85V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
30C,DC3.85V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
40C,DC3.85V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
50C,DC3.85V	ac40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
20C,DC3.2725V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C,DC3.85V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C,DC4.4275V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-20C,DC3.85V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-10C,DC3.85V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C,DC3.85V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C,DC3.85V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
30C,DC3.85V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
40C,DC3.85V	ac40	5755	Ant1	5755	0	0	25	Pass
50C,DC3.85V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C,DC3.2725V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
20C,DC3.85V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C,DC4.4275V	ac40	5795	Ant1	5795	0	0	25	Pass
-20C,DC3.85V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-10C,DC3.85V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
0C,DC3.85V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
10C,DC3.85V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
30C,DC3.85V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
40C,DC3.85V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
50C,DC3.85V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
20C,DC3.2725V	ac80	5210	Ant1	5210	0	0	25	Pass
20C,DC3.85V	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
20C,DC4.4275V	ac80	5210	Ant1	5209.76	-240000	-46.07	25	Pass
-20C,DC3.85V	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
-10C,DC3.85V	ac80	5210	Ant1	5210	0	0	25	Pass
0C,DC3.85V	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
10C,DC3.85V	ac80	5210	Ant1	5209.76	-240000	-46.07	25	Pass
30C,DC3.85V	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
40C,DC3.85V	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
50C,DC3.85V	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
20C,DC3.2725V	ac80	5290	Ant1	5289.92	-80000	-15.12	25	Pass
20C,DC3.85V	ac80	5290	Ant1	5289.92	-80000	-15.12	25	Pass
20C,DC4.4275V	ac80	5290	Ant1	5290	0	0	25	Pass
-20C,DC3.85V	ac80	5290	Ant1	5290	0	0	25	Pass
-10C,DC3.85V	ac80	5290	Ant1	5289.92	-80000	-15.12	25	Pass
0C,DC3.85V	ac80	5290	Ant1	5290	0	0	25	Pass



10C,DC3.85V	ac80	5290	Ant1	5290	0	0	25	Pass
30C,DC3.85V	ac80	5290	Ant1	5289.92	-80000	-15.12	25	Pass
40C,DC3.85V	ac80	5290	Ant1	5290	0	0	25	Pass
50C,DC3.85V	ac80	5290	Ant1	5289.92	-80000	-15.12	25	Pass
20C,DC3.2725V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
20C,DC3.85V	ac80	5775	Ant1	5775.08	80000	13.85	25	Pass
20C,DC4.4275V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
-20C,DC3.85V	ac80	5775	Ant1	5775	0	0	25	Pass
-10C,DC3.85V	ac80	5775	Ant1	5775.24	240000	41.56	25	Pass
0C,DC3.85V	ac80	5775	Ant1	5775	0	0	25	Pass
10C,DC3.85V	ac80	5775	Ant1	5775.08	80000	13.85	25	Pass
30C,DC3.85V	ac80	5775	Ant1	5775	0	0	25	Pass
40C,DC3.85V	ac80	5775	Ant1	5775	0	0	25	Pass
50C,DC3.85V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
20C,DC3.85V	ac80	5775	Ant1	5775	0	0	25	Pass
-10C,DC3.85V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
0C,DC3.85V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
10C,DC3.85V	ac80	5775	Ant1	5775	0	0	25	Pass
30C,DC3.85V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
50C,DC3.85V	ac80	5775	Ant1	5775	0	0	25	Pass



Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-33.67	-27	Pass
NVNT	a	5200	Ant1	-33.33	-27	Pass
NVNT	a	5240	Ant1	-33.75	-27	Pass
NVNT	a	5260	Ant1	-33.44	-27	Pass
NVNT	a	5280	Ant1	-33.35	-27	Pass
NVNT	a	5320	Ant1	-33.21	-27	Pass
NVNT	a	5745	Ant1	-32.68	-27	Pass
NVNT	a	5785	Ant1	-33.09	-27	Pass
NVNT	a	5825	Ant1	-33.06	-27	Pass
NVNT	n20	5180	Ant1	-33.22	-27	Pass
NVNT	n20	5200	Ant1	-32.8	-27	Pass
NVNT	n20	5240	Ant1	-33.53	-27	Pass
NVNT	n20	5260	Ant1	-33.46	-27	Pass
NVNT	n20	5280	Ant1	-33.59	-27	Pass
NVNT	n20	5320	Ant1	-33.26	-27	Pass
NVNT	n20	5745	Ant1	-33.13	-27	Pass
NVNT	n20	5785	Ant1	-32.97	-27	Pass
NVNT	n20	5825	Ant1	-32.67	-27	Pass
NVNT	n40	5190	Ant1	-33.79	-27	Pass
NVNT	n40	5230	Ant1	-33.56	-27	Pass
NVNT	n40	5270	Ant1	-33.69	-27	Pass
NVNT	n40	5310	Ant1	-33.82	-27	Pass
NVNT	n40	5755	Ant1	-33.37	-27	Pass
NVNT	n40	5795	Ant1	-32.94	-27	Pass
NVNT	ac20	5180	Ant1	-33.38	-27	Pass
NVNT	ac20	5200	Ant1	-33.65	-27	Pass
NVNT	ac20	5240	Ant1	-33.53	-27	Pass
NVNT	ac20	5260	Ant1	-33.85	-27	Pass
NVNT	ac20	5280	Ant1	-33.85	-27	Pass
NVNT	ac20	5320	Ant1	-33.9	-27	Pass
NVNT	ac20	5745	Ant1	-33.27	-27	Pass
NVNT	ac20	5785	Ant1	-31.93	-27	Pass
NVNT	ac20	5825	Ant1	-33.15	-27	Pass
NVNT	ac40	5190	Ant1	-34.09	-27	Pass
NVNT	ac40	5230	Ant1	-33.19	-27	Pass
NVNT	ac40	5270	Ant1	-33.11	-27	Pass
NVNT	ac40	5310	Ant1	-34.03	-27	Pass

NVNT	ac40	5755	Ant1	-33.13	-27	Pass
NVNT	ac40	5795	Ant1	-33.2	-27	Pass
NVNT	ac80	5210	Ant1	-33.3	-27	Pass
NVNT	ac80	5290	Ant1	-33.26	-27	Pass
NVNT	ac80	5775	Ant1	-33.32	-27	Pass
NVNT	ac80	5775	Ant1	-33.41	-27	Pass












Date: 28 NOV.2022 18:02:14





Date: 28 NOV.2022 18:05:32







Date: 28 NOV.2022 19:00:03






Date: 28 NOV.2022 19:03:19















Date: 28 NOV. 2022 19:58:27




Date: 28 NOV. 2022 20:01:39










Date: 28 NOV.2022 20:16:01




Date: 28 NOV.2022 20:20:21













Date: 29.NOV.2022 15:13:15






Date: 29.NOV.2022 15:15:22














Date: 29.NOV.2022 15:45:39




Date: 29.NOV.2022 15:54:28



Date: 29.NOV.2022 17:58:50





Date: 30.NOV.2022 10:30:58




-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	15.724	0.5	Pass
NVNT	a	5785	Ant1	16.024	0.5	Pass
NVNT	a	5825	Ant1	16.28	0.5	Pass
NVNT	n20	5745	Ant1	15.512	0.5	Pass
NVNT	n20	5785	Ant1	15.94	0.5	Pass
NVNT	n20	5825	Ant1	15.94	0.5	Pass
NVNT	n40	5755	Ant1	35.032	0.5	Pass
NVNT	n40	5795	Ant1	35.136	0.5	Pass
NVNT	ac20	5745	Ant1	15.892	0.5	Pass
NVNT	ac20	5785	Ant1	16.116	0.5	Pass
NVNT	ac20	5825	Ant1	16.04	0.5	Pass
NVNT	ac40	5755	Ant1	35.088	0.5	Pass
NVNT	ac40	5795	Ant1	35.176	0.5	Pass
NVNT	ac80	5775	Ant1	75.152	0.5	Pass
NVNT	ac80	5775	Ant1	75.136	0.5	Pass







Date: 30 NOV.2022 10:19:06




Date: 30 NOV.2022 10:19:31




Date: 30 NOV.2022 10:20:03




Date: 30 NOV.2022 10:20:22




Date: 30 NOV.2022 10:33:05




Date: 30 NOV.2022 10:33:53




Date: 30 NOV.2022 10:34:22




Date: 30 NOV.2022 10:34:44




Date: 30 NOV.2022 10:35:04




Date: 30 NOV.2022 10:35:29



Date: 30 NOV.2022 10:35:47



Date: 30 NOV.2022 10:29:39



*** End of Report ***