


OCCUPIED BANDWIDTH
PLOTS
FOR
QCT-7000 (NIU)

*ATTEN 40dB VAVG 25 ΔMKR -1.50dB
RL 26.0dBm 10dB/ 1.279MHz


QUALCOMM INC
QCT 7000

D
OCCUPIED ΔBW
%OCC 99.00
1.279MHz



CENTER 836.490MHz SPAN 2.500MHz
*RBW 30kHz *VBW 30kHz SWP 50.0ms

*ATTEN 40dB VAVG 25
RL 26.0dBm 10dB/



CENTER 836.49MHz
*RBW 30kHz *VBW 30kHz


SPAN 10.00MHz
SWP 50.0ms

*ATTEN 40dB

RL 26.0dBm

10dB/

QUALCOMM INC
QCT 7000



CENTER 836.49MHz

SPAN 10.00MHz

*RBW 30kHz

*VBW 30kHz


SWP 50.0ms

*ATTEN 40dB

RL 26.0dBm

10dB/

QUALCOMM INC
QCT 7000



START 800.0MHz

STOP 1.7000GHz

*RBW 30kHz

*VBW 30kHz

SWP 2.50sec


*ATTEN 40dB

RL 26.0dBm

10dB/

QUALCOMM INC

QCT 7000



START 0Hz

STOP 850.0MHz

*RBW 30kHz

*VBW 30kHz

SWP 2.40sec


*ATTEN 0dB

RL -40.0dBm

10dB/

QUALCOMM INC
QCT 7000

DISPLAY LINE
-80.0 dBm



START 869.00MHz

STOP 894.00MHz

*RBW 30kHz

*VBW 30kHz

SWP 70.0ms