

Note: All the modes and channels had been tested, but only the worst data as TX at Ant0&1was recorded in the report.



REPORT NO.: 4789980498.1-3-6 Page 146 of 173

11.5. Appendix E: Band edge measurements 11.5.1.Test Result


Test Mode	Antenna	ChName	Result[dBm]	Verdict
10M	Ant0	Low	See the Graph	PASS
		High	See the Graph	PASS
20M	Ant0	Low	See the Graph	PASS
		High	See the Graph	PASS
40M	Ant0	Low	See the Graph	PASS
		High	See the Graph	PASS
1.4M	Ant0	Low	See the Graph	PASS
		High	See the Graph	PASS
1.4M CA	Ant0	Low	See the Graph	PASS
		High	See the Graph	PASS
3M	Ant0	Low	See the Graph	PASS
		High	See the Graph	PASS
3M CA	Ant0	Low	See the Graph	PASS
		High	See the Graph	PASS



11.5.2. Test Graphs






















11.6. Appendix F: Conducted Spurious Emission 11.6.1.Test Result


Test Mode	Antenna	Channel	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
			Reference	13.08		PASS
10M		2407.5	30~1000	See the Graph	<=-16.92	PASS
			1000~26500	See the Graph	<=-16.92	PASS
			Reference	12.35		PASS
	Ant0	2437.5	30~1000	See the Graph	<=-17.65	PASS
			1000~26500	See the Graph	<=-17.65	PASS
		2467.5	Reference	12.30		PASS
			30~1000	See the Graph	<=-17.7	PASS
			1000~26500	See the Graph	<=-17.7	PASS
		2412.5	Reference	10.58		PASS
			30~1000	See the Graph	<=-19.42	PASS
			1000~26500	See the Graph	<=-19.42	PASS
			Reference	10.43		PASS
20M	Ant0	2437.5	30~1000	See the Graph	<=-19.57	PASS
20111	1 21100	2137.3	1000~26500	See the Graph	<=-19.57	PASS
			Reference	11.04		PASS
		2462.5	30~1000	See the Graph	<=-18.96	PASS
		2.02.0	1000~26500	See the Graph	<=-18.96	PASS
			Reference	6.42		PASS
		2422.5	30~1000	See the Graph	<=-23.58	PASS
		2 122.3	1000~26500	See the Graph	<=-23.58	PASS
			Reference	7.61		PASS
40M	Ant0	2437.5	30~1000	See the Graph	<=-22.39	PASS
TOIVI	7 11110	2 137.3	1000~26500	See the Graph	<=-22.39	PASS
			Reference	8.81		PASS
		2452.5	30~1000	See the Graph	<=-21.2	PASS
		2 132.3	1000~26500	See the Graph	<=-21.2	PASS
			Reference	12.17		PASS
		2403.5	30~26500	See the Graph	<=-17.83	PASS
			Reference	11.65		PASS
1.4M	Ant0	2435.5	30~26500	See the Graph	<=-18.35	PASS
		2467.5	Reference	11.45		PASS
			30~26500	See the Graph	<=-18.55	PASS
	Ant0	2405.12 2437.12	Reference	12.07		PASS
			30~26500	See the Graph	<=-17.93	PASS
			Reference	11.41		PASS
1.4M CA			30~26500	See the Graph	<=-18.59	PASS
		2471.12	Reference	11.58		PASS
			30~26500	See the Graph	<=-18.42	PASS
			Reference	10.61		PASS
	Ant0	2404.5	30~26500	See the Graph	<=-19.39	PASS
3M			Reference	10.65		PASS
		2434.5	30~26500	See the Graph	<=-19.35	PASS
		2467.5	Reference	8.93		PASS
			30~26500	See the Graph	<=-21.07	PASS
3M CA	Ant0		Reference	10.02		PASS
		2407.2	30~26500	See the Graph	<=-19.98	PASS
		2437.2	Reference	9.71		PASS
			30~26500	See the Graph	<=-20.29	PASS
			Reference	9.60		PASS
		2470.2	30~26500	See the Graph	<=-20.40	PASS




11.6.2. Test Graphs








































































11.7. Appendix G: Duty Cycle 11.7.1.Test Result

Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
10M	100	100	1.0000	100.00	0.00	1.00	0.01
20M	100	100	1.0000	100.00	0.00	1.00	0.01
40M	100	100	1.0000	100.00	0.00	1.00	0.01
1.4M	100	100	1.0000	100.00	0.00	1.00	0.01
1.4M CA	100	100	1.0000	100.00	0.00	1.00	0.01
3M	100	100	1.0000	100.00	0.00	1.00	0.01
3M CA	100	100	1.0000	100.00	0.00	1.00	0.01

Note:

Duty Cycle Correction Factor=10log (1/x).


Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.




11.7.2.Test Graphs











END OF REPORT