


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.169G	55.84	74.00	-18.16	72.12	3	Vertical	28	2.40	-	38.60	11.55	66.43			
AV	11.16078G	42.87	54.00	-11.13	59.16	3	Vertical	28	2.40	-	38.60	11.55	66.44			
PK	16.75416G	56.03	68.20	-12.17	66.86	3	Vertical	252	2.58	-	40.02	12.23	63.08			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17035G	55.42	74.00	-18.58	71.70	3	Horizontal	142	2.58	-	38.60	11.55	66.43			
AV	11.16006G	42.90	54.00	-11.10	59.19	3	Horizontal	142	2.58	-	38.60	11.55	66.44			
PK	16.74972G	56.13	68.20	-12.07	66.98	3	Horizontal	183	1.14	-	40.00	12.23	63.08			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 77
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6918G	118.56	Inf	-Inf	107.54	3	Vertical	307	1.78	-	34.00	7.70	30.68			
AV	5.6924G	105.76	Inf	-Inf	94.74	3	Vertical	307	1.78	-	34.00	7.70	30.68			
PK	5.725G	66.60	68.20	-1.60	55.55	3	Vertical	307	1.78	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 77
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6908G	119.55	Inf	-Inf	108.53	3	Horizontal	78	2.69	-	34.00	7.70	30.68			
AV	5.6916G	107.48	Inf	-Inf	96.46	3	Horizontal	78	2.69	-	34.00	7.70	30.68			
PK	5.7258G	65.31	68.20	-2.89	54.26	3	Horizontal	78	2.69	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39628G	53.36	74.00	-20.64	69.05	3	Vertical	314	1.47	-	38.79	11.70	66.18			
AV	11.38776G	40.14	54.00	-13.86	55.86	3	Vertical	314	1.47	-	38.78	11.69	66.19			
PK	17.10483G	58.34	68.20	-9.86	67.44	3	Vertical	294	2.06	-	41.53	12.39	63.02			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39772G	55.03	74.00	-18.97	70.71	3	Horizontal	199	1.44	-	38.80	11.70	66.18			
AV	11.40711G	42.04	54.00	-11.96	57.70	3	Horizontal	199	1.44	-	38.81	11.70	66.17			
PK	17.11389G	57.86	68.20	-10.34	66.91	3	Horizontal	80	2.66	-	41.58	12.40	63.03			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.728G	124.53	Inf	-Inf	113.47	3	Vertical	215	1.94	-	34.00	7.74	30.68			
AV	5.728G	113.27	Inf	-Inf	102.21	3	Vertical	215	1.94	-	34.00	7.74	30.68			
PK	5.9196G	61.85	68.20	-6.35	50.40	3	Vertical	215	1.94	-	34.20	7.88	30.63			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.712G	122.40	Inf	-Inf	111.36	3	Horizontal	110	1.94	-	34.00	7.72	30.68			
AV	5.7116G	111.65	Inf	-Inf	100.61	3	Horizontal	110	1.94	-	34.00	7.72	30.68			
PK	5.8672G	61.97	68.20	-6.23	50.70	3	Horizontal	110	1.94	-	34.07	7.84	30.64			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43643G	56.16	74.00	-17.84	71.71	3	Vertical	62	1.48	-	38.87	11.72	66.14			
AV	11.43832G	43.43	54.00	-10.57	58.97	3	Vertical	62	1.48	-	38.88	11.72	66.14			
PK	17.17038G	59.45	68.20	-8.75	68.20	3	Vertical	180	1.70	-	41.88	12.43	63.06			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 96
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43559G	56.49	74.00	-17.51	72.04	3	Horizontal	113	1.63	-	38.87	11.72	66.14			
AV	11.43778G	43.29	54.00	-10.71	58.83	3	Horizontal	113	1.63	-	38.88	11.72	66.14			
PK	17.16732G	58.71	68.20	-9.49	67.48	3	Horizontal	119	1.47	-	41.87	12.42	63.06			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	62.36	68.20	-5.84	51.40	3	Vertical	168	1.79	-	34.00	7.66	30.70			
PK	5.751G	122.49	Inf	-Inf	111.40	3	Vertical	168	1.79	-	34.00	7.76	30.67			
AV	5.7535G	112.29	Inf	-Inf	101.19	3	Vertical	168	1.79	-	34.01	7.76	30.67			
PK	5.9795G	61.81	68.20	-6.39	50.24	3	Vertical	168	1.79	-	34.26	7.92	30.61			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	62.11	68.20	-6.09	51.16	3	Horizontal	283	2.02	-	34.00	7.65	30.70			
PK	5.7505G	122.92	Inf	-Inf	111.83	3	Horizontal	283	2.02	-	34.00	7.76	30.67			
AV	5.753G	112.68	Inf	-Inf	101.58	3	Horizontal	283	2.02	-	34.01	7.76	30.67			
PK	5.98G	62.10	68.20	-6.10	50.53	3	Horizontal	283	2.02	-	34.26	7.92	30.61			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49258G	57.58	74.00	-16.42	37.54	3	Vertical	339	2.97	-	38.99	11.76	30.71			
AV	11.49457G	47.36	54.00	-6.64	27.32	3	Vertical	339	2.97	-	38.99	11.76	30.71			
PK	17.23853G	59.44	68.20	-8.76	36.96	3	Vertical	164	2.56	-	42.23	12.46	32.21			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49412G	57.39	74.00	-16.61	37.35	3	Horizontal	183	2.58	-	38.99	11.76	30.71			
AV	11.49168G	47.22	54.00	-6.78	27.19	3	Horizontal	183	2.58	-	38.98	11.76	30.71			
PK	17.23967G	59.12	68.20	-9.08	36.63	3	Horizontal	232	1.52	-	42.24	12.46	32.21			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	62.36	68.20	-5.84	51.39	3	Vertical	179	1.38	-	34.00	7.66	30.69			
PK	5.777G	123.49	Inf	-Inf	112.32	3	Vertical	179	1.38	-	34.05	7.78	30.66			
AV	5.7765G	111.50	Inf	-Inf	100.33	3	Vertical	179	1.38	-	34.05	7.78	30.66			
PK	5.9605G	61.73	68.20	-6.47	50.23	3	Vertical	179	1.38	-	34.22	7.90	30.62			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	62.45	68.20	-5.75	51.48	3	Horizontal	102	2.05	-	34.00	7.66	30.69			
PK	5.792G	125.81	Inf	-Inf	114.60	3	Horizontal	102	2.05	-	34.08	7.79	30.66			
AV	5.7935G	114.48	Inf	-Inf	103.26	3	Horizontal	102	2.05	-	34.09	7.79	30.66			
PK	5.9275G	62.09	68.20	-6.11	50.64	3	Horizontal	102	2.05	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5722G	60.78	74.00	-13.22	40.55	3	Vertical	230	1.56	-	39.19	11.81	30.77			
AV	11.57383G	47.30	54.00	-6.70	27.06	3	Vertical	230	1.56	-	39.20	11.81	30.77			
PK	17.35907G	61.03	68.20	-7.17	37.71	3	Vertical	236	2.08	-	43.05	12.52	32.25			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57012G	61.06	74.00	-12.94	40.84	3	Horizontal	168	1.58	-	39.18	11.81	30.77			
AV	11.57438G	47.35	54.00	-6.65	27.11	3	Horizontal	168	1.58	-	39.20	11.81	30.77			
PK	17.3535G	61.98	68.20	-6.22	38.70	3	Horizontal	1	2.25	-	43.02	12.51	32.25			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	61.81	68.20	-6.39	50.85	3	Vertical	4	1.80	-	34.00	7.66	30.70			
PK	5.832G	120.00	Inf	-Inf	108.79	3	Vertical	4	1.80	-	34.04	7.82	30.65			
AV	5.8335G	109.89	Inf	-Inf	98.69	3	Vertical	4	1.80	-	34.03	7.82	30.65			
PK	6.0305G	61.73	68.20	-6.47	50.09	3	Vertical	4	1.80	-	34.30	7.98	30.64			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 96
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.617G	62.22	68.20	-5.98	51.28	3	Horizontal	103	1.52	-	34.00	7.64	30.70			
PK	5.834G	123.68	Inf	-Inf	112.48	3	Horizontal	103	1.52	-	34.03	7.82	30.65			
AV	5.8325G	112.04	Inf	-Inf	100.83	3	Horizontal	103	1.52	-	34.04	7.82	30.65			
PK	6.074G	61.94	68.20	-6.26	50.19	3	Horizontal	103	1.52	-	34.40	8.04	30.69			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64567G	60.52	74.00	-13.48	40.19	3	Vertical	24	2.05	-	39.30	11.86	30.83			
AV	11.65306G	47.03	54.00	-6.97	26.70	3	Vertical	24	2.05	-	39.31	11.86	30.84			
PK	17.4744G	62.22	68.20	-5.98	38.00	3	Vertical	171	2.63	-	43.94	12.57	32.29			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64704G	60.33	74.00	-13.67	40.00	3	Horizontal	352	2.39	-	39.30	11.86	30.83			
AV	11.6538G	47.05	54.00	-6.95	26.71	3	Horizontal	352	2.39	-	39.32	11.86	30.84			
PK	17.47864G	62.46	68.20	-5.74	38.19	3	Horizontal	61	1.40	-	43.99	12.57	32.29			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.83	74.00	-8.17	56.18	3	Vertical	160	1.56	-	33.60	6.98	30.93			
AV	5.1496G	52.70	54.00	-1.30	43.05	3	Vertical	160	1.56	-	33.60	6.98	30.93			
PK	5.203G	118.52	Inf	-Inf	108.70	3	Vertical	160	1.56	-	33.71	7.01	30.90			
AV	5.2056G	107.33	Inf	-Inf	97.50	3	Vertical	160	1.56	-	33.71	7.01	30.89			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	64.34	74.00	-9.66	54.69	3	Horizontal	26	1.92	-	33.60	6.98	30.93			
AV	5.1484G	52.37	54.00	-1.63	42.72	3	Horizontal	26	1.92	-	33.60	6.98	30.93			
PK	5.1942G	114.95	Inf	-Inf	105.15	3	Horizontal	26	1.92	-	33.69	7.01	30.90			
AV	5.1962G	102.46	Inf	-Inf	92.66	3	Horizontal	26	1.92	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 84
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38357G	52.23	68.20	-15.97	68.94	3	Vertical	250	1.95	-	38.53	11.05	66.29			
PK	15.56734G	54.59	74.00	-19.41	67.48	3	Vertical	206	2.55	-	37.97	11.85	62.71			
AV	15.57308G	40.65	54.00	-13.35	53.56	3	Vertical	206	2.55	-	37.95	11.85	62.71			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 84
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38481G	52.21	68.20	-15.99	68.92	3	Horizontal	327	2.99	-	38.53	11.05	66.29			
PK	15.56802G	54.64	74.00	-19.36	67.54	3	Horizontal	149	1.57	-	37.96	11.85	62.71			
AV	15.56954G	40.58	54.00	-13.42	53.48	3	Horizontal	149	1.57	-	37.96	11.85	62.71			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	62.54	74.00	-11.46	52.89	3	Vertical	167	1.80	-	33.60	6.98	30.93			
AV	5.1472G	49.87	54.00	-4.13	40.22	3	Vertical	167	1.80	-	33.60	6.98	30.93			
PK	5.2123G	116.21	Inf	-Inf	106.37	3	Vertical	167	1.80	-	33.72	7.01	30.89			
AV	5.2246G	104.43	Inf	-Inf	94.56	3	Vertical	167	1.80	-	33.75	7.00	30.88			
PK	5.3545G	62.54	74.00	-11.46	52.47	3	Vertical	167	1.80	-	33.91	6.97	30.81			
AV	5.3503G	48.97	54.00	-5.03	38.91	3	Vertical	167	1.80	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	62.48	74.00	-11.52	52.84	3	Horizontal	26	1.65	-	33.60	6.97	30.93			
AV	5.1499G	50.18	54.00	-3.82	40.53	3	Horizontal	26	1.65	-	33.60	6.98	30.93			
PK	5.2168G	119.40	Inf	-Inf	109.55	3	Horizontal	26	1.65	-	33.73	7.01	30.89			
AV	5.2168G	107.79	Inf	-Inf	97.94	3	Horizontal	26	1.65	-	33.73	7.01	30.89			
PK	5.3515G	62.25	74.00	-11.75	52.19	3	Horizontal	26	1.65	-	33.90	6.97	30.81			
AV	5.3506G	48.99	54.00	-5.01	38.93	3	Horizontal	26	1.65	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45604G	52.31	68.20	-15.89	68.98	3	Vertical	133	2.92	-	38.41	11.10	66.18			
PK	15.69084G	53.74	74.00	-20.26	67.04	3	Vertical	4	2.59	-	37.62	11.86	62.78			
AV	15.69234G	40.07	54.00	-13.93	53.38	3	Vertical	4	2.59	-	37.62	11.86	62.79			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45634G	52.28	68.20	-15.92	68.95	3	Horizontal	136	2.65	-	38.41	11.10	66.18			
PK	15.68651G	53.46	74.00	-20.54	66.75	3	Horizontal	88	1.01	-	37.63	11.86	62.78			
AV	15.68993G	40.22	54.00	-13.78	53.52	3	Horizontal	88	1.01	-	37.62	11.86	62.78			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 94
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	60.77	74.00	-13.23	51.12	3	Vertical	165	1.66	-	33.60	6.98	30.93			
AV	5.1476G	48.37	54.00	-5.63	38.72	3	Vertical	165	1.66	-	33.60	6.98	30.93			
PK	5.2631G	120.17	Inf	-Inf	110.21	3	Vertical	165	1.66	-	33.83	6.99	30.86			
AV	5.2619G	107.15	Inf	-Inf	97.20	3	Vertical	165	1.66	-	33.82	6.99	30.86			
PK	5.3726G	65.58	74.00	-8.42	55.46	3	Vertical	165	1.66	-	33.95	6.97	30.80			
AV	5.35G	52.23	54.00	-1.77	42.17	3	Vertical	165	1.66	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 94
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1362G	60.20	74.00	-13.80	50.56	3	Horizontal	262	1.84	-	33.60	6.97	30.93			
AV	5.1491G	48.05	54.00	-5.95	38.40	3	Horizontal	262	1.84	-	33.60	6.98	30.93			
PK	5.2886G	120.80	Inf	-Inf	110.78	3	Horizontal	262	1.84	-	33.88	6.99	30.85			
AV	5.288G	108.68	Inf	-Inf	98.66	3	Horizontal	262	1.84	-	33.88	6.99	30.85			
PK	5.3852G	65.97	74.00	-8.03	55.83	3	Horizontal	262	1.84	-	33.97	6.96	30.79			
AV	5.351G	51.84	54.00	-2.16	41.78	3	Horizontal	262	1.84	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 94
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53843G	52.57	68.20	-15.63	68.99	3	Vertical	127	1.59	-	38.58	11.15	66.15			
PK	15.81172G	53.83	74.00	-20.17	67.41	3	Vertical	210	2.03	-	37.42	11.86	62.86			
AV	15.81064G	40.18	54.00	-13.82	53.76	3	Vertical	210	2.03	-	37.42	11.86	62.86			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 94
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54256G	52.86	68.20	-15.34	69.27	3	Horizontal	202	1.81	-	38.59	11.15	66.15			
PK	15.81089G	53.59	74.00	-20.41	67.17	3	Horizontal	72	1.88	-	37.42	11.86	62.86			
AV	15.80787G	40.25	54.00	-13.75	53.82	3	Horizontal	72	1.88	-	37.42	11.86	62.85			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3254G	114.45	Inf	-Inf	104.40	3	Vertical	164	1.50	-	33.90	6.98	30.83			
AV	5.3258G	102.46	Inf	-Inf	92.41	3	Vertical	164	1.50	-	33.90	6.98	30.83			
PK	5.3526G	65.31	74.00	-8.69	55.24	3	Vertical	164	1.50	-	33.91	6.97	30.81			
AV	5.35G	51.75	54.00	-2.25	41.69	3	Vertical	164	1.50	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3284G	117.37	Inf	-Inf	107.32	3	Horizontal	1	1.21	-	33.90	6.98	30.83			
AV	5.328G	105.64	Inf	-Inf	95.59	3	Horizontal	1	1.21	-	33.90	6.98	30.83			
PK	5.3598G	67.61	74.00	-6.39	57.53	3	Horizontal	1	1.21	-	33.92	6.97	30.81			
AV	5.3518G	52.71	54.00	-1.29	42.65	3	Horizontal	1	1.21	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61801G	52.77	74.00	-21.23	69.24	3	Vertical	95	2.50	-	38.56	11.20	66.23			
AV	10.61542G	38.55	54.00	-15.45	55.01	3	Vertical	95	2.50	-	38.57	11.20	66.23			
PK	15.92767G	55.09	74.00	-18.91	68.56	3	Vertical	58	1.58	-	37.59	11.87	62.93			
AV	15.92749G	40.71	54.00	-13.29	54.18	3	Vertical	58	1.58	-	37.59	11.87	62.93			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6212G	52.31	74.00	-21.69	68.78	3	Horizontal	213	2.71	-	38.56	11.20	66.23			
AV	10.61578G	38.54	54.00	-15.46	55.00	3	Horizontal	213	2.71	-	38.57	11.20	66.23			
PK	15.93286G	54.46	74.00	-19.54	67.95	3	Horizontal	352	2.14	-	37.57	11.87	62.93			
AV	15.92978G	40.70	54.00	-13.30	54.18	3	Horizontal	352	2.14	-	37.58	11.87	62.93			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	65.67	74.00	-8.33	55.24	3	Vertical	159	1.70	-	34.02	7.16	30.75			
AV	5.46G	51.47	54.00	-2.53	41.04	3	Vertical	159	1.70	-	34.02	7.16	30.75			
PK	5.464G	66.53	68.20	-1.67	56.08	3	Vertical	159	1.70	-	34.03	7.17	30.75			
PK	5.519G	111.87	Inf	-Inf	101.19	3	Vertical	159	1.70	-	34.06	7.35	30.73			
AV	5.5192G	98.74	Inf	-Inf	88.06	3	Vertical	159	1.70	-	34.06	7.35	30.73			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4456G	61.46	74.00	-12.54	51.11	3	Horizontal	100	1.87	-	34.00	7.11	30.76			
PK	5.4622G	61.91	68.20	-6.29	51.47	3	Horizontal	100	1.87	-	34.02	7.17	30.75			
AV	5.4596G	48.92	54.00	-5.08	38.49	3	Horizontal	100	1.87	-	34.02	7.16	30.75			
PK	5.5242G	117.53	Inf	-Inf	106.83	3	Horizontal	100	1.87	-	34.05	7.37	30.72			
AV	5.524G	104.46	Inf	-Inf	93.76	3	Horizontal	100	1.87	-	34.05	7.37	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02435G	54.39	74.00	-19.61	70.92	3	Vertical	55	2.49	-	38.60	11.46	66.59			
AV	11.02306G	39.79	54.00	-14.21	56.32	3	Vertical	55	2.49	-	38.60	11.46	66.59			
PK	16.53303G	55.20	68.20	-13.00	67.20	3	Vertical	21	2.11	-	39.06	12.12	63.18			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01793G	53.71	74.00	-20.29	70.25	3	Horizontal	156	1.22	-	38.60	11.46	66.60			
AV	11.02434G	39.90	54.00	-14.10	56.43	3	Horizontal	156	1.22	-	38.60	11.46	66.59			
PK	16.52712G	54.73	68.20	-13.47	66.78	3	Horizontal	43	2.17	-	39.02	12.12	63.19			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	64.86	74.00	-9.14	54.45	3	Vertical	178	1.74	-	34.01	7.15	30.75			
AV	5.4582G	52.26	54.00	-1.74	41.84	3	Vertical	178	1.74	-	34.02	7.15	30.75			
PK	5.4699G	66.70	68.20	-1.50	56.22	3	Vertical	178	1.74	-	34.04	7.19	30.75			
PK	5.5524G	115.18	Inf	-Inf	104.44	3	Vertical	178	1.74	-	34.00	7.46	30.72			
AV	5.5515G	103.17	Inf	-Inf	92.43	3	Vertical	178	1.74	-	34.00	7.46	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	64.57	74.00	-9.43	54.14	3	Horizontal	326	1.32	-	34.02	7.16	30.75			
AV	5.4594G	51.71	54.00	-2.29	41.28	3	Horizontal	326	1.32	-	34.02	7.16	30.75			
PK	5.4648G	66.29	68.20	-1.91	55.84	3	Horizontal	326	1.32	-	34.03	7.17	30.75			
PK	5.5659G	123.44	Inf	-Inf	112.64	3	Horizontal	326	1.32	-	34.00	7.51	30.71			
AV	5.568G	110.73	Inf	-Inf	99.93	3	Horizontal	326	1.32	-	34.00	7.51	30.71			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 90
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1007G	54.68	74.00	-19.32	71.08	3	Vertical	11	1.26	-	38.60	11.51	66.51			
AV	11.09673G	39.97	54.00	-14.03	56.37	3	Vertical	11	1.26	-	38.60	11.51	66.51			
PK	16.64972G	56.01	68.20	-12.19	67.16	3	Vertical	103	2.50	-	39.80	12.18	63.13			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 90
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10351G	54.26	74.00	-19.74	70.66	3	Horizontal	157	1.35	-	38.60	11.51	66.51			
AV	11.09594G	40.00	54.00	-14.00	56.40	3	Horizontal	157	1.35	-	38.60	11.51	66.51			
PK	16.65115G	56.87	68.20	-11.33	68.02	3	Horizontal	105	1.20	-	39.80	12.18	63.13			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 73
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6548G	111.51	Inf	-Inf	100.53	3	Vertical	166	1.67	-	34.00	7.67	30.69			
AV	5.6646G	98.15	Inf	-Inf	87.16	3	Vertical	166	1.67	-	34.00	7.68	30.69			
PK	5.7336G	65.03	68.20	-3.17	53.96	3	Vertical	166	1.67	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 73
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6572G	116.69	Inf	-Inf	105.71	3	Horizontal	80	2.04	-	34.00	7.67	30.69			
AV	5.6548G	104.02	Inf	-Inf	93.04	3	Horizontal	80	2.04	-	34.00	7.67	30.69			
PK	5.7252G	66.95	68.20	-1.25	55.90	3	Horizontal	80	2.04	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 73
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33861G	53.51	74.00	-20.49	69.40	3	Vertical	247	2.66	-	38.70	11.66	66.25			
AV	11.33976G	39.57	54.00	-14.43	55.46	3	Vertical	247	2.66	-	38.70	11.66	66.25			
PK	17.00677G	58.12	68.20	-10.08	67.33	3	Vertical	135	2.03	-	41.40	12.35	62.96			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 73
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34241G	54.34	74.00	-19.66	70.22	3	Horizontal	12	2.90	-	38.70	11.66	66.24			
AV	11.34024G	39.56	54.00	-14.44	55.45	3	Horizontal	12	2.90	-	38.70	11.66	66.25			
PK	17.00648G	58.34	68.20	-9.86	67.55	3	Horizontal	170	2.70	-	41.40	12.35	62.96			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7032G	116.69	Inf	-Inf	105.66	3	Vertical	190	1.72	-	34.00	7.71	30.68			
AV	5.7276G	103.53	Inf	-Inf	92.48	3	Vertical	190	1.72	-	34.00	7.73	30.68			
PK	5.8576G	63.91	68.20	-4.29	52.68	3	Vertical	190	1.72	-	34.03	7.84	30.64			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7272G	120.40	Inf	-Inf	109.35	3	Horizontal	262	2.45	-	34.00	7.73	30.68			
AV	5.7284G	108.91	Inf	-Inf	97.85	3	Horizontal	262	2.45	-	34.00	7.74	30.68			
PK	5.9044G	61.90	68.20	-6.30	50.46	3	Horizontal	262	2.45	-	34.20	7.87	30.63			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4236G	53.51	74.00	-20.49	69.10	3	Vertical	198	2.94	-	38.85	11.71	66.15			
AV	11.425G	39.81	54.00	-14.19	55.40	3	Vertical	198	2.94	-	38.85	11.71	66.15			
PK	17.1331G	58.24	68.20	-9.96	67.17	3	Vertical	326	1.31	-	41.70	12.41	63.04			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41783G	54.22	74.00	-19.78	69.83	3	Horizontal	113	2.92	-	38.84	11.71	66.16			
AV	11.42458G	39.53	54.00	-14.47	55.12	3	Horizontal	113	2.92	-	38.85	11.71	66.15			
PK	17.12798G	58.09	68.20	-10.11	67.05	3	Horizontal	235	2.83	-	41.67	12.41	63.04			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6345G	65.63	68.20	-2.57	54.68	3	Vertical	166	1.47	-	34.00	7.65	30.70			
PK	5.747G	119.12	Inf	-Inf	108.04	3	Vertical	166	1.47	-	34.00	7.75	30.67			
AV	5.757G	106.63	Inf	-Inf	95.53	3	Vertical	166	1.47	-	34.01	7.76	30.67			
PK	5.937G	61.71	68.20	-6.49	50.25	3	Vertical	166	1.47	-	34.20	7.89	30.63			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	65.49	68.20	-2.71	54.52	3	Horizontal	99	1.92	-	34.00	7.66	30.69			
PK	5.77G	121.72	Inf	-Inf	110.58	3	Horizontal	99	1.92	-	34.04	7.77	30.67			
AV	5.772G	109.49	Inf	-Inf	98.34	3	Horizontal	99	1.92	-	34.04	7.77	30.66			
PK	6.0025G	61.82	68.20	-6.38	50.20	3	Horizontal	99	1.92	-	34.30	7.93	30.61			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50581G	53.76	74.00	-20.24	69.05	3	Vertical	213	1.79	-	39.01	11.77	66.07			
AV	11.51207G	39.56	54.00	-14.44	54.83	3	Vertical	213	1.79	-	39.02	11.77	66.06			
PK	17.26311G	59.64	68.20	-8.56	67.89	3	Vertical	189	2.21	-	42.40	12.47	63.12			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50887G	53.75	74.00	-20.25	69.02	3	Horizontal	156	1.61	-	39.02	11.77	66.06			
AV	11.50824G	39.61	54.00	-14.39	54.88	3	Horizontal	156	1.61	-	39.02	11.77	66.06			
PK	17.2656G	59.98	68.20	-8.22	68.21	3	Horizontal	65	1.23	-	42.42	12.47	63.12			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6235G	64.08	68.20	-4.12	53.14	3	Vertical	177	1.80	-	34.00	7.64	30.70			
PK	5.782G	121.22	Inf	-Inf	110.04	3	Vertical	177	1.80	-	34.06	7.78	30.66			
AV	5.8025G	107.98	Inf	-Inf	96.75	3	Vertical	177	1.80	-	34.09	7.80	30.66			
PK	5.951G	62.44	68.20	-5.76	50.96	3	Vertical	177	1.80	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 96
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	64.81	68.20	-3.39	53.85	3	Horizontal	154	2.68	-	34.00	7.66	30.70			
PK	5.8105G	122.67	Inf	-Inf	111.44	3	Horizontal	154	2.68	-	34.08	7.81	30.66			
AV	5.8125G	110.65	Inf	-Inf	99.42	3	Horizontal	154	2.68	-	34.08	7.81	30.66			
PK	5.9535G	62.75	68.20	-5.45	51.26	3	Horizontal	154	2.68	-	34.21	7.90	30.62			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59401G	53.81	74.00	-20.19	68.72	3	Vertical	38	1.54	-	39.28	11.82	66.01			
AV	11.59448G	39.60	54.00	-14.40	54.51	3	Vertical	38	1.54	-	39.28	11.82	66.01			
PK	17.38725G	60.83	68.20	-7.37	68.27	3	Vertical	175	1.64	-	43.22	12.53	63.19			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 96
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58876G	55.02	74.00	-18.98	69.95	3	Horizontal	210	1.51	-	39.26	11.82	66.01			
AV	11.59482G	39.74	54.00	-14.26	54.65	3	Horizontal	210	1.51	-	39.28	11.82	66.01			
PK	17.38452G	61.59	68.20	-6.61	69.04	3	Horizontal	105	2.12	-	43.21	12.53	63.19			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 80
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	66.81	74.00	-7.19	57.17	3	Vertical	318	1.19	-	33.60	6.97	30.93			
AV	5.1475G	49.97	54.00	-4.03	40.32	3	Vertical	318	1.19	-	33.60	6.98	30.93			
PK	5.188G	110.28	Inf	-Inf	100.50	3	Vertical	318	1.19	-	33.68	7.00	30.90			
AV	5.1775G	100.99	Inf	-Inf	91.24	3	Vertical	318	1.19	-	33.66	7.00	30.91			
PK	5.3915G	61.81	74.00	-12.19	51.66	3	Vertical	318	1.19	-	33.98	6.96	30.79			
AV	5.3515G	49.94	54.00	-4.06	39.88	3	Vertical	318	1.19	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 80
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1355G	64.25	74.00	-9.75	54.61	3	Horizontal	98	1.80	-	33.60	6.97	30.93			
AV	5.1425G	52.25	54.00	-1.75	42.61	3	Horizontal	98	1.80	-	33.60	6.97	30.93			
PK	5.228G	111.41	Inf	-Inf	101.53	3	Horizontal	98	1.80	-	33.76	7.00	30.88			
AV	5.174G	102.19	Inf	-Inf	92.46	3	Horizontal	98	1.80	-	33.65	6.99	30.91			
PK	5.364G	61.78	74.00	-12.22	51.69	3	Horizontal	98	1.80	-	33.93	6.97	30.81			
AV	5.3595G	49.64	54.00	-4.36	39.56	3	Horizontal	98	1.80	-	33.92	6.97	30.81			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 80
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41908G	52.39	68.20	-15.81	69.09	3	Vertical	308	2.91	-	38.46	11.08	66.24			
PK	15.62973G	54.03	74.00	-19.97	67.15	3	Vertical	272	1.74	-	37.78	11.85	62.75			
AV	15.63277G	40.96	54.00	-13.04	54.09	3	Vertical	272	1.74	-	37.77	11.85	62.75			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 80
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42015G	52.10	68.20	-16.10	68.80	3	Horizontal	40	2.97	-	38.46	11.08	66.24			
PK	15.63432G	54.52	74.00	-19.48	67.66	3	Horizontal	266	1.81	-	37.76	11.85	62.75			
AV	15.62972G	40.87	54.00	-13.13	53.99	3	Horizontal	266	1.81	-	37.78	11.85	62.75			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.127G	60.34	74.00	-13.66	50.72	3	Vertical	157	1.65	-	33.60	6.96	30.94			
AV	5.1495G	48.12	54.00	-5.88	38.47	3	Vertical	157	1.65	-	33.60	6.98	30.93			
PK	5.261G	111.18	Inf	-Inf	101.23	3	Vertical	157	1.65	-	33.82	6.99	30.86			
AV	5.2585G	99.94	Inf	-Inf	89.99	3	Vertical	157	1.65	-	33.82	7.00	30.87			
PK	5.3595G	63.22	74.00	-10.78	53.14	3	Vertical	157	1.65	-	33.92	6.97	30.81			
AV	5.36G	50.38	54.00	-3.62	40.30	3	Vertical	157	1.65	-	33.92	6.97	30.81			
PK	5.3395G	62.47	68.20	-5.73	51.75	3	Vertical	157	1.65	-	34.02	7.42	30.72			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	60.02	74.00	-13.98	50.38	3	Horizontal	360	1.80	-	33.60	6.97	30.93			
AV	5.1425G	48.25	54.00	-5.75	38.61	3	Horizontal	360	1.80	-	33.60	6.97	30.93			
PK	5.326G	109.95	Inf	-Inf	99.90	3	Horizontal	360	1.80	-	33.90	6.98	30.83			
AV	5.328G	98.75	Inf	-Inf	88.70	3	Horizontal	360	1.80	-	33.90	6.98	30.83			
PK	5.366G	65.28	74.00	-8.72	55.19	3	Horizontal	360	1.80	-	33.93	6.97	30.81			
AV	5.3665G	52.70	54.00	-1.30	42.60	3	Horizontal	360	1.80	-	33.93	6.97	30.80			
PK	5.4855G	61.61	68.20	-6.59	51.04	3	Horizontal	360	1.80	-	34.07	7.24	30.74			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58081G	53.29	68.20	-14.91	69.70	3	Vertical	19	1.58	-	38.60	11.18	66.19			
PK	15.86503G	54.17	74.00	-19.83	67.64	3	Vertical	331	2.62	-	37.56	11.86	62.89			
AV	15.87022G	41.33	54.00	-12.67	54.78	3	Vertical	331	2.62	-	37.58	11.86	62.89			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57747G	53.27	68.20	-14.93	69.68	3	Horizontal	326	1.06	-	38.60	11.18	66.19			
PK	15.87186G	54.49	74.00	-19.51	67.93	3	Horizontal	279	1.56	-	37.59	11.86	62.89			
AV	15.8695G	41.16	54.00	-12.84	54.61	3	Horizontal	279	1.56	-	37.58	11.86	62.89			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.307G	61.12	68.20	-7.08	51.08	3	Vertical	187	1.78	-	33.90	6.98	30.84			
AV	5.35G	48.49	54.00	-5.51	38.43	3	Vertical	187	1.78	-	33.90	6.97	30.81			
PK	5.4465G	66.25	74.00	-7.75	55.90	3	Vertical	187	1.78	-	34.00	7.11	30.76			
PK	5.467G	64.92	68.20	-3.28	54.46	3	Vertical	187	1.78	-	34.03	7.18	30.75			
AV	5.459G	52.47	54.00	-1.53	42.05	3	Vertical	187	1.78	-	34.02	7.15	30.75			
PK	5.499G	113.17	Inf	-Inf	102.51	3	Vertical	187	1.78	-	34.10	7.29	30.73			
AV	5.551G	95.69	Inf	-Inf	84.95	3	Vertical	187	1.78	-	34.00	7.46	30.72			
PK	5.779G	61.86	68.20	-6.34	50.68	3	Vertical	187	1.78	-	34.06	7.78	30.66			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	61.94	68.20	-6.26	51.94	3	Horizontal	25	1.80	-	33.86	6.99	30.85			
AV	5.35G	48.29	54.00	-5.71	38.23	3	Horizontal	25	1.80	-	33.90	6.97	30.81			
PK	5.4515G	64.42	74.00	-9.58	54.05	3	Horizontal	25	1.80	-	34.00	7.13	30.76			
AV	5.4525G	50.77	54.00	-3.23	40.39	3	Horizontal	25	1.80	-	34.01	7.13	30.76			
PK	5.4615G	63.45	68.20	-4.75	53.02	3	Horizontal	25	1.80	-	34.02	7.16	30.75			
AV	5.503G	104.96	Inf	-Inf	94.30	3	Horizontal	25	1.80	-	34.09	7.30	30.73			
PK	5.5625G	110.93	Inf	-Inf	100.14	3	Horizontal	25	1.80	-	34.00	7.50	30.71			
PK	5.752G	62.52	68.20	-5.68	51.43	3	Horizontal	25	1.80	-	34.00	7.76	30.67			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 77
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05773G	54.28	74.00	-19.72	70.76	3	Vertical	82	2.64	-	38.60	11.48	66.56			
AV	11.05954G	40.81	54.00	-13.19	57.28	3	Vertical	82	2.64	-	38.60	11.48	66.55			
PK	16.58758G	55.21	68.20	-12.99	66.72	3	Vertical	71	1.45	-	39.50	12.15	63.16			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 77
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06079G	54.23	74.00	-19.77	70.70	3	Horizontal	29	2.58	-	38.60	11.48	66.55			
AV	11.05629G	40.78	54.00	-13.22	57.26	3	Horizontal	29	2.58	-	38.60	11.48	66.56			
PK	16.59214G	55.01	68.20	-13.19	66.48	3	Horizontal	138	2.43	-	39.54	12.15	63.16			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 78
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.38G	61.73	74.00	-12.27	51.61	3	Vertical	170	2.98	-	33.96	6.96	30.80			
PK	5.4655G	62.36	68.20	-5.84	51.90	3	Vertical	170	2.98	-	34.03	7.18	30.75			
AV	5.458G	49.35	54.00	-4.65	38.93	3	Vertical	170	2.98	-	34.02	7.15	30.75			
PK	5.576G	112.96	Inf	-Inf	102.13	3	Vertical	170	2.98	-	34.00	7.54	30.71			
AV	5.5835G	104.64	Inf	-Inf	93.78	3	Vertical	170	2.98	-	34.00	7.57	30.71			
PK	5.7265G	64.72	68.20	-3.48	53.67	3	Vertical	170	2.98	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 78
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4575G	61.46	74.00	-12.54	51.04	3	Horizontal	324	1.80	-	34.02	7.15	30.75			
AV	5.451G	49.50	54.00	-4.50	39.13	3	Horizontal	324	1.80	-	34.00	7.13	30.76			
PK	5.4645G	61.48	68.20	-6.72	51.03	3	Horizontal	324	1.80	-	34.03	7.17	30.75			
PK	5.616G	114.68	Inf	-Inf	103.75	3	Horizontal	324	1.80	-	34.00	7.63	30.70			
AV	5.5755G	104.84	Inf	-Inf	94.01	3	Horizontal	324	1.80	-	34.00	7.54	30.71			
PK	5.7255G	66.67	68.20	-1.53	55.62	3	Horizontal	324	1.80	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 78
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21536G	53.57	74.00	-20.43	69.74	3	Vertical	217	1.49	-	38.63	11.58	66.38			
AV	11.21863G	40.03	54.00	-13.97	56.19	3	Vertical	217	1.49	-	38.64	11.58	66.38			
PK	16.83195G	57.33	68.20	-10.87	67.61	3	Vertical	297	2.44	-	40.49	12.27	63.04			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 78
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22378G	53.64	74.00	-20.36	69.77	3	Horizontal	343	2.88	-	38.65	11.59	66.37			
AV	11.21633G	40.18	54.00	-13.82	56.35	3	Horizontal	343	2.88	-	38.63	11.58	66.38			
PK	16.83315G	57.00	68.20	-11.20	67.27	3	Horizontal	328	2.70	-	40.50	12.27	63.04			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 94
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	62.16	74.00	-11.84	51.81	3	Vertical	152	1.30	-	34.00	7.11	30.76			
AV	5.4485G	50.13	54.00	-3.87	39.77	3	Vertical	152	1.30	-	34.00	7.12	30.76			
PK	5.4665G	62.07	68.20	-6.13	51.61	3	Vertical	152	1.30	-	34.03	7.18	30.75			
PK	5.676G	116.20	Inf	-Inf	105.20	3	Vertical	152	1.30	-	34.00	7.69	30.69			
AV	5.666G	104.22	Inf	-Inf	93.23	3	Vertical	152	1.30	-	34.00	7.68	30.69			
PK	5.863G	66.99	68.20	-1.21	55.74	3	Vertical	152	1.30	-	34.05	7.84	30.64			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 94
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	61.49	74.00	-12.51	51.14	3	Horizontal	360	1.79	-	34.00	7.11	30.76			
AV	5.4515G	49.36	54.00	-4.64	38.99	3	Horizontal	360	1.79	-	34.00	7.13	30.76			
PK	5.467G	61.05	68.20	-7.15	50.59	3	Horizontal	360	1.79	-	34.03	7.18	30.75			
PK	5.699G	116.26	Inf	-Inf	105.23	3	Horizontal	360	1.79	-	34.00	7.71	30.68			
AV	5.6585G	107.46	Inf	-Inf	96.48	3	Horizontal	360	1.79	-	34.00	7.67	30.69			
PK	5.852G	65.65	68.20	-2.55	54.46	3	Horizontal	360	1.79	-	34.01	7.83	30.65			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 94
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38481G	54.14	74.00	-19.86	69.88	3	Vertical	345	1.51	-	38.77	11.69	66.20			
AV	11.38491G	40.36	54.00	-13.64	56.10	3	Vertical	345	1.51	-	38.77	11.69	66.20			
PK	17.06692G	58.14	68.20	-10.06	67.33	3	Vertical	328	1.59	-	41.43	12.38	63.00			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 94
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38224G	53.97	74.00	-20.03	69.72	3	Horizontal	255	2.01	-	38.76	11.69	66.20			
AV	11.37542G	40.41	54.00	-13.59	56.19	3	Horizontal	255	2.01	-	38.75	11.68	66.21			
PK	17.06598G	57.49	68.20	-10.71	66.68	3	Horizontal	287	2.41	-	41.43	12.38	63.00			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.639G	66.46	68.20	-1.74	55.50	3	Vertical	162	1.70	-	34.00	7.66	30.70			
PK	5.8G	113.52	Inf	-Inf	102.28	3	Vertical	162	1.70	-	34.10	7.80	30.66			
AV	5.737G	104.81	Inf	-Inf	93.74	3	Vertical	162	1.70	-	34.00	7.74	30.67			
PK	5.963G	62.39	68.20	-5.81	50.87	3	Vertical	162	1.70	-	34.23	7.91	30.62			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	65.77	68.20	-2.43	54.81	3	Horizontal	360	1.75	-	34.00	7.66	30.70			
PK	5.7425G	112.30	Inf	-Inf	101.22	3	Horizontal	360	1.75	-	34.00	7.75	30.67			
AV	5.7385G	100.64	Inf	-Inf	89.57	3	Horizontal	360	1.75	-	34.00	7.74	30.67			
PK	6.016G	62.11	68.20	-6.09	50.49	3	Horizontal	360	1.75	-	34.30	7.95	30.63			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 84
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5497G	53.82	74.00	-20.18	68.97	3	Vertical	352	1.54	-	39.10	11.79	66.04			
AV	11.55475G	40.22	54.00	-13.78	55.33	3	Vertical	352	1.54	-	39.12	11.80	66.03			
PK	17.32252G	60.58	68.20	-7.62	68.39	3	Vertical	345	1.04	-	42.84	12.50	63.15			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 84
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55223G	54.36	74.00	-19.64	69.49	3	Horizontal	129	1.58	-	39.11	11.80	66.04			
AV	11.54927G	40.35	54.00	-13.65	55.50	3	Horizontal	129	1.58	-	39.10	11.79	66.04			
PK	17.32721G	60.08	68.20	-8.12	67.88	3	Horizontal	47	2.64	-	42.86	12.50	63.16			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	61.03	74.00	-12.97	51.39	3	Vertical	343	2.61	-	33.60	6.97	30.93			
AV	5.1412G	48.53	54.00	-5.47	38.89	3	Vertical	343	2.61	-	33.60	6.97	30.93			
AV	5.1732G	94.90	Inf	-Inf	85.17	3	Vertical	343	2.61	-	33.65	6.99	30.91			
PK	5.3132G	107.07	Inf	-Inf	97.02	3	Vertical	343	2.61	-	33.90	6.98	30.83			
PK	5.3652G	63.84	74.00	-10.16	53.75	3	Vertical	343	2.61	-	33.93	6.97	30.81			
AV	5.3636G	52.19	54.00	-1.81	42.10	3	Vertical	343	2.61	-	33.93	6.97	30.81			
PK	5.6212G	61.65	68.20	-6.55	50.71	3	Vertical	343	2.61	-	34.00	7.64	30.70			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.36	74.00	-10.64	53.71	3	Horizontal	177	1.80	-	33.60	6.98	30.93			
AV	5.1476G	51.81	54.00	-2.19	42.16	3	Horizontal	177	1.80	-	33.60	6.98	30.93			
PK	5.2244G	107.85	Inf	-Inf	97.98	3	Horizontal	177	1.80	-	33.75	7.00	30.88			
AV	5.2268G	95.90	Inf	-Inf	86.03	3	Horizontal	177	1.80	-	33.75	7.00	30.88			
PK	5.3668G	62.27	74.00	-11.73	52.17	3	Horizontal	177	1.80	-	33.93	6.97	30.80			
AV	5.362G	49.63	54.00	-4.37	39.55	3	Horizontal	177	1.80	-	33.92	6.97	30.81			
PK	5.3332G	62.18	68.20	-6.02	51.47	3	Horizontal	177	1.80	-	34.03	7.40	30.72			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 72
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50298G	52.64	68.20	-15.56	69.11	3	Vertical	25	1.66	-	38.51	11.13	66.11			
PK	15.74955G	53.11	74.00	-20.89	66.57	3	Vertical	285	2.10	-	37.50	11.86	62.82			
AV	15.74558G	39.89	54.00	-14.11	53.34	3	Vertical	285	2.10	-	37.51	11.86	62.82			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 72
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50256G	53.13	68.20	-15.07	69.60	3	Horizontal	331	2.36	-	38.51	11.13	66.11			
PK	15.75065G	53.88	74.00	-20.12	67.34	3	Horizontal	188	2.66	-	37.50	11.86	62.82			
AV	15.74543G	39.90	54.00	-14.10	53.35	3	Horizontal	188	2.66	-	37.51	11.86	62.82			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 73
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2124G	61.33	68.20	-6.87	51.49	3	Vertical	156	1.84	-	33.72	7.01	30.89			
PK	5.4588G	65.63	74.00	-8.37	55.21	3	Vertical	156	1.84	-	34.02	7.15	30.75			
AV	5.35G	48.58	54.00	-5.42	38.52	3	Vertical	156	1.84	-	33.90	6.97	30.81			
AV	5.4132G	52.87	54.00	-1.13	42.65	3	Vertical	156	1.84	-	34.00	7.00	30.78			
PK	5.47G	64.92	68.20	-3.28	54.44	3	Vertical	156	1.84	-	34.04	7.19	30.75			
PK	5.494G	106.11	Inf	-Inf	95.48	3	Vertical	156	1.84	-	34.09	7.27	30.73			
AV	5.4988G	93.96	Inf	-Inf	83.30	3	Vertical	156	1.84	-	34.10	7.29	30.73			
PK	5.7252G	63.76	68.20	-4.44	52.71	3	Vertical	156	1.84	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 73
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.234G	61.23	68.20	-6.97	51.34	3	Horizontal	287	2.04	-	33.77	7.00	30.88			
PK	5.4148G	63.04	74.00	-10.96	52.81	3	Horizontal	287	2.04	-	34.00	7.01	30.78			
AV	5.35G	48.08	54.00	-5.92	38.02	3	Horizontal	287	2.04	-	33.90	6.97	30.81			
AV	5.4132G	50.93	54.00	-3.07	40.71	3	Horizontal	287	2.04	-	34.00	7.00	30.78			
PK	5.47G	62.40	68.20	-5.80	51.92	3	Horizontal	287	2.04	-	34.04	7.19	30.75			
PK	5.538G	110.00	Inf	-Inf	99.28	3	Horizontal	287	2.04	-	34.02	7.42	30.72			
AV	5.5388G	96.54	Inf	-Inf	85.82	3	Horizontal	287	2.04	-	34.02	7.42	30.72			
PK	5.742G	63.19	68.20	-5.01	52.11	3	Horizontal	287	2.04	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 73
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14431G	53.80	74.00	-20.20	70.12	3	Vertical	244	1.88	-	38.60	11.54	66.46			
AV	11.13859G	39.48	54.00	-14.52	55.82	3	Vertical	244	1.88	-	38.60	11.53	66.47			
PK	16.70727G	55.88	68.20	-12.32	66.86	3	Vertical	136	2.12	-	39.91	12.21	63.10			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 73
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14329G	53.65	74.00	-20.35	69.97	3	Horizontal	76	2.99	-	38.60	11.54	66.46			
AV	11.14216G	39.41	54.00	-14.59	55.73	3	Horizontal	76	2.99	-	38.60	11.54	66.46			
PK	16.70697G	56.10	68.20	-12.10	67.08	3	Horizontal	49	1.40	-	39.91	12.21	63.10			




Radiated Emissions above 1GHz

Appendix F

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.43218G	40.66	54.00	-13.34	Vertical

Mode 1



Mode 1

