









Test Positions

Left Cheek	Left Tilt 15 Degree
	
Right Cheek	Right Tilt 15 Degree
	
Front Side (Separation distance of 10mm)	Back Side (Separation distance of 10mm)
 10mm	 10mm



Liquid depth

Head 850MHz depth (15.2cm)	Body 850MHz depth (15.1cm)
 A photograph showing a white, ergonomic device with a circular opening, likely a speaker or microphone, partially submerged in a light green liquid. A vertical ruler is positioned next to it, showing markings from 0 to 25 cm. The water level reaches approximately 15.2 cm.	 A photograph showing the same white device from a different angle, with the ruler positioned vertically next to the circular opening. The water level is slightly lower, at approximately 15.1 cm.
Head 1900MHz depth (15.1cm)	Body 1900MHz depth (15.2cm)
 A photograph showing the white device with its circular opening submerged in liquid. The ruler indicates a depth of 15.1 cm.	 A photograph showing the white device with its circular opening submerged in liquid. The ruler indicates a depth of 15.2 cm.
Head 2450MHz depth (15.2cm)	Body 2450MHz depth (15.3cm)
 A photograph showing the white device with its circular opening submerged in liquid. The ruler indicates a depth of 15.2 cm.	 A photograph showing the white device with its circular opening submerged in liquid. The ruler indicates a depth of 15.3 cm.