



### 2.2.2 26dB BW


802.11be(EHT20)\_LCH\_5955MHz\_RU242\_Left\_Ant1\_NTNV




802.11be(EHT20)\_MCH\_6175MHz\_RU242\_Left\_Ant1\_NTNV




### 802.11be(EHT20)\_HCH\_6415MHz\_RU242\_Left\_Ant1\_NTNV




### 802.11be(EHT40)\_LCH\_5965MHz\_RU484\_Left\_Ant1\_NTNV




### 802.11be(EHT40)\_MCH\_6165MHz\_RU484\_Left\_Ant1\_NTNV




### 802.11be(EHT40)\_HCH\_6405MHz\_RU484\_Left\_Ant1\_NTNV



### 802.11be(EHT80)\_LCH\_5985MHz\_RU996\_Left\_Ant1\_NTNV



### 802.11be(EHT80)\_MCH\_6145MHz\_RU996\_Left\_Ant1\_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




### 802.11be(EHT80)\_HCH\_6385MHz\_RU996\_Left\_Ant1\_NTNV




### 802.11be(EHT160)\_LCH\_6025MHz\_2xRU996\_Left\_Ant1\_NTNV




### 802.11be(EHT160)\_MCH\_6185MHz\_2xRU996\_Left\_Ant1\_NTNV




### 802.11be(EHT160)\_HCH\_6345MHz\_2xRU996\_Left\_Ant1\_NTNV



802.11be(EHT320)\_LCH\_6105MHz\_4xRU996\_Left\_Ant1\_NTNV



802.11be(EHT320)\_HCH\_6265MHz\_4xRU996\_Left\_Ant1\_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 2.2.3 OBW

802.11be(EHT20)\_LCH\_6535MHz\_RU242\_Left\_Ant1\_NTNV




802.11be(EHT20)\_MCH\_6695MHz\_RU242\_Left\_Ant1\_NTNV






802.11be(EHT20)\_HCH\_6855MHz\_RU242\_Left\_Ant1\_NTNV




802.11be(EHT40)\_LCH\_6565MHz\_RU484\_Left\_Ant1\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

### 802.11be(EHT40)\_MCH\_6685MHz\_RU484\_Left\_Ant1\_NTNV



### 802.11be(EHT40)\_HCH\_6845MHz\_RU484\_Left\_Ant1\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


### 802.11be(EHT80)\_LCH\_6625MHz\_RU996\_Left\_Ant1\_NTNV




### 802.11be(EHT80)\_MCH\_6705MHz\_RU996\_Left\_Ant1\_NTNV



### 802.11be(EHT80)\_HCH\_6785MHz\_RU996\_Left\_Ant1\_NTNV



### 802.11be(EHT160)\_MCH\_6665MHz\_2xRU996\_Left\_Ant1\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)




### 2.2.4 26dB BW




### 802.11be(EHT20)\_HCH\_6855MHz\_RU242\_Left\_Ant1\_NTNV




### 802.11be(EHT40)\_LCH\_6565MHz\_RU484\_Left\_Ant1\_NTNV




### 802.11be(EHT40)\_MCH\_6685MHz\_RU484\_Left\_Ant1\_NTNV




### 802.11be(EHT40)\_HCH\_6845MHz\_RU484\_Left\_Ant1\_NTNV



### 802.11be(EHT80)\_LCH\_6625MHz\_RU996\_Left\_Ant1\_NTNV




### 802.11be(EHT80)\_MCH\_6705MHz\_RU996\_Left\_Ant1\_NTNV






### 802.11be(EHT80)\_HCH\_6785MHz\_RU996\_Left\_Ant1\_NTNV



### 802.11be(EHT160)\_MCH\_6665MHz\_2xRU996\_Left\_Ant1\_NTNV



### 3. Maximum Conducted Output Power

#### 3.1 Test Result

##### 3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU52	Left	-10.39	-11.08	-8.88	-9.68	-3.91	/	Pass
				RU52+26	Left	-9.19	-10.10	-7.84	-8.74	-2.87	/	Pass
				RU242	Left	-3.99	-5.00	-2.84	-3.63	2.22	/	Pass
			6175	RU52	Mid	-11.17	-10.57	-9.23	-10.55	-4.30	/	Pass
				RU52+26	Right	-9.77	-9.22	-8.40	-9.28	-3.12	/	Pass
				RU242	Left	-4.13	-3.74	-2.31	-3.09	2.76	/	Pass
			6415	RU52	Right	-10.96	-10.72	-8.99	-10.12	-4.11	/	Pass
				RU52+26	Right	-11.09	-10.85	-8.99	-10.42	-4.24	/	Pass
				RU242	Left	-4.72	-4.85	-2.97	-4.37	1.86	/	Pass
	802.11be (EHT40)	MIMO	5965	RU52	Left	-10.13	-11.24	-8.97	-9.65	-3.90	/	Pass
				RU52+26	Left	-9.14	-9.71	-7.68	-8.46	-2.66	/	Pass
				RU484	Left	-0.95	-1.82	0.39	-0.67	5.33	/	Pass
			6165	RU52	Mid	-10.89	-10.55	-8.83	-10.46	-4.08	/	Pass
				RU52+26	Mid	-9.87	-9.75	-7.99	-8.95	-3.05	/	Pass
				RU484	Left	-1.80	-1.64	-0.25	-1.06	4.88	/	Pass
			6405	RU52	Right	-10.56	-11.10	-8.99	-10.27	-4.14	/	Pass
				RU52+26	Right	-9.34	-9.82	-8.13	-9.35	-3.09	/	Pass
				RU484	Left	-1.27	-2.01	-0.31	-1.43	4.81	/	Pass
	802.11be (EHT80)	MIMO	5985	RU52	Left	-10.02	-10.87	-8.72	-9.55	-3.70	/	Pass
				RU52+26	Left	-8.91	-9.85	-7.66	-8.76	-2.70	/	Pass
				RU996	Left	1.18	0.80	2.72	2.15	7.80	/	Pass
			6145	RU52	Mid	-9.84	-10.42	-9.01	-9.84	-3.73	/	Pass
				RU52+26	Mid	-8.95	-9.28	-8.18	-8.60	-2.71	/	Pass
				RU996	Left	0.89	0.98	2.37	1.64	7.53	/	Pass
			6385	RU52	Right	-10.66	-11.38	-9.11	-10.32	-4.27	/	Pass
				RU52+26	Right	-13.50	-10.03	-8.15	-9.75	-3.95	/	Pass
				RU996	Left	0.57	0.96	1.68	0.99	7.09	/	Pass
	802.11be (EHT160)	MIMO	6025	RU52	Left	-10.98	-10.21	-9.49	-10.39	-4.21	/	Pass
				RU52+26	Left	-11.08	-10.44	-9.32	-10.38	-4.24	/	Pass
				2xRU996	Left	3.09	2.75	4.08	3.41	9.38	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 155 of 392

			6185	RU52	Mid	-9.21	-9.42	-7.5	-9.15	-2.73	/	Pass
				RU52+26	Mid	-8.14	-8.17	-6.37	-7.85	-1.55	/	Pass
				2xRU996	Left	3.26	2.62	4.96	3.22	9.63	/	Pass
			6345	RU52	Right	-10.5	-10.99	-8.96	-10.25	-4.09	/	Pass
				RU52+26	Right	-9.38	-9.76	-7.98	-8.95	-2.94	/	Pass
				2xRU996	Left	3.79	3.36	3.54	3.38	9.54	/	Pass
	802.11be (EHT320)	MIMO	6105	RU52	Left	-12.68	-11.55	-10.04	-11.75	-5.38	/	Pass
				RU52+26	Left	-5.19	-4.02	-3.11	-4.56	1.87	/	Pass
				3xRU996	Left	1.95	1.56	3.5	2.11	8.37	/	Pass
				4xRU996	Left	2.67	3.17	4.68	3.77	9.66	/	Pass
			6265	RU52	Right	-13.03	-13.36	-11.4	-13.14	-6.64	/	Pass
				RU52+26	Right	-7.08	-6.23	-4.63	-6.19	0.08	/	Pass
				3xRU996	Right	2.74	3.24	4.59	2.8	9.43	/	Pass
				4xRU996	Left	3.13	3.29	4.64	3.16	9.62	/	Pass

### 3.1.2 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU52	Left	-7.18	-8.04	-4.82	-5.32	-0.12	<=14	Pass
				RU52+26	Left	-5.98	-7.06	-3.78	-4.38	0.91	<=14	Pass
				RU242	Left	-0.78	-1.96	1.22	0.73	6	<=14	Pass
			6175	RU52	Mid	-7.96	-7.53	-5.17	-6.19	-0.55	<=14	Pass
				RU52+26	Right	-6.56	-6.18	-4.34	-4.92	0.61	<=14	Pass
				RU242	Left	-0.92	-0.7	1.75	1.27	6.53	<=14	Pass
			6415	RU52	Right	-7.75	-7.68	-4.93	-5.76	-0.34	<=14	Pass
				RU52+26	Right	-7.88	-7.81	-4.93	-6.06	-0.47	<=14	Pass
				RU242	Left	-1.51	-1.81	1.09	-0.01	5.62	<=14	Pass
	802.11be (EHT40)	MIMO	5965	RU52	Left	-6.92	-8.2	-4.91	-5.29	-0.12	<=14	Pass
				RU52+26	Left	-5.93	-6.67	-3.62	-4.1	1.12	<=14	Pass
				RU484	Left	2.26	1.22	4.45	3.69	9.1	<=14	Pass
			6165	RU52	Mid	-7.68	-7.51	-4.77	-6.1	-0.33	<=14	Pass
				RU52+26	Mid	-6.66	-6.71	-3.93	-4.59	0.72	<=14	Pass
				RU484	Left	1.41	1.4	3.81	3.3	8.64	<=14	Pass
			6405	RU52	Right	-7.35	-8.06	-4.93	-5.91	-0.37	<=14	Pass
				RU52+26	Right	-6.13	-6.78	-4.07	-4.99	0.65	<=14	Pass
				RU484	Left	1.94	1.03	3.75	2.93	8.55	<=14	Pass
	802.11be (EHT80)	MIMO	5985	RU52	Left	-6.81	-7.83	-4.66	-5.19	0.08	<=14	Pass
				RU52+26	Left	-5.7	-6.81	-3.6	-4.4	1.06	<=14	Pass
				RU996	Left	4.39	3.84	6.78	6.51	11.59	<=14	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 156 of 392

	802.11be (EHT160)	MIMO	6145	RU52	Mid	-6.63	-7.38	-4.95	-5.48	0.01	<=14	Pass
				RU52+26	Mid	-5.74	-6.24	-4.12	-4.24	1.03	<=14	Pass
				RU996	Left	4.1	4.02	6.43	6	11.29	<=14	Pass
			6385	RU52	Right	-7.45	-8.34	-5.05	-5.96	-0.49	<=14	Pass
				RU52+26	Right	-10.29	-6.99	-4.09	-5.39	-0.12	<=14	Pass
				RU996	Left	3.78	4	5.74	5.35	10.82	<=14	Pass
			6025	RU52	Left	-7.77	-7.17	-5.43	-6.03	-0.48	<=14	Pass
				RU52+26	Left	-7.87	-7.4	-5.26	-6.02	-0.49	<=14	Pass
				2xRU996	Left	6.3	5.79	8.14	7.77	13.13	<=14	Pass
	802.11be (EHT320)	MIMO	6185	RU52	Mid	-6	-6.38	-3.44	-4.79	1.02	<=14	Pass
				RU52+26	Mid	-4.93	-5.13	-2.31	-3.49	2.21	<=14	Pass
				2xRU996	Left	6.47	5.66	9.02	7.58	13.39	<=14	Pass
			6345	RU52	Right	-7.29	-7.95	-4.9	-5.89	-0.32	<=14	Pass
				RU52+26	Right	-6.17	-6.72	-3.92	-4.59	0.82	<=14	Pass
				2xRU996	Left	7	6.4	7.6	7.74	13.24	<=14	Pass
			6105	RU52	Left	-9.47	-8.51	-5.98	-7.39	-1.62	<=14	Pass
				RU52+26	Left	-1.98	-0.98	0.95	-0.2	5.6	<=14	Pass
				3xRU996	Left	5.16	4.6	7.56	6.47	12.12	<=14	Pass
				4xRU996	Left	5.88	6.21	8.74	8.13	13.43	<=14	Pass
			6265	RU52	Right	-9.82	-10.32	-7.34	-8.78	-2.89	<=14	Pass
				RU52+26	Right	-3.87	-3.19	-0.57	-1.83	3.84	<=14	Pass
				3xRU996	Right	5.95	6.28	8.65	7.16	13.16	<=14	Pass
				4xRU996	Left	6.34	6.33	8.7	7.52	13.36	<=14	Pass

### 3.1.3 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU52	Left	-9.30	-10.45	-7.47	-9.57	-3.04	/	Pass
				RU52+26	Left	-8.37	-9.21	-6.50	-8.50	-2.00	/	Pass
				RU242	Left	-3.15	-4.33	-1.59	-3.71	2.95	/	Pass
			6695	RU52	Mid	-9.59	-10.05	-7.73	-10.30	-3.27	/	Pass
				RU52+26	Right	-7.63	-8.18	-5.34	-7.49	-0.99	/	Pass
				RU242	Left	-2.92	-3.40	-0.78	-3.11	3.60	/	Pass
			6855	RU52	Right	-9.34	-10.76	-7.18	-9.65	-3.01	/	Pass
				RU52+26	Right	-7.08	-8.61	-5.01	-7.91	-0.91	/	Pass
				RU242	Left	-3.30	-4.10	-0.25	-3.11	3.60	/	Pass
	802.11be (EHT40)	MIMO	6565	RU52	Left	-9.81	-10.93	-7.84	-10.26	-3.53	/	Pass
				RU52+26	Left	-7.66	-8.65	-5.84	-8.07	-1.40	/	Pass
				RU484	Left	0.21	-1.27	1.63	-0.34	6.21	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 157 of 392

			6685	RU52	Mid	-9.38	-9.93	-7.28	-9.69	-2.91	/	Pass
				RU52+26	Mid	-7.32	-7.89	-5.45	-8.12	-1.04	/	Pass
				RU484	Left	0.25	-0.38	2.39	-0.11	6.71	/	Pass
			6845	RU52	Right	-8.50	-10.33	-6.75	-9.94	-2.62	/	Pass
				RU52+26	Right	-8.24	-9.39	-5.79	-8.60	-1.76	/	Pass
				RU484	Left	-0.17	-0.07	2.85	-0.07	6.86	/	Pass
	802.11be (EHT80)	MIMO	6625	RU52	Left	-9.43	-10.57	-7.63	-9.94	-3.23	/	Pass
				RU52+26	Left	-7.58	-8.45	-5.38	-8.10	-1.18	/	Pass
				RU996	Left	2.45	1.30	4.17	1.75	8.58	/	Pass
			6705	RU52	Mid	-9.63	-10.41	-7.28	-10.12	-3.15	/	Pass
				RU52+26	Mid	-7.65	-8.03	-5.53	-8.05	-1.16	/	Pass
				RU996	Left	2.59	2.25	4.91	2.29	9.18	/	Pass
			6785	RU52	Right	-8.98	-10.10	-6.57	-10.45	-2.72	/	Pass
				RU52+26	Right	-8.09	-9.50	-5.46	-9.35	-1.75	/	Pass
				RU996	Left	2.12	2.14	4.83	2.05	8.98	/	Pass
	802.11be (EHT160)	MIMO	6665	RU52	Right	-9.54	-10.14	-7.53	-10.34	-3.21	/	Pass
				RU52+26	Right	-7.55	-8.06	-5.48	-8.12	-1.14	/	Pass
				2xRU996	Left	4.37	3.47	6.33	3.91	10.69	/	Pass

### 3.1.4 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU52	Left	-7.31	-8.18	-4.12	-6.55	-0.24	<=14	Pass
				RU52+26	Left	-6.38	-6.94	-3.15	-5.48	0.79	<=14	Pass
				RU242	Left	-1.16	-2.06	1.76	-0.69	5.73	<=14	Pass
			6695	RU52	Mid	-7.6	-7.78	-4.38	-7.28	-0.49	<=14	Pass
				RU52+26	Right	-5.64	-5.91	-1.99	-4.47	1.82	<=14	Pass
				RU242	Left	-0.93	-1.13	2.57	-0.09	6.4	<=14	Pass
			6855	RU52	Right	-7.35	-8.49	-3.83	-6.63	-0.19	<=14	Pass
				RU52+26	Right	-5.09	-6.34	-1.66	-4.89	1.9	<=14	Pass
				RU242	Left	-1.31	-1.83	3.1	-0.09	6.45	<=14	Pass
	802.11be (EHT40)	MIMO	6565	RU52	Left	-7.82	-8.66	-4.49	-7.24	-0.73	<=14	Pass
				RU52+26	Left	-5.67	-6.38	-2.49	-5.05	1.39	<=14	Pass
				RU484	Left	2.2	1	4.98	2.68	8.99	<=14	Pass
			6685	RU52	Mid	-7.39	-7.66	-3.93	-6.67	-0.12	<=14	Pass
				RU52+26	Mid	-5.33	-5.62	-2.1	-5.1	1.74	<=14	Pass
				RU484	Left	2.24	1.89	5.74	2.91	9.51	<=14	Pass
			6845	RU52	Right	-6.51	-8.06	-3.4	-6.92	0.17	<=14	Pass
				RU52+26	Right	-6.25	-7.12	-2.44	-5.58	1.07	<=14	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 158 of 392

				RU484	Left	1.82	2.2	6.2	2.95	9.69	<=14	Pass
				RU52	Left	-7.44	-8.3	-4.28	-6.92	-0.43	<=14	Pass
			6625	RU52+26	Left	-5.59	-6.18	-2.03	-5.08	1.63	<=14	Pass
				RU996	Left	4.44	3.57	7.52	4.77	11.37	<=14	Pass
				RU52	Mid	-7.64	-8.14	-3.93	-7.1	-0.34	<=14	Pass
			6705	RU52+26	Mid	-5.66	-5.76	-2.18	-5.03	1.63	<=14	Pass
				RU996	Left	4.58	4.52	8.26	5.31	11.99	<=14	Pass
				RU52	Right	-6.99	-7.83	-3.22	-7.43	0.09	<=14	Pass
			6785	RU52+26	Right	-6.1	-7.23	-2.11	-6.33	1.08	<=14	Pass
				RU996	Left	4.11	4.41	8.18	5.07	11.8	<=14	Pass
	802.11be (EHT80)	MIMO		RU52	Right	-7.55	-7.87	-4.18	-7.32	-0.43	<=14	Pass
			6665	RU52+26	Right	-5.56	-5.79	-2.13	-5.1	1.65	<=14	Pass
	802.11be (EHT160)	MIMO		2xRU996	Left	6.36	5.74	9.68	6.93	13.48	<=14	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 4. Maximum Power Spectral Density

### 4.1 Test Result

#### 4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU52	Left	-15.26	-16.04	-13.87	-14.59	-9.15	/	Pass
				RU52+26	Left	-16.39	-16.87	-14.97	-15.59	-10.15	/	Pass
				RU242	Left	-15.49	-16.60	-14.22	-15.31	-9.63	/	Pass
			6175	RU52	Mid	-16.13	-16.13	-14.12	-15.71	-9.85	/	Pass
				RU52+26	Right	-16.59	-16.19	-14.84	-16.27	-10.36	/	Pass
				RU242	Left	-15.77	-15.37	-13.92	-14.61	-9.18	/	Pass
			6415	RU52	Right	-16.30	-15.82	-13.91	-15.67	-9.63	/	Pass
				RU52+26	Right	-17.91	-17.87	-15.93	-17.37	-11.51	/	Pass
				RU242	Left	-16.33	-16.44	-14.53	-15.95	-10.07	/	Pass
	802.11be (EHT40)	MIMO	5965	RU52	Left	-15.46	-15.77	-14.16	-14.77	-9.24	/	Pass
				RU52+26	Left	-15.88	-16.83	-14.70	-15.00	-9.96	/	Pass
				RU484	Left	-15.50	-16.50	-14.25	-14.84	-9.61	/	Pass
			6165	RU52	Mid	-16.44	-15.80	-14.60	-15.73	-9.78	/	Pass
				RU52+26	Mid	-16.94	-16.80	-14.95	-16.31	-10.43	/	Pass
				RU484	Left	-16.50	-16.24	-14.81	-15.54	-9.99	/	Pass
			6405	RU52	Right	-15.90	-16.16	-14.41	-15.63	-9.57	/	Pass
				RU52+26	Right	-16.61	-17.07	-14.72	-16.20	-10.44	/	Pass
				RU484	Left	-15.68	-16.68	-14.93	-15.77	-10.09	/	Pass
	802.11be (EHT80)	MIMO	5985	RU52	Left	-15.37	-16.36	-13.92	-15.00	-9.23	/	Pass
				RU52+26	Left	-16.38	-16.97	-15.17	-15.86	-10.31	/	Pass
				RU996	Left	-16.16	-17.01	-14.45	-15.32	-9.96	/	Pass
			6145	RU52	Mid	-15.23	-16.35	-14.46	-15.21	-9.50	/	Pass
				RU52+26	Mid	-16.71	-16.62	-15.46	-15.78	-10.26	/	Pass
				RU996	Left	-16.96	-16.59	-15.41	-15.72	-10.58	/	Pass
			6385	RU52	Right	-16.13	-16.22	-14.44	-15.96	-9.88	/	Pass
				RU52+26	Right	-16.67	-17.33	-15.29	-16.60	-10.49	/	Pass
				RU996	Left	-17.37	-16.47	-15.89	-16.36	-10.83	/	Pass
	802.11be (EHT160)	MIMO	6025	RU52	Left	-16.58	-15.70	-14.52	-15.80	-9.62	/	Pass
				RU52+26	Left	-18.16	-17.49	-16.51	-17.52	-11.58	/	Pass
				2xRU996	Left	-18.37	-19.40	-17.63	-18.58	-12.91	/	Pass
			6185	RU52	Mid	-15.68	-16.27	-14.93	-15.17	-9.50	/	Pass
				RU52+26	Mid	-15.75	-15.84	-13.75	-14.98	-9.20	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 160 of 392

			6345	2xRU996	Left	-19.15	-19.67	-16.92	-19.03	-12.93	/	Pass
				RU52	Right	-16.54	-16.12	-14.44	-15.60	-9.84	/	Pass
				RU52+26	Right	-16.60	-16.74	-14.89	-16.44	-10.25	/	Pass
				2xRU996	Left	-16.30	-16.70	-16.30	-16.61	-10.84	/	Pass
	802.11be (EHT320)	MIMO	6105	RU52	Left	-16.31	-15.42	-14.35	-15.83	-9.41	/	Pass
				RU52+26	Left	-16.65	-15.81	-14.69	-16.00	-9.95	/	Pass
				3xRU996	Left	-20.33	-21.42	-19.20	-20.62	-14.57	/	Pass
				4xRU996	Left	-21.93	-21.72	-19.93	-21.14	-15.54	/	Pass
		6265		RU52	Right	-16.82	-17.26	-15.15	-16.41	-10.52	/	Pass
				RU52+26	Right	-15.56	-15.39	-13.78	-14.79	-9.06	/	Pass
				3xRU996	Right	-24.82	-24.31	-21.84	-24.05	-18.28	/	Pass
				4xRU996	Left	-21.55	-21.37	-19.33	-21.61	-15.14	/	Pass

### 4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU52	Left	-12.05	-13	-9.81	-10.23	-5.06	<=-5	Pass
				RU52+26	Left	-13.18	-13.83	-10.91	-11.23	-6.09	<=-5	Pass
				RU242	Left	-12.28	-13.56	-10.16	-10.95	-5.53	<=-5	Pass
			6175	RU52	Mid	-12.92	-13.09	-10.06	-11.35	-5.65	<=-5	Pass
				RU52+26	Right	-13.38	-13.15	-10.78	-11.91	-6.16	<=-5	Pass
				RU242	Left	-12.56	-12.33	-9.86	-10.25	-5.06	<=-5	Pass
			6415	RU52	Right	-13.09	-12.78	-9.85	-11.31	-5.54	<=-5	Pass
				RU52+26	Right	-14.7	-14.83	-11.87	-13.01	-7.4	<=-5	Pass
				RU242	Left	-13.12	-13.4	-10.47	-11.59	-5.96	<=-5	Pass
	802.11be (EHT40)	MIMO	5965	RU52	Left	-12.25	-12.73	-10.1	-10.41	-5.21	<=-5	Pass
				RU52+26	Left	-12.67	-13.79	-10.64	-10.64	-5.71	<=-5	Pass
				RU484	Left	-12.29	-13.46	-10.19	-10.48	-5.39	<=-5	Pass
			6165	RU52	Mid	-13.23	-12.76	-10.54	-11.37	-5.82	<=-5	Pass
				RU52+26	Mid	-13.73	-13.76	-10.89	-11.95	-6.39	<=-5	Pass
				RU484	Left	-13.29	-13.2	-10.75	-11.18	-5.93	<=-5	Pass
			6405	RU52	Right	-12.69	-13.12	-10.35	-11.27	-5.69	<=-5	Pass
				RU52+26	Right	-13.4	-14.03	-10.66	-11.84	-6.26	<=-5	Pass
				RU484	Left	-12.47	-13.64	-10.87	-11.41	-5.95	<=-5	Pass
	802.11be (EHT80)	MIMO	5985	RU52	Left	-12.16	-13.32	-9.86	-10.64	-5.27	<=-5	Pass
				RU52+26	Left	-13.17	-13.93	-11.11	-11.5	-6.25	<=-5	Pass
				RU996	Left	-12.95	-13.97	-10.39	-10.96	-5.81	<=-5	Pass
			6145	RU52	Mid	-12.02	-13.31	-10.4	-10.85	-5.48	<=-5	Pass
				RU52+26	Mid	-13.5	-13.58	-11.4	-11.42	-6.33	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 161 of 392

			6385	RU996	Left	-13.75	-13.55	-11.35	-11.36	-6.33	<=-5	Pass
				RU52	Right	-12.92	-13.18	-10.38	-11.6	-5.85	<=-5	Pass
				RU52+26	Right	-13.46	-14.29	-11.23	-12.24	-6.63	<=-5	Pass
				RU996	Left	-14.16	-13.43	-11.83	-12	-6.73	<=-5	Pass
	802.11be (EHT160)	MIMO	6025	RU52	Left	-13.37	-12.66	-10.46	-11.44	-5.82	<=-5	Pass
				RU52+26	Left	-14.95	-14.45	-12.45	-13.16	-7.62	<=-5	Pass
				2xRU996	Left	-15.16	-16.36	-13.57	-14.22	-8.68	<=-5	Pass
			6185	RU52	Mid	-12.47	-13.23	-10.87	-10.81	-5.7	<=-5	Pass
				RU52+26	Mid	-12.54	-12.8	-9.69	-10.62	-5.2	<=-5	Pass
				2xRU996	Left	-15.94	-16.63	-12.86	-14.67	-8.76	<=-5	Pass
			6345	RU52	Right	-13.33	-13.08	-10.38	-11.24	-5.81	<=-5	Pass
				RU52+26	Right	-13.39	-13.7	-10.83	-12.08	-6.33	<=-5	Pass
				2xRU996	Left	-13.09	-13.66	-12.24	-12.25	-6.75	<=-5	Pass
	802.11be (EHT320)	MIMO	6105	RU52	Left	-13.1	-12.38	-10.29	-11.47	-5.66	<=-5	Pass
				RU52+26	Left	-13.44	-12.77	-10.63	-11.64	-5.97	<=-5	Pass
				3xRU996	Left	-17.12	-18.38	-15.14	-16.26	-10.54	<=-5	Pass
				4xRU996	Left	-18.72	-18.68	-15.87	-16.78	-11.32	<=-5	Pass
			6265	RU52	Right	-13.61	-14.22	-11.09	-12.05	-6.54	<=-5	Pass
				RU52+26	Right	-12.35	-12.35	-9.72	-10.43	-5.04	<=-5	Pass
				3xRU996	Right	-21.61	-21.27	-17.78	-19.69	-13.79	<=-5	Pass
				4xRU996	Left	-18.34	-18.33	-15.27	-17.25	-11.08	<=-5	Pass

### 4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU52	Left	-14.46	-15.39	-12.43	-14.71	-8.35	/	Pass
				RU52+26	Left	-15.10	-16.14	-13.14	-15.33	-9.16	/	Pass
				RU242	Left	-14.49	-15.93	-13.25	-15.13	-8.76	/	Pass
			6695	RU52	Mid	-14.95	-15.00	-12.99	-15.27	-8.77	/	Pass
				RU52+26	Right	-14.52	-14.81	-12.15	-14.69	-8.21	/	Pass
				RU242	Left	-14.38	-14.84	-12.33	-14.73	-8.31	/	Pass
			6855	RU52	Right	-14.69	-15.82	-12.17	-15.16	-8.52	/	Pass
				RU52+26	Right	-14.23	-15.56	-12.05	-14.62	-8.20	/	Pass
				RU242	Left	-14.86	-15.57	-11.92	-14.81	-8.34	/	Pass
	802.11be (EHT40)	MIMO	6565	RU52	Left	-15.16	-16.03	-13.29	-15.48	-9.01	/	Pass
				RU52+26	Left	-14.64	-15.67	-13.01	-15.04	-8.67	/	Pass
				RU484	Left	-14.37	-15.89	-12.80	-15.08	-8.67	/	Pass
			6685	RU52	Mid	-14.63	-15.69	-12.79	-15.04	-8.70	/	Pass
				RU52+26	Mid	-14.70	-14.85	-12.58	-14.72	-8.49	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (EHT) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 162 of 392

			6845	RU484	Left	-14.47	-14.95	-12.29	-14.82	-8.24	/	Pass
				RU52	Right	-13.85	-15.50	-12.01	-15.01	-8.05	/	Pass
				RU52+26	Right	-15.12	-16.29	-13.10	-15.58	-9.23	/	Pass
				RU484	Left	-14.59	-14.79	-11.68	-14.71	-8.01	/	Pass
	802.11be (EHT80)	MIMO	6625	RU52	Left	-14.88	-15.79	-12.66	-15.38	-8.70	/	Pass
				RU52+26	Left	-14.83	-15.84	-12.72	-15.06	-8.63	/	Pass
				RU996	Left	-15.46	-16.33	-13.61	-15.96	-9.46	/	Pass
			6705	RU52	Mid	-15.05	-15.61	-12.68	-15.16	-8.79	/	Pass
				RU52+26	Mid	-14.71	-15.91	-12.69	-15.84	-8.75	/	Pass
				RU996	Left	-15.14	-15.59	-12.99	-15.46	-9.02	/	Pass
			6785	RU52	Right	-14.30	-15.53	-11.83	-15.82	-8.16	/	Pass
				RU52+26	Right	-15.08	-16.11	-12.80	-16.51	-8.92	/	Pass
				RU996	Left	-15.73	-15.48	-12.67	-15.73	-9.12	/	Pass
	802.11be (EHT160)	MIMO	6665	RU52	Right	-15.06	-15.46	-13.28	-15.50	-8.80	/	Pass
				RU52+26	Right	-14.29	-15.06	-12.58	-15.47	-8.35	/	Pass
				2xRU996	Left	-18.49	-19.34	-16.37	-18.91	-12.43	/	Pass

### 4.1.4 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU52	Left	-12.47	-13.12	-9.08	-11.69	-5.28	<=-5	Pass
				RU52+26	Left	-13.11	-13.87	-9.79	-12.31	-5.96	<=-5	Pass
				RU242	Left	-12.5	-13.66	-9.9	-12.11	-5.8	<=-5	Pass
			6695	RU52	Mid	-12.96	-12.73	-9.64	-12.25	-5.65	<=-5	Pass
				RU52+26	Right	-12.53	-12.54	-8.8	-11.67	-5.07	<=-5	Pass
				RU242	Left	-12.39	-12.57	-8.98	-11.71	-5.13	<=-5	Pass
			6855	RU52	Right	-12.7	-13.55	-8.82	-12.14	-5.37	<=-5	Pass
				RU52+26	Right	-12.24	-13.29	-8.7	-11.6	-5.08	<=-5	Pass
				RU242	Left	-12.87	-13.3	-8.57	-11.79	-5.18	<=-5	Pass
	802.11be (EHT40)	MIMO	6565	RU52	Left	-13.17	-13.76	-9.94	-12.46	-6.05	<=-5	Pass
				RU52+26	Left	-12.65	-13.4	-9.66	-12.02	-5.67	<=-5	Pass
				RU484	Left	-12.38	-13.62	-9.45	-12.06	-5.58	<=-5	Pass
			6685	RU52	Mid	-12.64	-13.42	-9.44	-12.02	-5.58	<=-5	Pass
				RU52+26	Mid	-12.71	-12.58	-9.23	-11.7	-5.29	<=-5	Pass
				RU484	Left	-12.48	-12.68	-8.94	-11.8	-5.17	<=-5	Pass
			6845	RU52	Right	-11.86	-13.23	-8.66	-11.99	-5.06	<=-5	Pass
				RU52+26	Right	-13.13	-14.02	-9.75	-12.56	-6.03	<=-5	Pass
				RU484	Left	-13.27	-13.64	-9.55	-12.41	-5.87	<=-5	Pass
	802.11be	MIMO	6625	RU52	Left	-12.89	-13.52	-9.31	-12.36	-5.67	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 163 of 392

	(EHT80)			RU52+26	Left	-12.84	-13.57	-9.37	-12.04	-5.62	<=-5	Pass
				RU996	Left	-13.47	-14.06	-10.26	-12.94	-6.4	<=-5	Pass
			6705	RU52	Mid	-13.06	-13.34	-9.33	-12.14	-5.63	<=-5	Pass
				RU52+26	Mid	-12.72	-13.64	-9.34	-12.82	-5.76	<=-5	Pass
				RU996	Left	-13.15	-13.32	-9.64	-12.44	-5.84	<=-5	Pass
			6785	RU52	Right	-12.31	-13.26	-8.48	-12.8	-5.22	<=-5	Pass
				RU52+26	Right	-13.09	-13.84	-9.45	-13.49	-6.04	<=-5	Pass
				RU996	Left	-13.74	-13.21	-9.32	-12.71	-5.84	<=-5	Pass
			802.11be (EHT160)	RU52	Right	-13.07	-13.19	-9.93	-12.48	-5.93	<=-5	Pass
				RU52+26	Right	-12.3	-12.79	-9.23	-12.45	-5.41	<=-5	Pass
				2xRU996	Left	-16.5	-17.07	-13.02	-15.89	-9.29	<=-5	Pass

### TPC\_L:

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU52	Left	-21.64	-22.29	-21.96	-21.04	-16.14	/	Pass
				RU106	Left	-21.37	-22.04	-21.72	-20.72	-15.69	/	Pass
				RU242	Left	-20.79	-21.66	-21.78	-19.79	-15.31	/	Pass
			6175	RU52	Mid	-21.73	-22.94	-22.06	-21.58	-16.27	/	Pass
				RU106	Right	-20.87	-22.85	-21.02	-20.77	-15.62	/	Pass
				RU242	Left	-21.42	-21.40	-22.39	-22.15	-16.12	/	Pass
			6415	RU52	Right	-21.50	-22.86	-21.02	-21.32	-15.96	/	Pass
				RU106	Right	-21.16	-22.73	-20.78	-20.94	-15.66	/	Pass
				RU242	Left	-20.88	-22.02	-20.90	-20.76	-15.47	/	Pass
	802.11be (EHT40)	MIMO	5965	RU52	Left	-21.53	-23.44	-21.99	-20.85	-16.08	/	Pass
				RU106	Left	-21.63	-22.48	-22.21	-20.92	-15.91	/	Pass
				RU484	Left	-21.03	-21.76	-22.29	-22.61	-16.29	/	Pass
			6165	RU52	Mid	-21.82	-23.75	-22.10	-21.32	-16.36	/	Pass
				RU106	Mid	-21.55	-23.59	-21.58	-21.07	-16.08	/	Pass
				RU484	Left	-21.27	-21.32	-22.21	-21.98	-16.12	/	Pass
			6405	RU52	Right	-21.57	-23.65	-21.66	-21.60	-16.24	/	Pass
				RU106	Right	-20.91	-22.59	-21.23	-20.85	-15.64	/	Pass
				RU484	Left	-21.74	-21.23	-22.42	-22.41	-16.34	/	Pass
	802.11be (EHT80)	MIMO	5985	RU52	Left	-21.54	-23.17	-21.85	-21.03	-16.12	/	Pass
				RU106	Left	-21.09	-21.95	-21.79	-20.19	-15.40	/	Pass
				RU996	Left	-20.96	-22.72	-22.17	-22.49	-16.46	/	Pass
			6145	RU52	Mid	-21.48	-23.54	-21.60	-20.91	-16.09	/	Pass
				RU106	Mid	-21.80	-24.28	-22.10	-20.69	-16.41	/	Pass
				RU996	Left	-20.85	-21.39	-22.77	-22.04	-15.97	/	Pass
			6385	RU52	Right	-21.56	-23.18	-21.69	-21.41	-16.11	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 164 of 392

				RU106	Right	-20.98	-22.94	-21.60	-21.51	-15.94	/	Pass
				RU996	Left	-21.54	-21.35	-23.02	-21.68	-16.39	/	Pass
	802.11be (EHT160)	MIMO	6025	RU52	Left	-21.56	-21.96	-20.75	-21.00	-15.56	/	Pass
				RU106	Left	-22.16	-22.74	-21.30	-21.32	-16.14	/	Pass
				2xRU996	Left	-20.90	-21.60	-22.59	-22.67	-16.23	/	Pass
			6185	RU52	Mid	-20.66	-22.24	-20.78	-20.15	-15.01	/	Pass
				RU106	Mid	-21.30	-22.53	-21.66	-20.74	-15.65	/	Pass
				2xRU996	Left	-21.49	-21.55	-22.48	-22.35	-16.38	/	Pass
			6345	RU52	Right	-21.20	-22.42	-20.58	-20.55	-15.13	/	Pass
				RU106	Right	-21.57	-23.41	-22.15	-21.44	-16.32	/	Pass
				2xRU996	Left	-21.81	-21.34	-22.72	-21.83	-16.41	/	Pass
	802.11be (EHT320)	MIMO	6105	RU52	Left	-21.55	-21.83	-20.80	-21.26	-15.49	/	Pass
				RU106	Left	-21.32	-22.30	-20.71	-21.29	-15.75	/	Pass
				2xRU996	Left	-21.00	-23.28	-21.67	-21.41	-16.24	/	Pass
				4xRU996	Left	-21.14	-22.87	-21.76	-21.25	-16.10	/	Pass
			6265	RU52	Right	-21.36	-22.67	-20.99	-21.19	-15.63	/	Pass
				RU106	Right	-21.37	-23.38	-21.60	-22.06	-16.24	/	Pass
				2xRU996	Right	-22.09	-22.60	-21.20	-21.10	-16.18	/	Pass
				4xRU996	Left	-21.13	-22.05	-22.19	-22.77	-16.55	/	Pass

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU52	Left	-18.43	-19.25	-17.90	-16.68	-11.94	<=-5	Pass
				RU106	Left	-18.16	-19.00	-17.66	-16.36	-11.67	<=-5	Pass
				RU242	Left	-17.58	-18.62	-17.72	-15.43	-11.15	<=-5	Pass
			6175	RU52	Mid	-18.52	-19.90	-18.00	-17.22	-12.28	<=-5	Pass
				RU106	Right	-17.66	-19.81	-16.96	-16.41	-11.51	<=-5	Pass
				RU242	Left	-18.21	-18.36	-18.33	-17.79	-12.15	<=-5	Pass
			6415	RU52	Right	-18.29	-19.82	-16.96	-16.96	-11.84	<=-5	Pass
				RU106	Right	-17.95	-19.69	-16.72	-16.58	-11.55	<=-5	Pass
				RU242	Left	-17.67	-18.98	-16.84	-16.40	-11.35	<=-5	Pass
	802.11be (EHT40)	MIMO	5965	RU52	Left	-18.32	-20.40	-17.93	-16.49	-12.05	<=-5	Pass
				RU106	Left	-18.42	-19.44	-18.15	-16.56	-12.00	<=-5	Pass
				RU484	Left	-17.82	-18.72	-18.23	-18.25	-12.22	<=-5	Pass
			6165	RU52	Mid	-18.61	-20.71	-18.04	-16.96	-12.36	<=-5	Pass
				RU106	Mid	-18.34	-20.55	-17.52	-16.71	-12.04	<=-5	Pass
				RU484	Left	-18.06	-18.28	-18.15	-17.62	-12.00	<=-5	Pass
			6405	RU52	Right	-18.36	-20.61	-17.60	-17.24	-12.25	<=-5	Pass
				RU106	Right	-17.70	-19.55	-17.17	-16.49	-11.57	<=-5	Pass
				RU484	Left	-18.53	-18.19	-18.36	-18.05	-12.26	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing) EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 165 of 392

	802.11be (EHT80)	MIMO	5985	RU52	Left	-18.33	-20.13	-17.79	-16.67	-12.04	<=-5	Pass
				RU106	Left	-17.88	-18.91	-17.73	-15.83	-11.42	<=-5	Pass
				RU996	Left	-17.75	-19.68	-18.11	-18.13	-12.34	<=-5	Pass
			6145	RU52	Mid	-18.27	-20.50	-17.54	-16.55	-11.97	<=-5	Pass
				RU106	Mid	-18.59	-21.24	-18.04	-16.33	-12.19	<=-5	Pass
				RU996	Left	-17.64	-18.35	-18.71	-17.68	-12.05	<=-5	Pass
			6385	RU52	Right	-18.35	-20.14	-17.63	-17.05	-12.13	<=-5	Pass
				RU106	Right	-17.77	-19.90	-17.54	-17.15	-11.95	<=-5	Pass
				RU996	Left	-18.33	-18.31	-18.96	-17.32	-12.17	<=-5	Pass
	802.11be (EHT160)	MIMO	6025	RU52	Left	-18.35	-18.92	-16.69	-16.64	-11.51	<=-5	Pass
				RU106	Left	-18.95	-19.70	-17.24	-16.96	-12.04	<=-5	Pass
				2xRU996	Left	-17.69	-18.56	-18.53	-18.31	-12.24	<=-5	Pass
			6185	RU52	Mid	-17.45	-19.20	-16.72	-15.79	-11.10	<=-5	Pass
				RU106	Mid	-18.09	-19.49	-17.60	-16.38	-11.73	<=-5	Pass
				2xRU996	Left	-18.28	-18.51	-18.42	-17.99	-12.27	<=-5	Pass
			6345	RU52	Right	-17.99	-19.38	-16.52	-16.19	-11.32	<=-5	Pass
				RU106	Right	-18.36	-20.37	-18.09	-17.08	-12.30	<=-5	Pass
				2xRU996	Left	-18.60	-18.30	-18.66	-17.47	-12.21	<=-5	Pass
	802.11be (EHT320)	MIMO	6105	RU52	Left	-18.34	-18.79	-16.74	-16.90	-11.58	<=-5	Pass
				RU106	Left	-18.11	-19.26	-16.65	-16.93	-11.60	<=-5	Pass
				2xRU996	Left	-17.79	-20.24	-17.61	-17.05	-12.00	<=-5	Pass
				4xRU996	Left	-17.93	-19.83	-17.70	-16.89	-11.94	<=-5	Pass
			6265	RU52	Right	-18.15	-19.63	-16.93	-16.83	-11.72	<=-5	Pass
				RU106	Right	-18.16	-20.34	-17.54	-17.70	-12.28	<=-5	Pass
				2xRU996	Right	-18.88	-19.56	-17.14	-16.74	-11.90	<=-5	Pass
				4xRU996	Left	-17.92	-19.01	-18.13	-18.41	-12.33	<=-5	Pass

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU52	Left	-20.94	-21.30	-20.64	-20.07	-15.02	/	Pass
				RU106	Left	-20.65	-21.24	-20.51	-19.92	-14.96	/	Pass
				RU242	Left	-20.02	-20.86	-19.70	-20.05	-14.54	/	Pass
			6695	RU52	Mid	-21.27	-21.18	-20.11	-21.36	-15.29	/	Pass
				RU106	Right	-19.95	-20.46	-20.01	-20.71	-14.63	/	Pass
				RU242	Left	-20.02	-19.95	-18.94	-20.22	-13.99	/	Pass
			6855	RU52	Right	-20.71	-20.96	-20.49	-20.52	-14.94	/	Pass
				RU106	Right	-20.06	-20.59	-20.52	-20.21	-14.63	/	Pass
				RU242	Left	-19.82	-20.26	-19.82	-19.99	-14.33	/	Pass
	802.11be (EHT40)	MIMO	6565	RU52	Left	-20.85	-21.01	-20.23	-20.25	-14.92	/	Pass
				RU106	Left	-20.71	-21.07	-20.56	-20.51	-14.92	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (EHTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 166 of 392

	802.11be (EHT80)	6685	RU484	Left	-20.64	-21.24	-20.12	-20.81	-15.08	/	Pass
			RU52	Mid	-21.12	-21.17	-19.97	-20.73	-14.98	/	Pass
			RU106	Mid	-20.77	-20.86	-19.80	-20.28	-14.68	/	Pass
			RU484	Left	-20.76	-20.86	-19.88	-20.98	-14.87	/	Pass
		6845	RU52	Right	-20.84	-20.67	-20.67	-20.54	-14.81	/	Pass
			RU106	Right	-20.22	-20.02	-20.32	-20.38	-14.61	/	Pass
			RU484	Left	-19.74	-20.01	-19.90	-19.75	-14.25	/	Pass
		6625	RU52	Left	-20.79	-20.76	-19.79	-20.43	-14.63	/	Pass
			RU106	Left	-19.95	-20.56	-20.00	-20.09	-14.39	/	Pass
			RU996	Left	-20.68	-20.79	-20.23	-20.91	-15.05	/	Pass
	802.11be (EHT160)	6705	RU52	Mid	-21.19	-20.96	-19.78	-21.57	-15.14	/	Pass
			RU106	Mid	-21.14	-21.10	-19.78	-21.11	-14.87	/	Pass
			RU996	Left	-20.00	-20.30	-19.25	-20.41	-14.45	/	Pass
		6785	RU52	Right	-22.08	-20.54	-20.72	-20.42	-15.01	/	Pass
			RU106	Right	-21.96	-20.10	-20.15	-20.13	-14.75	/	Pass
			RU996	Left	-20.70	-19.91	-20.08	-20.06	-14.41	/	Pass
		6665	RU52	Right	-21.26	-21.21	-19.86	-21.09	-14.96	/	Pass
			RU106	Right	-20.55	-21.27	-19.46	-20.74	-14.82	/	Pass
			2xRU996	Left	-20.66	-21.00	-20.47	-20.72	-15.05	/	Pass

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU52	Left	-18.95	-19.03	-17.29	-17.05	-11.96	<=-5	Pass
				RU106	Left	-18.66	-18.97	-17.16	-16.90	-11.81	<=-5	Pass
				RU242	Left	-18.03	-18.59	-16.35	-17.03	-11.39	<=-5	Pass
			6695	RU52	Mid	-19.28	-18.91	-16.76	-18.34	-12.19	<=-5	Pass
				RU106	Right	-17.96	-18.19	-16.66	-17.69	-11.56	<=-5	Pass
				RU242	Left	-18.03	-17.68	-15.59	-17.20	-11.00	<=-5	Pass
			6855	RU52	Right	-18.72	-18.69	-17.14	-17.50	-11.93	<=-5	Pass
				RU106	Right	-18.07	-18.32	-17.17	-17.19	-11.64	<=-5	Pass
				RU242	Left	-17.83	-17.99	-16.47	-16.97	-11.25	<=-5	Pass
	802.11be (EHT40)	MIMO	6565	RU52	Left	-18.86	-18.74	-16.88	-17.23	-11.82	<=-5	Pass
				RU106	Left	-18.72	-18.80	-17.21	-17.49	-11.98	<=-5	Pass
				RU484	Left	-18.65	-18.97	-16.77	-17.79	-11.94	<=-5	Pass
			6685	RU52	Mid	-19.13	-18.90	-16.62	-17.71	-11.95	<=-5	Pass
				RU106	Mid	-18.78	-18.59	-16.45	-17.26	-11.64	<=-5	Pass
				RU484	Left	-18.77	-18.59	-16.53	-17.96	-11.85	<=-5	Pass
			6845	RU52	Right	-18.85	-18.40	-17.32	-17.52	-11.96	<=-5	Pass
				RU106	Right	-18.23	-17.75	-16.97	-17.36	-11.53	<=-5	Pass
				RU484	Left	-17.75	-17.74	-16.55	-16.73	-11.14	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233104

Page: 167 of 392

	802.11be (EHT80)	MIMO	6625	RU52	Left	-18.80	-18.49	-16.44	-17.41	-11.66	<=-5	Pass
				RU106	Left	-17.96	-18.29	-16.65	-17.07	-11.42	<=-5	Pass
				RU996	Left	-18.69	-18.52	-16.88	-17.89	-11.91	<=-5	Pass
			6705	RU52	Mid	-19.20	-18.69	-16.43	-18.55	-12.06	<=-5	Pass
				RU106	Mid	-19.15	-18.83	-16.43	-18.09	-11.97	<=-5	Pass
				RU996	Left	-18.01	-18.03	-15.90	-17.39	-11.22	<=-5	Pass
			6785	RU52	Right	-20.09	-18.27	-17.37	-17.40	-12.13	<=-5	Pass
				RU106	Right	-19.97	-17.83	-16.80	-17.11	-11.75	<=-5	Pass
				RU996	Left	-18.71	-17.64	-16.73	-17.04	-11.45	<=-5	Pass
	802.11be (EHT160)	MIMO	6665	RU52	Right	-19.27	-18.94	-16.51	-18.07	-12.04	<=-5	Pass
				RU106	Right	-18.56	-19.00	-16.11	-17.72	-11.68	<=-5	Pass
				2xRU996	Left	-18.67	-18.73	-17.12	-17.70	-11.98	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


### 4.2 Test Graph

#### 4.2.1 PSD






### 802.11be(EHT20)\_LCH\_5955MHz\_RU242\_Left\_MIMO\_NTNV



### 802.11be(EHT20)\_MCH\_6175MHz\_RU52\_Mid\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 802.11be(EHT20)\_MCH\_6175MHz\_RU52+26\_Right\_MIMO\_NTNV



### 802.11be(EHT20)\_MCH\_6175MHz\_RU242\_Left\_MIMO\_NTNV

