


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	48.37	68.20	-19.83	7.23	3	Vertical	17	2.38	41.14	34.30	7.46	34.53
AV	5.9659G	97.43	Inf	-Inf	7.39	3	Vertical	17	2.38	90.04	34.27	7.64	34.52
PK	5.9152G	59.54	88.20	-28.66	7.19	3	Vertical	17	2.38	52.35	34.30	7.42	34.53
PK	5.9662G	107.17	Inf	-Inf	7.39	3	Vertical	17	2.38	99.78	34.27	7.64	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9239G	48.29	68.20	-19.91	7.23	3	Horizontal	100	2.94	41.06	34.30	7.46	34.53
AV	5.9662G	91.39	Inf	-Inf	7.39	3	Horizontal	100	2.94	84.00	34.27	7.64	34.52
PK	5.9095G	59.70	88.20	-28.50	7.16	3	Horizontal	100	2.94	52.54	34.30	7.39	34.53
PK	5.9662G	100.42	Inf	-Inf	7.39	3	Horizontal	100	2.94	93.03	34.27	7.64	34.52


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9132G	48.10	68.20	-20.10	6.94	3	Vertical	144	2.51	41.16	34.30	7.41	34.77
AV	6.1238G	97.99	Inf	-Inf	6.69	3	Vertical	144	2.51	90.90	34.00	7.44	34.75
PK	5.8958G	59.81	88.20	-28.39	6.84	3	Vertical	144	2.51	52.97	34.28	7.33	34.77
PK	6.1244G	106.88	Inf	-Inf	6.69	3	Vertical	144	2.51	100.19	34.00	7.44	34.75

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9228G	48.09	68.20	-20.11	6.98	3	Horizontal	30	1.03	41.11	34.30	7.45	34.77
AV	6.1244G	86.54	Inf	-Inf	6.69	3	Horizontal	30	1.03	79.85	34.00	7.44	34.75
PK	5.8826G	59.13	88.20	-29.07	6.73	3	Horizontal	30	1.03	52.40	34.23	7.27	34.77
PK	6.1244G	96.70	Inf	-Inf	6.69	3	Horizontal	30	1.03	90.01	34.00	7.44	34.75


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.919G	48.35	68.20	-19.85	7.20	3	Vertical	141	2.62	41.15	34.30	7.43	34.53
AV	6.1638G	98.01	Inf	-Inf	6.99	3	Vertical	141	2.62	91.02	34.16	7.33	34.50
PK	5.8818G	59.16	88.20	-29.04	6.97	3	Vertical	141	2.62	52.19	34.23	7.27	34.53
PK	6.1638G	106.27	Inf	-Inf	6.99	3	Vertical	141	2.62	99.28	34.16	7.33	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.8992G	48.23	68.20	-19.97	7.12	3	Horizontal	29	1.17	41.11	34.30	7.35	34.53
AV	6.1644G	87.05	Inf	-Inf	6.99	3	Horizontal	29	1.17	80.06	34.16	7.33	34.50
PK	5.9052G	59.88	88.20	-28.32	7.14	3	Horizontal	29	1.17	52.74	34.30	7.37	34.53
PK	6.1638G	96.85	Inf	-Inf	6.99	3	Horizontal	29	1.17	89.86	34.16	7.33	34.50


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6245MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	48.04	68.20	-20.16	6.95	3	Vertical	143	2.78	41.09	34.30	7.42	34.77
AV	6.2438G	97.52	Inf	-Inf	7.03	3	Vertical	143	2.78	90.49	34.39	7.38	34.74
PK	5.8646G	59.62	88.20	-28.58	6.58	3	Vertical	143	2.78	53.04	34.16	7.19	34.77
PK	6.2438G	107.64	Inf	-Inf	7.03	3	Vertical	143	2.78	100.61	34.39	7.38	34.74

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6245MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9186G	48.03	68.20	-20.17	6.96	3	Horizontal	100	2.92	41.07	34.30	7.43	34.77
AV	6.2474G	88.18	Inf	-Inf	7.04	3	Horizontal	100	2.92	81.14	34.39	7.39	34.74
PK	5.8934G	59.10	88.20	-29.10	6.82	3	Horizontal	100	2.92	52.28	34.27	7.32	34.77
PK	6.2486G	97.09	Inf	-Inf	7.06	3	Horizontal	100	2.92	90.03	34.40	7.40	34.74


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6245MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6245MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	48.15	68.20	-20.05	6.92	3	Vertical	155	2.34	41.23	34.30	7.39	34.77
AV	6.4038G	97.54	Inf	-Inf	8.11	3	Vertical	155	2.34	89.43	34.91	7.91	34.71
PK	5.8746G	59.27	88.20	-28.93	6.67	3	Vertical	155	2.34	52.60	34.20	7.24	34.77
PK	6.4026G	105.47	Inf	-Inf	8.11	3	Vertical	155	2.34	97.36	34.91	7.91	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.05	68.20	-20.15	6.96	3	Horizontal	190	2.90	41.09	34.30	7.43	34.77
AV	6.4038G	88.69	Inf	-Inf	8.11	3	Horizontal	190	2.90	80.58	34.91	7.91	34.71
PK	5.8278G	58.86	88.20	-29.34	6.27	3	Horizontal	190	2.90	52.59	34.01	7.03	34.77
PK	6.4038G	98.48	Inf	-Inf	8.11	3	Horizontal	190	2.90	90.37	34.91	7.91	34.71


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.08	68.20	-20.12	6.95	3	Vertical	157	2.58	41.13	34.30	7.42	34.77
AV	6.4438G	97.36	Inf	-Inf	8.08	3	Vertical	157	2.58	89.28	34.99	7.80	34.71
PK	5.9062G	59.82	88.20	-28.38	6.91	3	Vertical	157	2.58	52.91	34.30	7.38	34.77
PK	6.4426G	106.26	Inf	-Inf	8.08	3	Vertical	157	2.58	98.18	34.99	7.80	34.71

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	48.11	68.20	-20.09	6.96	3	Horizontal	84	2.75	41.15	34.30	7.43	34.77
AV	6.4438G	88.84	Inf	-Inf	8.08	3	Horizontal	84	2.75	80.76	34.99	7.80	34.71
PK	5.8942G	59.20	88.20	-29.00	6.83	3	Horizontal	84	2.75	52.37	34.28	7.32	34.77
PK	6.4438G	96.85	Inf	-Inf	8.08	3	Horizontal	84	2.75	88.77	34.99	7.80	34.71


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9068G	48.10	68.20	-20.10	6.91	3	Vertical	155	2.57	41.19	34.30	7.38	34.77
AV	6.4836G	97.73	Inf	-Inf	7.99	3	Vertical	155	2.57	89.74	35.00	7.69	34.70
AV	7.1528G	50.70	68.20	-17.50	9.70	3	Vertical	155	2.57	41.00	36.61	7.89	34.80
PK	5.8676G	58.45	88.20	-29.75	6.61	3	Vertical	155	2.57	51.84	34.17	7.21	34.77
PK	6.485G	107.58	Inf	-Inf	7.99	3	Vertical	155	2.57	99.59	35.00	7.69	34.70
PK	7.1724G	61.38	88.20	-26.82	9.67	3	Vertical	155	2.57	51.71	36.64	7.83	34.80

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	48.10	68.20	-20.10	6.92	3	Horizontal	102	2.48	41.18	34.30	7.39	34.77
AV	6.4836G	89.27	Inf	-Inf	7.99	3	Horizontal	102	2.48	81.28	35.00	7.69	34.70
AV	7.1542G	50.73	68.20	-17.47	9.70	3	Horizontal	102	2.48	41.03	36.61	7.89	34.80
PK	5.918G	58.94	88.20	-29.26	6.96	3	Horizontal	102	2.48	51.98	34.30	7.43	34.77
PK	6.4822G	98.52	Inf	-Inf	7.99	3	Horizontal	102	2.48	90.53	35.00	7.69	34.70
PK	7.15G	61.17	88.20	-27.03	9.70	3	Horizontal	102	2.48	51.47	36.60	7.90	34.80


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5674G	97.23	Inf	-Inf	8.22	3	Vertical	329	2.34	89.01	35.47	7.46	34.71
AV	7.1578G	50.45	68.20	-17.75	9.70	3	Vertical	329	2.34	40.75	36.62	7.88	34.80
PK	6.5674G	105.00	Inf	-Inf	8.22	3	Vertical	329	2.34	96.78	35.47	7.46	34.71
PK	7.1254G	61.47	88.20	-26.73	9.64	3	Vertical	329	2.34	51.83	36.45	7.99	34.80

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5638G	87.92	Inf	-Inf	8.22	3	Horizontal	85	2.75	79.70	35.46	7.47	34.71
AV	7.1626G	50.47	68.20	-17.73	9.69	3	Horizontal	85	2.75	40.78	36.63	7.86	34.80
PK	6.5638G	95.64	Inf	-Inf	8.22	3	Horizontal	85	2.75	87.42	35.46	7.47	34.71
PK	7.129G	60.95	88.20	-27.25	9.64	3	Horizontal	85	2.75	51.31	36.47	7.97	34.80


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.684G	97.42	Inf	-Inf	8.35	3	Vertical	321	2.38	89.07	35.97	7.11	34.73
AV	7.178G	50.52	68.20	-17.68	9.67	3	Vertical	321	2.38	40.85	36.66	7.81	34.80
PK	6.686G	105.21	Inf	-Inf	8.34	3	Vertical	321	2.38	96.87	35.97	7.10	34.73
PK	7.179G	61.93	88.20	-26.27	9.65	3	Vertical	321	2.38	52.28	36.66	7.80	34.81

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.684G	89.97	Inf	-Inf	8.35	3	Horizontal	342	2.98	81.62	35.97	7.11	34.73
AV	7.165G	50.51	68.20	-17.69	9.68	3	Horizontal	342	2.98	40.83	36.63	7.85	34.80
PK	6.682G	98.18	Inf	-Inf	8.34	3	Horizontal	342	2.98	89.84	35.96	7.11	34.73
PK	7.176G	61.52	88.20	-26.68	9.66	3	Horizontal	342	2.98	51.86	36.65	7.81	34.80


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8443G	97.59	Inf	-Inf	8.15	3	Vertical	322	2.48	89.44	35.80	7.11	34.76
AV	7.1656G	50.53	68.20	-17.67	9.68	3	Vertical	322	2.48	40.85	36.63	7.85	34.80
PK	6.8457G	106.93	Inf	-Inf	8.16	3	Vertical	322	2.48	98.77	35.80	7.12	34.76
PK	7.1397G	61.91	88.20	-26.29	9.68	3	Vertical	322	2.48	52.23	36.54	7.94	34.80

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8436G	88.55	Inf	-Inf	8.16	3	Horizontal	343	2.87	80.39	35.80	7.11	34.75
AV	7.1593G	50.52	68.20	-17.68	9.69	3	Horizontal	343	2.87	40.83	36.62	7.87	34.80
PK	6.8436G	98.69	Inf	-Inf	8.16	3	Horizontal	343	2.87	90.53	35.80	7.11	34.75
PK	7.16G	61.43	88.20	-26.77	9.69	3	Horizontal	343	2.87	51.74	36.62	7.87	34.80


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8843G	98.04	Inf	-Inf	8.49	3	Vertical	324	2.35	89.55	35.80	7.45	34.76
AV	7.2203G	50.58	68.20	-17.62	9.68	3	Vertical	324	2.35	40.90	36.74	7.75	34.81
PK	6.8843G	107.61	Inf	-Inf	8.49	3	Vertical	324	2.35	99.12	35.80	7.45	34.76
PK	7.1979G	61.79	88.20	-26.41	9.63	3	Vertical	324	2.35	52.16	36.70	7.74	34.81

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8829G	88.41	Inf	-Inf	8.48	3	Horizontal	340	2.87	79.93	35.80	7.44	34.76
AV	7.1503G	50.55	68.20	-17.65	9.70	3	Horizontal	340	2.87	40.85	36.60	7.90	34.80
PK	6.8927G	97.97	Inf	-Inf	8.56	3	Horizontal	340	2.87	89.41	35.80	7.52	34.76
PK	7.2329G	61.46	88.20	-26.74	9.73	3	Horizontal	340	2.87	51.73	36.77	7.77	34.81


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9262G	97.56	Inf	-Inf	8.78	3	Vertical	331	2.54	88.78	35.75	7.80	34.77
AV	7.2094G	50.53	68.20	-17.67	9.65	3	Vertical	331	2.54	40.88	36.72	7.74	34.81
PK	6.9268G	107.20	Inf	-Inf	8.79	3	Vertical	331	2.54	98.41	35.75	7.81	34.77
PK	7.1812G	61.85	88.20	-26.35	9.64	3	Vertical	331	2.54	52.21	36.66	7.79	34.81

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9226G	87.41	Inf	-Inf	8.75	3	Horizontal	339	2.73	78.66	35.75	7.77	34.77
AV	7.1944G	50.61	68.20	-17.59	9.63	3	Horizontal	339	2.73	40.98	36.69	7.75	34.81
PK	6.922G	96.96	Inf	-Inf	8.75	3	Horizontal	339	2.73	88.21	35.76	7.76	34.77
PK	7.1524G	61.76	88.20	-26.44	9.69	3	Horizontal	339	2.73	52.07	36.60	7.89	34.80


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0062G	97.41	Inf	-Inf	9.36	3	Vertical	329	2.47	88.05	35.74	8.40	34.78
AV	7.1424G	50.49	68.20	-17.71	9.68	3	Vertical	329	2.47	40.81	36.55	7.93	34.80
PK	7.0062G	106.37	Inf	-Inf	9.36	3	Vertical	329	2.47	97.01	35.74	8.40	34.78
PK	7.1436G	61.62	88.20	-26.58	9.68	3	Vertical	329	2.47	51.94	36.56	7.92	34.80

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0026G	87.13	Inf	-Inf	9.35	3	Horizontal	103	2.64	77.78	35.72	8.41	34.78
AV	7.1484G	50.56	68.20	-17.64	9.70	3	Horizontal	103	2.64	40.86	36.59	7.91	34.80
PK	7.002G	98.37	Inf	-Inf	9.34	3	Horizontal	103	2.64	89.03	35.71	8.41	34.78
PK	7.1268G	61.38	88.20	-26.82	9.64	3	Horizontal	103	2.64	51.74	36.46	7.98	34.80


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0838G	97.41	Inf	-Inf	9.54	3	Vertical	323	2.33	87.87	36.20	8.13	34.79
AV	7.1255G	50.60	68.20	-17.60	9.64	3	Vertical	323	2.33	40.96	36.45	7.99	34.80
PK	7.0826G	107.66	Inf	-Inf	9.55	3	Vertical	323	2.33	98.11	36.20	8.14	34.79
PK	7.1597G	62.18	88.20	-26.02	9.69	3	Vertical	323	2.33	52.49	36.62	7.87	34.80

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0844G	87.74	Inf	-Inf	9.55	3	Horizontal	345	2.77	78.19	36.21	8.13	34.79
AV	7.2299G	50.54	68.20	-17.66	9.72	3	Horizontal	345	2.77	40.82	36.76	7.77	34.81
PK	7.0844G	98.53	Inf	-Inf	9.55	3	Horizontal	345	2.77	88.98	36.21	8.13	34.79
PK	7.2218G	61.84	88.20	-26.36	9.69	3	Horizontal	345	2.77	52.15	36.74	7.76	34.81


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9205G	48.35	68.20	-19.85	7.21	3	Vertical	323	2.32	41.14	34.30	7.44	34.53
AV	5.989G	97.58	Inf	-Inf	7.44	3	Vertical	323	2.32	90.14	34.22	7.74	34.52
PK	5.897G	59.69	88.20	-28.51	7.10	3	Vertical	323	2.32	52.59	34.29	7.34	34.53
PK	5.9885G	107.78	Inf	-Inf	7.44	3	Vertical	323	2.32	100.34	34.22	7.74	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	48.24	68.20	-19.96	7.19	3	Horizontal	100	2.98	41.05	34.30	7.42	34.53
AV	5.9865G	90.14	Inf	-Inf	7.44	3	Horizontal	100	2.98	82.70	34.23	7.73	34.52
PK	5.917G	59.75	88.20	-28.45	7.19	3	Horizontal	100	2.98	52.56	34.30	7.42	34.53
PK	5.988G	101.01	Inf	-Inf	7.44	3	Horizontal	100	2.98	93.57	34.22	7.74	34.52


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9128G	47.78	68.20	-20.42	6.94	3	Vertical	142	2.64	40.84	34.30	7.41	34.77
AV	6.1444G	97.33	Inf	-Inf	6.72	3	Vertical	142	2.64	90.61	34.08	7.39	34.75
PK	5.8852G	59.08	88.20	-29.12	6.75	3	Vertical	142	2.64	52.33	34.24	7.28	34.77
PK	6.1348G	106.93	Inf	-Inf	6.70	3	Vertical	142	2.64	100.23	34.04	7.41	34.75

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.78	68.20	-20.42	6.91	3	Horizontal	100	2.92	40.87	34.30	7.38	34.77
AV	6.1468G	87.43	Inf	-Inf	6.72	3	Horizontal	100	2.92	80.71	34.09	7.38	34.75
PK	5.911G	58.84	88.20	-29.36	6.93	3	Horizontal	100	2.92	51.91	34.30	7.40	34.77
PK	6.1378G	96.97	Inf	-Inf	6.70	3	Horizontal	100	2.92	90.27	34.05	7.40	34.75


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	47.80	68.20	-20.40	6.93	3	Vertical	330	2.77	40.87	34.30	7.40	34.77
AV	6.229G	97.72	Inf	-Inf	6.95	3	Vertical	330	2.77	90.77	34.36	7.33	34.74
PK	5.83G	58.76	88.20	-29.44	6.29	3	Vertical	330	2.77	52.47	34.02	7.04	34.77
PK	6.22G	107.40	Inf	-Inf	6.90	3	Vertical	330	2.77	100.50	34.34	7.30	34.74

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	47.74	68.20	-20.46	6.91	3	Horizontal	192	2.95	40.83	34.30	7.38	34.77
AV	6.223G	88.81	Inf	-Inf	6.92	3	Horizontal	192	2.95	81.89	34.35	7.31	34.74
PK	5.899G	58.91	88.20	-29.29	6.88	3	Horizontal	192	2.95	52.03	34.30	7.35	34.77
PK	6.222G	98.98	Inf	-Inf	6.91	3	Horizontal	192	2.95	92.07	34.34	7.31	34.74


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	47.77	68.20	-20.43	6.90	3	Vertical	330	2.61	40.87	34.30	7.37	34.77
AV	6.3886G	97.62	Inf	-Inf	8.04	3	Vertical	330	2.61	89.58	34.88	7.88	34.72
PK	5.9026G	59.18	88.20	-29.02	6.89	3	Vertical	330	2.61	52.29	34.30	7.36	34.77
PK	6.3886G	106.91	Inf	-Inf	8.04	3	Vertical	330	2.61	98.87	34.88	7.88	34.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	47.81	68.20	-20.39	6.93	3	Horizontal	331	1.06	40.88	34.30	7.40	34.77
AV	6.3874G	88.41	Inf	-Inf	8.03	3	Horizontal	331	1.06	80.38	34.87	7.88	34.72
PK	5.8762G	58.98	88.20	-29.22	6.68	3	Horizontal	331	1.06	52.30	34.20	7.25	34.77
PK	6.3874G	96.29	Inf	-Inf	8.03	3	Horizontal	331	1.06	88.26	34.87	7.88	34.72


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	47.77	68.20	-20.43	6.90	3	Vertical	158	2.50	40.87	34.30	7.37	34.77
AV	6.4636G	97.61	Inf	-Inf	8.04	3	Vertical	158	2.50	89.57	35.00	7.75	34.71
AV	7.1524G	50.48	68.20	-17.72	9.69	3	Vertical	158	2.50	40.79	36.60	7.89	34.80
PK	5.8686G	58.66	88.20	-29.54	6.61	3	Vertical	158	2.50	52.05	34.17	7.21	34.77
PK	6.472G	106.16	Inf	-Inf	8.02	3	Vertical	158	2.50	98.14	35.00	7.72	34.70
PK	7.1566G	61.60	88.20	-26.60	9.69	3	Vertical	158	2.50	51.91	36.61	7.88	34.80

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9148G	47.74	68.20	-20.46	6.95	3	Horizontal	85	2.66	40.79	34.30	7.42	34.77
AV	6.4636G	89.22	Inf	-Inf	8.04	3	Horizontal	85	2.66	81.18	35.00	7.75	34.71
AV	7.165G	50.46	68.20	-17.74	9.68	3	Horizontal	85	2.66	40.78	36.63	7.85	34.80
PK	5.8644G	58.58	88.20	-29.62	6.58	3	Horizontal	85	2.66	52.00	34.16	7.19	34.77
PK	6.4636G	97.93	Inf	-Inf	8.04	3	Horizontal	85	2.66	89.89	35.00	7.75	34.71
PK	7.144G	60.95	88.20	-27.25	9.68	3	Horizontal	85	2.66	51.27	36.56	7.92	34.80


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	47.82	68.20	-20.38	6.95	3	Vertical	333	2.41	40.87	34.30	7.42	34.77
AV	6.5478G	97.05	Inf	-Inf	8.18	3	Vertical	333	2.41	88.87	35.38	7.51	34.71
AV	7.1624G	50.50	68.20	-17.70	9.68	3	Vertical	333	2.41	40.82	36.62	7.86	34.80
PK	5.9094G	57.91	88.20	-30.29	6.92	3	Vertical	333	2.41	50.99	34.30	7.39	34.77
PK	6.5478G	105.49	Inf	-Inf	8.18	3	Vertical	333	2.41	97.31	35.38	7.51	34.71
PK	7.1526G	61.57	88.20	-26.63	9.70	3	Vertical	333	2.41	51.87	36.61	7.89	34.80

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.908G	47.80	68.20	-20.40	6.92	3	Horizontal	86	2.78	40.88	34.30	7.39	34.77
AV	6.5436G	87.66	Inf	-Inf	8.17	3	Horizontal	86	2.78	79.49	35.35	7.53	34.71
AV	7.238G	50.45	68.20	-17.75	9.75	3	Horizontal	86	2.78	40.70	36.78	7.78	34.81
PK	5.8758G	59.26	88.20	-28.94	6.67	3	Horizontal	86	2.78	52.59	34.20	7.24	34.77
PK	6.5436G	96.00	Inf	-Inf	8.17	3	Horizontal	86	2.78	87.83	35.35	7.53	34.71
PK	7.168G	61.05	88.20	-27.15	9.68	3	Horizontal	86	2.78	51.37	36.64	7.84	34.80


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	6.6262G	97.71	Inf	-Inf	8.33	3	Vertical	321	2.33	89.38	35.76	7.29	34.72				
AV	7.201G	50.56	68.20	-17.64	9.62	3	Vertical	321	2.33	40.94	36.70	7.73	34.81				
PK	6.6262G	107.01	Inf	-Inf	8.33	3	Vertical	321	2.33	98.68	35.76	7.29	34.72				
PK	7.2154G	61.25	88.20	-26.95	9.67	3	Vertical	321	2.33	51.58	36.73	7.75	34.81				

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	6.625G	90.73	Inf	-Inf	8.32	3	Horizontal	338	2.97	82.41	35.75	7.29	34.72			
AV	7.1518G	50.52	68.20	-17.68	9.70	3	Horizontal	338	2.97	40.82	36.60	7.90	34.80			
PK	6.625G	99.25	Inf	-Inf	8.32	3	Horizontal	338	2.97	90.93	35.75	7.29	34.72			
PK	7.1518G	61.27	88.20	-26.93	9.70	3	Horizontal	338	2.97	51.57	36.60	7.90	34.80			


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.704G	97.32	Inf	-Inf	8.30	3	Vertical	319	2.35	89.02	35.99	7.04	34.73
AV	7.201G	50.56	68.20	-17.64	9.62	3	Vertical	319	2.35	40.94	36.70	7.73	34.81
PK	6.706G	105.25	Inf	-Inf	8.30	3	Vertical	319	2.35	96.95	35.99	7.04	34.73
PK	7.174G	62.13	88.20	-26.07	9.67	3	Vertical	319	2.35	52.46	36.65	7.82	34.80

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	89.88	Inf	-Inf	8.31	3	Horizontal	340	2.90	81.57	35.99	7.05	34.73
AV	7.143G	50.53	68.20	-17.67	9.69	3	Horizontal	340	2.90	40.84	36.56	7.93	34.80
PK	6.702G	100.12	Inf	-Inf	8.32	3	Horizontal	340	2.90	91.80	36.00	7.05	34.73
PK	7.19G	60.87	88.20	-27.33	9.63	3	Horizontal	340	2.90	51.24	36.68	7.76	34.81


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7843G	97.69	Inf	-Inf	7.87	3	Vertical	324	2.20	89.82	35.83	6.79	34.75
AV	7.1329G	50.60	68.20	-17.60	9.66	3	Vertical	324	2.20	40.94	36.50	7.96	34.80
PK	6.7843G	107.93	Inf	-Inf	7.87	3	Vertical	324	2.20	100.06	35.83	6.79	34.75
PK	7.1287G	60.63	88.20	-27.57	9.65	3	Vertical	324	2.20	50.98	36.47	7.98	34.80

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7822G	88.72	Inf	-Inf	7.89	3	Horizontal	360	1.00	80.83	35.84	6.80	34.75
AV	7.1259G	50.48	68.20	-17.72	9.65	3	Horizontal	360	1.00	40.83	36.46	7.99	34.80
PK	6.7829G	98.78	Inf	-Inf	7.87	3	Horizontal	360	1.00	90.91	35.83	6.79	34.75
PK	7.1336G	61.23	88.20	-26.97	9.66	3	Horizontal	360	1.00	51.57	36.50	7.96	34.80


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8643G	97.81	Inf	-Inf	8.32	3	Vertical	321	2.38	89.49	35.80	7.28	34.76
AV	7.2003G	50.76	68.20	-17.44	9.62	3	Vertical	321	2.38	41.14	36.70	7.73	34.81
PK	6.8643G	107.11	Inf	-Inf	8.32	3	Vertical	321	2.38	98.79	35.80	7.28	34.76
PK	7.1415G	61.61	88.20	-26.59	9.68	3	Vertical	321	2.38	51.93	36.55	7.93	34.80

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8615G	89.05	Inf	-Inf	8.30	3	Horizontal	342	2.36	80.75	35.80	7.26	34.76
AV	7.1912G	50.65	68.20	-17.55	9.63	3	Horizontal	342	2.36	41.02	36.68	7.76	34.81
PK	6.8615G	98.45	Inf	-Inf	8.30	3	Horizontal	342	2.36	90.15	35.80	7.26	34.76
PK	7.1996G	62.68	88.20	-25.52	9.62	3	Horizontal	342	2.36	53.06	36.70	7.73	34.81


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9444G	97.96	Inf	-Inf	8.89	3	Vertical	327	2.31	89.07	35.71	7.95	34.77
AV	7.2444G	50.72	68.20	-17.48	9.76	3	Vertical	327	2.31	40.96	36.79	7.78	34.81
PK	6.945G	107.57	Inf	-Inf	8.90	3	Vertical	327	2.31	98.67	35.71	7.96	34.77
PK	7.182G	61.59	88.20	-26.61	9.64	3	Vertical	327	2.31	51.95	36.66	7.79	34.81

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9426G	88.92	Inf	-Inf	8.88	3	Horizontal	340	2.99	80.04	35.71	7.94	34.77
AV	7.1874G	50.69	68.20	-17.51	9.63	3	Horizontal	340	2.99	41.06	36.67	7.77	34.81
PK	6.9432G	98.75	Inf	-Inf	8.88	3	Horizontal	340	2.99	89.87	35.71	7.94	34.77
PK	7.1652G	62.03	88.20	-26.17	9.68	3	Horizontal	340	2.99	52.35	36.63	7.85	34.80


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0244G	97.71	Inf	-Inf	9.41	3	Vertical	326	2.34	88.30	35.85	8.34	34.78
AV	7.1483G	50.72	68.20	-17.48	9.70	3	Vertical	326	2.34	41.02	36.59	7.91	34.80
PK	7.0241G	108.00	Inf	-Inf	9.40	3	Vertical	326	2.34	98.60	35.84	8.34	34.78
PK	7.1438G	61.76	88.20	-26.44	9.68	3	Vertical	326	2.34	52.08	36.56	7.92	34.80

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0241G	89.11	Inf	-Inf	9.40	3	Horizontal	344	2.84	79.71	35.84	8.34	34.78
AV	7.1399G	50.69	68.20	-17.51	9.68	3	Horizontal	344	2.84	41.01	36.54	7.94	34.80
PK	7.0229G	98.53	Inf	-Inf	9.40	3	Horizontal	344	2.84	89.13	35.84	8.34	34.78
PK	7.1363G	62.67	88.20	-25.53	9.67	3	Horizontal	344	2.84	53.00	36.52	7.95	34.80


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9205G	48.61	68.20	-19.59	7.21	3	Vertical	321	2.42	41.40	34.30	7.44	34.53
AV	6.029G	97.30	Inf	-Inf	7.27	3	Vertical	321	2.42	90.03	34.08	7.71	34.52
PK	5.8765G	59.59	88.20	-28.61	6.93	3	Vertical	321	2.42	52.66	34.21	7.25	34.53
PK	6.03G	106.89	Inf	-Inf	7.27	3	Vertical	321	2.42	99.62	34.08	7.71	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9175G	48.36	68.20	-19.84	7.20	3	Horizontal	97	2.87	41.16	34.30	7.43	34.53
AV	6.027G	88.83	Inf	-Inf	7.28	3	Horizontal	97	2.87	81.55	34.09	7.71	34.52
PK	5.9105G	60.27	88.20	-27.93	7.17	3	Horizontal	97	2.87	53.10	34.30	7.40	34.53
PK	6.0265G	97.71	Inf	-Inf	7.29	3	Horizontal	97	2.87	90.42	34.09	7.72	34.52


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	47.87	68.20	-20.33	6.98	3	Vertical	10	2.40	40.89	34.30	7.45	34.77
AV	6.1914G	97.33	Inf	-Inf	6.78	3	Vertical	10	2.40	90.55	34.27	7.25	34.74
PK	5.901G	58.67	88.20	-29.53	6.88	3	Vertical	10	2.40	51.79	34.30	7.35	34.77
PK	6.1906G	107.95	Inf	-Inf	6.78	3	Vertical	10	2.40	101.17	34.26	7.26	34.74

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	47.94	68.20	-20.26	6.99	3	Horizontal	30	2.48	40.95	34.30	7.46	34.77
AV	6.1834G	86.93	Inf	-Inf	6.77	3	Horizontal	30	2.48	80.16	34.23	7.28	34.74
PK	5.9162G	58.92	88.20	-29.28	6.95	3	Horizontal	30	2.48	51.97	34.30	7.42	34.77
PK	6.193G	96.53	Inf	-Inf	6.78	3	Horizontal	30	2.48	89.75	34.27	7.25	34.74


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	47.89	68.20	-20.31	6.93	3	Vertical	313	2.73	40.96	34.30	7.40	34.77
AV	6.3474G	97.82	Inf	-Inf	7.81	3	Vertical	313	2.73	90.01	34.79	7.74	34.72
PK	5.9166G	58.99	88.20	-29.21	6.95	3	Vertical	313	2.73	52.04	34.30	7.42	34.77
PK	6.3354G	106.88	Inf	-Inf	7.72	3	Vertical	313	2.73	99.16	34.74	7.70	34.72

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	47.84	68.20	-20.36	6.98	3	Horizontal	330	1.00	40.86	34.30	7.45	34.77
AV	6.3474G	88.25	Inf	-Inf	7.81	3	Horizontal	330	1.00	80.44	34.79	7.74	34.72
PK	5.7954G	59.10	88.20	-29.10	6.01	3	Horizontal	330	1.00	53.09	33.87	6.91	34.77
PK	6.3582G	97.64	Inf	-Inf	7.88	3	Horizontal	330	1.00	89.76	34.82	7.78	34.72


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX



6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9198G	47.95	68.20	-20.25	6.97	3	Vertical	161	2.46	40.98	34.30	7.44	34.77
AV	6.5036G	97.72	Inf	-Inf	7.97	3	Vertical	161	2.46	89.75	35.03	7.64	34.70
AV	7.1588G	50.60	68.20	-17.60	9.69	3	Vertical	161	2.46	40.91	36.62	7.87	34.80
PK	5.8414G	58.58	88.20	-29.62	6.39	3	Vertical	161	2.46	52.19	34.07	7.09	34.77
PK	6.5008G	106.60	Inf	-Inf	7.95	3	Vertical	161	2.46	98.65	35.01	7.64	34.70
PK	7.1518G	61.42	88.20	-26.78	9.70	3	Vertical	161	2.46	51.72	36.60	7.90	34.80

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.917G	47.89	68.20	-20.31	6.95	3	Horizontal	177	2.46	40.94	34.30	7.42	34.77
AV	6.5036G	89.53	Inf	-Inf	7.97	3	Horizontal	177	2.46	81.56	35.03	7.64	34.70
AV	7.1476G	50.58	68.20	-17.62	9.70	3	Horizontal	177	2.46	40.88	36.59	7.91	34.80
PK	5.861G	58.89	88.20	-29.31	6.55	3	Horizontal	177	2.46	52.34	34.14	7.18	34.77
PK	6.5022G	98.09	Inf	-Inf	7.96	3	Horizontal	177	2.46	90.13	35.02	7.64	34.70
PK	7.1882G	61.46	88.20	-26.74	9.64	3	Horizontal	177	2.46	51.82	36.68	7.77	34.81


6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6595G	97.24	Inf	-Inf	8.37	3	Vertical	336	2.38	88.87	35.92	7.18	34.73
AV	7.1688G	50.66	68.20	-17.54	9.68	3	Vertical	336	2.38	40.98	36.64	7.84	34.80
PK	6.6584G	107.60	Inf	-Inf	8.38	3	Vertical	336	2.38	99.22	35.92	7.19	34.73
PK	7.2128G	61.21	88.20	-26.99	9.67	3	Vertical	336	2.38	51.54	36.73	7.75	34.81

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6628G	89.49	Inf	-Inf	8.37	3	Horizontal	102	2.71	81.12	35.93	7.17	34.73
AV	7.1633G	50.64	68.20	-17.56	9.69	3	Horizontal	102	2.71	40.95	36.63	7.86	34.80
PK	6.6727G	98.51	Inf	-Inf	8.36	3	Horizontal	102	2.71	90.15	35.95	7.14	34.73
PK	7.1611G	61.75	88.20	-26.45	9.68	3	Horizontal	102	2.71	52.07	36.62	7.86	34.80


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9835G	97.76	Inf	-Inf	9.20	3	Vertical	324	2.26	88.56	35.70	8.28	34.78
AV	7.125G	51.04	68.20	-17.16	9.64	3	Vertical	324	2.26	41.40	36.45	7.99	34.80
PK	6.9945G	108.21	Inf	-Inf	9.29	3	Vertical	324	2.26	98.92	35.70	8.37	34.78
PK	7.1515G	62.10	88.20	-26.10	9.70	3	Vertical	324	2.26	52.40	36.60	7.90	34.80

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.993G	88.57	Inf	-Inf	9.28	3	Horizontal	341	2.93	79.29	35.70	8.36	34.78
AV	7.1345G	50.82	68.20	-17.38	9.67	3	Horizontal	341	2.93	41.15	36.51	7.96	34.80
PK	6.993G	99.45	Inf	-Inf	9.28	3	Horizontal	341	2.93	90.17	35.70	8.36	34.78
PK	7.1385G	62.57	88.20	-25.63	9.67	3	Horizontal	341	2.93	52.90	36.53	7.94	34.80


6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
5.4	5.4	5.4	5.4

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.40	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-71.40	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-67.40	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-67.40	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-73.40	OFF	10	100	90	Pass
				Center	6185	-66.40	OFF	10	100	90	Pass
				High edge	6260	-63.40	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-72.40	OFF	10	100	90	Pass
				Center	6505	-68.40	OFF	10	100	90	Pass
				High edge	6580	-70.40	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-70.40	OFF	10	100	90	Pass
				Center	6665	-67.40	OFF	10	100	90	Pass
				High edge	6740	-75.40	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-71.40	OFF	10	100	90	Pass
				Center	6985	-67.40	OFF	10	100	90	Pass
				High edge	7060	-68.40	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level 802.11ax HE20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-67.00	5.40	-72.40	≤ -62
						Minimal	-68.00	5.40	-73.40	≤ -62
						ON	-69.00	5.40	-74.40	≤ -62
6	101		6455	Center	6455	OFF	-66.00	5.40	-71.40	≤ -62
						Minimal	-67.00	5.40	-72.40	≤ -62
						ON	-68.00	5.40	-73.40	≤ -62
7	149		6695	Center	6695	OFF	-62.00	5.40	-67.40	≤ -62
						Minimal	-63.00	5.40	-68.40	≤ -62
						ON	-64.00	5.40	-69.40	≤ -62
8	213		7015	Center	7015	OFF	-62.00	5.40	-67.40	≤ -62
						Minimal	-63.00	5.40	-68.40	≤ -62
						ON	-64.00	5.40	-69.40	≤ -62

Contention Based Protocol Threshold Level 802.11ax HE160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-68.00	5.40	-73.40	≤ -62
						Minimal	-69.00	5.40	-74.40	≤ -62
						ON	-70.00	5.40	-75.40	≤ -62
				Center	6185	OFF	-61.00	5.40	-66.40	≤ -62
						Minimal	-62.00	5.40	-67.40	≤ -62
						ON	-63.00	5.40	-68.40	≤ -62
				High edge	6260	OFF	-58.00	5.40	-63.40	≤ -62
						Minimal	-59.00	5.40	-64.40	≤ -62
						ON	-60.00	5.40	-65.40	≤ -62
6	111		6505	Low edge	6430	OFF	-67.00	5.40	-72.40	≤ -62
						Minimal	-68.00	5.40	-73.40	≤ -62
						ON	-69.00	5.40	-74.40	≤ -62
				Center	6505	OFF	-63.00	5.40	-68.40	≤ -62
						Minimal	-64.00	5.40	-69.40	≤ -62
						ON	-65.00	5.40	-70.40	≤ -62
				High edge	6580	OFF	-65.00	5.40	-70.40	≤ -62
						Minimal	-66.00	5.40	-71.40	≤ -62
						ON	-67.00	5.40	-72.40	≤ -62
7	143		6665	Low edge	6590	OFF	-65.00	5.40	-70.40	≤ -62
						Minimal	-66.00	5.40	-71.40	≤ -62
						ON	-67.00	5.40	-72.40	≤ -62
				Center	6665	OFF	-62.00	5.40	-67.40	≤ -62
						Minimal	-63.00	5.40	-68.40	≤ -62
						ON	-64.00	5.40	-69.40	≤ -62
				High edge	6740	OFF	-70.00	5.40	-75.40	≤ -62
						Minimal	-71.00	5.40	-76.40	≤ -62
						ON	-72.00	5.40	-77.40	≤ -62
8	207		6985	Low edge	6910	OFF	-66.00	5.40	-71.40	≤ -62
						Minimal	-67.00	5.40	-72.40	≤ -62
						ON	-68.00	5.40	-73.40	≤ -62
				Center	6985	OFF	-62.00	5.40	-67.40	≤ -62
						Minimal	-63.00	5.40	-68.40	≤ -62
						ON	-64.00	5.40	-69.40	≤ -62
				High edge	7060	OFF	-63.00	5.40	-68.40	≤ -62
						Minimal	-64.00	5.40	-69.40	≤ -62
						ON	-65.00	5.40	-70.40	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.75ms

All TX Sample

5820

Duty Cycle

0.727409

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

73.7375ms

All TX Sample

5899

Duty Cycle

0.737283

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

66.5625ms

All TX Sample

5325

Duty Cycle

0.665542

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

76.9625ms

All TX Sample

6157

Duty Cycle

0.769529

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

28.8875ms

All TX Sample

2311

Duty Cycle

0.288839

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

30.725ms

All TX Sample

2458

Duty Cycle

0.307212

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

22.25ms

All TX Sample

1780

Duty Cycle

0.222472

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

26.7ms

All TX Sample

2136

Duty Cycle

0.266967


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz




Date: 9.JAN.2023 08:12:09

Frequency (MHz): 7015 MHz




Date: 9.JAN.2023 08:17:48

Frequency (MHz): 6110 MHz




Date: 9.JAN.2023 08:21:15

Frequency (MHz): 6185 MHz




Date: 9.JAN.2023 08:23:34

Frequency (MHz): 6260 MHz




Date: 9.JAN.2023 08:25:33

Frequency (MHz): 6430 MHz




Date: 9.JAN.2023 08:27:00

Frequency (MHz): 6505 MHz




Date: 9.JAN.2023 08:28:48

Frequency (MHz): 6580 MHz




Date: 9.JAN.2023 08:32:56

Frequency (MHz): 6590 MHz




Date: 9.JAN.2023 08:35:02

Frequency (MHz): 6665 MHz




Date: 9.JAN.2023 08:36:51

Frequency (MHz): 6740 MHz




Date: 9.JAN.2023 08:38:34

Frequency (MHz): 6910 MHz




Date: 9.JAN.2023 08:40:01

Frequency (MHz): 6985 MHz




Date: 9.JAN.2023 08:42:32

Frequency (MHz): 7060 MHz




Date: 9.JAN.2023 08:44:58

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -67 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -68dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160


Frequency (MHz): 6110 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6185 MHz (Threshold Level: -61dBm)


Time Analysis



Sample Time	1us
All TX Time	274.739ms
All TX Sample	274739
Duty Cycle	0.274739
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -62dBm)


Time Analysis



Sample Time	1us
All TX Time	274.959ms
All TX Sample	274959
Duty Cycle	0.274959
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Frequency (MHz): 6185 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -58dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -59dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -60dBm)

Time Analysis





Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.175G	6.174981G	3.0361	Inf	1	10 min

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174983G	2.7325	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.174981G	3.0361	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.174981G	3.0361	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174983G	2.7325	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174981G	3.0361	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174985G	2.4288	Inf	1	10 min




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	PK	10.3614G	60.97	68.20	-7.23	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.1982G	36.98	54.00	-17.02	3	Vertical	242	1.47	-
Mode 1	Pass	AV	3.18734G	39.93	68.20	-28.27	3	Vertical	0	2.52	-
Mode 1	Pass	AV	10.3657G	54.22	68.20	-13.98	3	Vertical	149	2.41	-
Mode 1	Pass	PK	1.19887G	46.96	74.00	-27.04	3	Vertical	242	1.47	-
Mode 1	Pass	PK	3.18765G	49.89	68.20	-18.31	3	Vertical	0	2.52	-
Mode 1	Pass	PK	10.3614G	60.97	68.20	-7.23	3	Vertical	149	2.41	-
Mode 1	Pass	AV	1.1824G	34.65	54.00	-19.35	3	Horizontal	345	2.74	-
Mode 1	Pass	AV	2.0631G	34.03	68.20	-34.17	3	Horizontal	270	1.49	-
Mode 1	Pass	AV	10.36015G	50.53	68.20	-17.67	3	Horizontal	257	1.55	-
Mode 1	Pass	PK	1.18521G	49.02	74.00	-24.98	3	Horizontal	345	2.74	-
Mode 1	Pass	PK	2.0635G	44.65	68.20	-23.55	3	Horizontal	150	1.49	-
Mode 1	Pass	PK	10.36012G	59.38	68.20	-8.82	3	Horizontal	257	1.55	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.1982G	36.98	54.00	-17.02	-6.60	3	Vertical	242	1.47	-	43.58	25.91	2.88	35.39
AV	3.18734G	39.93	68.20	-28.27	-0.07	3	Vertical	0	2.52	-	40.00	29.93	4.73	34.73
AV	10.3657G	54.22	68.20	-13.98	12.16	3	Vertical	149	2.41	-	42.06	39.00	8.02	34.86
PK	1.19887G	46.96	74.00	-27.04	-6.61	3	Vertical	242	1.47	-	53.57	25.90	2.88	35.39
PK	3.18765G	49.89	68.20	-18.31	-0.08	3	Vertical	0	2.52	-	49.97	29.92	4.73	34.73
PK	10.3614G	60.97	68.20	-7.23	12.14	3	Vertical	149	2.41	-	48.83	38.98	8.02	34.86

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.1824G	34.65	54.00	-19.35	-6.60	3	Horizontal	345	2.74	-	41.25	25.97	2.85	35.42
AV	2.0631G	34.03	68.20	-34.17	-3.86	3	Horizontal	270	1.49	-	37.89	26.90	3.86	34.62
AV	10.36015G	50.53	68.20	-17.67	12.14	3	Horizontal	257	1.55	-	38.39	38.98	8.02	34.86
PK	1.18521G	49.02	74.00	-24.98	-6.59	3	Horizontal	345	2.74	-	55.61	25.96	2.86	35.41
PK	2.0635G	44.65	68.20	-23.55	-3.85	3	Horizontal	150	1.49	-	48.50	26.91	3.86	34.62
PK	10.36012G	59.38	68.20	-8.82	12.14	3	Horizontal	257	1.55	-	47.24	38.98	8.02	34.86