



# FCC REPORT

Report Reference No..... : TRE1705022402 R/C.....: 87855

FCC ID..... : 2AAA6-LS50

Applicant's name..... : SENWA MEXICO,S.A.DE C.V

Address..... : Av.Javier Barros Sierra 540,Torre I,Planta 5, COL.LOMAS DE SANTA FE DELEGACION, ALVARO OBREGON, Mexico

Manufacturer..... : Senwa Mobile HK ltd

Address..... : Room 910, International Trade Centre 11-19 Sha Tsui Road, Tsuen Wan, NT, HK

Test item description ..... : Mobile Phone

Trade Mark ..... : SENWA

Model/Type reference..... : LS50

Listed Model(s) ..... : -

Standard ..... : FCC Part 22: PUBLIC MOBILE SERVICES  
FCC Part 24:PERSONAL COMMUNICATIONS SERVICES  
FCC Part 27: MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES

Date of receipt of test sample..... : May.24, 2017

Date of testing..... : May.25, 2017- Jun.19, 2017

Date of issue..... : Jun.20, 2017

Result..... : Pass

Compiled by  
( position+printedname+signature)....: File administrators Candy Liu

Supervised by  
(position+printedname+signature)....: Project Engineer Lion Cai

Approved by  
(position+printedname+signature)....: Manager Hans Hu

Testing Laboratory Name ..... : Shenzhen Huatongwei International Inspection Co., Ltd.

Address..... : 1/F, Bldg 3, Hongfa Hi-tech Industrial Park, Genyu Road, Tianliao, Gongming, Shenzhen, China

**Shenzhen Huatongwei International Inspection Co., Ltd. All rights reserved.**

This publication may be reproduced in whole or in part for non-commercial purposes as long as the Shenzhen Huatongwei International Inspection Co., Ltd. is acknowledged as copyright owner and source of the material. Shenzhen Huatongwei International Inspection Co., Ltd. takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

*The test report merely corresponds to the test sample.*

*It is not permitted to copy extracts of these test result without the written permission of the test laboratory.*

## Contents

|                  |                                                       |                   |
|------------------|-------------------------------------------------------|-------------------|
| <b><u>1.</u></b> | <b><u>TEST STANDARDS AND REPORT VERSION</u></b>       | <b><u>3</u></b>   |
| 1.1.             | Applicable Standards                                  | 3                 |
| 1.2.             | Report version                                        | 3                 |
| <b><u>2.</u></b> | <b><u>TEST DESCRIPTION</u></b>                        | <b><u>4</u></b>   |
| <b><u>3.</u></b> | <b><u>SUMMARY</u></b>                                 | <b><u>5</u></b>   |
| 3.1.             | Client Information                                    | 5                 |
| 3.2.             | Product Description                                   | 5                 |
| 3.3.             | Operation state                                       | 6                 |
| 3.4.             | EUT operation mode                                    | 7                 |
| 3.5.             | EUT configuration                                     | 8                 |
| 3.6.             | Modifications                                         | 8                 |
| <b><u>4.</u></b> | <b><u>TEST ENVIRONMENT</u></b>                        | <b><u>9</u></b>   |
| 4.1.             | Address of the test laboratory                        | 9                 |
| 4.2.             | Test Facility                                         | 9                 |
| 4.3.             | Equipments Used during the Test                       | 10                |
| 4.4.             | Environmental conditions                              | 11                |
| 4.5.             | Statement of the measurement uncertainty              | 11                |
| <b><u>5.</u></b> | <b><u>TEST CONDITIONS AND RESULTS</u></b>             | <b><u>12</u></b>  |
| 5.1.             | Conducted Output Power                                | 12                |
| 5.2.             | 99% & -26 dB Occupied Bandwidth                       | 13                |
| 5.3.             | Conducted Spurious Emissions                          | 52                |
| 5.4.             | Band Edge                                             | 89                |
| 5.5.             | ERP AND EIRP                                          | 162               |
| 5.6.             | Radiated Spurious Emssion                             | 169               |
| 5.7.             | Frequency stability V.S. Temperature measurement      | 180               |
| 5.8.             | Frequency stability V.S. Voltagemasurement            | 183               |
| 5.9.             | Peak-Average Ratio                                    | 185               |
| <b><u>6.</u></b> | <b><u>TEST SETUP PHOTOS OF THE EUT</u></b>            | <b><u>187</u></b> |
| <b><u>7.</u></b> | <b><u>EXTERNAL AND INTERNAL PHOTOS OF THE EUT</u></b> | <b><u>187</u></b> |

## 1. Test standards and Report version

### 1.1. Applicable Standards

The tests were performed according to following standards:

[FCC Part 22](#):PRIVATE LAND MOBILE RADIO SERVICES.

[FCC Part 24](#):PUBLIC MOBILE SERVICES

[FCC Part 27](#):MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES

[TIA/EIA 603 D June 2010](#):Land Mobile FM or PM Communications Equipment Measurement and Performance Standards.

[FCC Part 2](#):FREQUENCY ALLOCA-TIONS AND RADIO TREATY MAT-TERS; GENERAL RULES AND REG-ULATIONS

[971168 D01 Power Meas License Digital Systems v02r02](#):provides a methodology for fully characterizing the fundamental power of wideband (> 1 MHz) digitally modulated RF signals acceptable to the FCC for demonstrating compliance for licensed transmitters.

### 1.2. Report version

| Version No. | Date of issue | Description |
|-------------|---------------|-------------|
| 00          | Jun.20, 2017  | Original    |
|             |               |             |
|             |               |             |
|             |               |             |
|             |               |             |

## 2. Test Description

| Test Item                           | Section in CFR 47                                                | Result |
|-------------------------------------|------------------------------------------------------------------|--------|
| RF Output Power                     | Part 2.1046<br>Part 22.913(a)<br>Part 24.232(c)<br>Part 27.50    | Pass   |
| 99% & -26 dB Occupied Bandwidth     | Part 2.1049<br>Part 22.917(b)<br>Part 24.238(b)                  | Pass   |
| Conducted Spurious Emissions        | Part 2.1051<br>Part 22.917<br>Part 24.238<br>Part 27.53          | Pass   |
| Band Edge                           | Part 2.1051<br>Part 22.917<br>Part 24.238<br>Part 27.53          | Pass   |
| ERP and EIRP                        | Part 22.913(a)<br>Part 24.232(b)                                 | Pass   |
| Radiated Spurious Emissions         | Part 2.1053<br>Part 22.917<br>Part 24.238<br>Part 27.53          | Pass   |
| Frequency stability vs. temperature | Part 2.1055(a)(1)(b)<br>Part 22.255<br>Part 24.235<br>Part 27.54 | Pass   |
| Frequency stability vs. voltage     | Part 2.1055(d)(1)(2)<br>Part 22.255<br>Part 24.235<br>Part 27.54 | Pass   |
| Peak-Average Ratio                  | Part 24.232<br>Part 27.50                                        | Pass   |

Note: The measurement uncertainty is not included in the test result.

### 3. SUMMARY

#### 3.1. Client Information

|               |                                                                                                        |
|---------------|--------------------------------------------------------------------------------------------------------|
| Applicant:    | SENA MEXICO,S.A.DE C.V                                                                                 |
| Address:      | Av.Javier Barros Sierra 540,Torre I,Planta 5, COL.LOMAS DE SANTA FE DELEGACION, ALVARO OBREGON, Mexico |
| Manufacturer: | Senwa Mobile HK Ltd                                                                                    |
| Address:      | Room 910, International Trade Centre 11-19 Sha Tsui Road, Tsuen Wan, NT, HK                            |

#### 3.2. Product Description

|                                                 |                                                                                                                                                                                                                                                            |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name of EUT:                                    | Mobile Phone                                                                                                                                                                                                                                               |
| Trade Mark:                                     | SENA                                                                                                                                                                                                                                                       |
| Model No.:                                      | LS50                                                                                                                                                                                                                                                       |
| Listed Model(s):                                | -                                                                                                                                                                                                                                                          |
| IMEI:                                           | 357942080001300                                                                                                                                                                                                                                            |
| Power supply:                                   | DC 3.8V From internal battery                                                                                                                                                                                                                              |
| Adapter information:                            | Input:100-240Va.c., 50/60Hz, 0.15A Max<br>Output: 5Vd.c., 1000mA                                                                                                                                                                                           |
| Hardware version:                               | SP9832A-2_V1.1.0(4M)                                                                                                                                                                                                                                       |
| Software version:                               | SENA_LS50_Ver01                                                                                                                                                                                                                                            |
| <b>RF Technical Description</b>                 |                                                                                                                                                                                                                                                            |
| <input checked="" type="checkbox"/> FDD Band 2  |                                                                                                                                                                                                                                                            |
| Operation Frequency:                            | Uplink:1850.7 MHz – 1909.3 MHz<br>Downlink: 1930.7 MHz – 1989.3 MHz                                                                                                                                                                                        |
| Channel bandwidth:                              | <input checked="" type="checkbox"/> 1.4MHz <input checked="" type="checkbox"/> 3MHz <input checked="" type="checkbox"/> 5MHz <input checked="" type="checkbox"/> 10MHz <input checked="" type="checkbox"/> 15MHz                                           |
| <input checked="" type="checkbox"/> FDD Band 4  |                                                                                                                                                                                                                                                            |
| Operation Frequency:                            | Uplink:1710.7 MHz – 1754.3 MHz<br>Downlink: 2110.7 MHz – 2154.3 MHz                                                                                                                                                                                        |
| Channel bandwidth:                              | <input checked="" type="checkbox"/> 1.4MHz <input checked="" type="checkbox"/> 3MHz <input checked="" type="checkbox"/> 5MHz <input checked="" type="checkbox"/> 10MHz <input checked="" type="checkbox"/> 15MHz <input checked="" type="checkbox"/> 20MHz |
| <input checked="" type="checkbox"/> FDD Band 7  |                                                                                                                                                                                                                                                            |
| Operation Frequency:                            | Uplink:2502.5 MHz – 2567.5 MHz<br>Downlink: 2622.5 MHz – 2687.5 MHz                                                                                                                                                                                        |
| Channel bandwidth:                              | <input type="checkbox"/> 1.4MHz <input type="checkbox"/> 3MHz <input checked="" type="checkbox"/> 5MHz <input checked="" type="checkbox"/> 10MHz <input checked="" type="checkbox"/> 15MHz <input checked="" type="checkbox"/> 20MHz                       |
| <input checked="" type="checkbox"/> FDD Band 17 |                                                                                                                                                                                                                                                            |
| Operation Frequency:                            | Uplink:706.5 MHz – 713.5 MHz<br>Downlink: 736.5MHz – 743.5 MHz                                                                                                                                                                                             |
| Channel bandwidth:                              | <input type="checkbox"/> 1.4MHz <input type="checkbox"/> 3MHz <input checked="" type="checkbox"/> 5MHz <input checked="" type="checkbox"/> 10MHz <input type="checkbox"/> 15MHz <input type="checkbox"/> 20MHz                                             |
| Power Class:                                    | <input type="checkbox"/> Class 1 <input type="checkbox"/> Class 2 <input checked="" type="checkbox"/> Class 3 <input type="checkbox"/> Class 4                                                                                                             |
| Modulation type:                                | <input checked="" type="checkbox"/> QPSK <input checked="" type="checkbox"/> 16QAM <input type="checkbox"/> 64QAM                                                                                                                                          |
| Antennna type:                                  | IntegralAntennna                                                                                                                                                                                                                                           |
| Antenna gain:                                   | Band 2: 2.2 dBi, Band 4: 2.2 dBi, Band 7: 2.2 dBi, Band 17: 2.2 dBi                                                                                                                                                                                        |

### 3.3. Operation state

#### ➤ Test frequency list

##### FDD Band 2

| Test Frequency ID | Bandwidth [MHz]                                 | N <sub>UL</sub> | Frequency of Uplink [MHz] | N <sub>DL</sub> | Frequency of Downlink [MHz] |
|-------------------|-------------------------------------------------|-----------------|---------------------------|-----------------|-----------------------------|
| Low Range         | 1.4                                             | 18607           | 1850.7                    | 607             | 1930.7                      |
|                   | 3                                               | 18615           | 1851.5                    | 615             | 1931.5                      |
|                   | 5                                               | 18625           | 1852.5                    | 625             | 1932.5                      |
|                   | 10                                              | 18650           | 1855                      | 650             | 1935                        |
|                   | 15 <sup>[1]</sup>                               | 18675           | 1857.5                    | 675             | 1937.5                      |
|                   | 20 <sup>[1]</sup>                               | 18700           | 1860                      | 700             | 1940                        |
| Mid Range         | 1.4/3/5/10/15 <sup>[1]</sup> /20 <sup>[1]</sup> | 18900           | 1880                      | 900             | 1960                        |
| High Range        | 1.4                                             | 19193           | 1909.3                    | 1193            | 1989.3                      |
|                   | 3                                               | 19185           | 1908.5                    | 1185            | 1988.5                      |
|                   | 5                                               | 19175           | 1907.5                    | 1175            | 1987.5                      |
|                   | 10                                              | 19150           | 1905                      | 1150            | 1985                        |
|                   | 15 <sup>[1]</sup>                               | 19125           | 1902.5                    | 1125            | 1982.5                      |
|                   | 20 <sup>[1]</sup>                               | 19100           | 1900                      | 1100            | 1980                        |

NOTE 1: Bandwidth for which a relaxation of the specified UE receiver sensitivity requirement (TS 36.101 [27] Clause 7.3) is allowed.

##### FDD Band 4

| Test Frequency ID | Bandwidth [MHz]  | N <sub>UL</sub> | Frequency of Uplink [MHz] | N <sub>DL</sub> | Frequency of Downlink [MHz] |
|-------------------|------------------|-----------------|---------------------------|-----------------|-----------------------------|
| Low Range         | 1.4              | 19957           | 1710.7                    | 1957            | 2110.7                      |
|                   | 3                | 19965           | 1711.5                    | 1965            | 2111.5                      |
|                   | 5                | 19975           | 1712.5                    | 1975            | 2112.5                      |
|                   | 10               | 20000           | 1715                      | 2000            | 2115                        |
|                   | 15               | 20025           | 1717.5                    | 2025            | 2117.5                      |
|                   | 20               | 20050           | 1720                      | 2050            | 2120                        |
| Mid Range         | 1.4/3/5/10/15/20 | 20175           | 1732.5                    | 2175            | 2132.5                      |
| High Range        | 1.4              | 20393           | 1754.3                    | 2393            | 2154.3                      |
|                   | 3                | 20385           | 1753.5                    | 2385            | 2153.5                      |
|                   | 5                | 20375           | 1752.5                    | 2375            | 2152.5                      |
|                   | 10               | 20350           | 1750                      | 2350            | 2150                        |
|                   | 15               | 20325           | 1747.5                    | 2325            | 2147.5                      |
|                   | 20               | 20300           | 1745                      | 2300            | 2145                        |

##### FDD Band 7

| Test Frequency ID | Bandwidth [MHz]           | N <sub>UL</sub> | Frequency of Uplink [MHz] | N <sub>DL</sub> | Frequency of Downlink [MHz] |
|-------------------|---------------------------|-----------------|---------------------------|-----------------|-----------------------------|
| Low Range         | 5                         | 20775           | 2502.5                    | 2775            | 2622.5                      |
|                   | 10                        | 20800           | 2505                      | 2800            | 2625                        |
|                   | 15                        | 20825           | 2507.5                    | 2825            | 2627.5                      |
|                   | 20 <sup>[1]</sup>         | 20850           | 2510                      | 2850            | 2630                        |
| Mid Range         | 5/10/15/20 <sup>[1]</sup> | 21100           | 2535                      | 3100            | 2655                        |
| High Range        | 5                         | 21425           | 2567.5                    | 3425            | 2687.5                      |
|                   | 10                        | 21400           | 2565                      | 3400            | 2685                        |
|                   | 15                        | 21375           | 2562.5                    | 3375            | 2682.5                      |
|                   | 20 <sup>[1]</sup>         | 21350           | 2560                      | 3350            | 2680                        |

NOTE 1: Bandwidth for which a relaxation of the specified UE receiver sensitivity requirement (TS 36.101 [27] Clause 7.3) is allowed.

##### FDD Band 17

| Test Frequency ID | Bandwidth [MHz]                     | N <sub>UL</sub> | Frequency of Uplink [MHz] | N <sub>DL</sub> | Frequency of Downlink [MHz] |
|-------------------|-------------------------------------|-----------------|---------------------------|-----------------|-----------------------------|
| Low Range         | 5 <sup>[1]</sup>                    | 23755           | 706.5                     | 5755            | 736.5                       |
|                   | 10 <sup>[1]</sup>                   | 23780           | 709                       | 5780            | 739                         |
| Mid Range         | 5 <sup>[1]</sup> /10 <sup>[1]</sup> | 23790           | 710                       | 5790            | 740                         |
| High Range        | 5 <sup>[1]</sup>                    | 23825           | 713.5                     | 5825            | 743.5                       |
|                   | 10 <sup>[1]</sup>                   | 23800           | 711                       | 5800            | 741                         |

NOTE 1: Bandwidth for which a relaxation of the specified UE receiver sensitivity requirement (TS 36.101 [27] Clause 7.3) is allowed.

### 3.4. EUT operation mode

For RF test items

The EUT has been tested under typical operating condition. The Applicant provides software to control the EUT for staying in continuous transmitting and receiving mode for testing.

| Test Items                  | Band                                                                                                                                                                                                                                                                                                                                                                               | Bandwidth (MHz) |   |   |    |    |    | Modulation |       | RB # |      |      | Test Channel |   |   |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---|---|----|----|----|------------|-------|------|------|------|--------------|---|---|
|                             |                                                                                                                                                                                                                                                                                                                                                                                    | 1.4             | 3 | 5 | 10 | 15 | 20 | QPSK       | 16QAM | 1    | Half | Full | L            | M | H |
| Max Output Power            | 2                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    | v    | v    | v            | v | v |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    | v    | v    | v            | v | v |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  | -               | - | v | v  | v  | v  | v          | v     | v    | v    | v    | v            | v | v |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          | v     | v    | v    | v    | v            | v | v |
| 26dB and 99% Bandwidth      | 2                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     |      |      | v    | v            | v | v |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     |      |      | v    | v            | v | v |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  | -               | - | v | v  | v  | v  | v          | v     |      |      | v    | v            | v | v |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          | v     |      |      | v    | v            | v | v |
| Conducted Band Edge         | 2                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    |      | v    | v            |   | v |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    |      | v    | v            |   | v |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  | -               | - | v | v  | v  | v  | v          | v     | v    |      | v    | v            |   | v |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          | v     | v    |      | v    | v            |   | v |
| Conducted Spurious Emission | 2                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    |      |      | v            | v | v |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    |      |      | v            | v | v |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  | -               | - | v | v  | v  | v  | v          | v     | v    |      |      | v            | v | v |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          | v     | v    |      |      | v            | v | v |
| E.R.P./ E.I.R.P.            | 2                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    |      |      | v            | v | v |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          | v     | v    |      |      | v            | v | v |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  | -               | - | v | v  | v  | v  | v          | v     | v    |      |      | v            | v | v |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          | v     | v    |      |      | v            | v | v |
| Radiated Spurious Emission  | 2                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          |       | v    |      |      | v            | v | v |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  | v               | v | v | v  | v  | v  | v          |       | v    |      |      | v            | v | v |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  | -               | - | v | v  | v  | v  | v          |       | v    |      |      | v            | v | v |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          |       | v    |      |      | v            | v | v |
| Frequency Stability         | 2                                                                                                                                                                                                                                                                                                                                                                                  |                 |   |   |    |    | v  | v          | v     |      |      | v    |              | v |   |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  |                 |   |   |    |    | v  | v          | v     |      |      | v    |              | v |   |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  |                 |   |   |    |    | v  | v          | v     |      |      | v    |              | v |   |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          | v     |      |      | v    |              | v |   |
| Peak-to-Average Ratio       | 2                                                                                                                                                                                                                                                                                                                                                                                  |                 |   |   |    |    | v  | v          | v     | v    |      | v    | v            | v | v |
|                             | 4                                                                                                                                                                                                                                                                                                                                                                                  |                 |   |   |    |    | v  | v          | v     | v    |      | v    | v            | v | v |
|                             | 7                                                                                                                                                                                                                                                                                                                                                                                  |                 |   |   |    |    | v  | v          | v     | v    |      | v    | v            | v | v |
|                             | 17                                                                                                                                                                                                                                                                                                                                                                                 | -               | - | v | v  | -  | -  | v          | v     | v    |      | v    | v            | v | v |
| Remark                      | 1. The mark "v" means that this configuration is chosen for testing<br>2. The mark "-" means that this bandwidth is not supported.<br>3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported. |                 |   |   |    |    |    |            |       |      |      |      |              |   |   |

### 3.5. EUT configuration

The following peripheral devices and interface cables were connected during the measurement:

● - supplied by the manufacturer

○ - supplied by the lab

|  |  |                |   |
|--|--|----------------|---|
|  |  | Length (m) :   | / |
|  |  | Shield :       | / |
|  |  | Detachable :   | / |
|  |  | Manufacturer : | / |
|  |  | Model No. :    | / |

### 3.6. Modifications

No modifications were implemented to meet testing criteria.



## **4. TEST ENVIRONMENT**

### **4.1. Address of the test laboratory**

Laboratory: Shenzhen Huatongwei International Inspection Co., Ltd.

Address: 1/F, Bldg 3, Hongfa Hi-tech Industrial Park, Genyu Road, Tianliao, Gongming, Shenzhen, China

Phone: 86-755-26748019 Fax: 86-755-26748089

### **4.2. Test Facility**

The test facility is recognized, certified, or accredited by the following organizations:

#### **CNAS-Lab Code: L1225**

Shenzhen Huatongwei International Inspection Co., Ltd. has been assessed and proved to be in compliance with CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

#### **A2LA-Lab Cert. No. 3902.01**

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025: 2005 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

#### **FCC-Registration No.: 317478**

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration 317478.

#### **IC-Registration No.: 5377B**

Two 3m Alternate Test Site of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements.

#### **ACA**

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory can also perform testing for the Australian C-Tick mark as a result of our A2LA accreditation.

### 4.3. Equipments Used during the Test

| Output Power(Conducted) &Occupied Bandwidth&EmissionBandwidth&Band Edge Compliance&Conducted Spurious Emission |                               |               |           |              |            |
|----------------------------------------------------------------------------------------------------------------|-------------------------------|---------------|-----------|--------------|------------|
| No.                                                                                                            | Equipment                     | Manufacturer  | Model No. | SerialNo.    | Last Cal.  |
| 1                                                                                                              | UNIVERSAL RADIO COMMUNICATION | Rohde&Schwarz | CMU200    | 112012       | 2016/11/13 |
| 2                                                                                                              | WIDEB.RADIO COMM.TESRER       | Rohde&Schwarz | CMW500    | 1201.0002K50 | 2016/11/13 |
| 3                                                                                                              | Spectrum Analyzer             | Rohde&Schwarz | FSU26     | 201141       | 2016/11/13 |
| 4                                                                                                              | Splitter                      | Mini-Circuit  | ZAPD-4    | 400059       | 2016/11/13 |

| Frequency Stability |                               |               |           |              |            |
|---------------------|-------------------------------|---------------|-----------|--------------|------------|
| No.                 | Equipment                     | Manufacturer  | Model No. | SerialNo.    | Last Cal.  |
| 1                   | UNIVERSAL RADIO COMMUNICATION | Rohde&Schwarz | CMU200    | 112012       | 2016/11/13 |
| 2                   | WIDEB.RADIO COMM.TESRER       | Rohde&Schwarz | CMW500    | 1201.0002K50 | 2016/11/13 |
| 3                   | Spectrum Analyzer             | Rohde&Schwarz | FSU26     | 201141       | 2016/11/13 |
| 4                   | Climate Chamber               | ESPEC         | EL-10KA   | 05107008     | 2016/11/13 |
| 5                   | Splitter                      | Mini-Circuit  | ZAPD-4    | 400059       | 2016/11/13 |

| Output Power (Radiated) &Radiated Spurious Emission |                               |                              |           |              |            |
|-----------------------------------------------------|-------------------------------|------------------------------|-----------|--------------|------------|
| No.                                                 | Equipment                     | Manufacturer                 | Model No. | SerialNo.    | Last Cal.  |
| 1                                                   | UNIVERSAL RADIO COMMUNICATION | Rohde&Schwarz                | CMU200    | 112012       | 2016/11/13 |
| 2                                                   | Spectrum Analyzer             | Rohde&Schwarz                | FSU26     | 201141       | 2016/11/13 |
| 3                                                   | HORNANTENNA                   | ShwarzBeck                   | 9120D     | 1012         | 2016/11/13 |
| 4                                                   | HORNANTENNA                   | ShwarzBeck                   | 9120D     | 1011         | 2016/11/13 |
| 5                                                   | Ultra-Broadband Antenna       | ShwarzBeck                   | VULB9163  | 538          | 2016/11/13 |
| 6                                                   | Ultra-Broadband Antenna       | ShwarzBeck                   | VULB9163  | 539          | 2016/11/13 |
| 7                                                   | TURNTABLE                     | MATURO                       | TT2.0     | ----         | 2016/11/13 |
| 8                                                   | ANTENNA MAST                  | MATURO                       | TAM-4.0-P | ----         | N/A        |
| 9                                                   | EMI Test Software             | Audix                        | E3        | N/A          | N/A        |
| 10                                                  | EMI Test Receiver             | Rohde&Schwarz                | ESIB 26   | 100009       | 2016/11/13 |
| 11                                                  | RF Test Panel                 | Rohde&Schwarz                | TS / RSP  | 335015/ 0017 | 2016/11/13 |
| 12                                                  | High pass filter              | Compliance Direction systems | BSU-6     | 34202        | 2016/11/13 |
| 13                                                  | Splitter                      | Mini-Circuit                 | ZAPD-4    | 400059       | 2016/11/13 |
| 14                                                  | Horn Antenna                  | SCHWARZBECK                  | BBHA9170  | 25841        | 2016/11/13 |
| 15                                                  | Horn Antenna                  | SCHWARZBECK                  | BBHA9170  | 25842        | 2016/11/13 |
| 16                                                  | Preamplifier                  | ShwarzBeck                   | BBV 9718  | BBV 9718     | 2016/11/13 |
| 17                                                  | Broadband Preamplifier        | ShwarzBeck                   | BBV743    | 9743-0079    | 2016/11/13 |
| 18                                                  | Signal Generator              | Rohde&Schwarz                | SMF100A   | 101932       | 2016/11/13 |
| 19                                                  | Amplifier                     | Compliance Direction systems | PAP1-4060 | 120          | 2016/11/13 |
| 20                                                  | TURNTABLE                     | ETS                          | 2088      | 2149         | 2016/11/13 |
| 21                                                  | ANTENNA MAST                  | ETS                          | 2075      | 2346         | 2016/11/13 |
| 22                                                  | HORNANTENNA                   | Rohde&Schwarz                | HF906     | 100068       | 2016/11/13 |
| 23                                                  | HORNANTENNA                   | Rohde&Schwarz                | HF906     | 100039       | 2016/11/13 |
| 24                                                  | WIDEB.RADIO COMM.TESRER       | R&S                          | CMW500    | 1201.0002K50 | 2016/11/13 |

The calibration interval was one year.

#### 4.4. Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

|                          |              |
|--------------------------|--------------|
| Normal Temperature/Tnor: | 15~35°C      |
| Relative Humidity        | 30~60 %      |
| Air Pressure             | 950-1050 hPa |

#### 4.5. Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report according to TR-100028-01 "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1" and TR-100028-02 "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2" and is documented in the Shenzhen Huatongwei International Inspection Co., Ltd quality system according to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Hereafter the best measurement capability for Shenzhen Huatongwei laboratory is reported:

| Test Items                                 | Measurement Uncertainty | Notes |
|--------------------------------------------|-------------------------|-------|
| Frequency stability                        | 25 Hz                   | (1)   |
| Transmitter power conducted                | 0.57 dB                 | (1)   |
| Transmitter power Radiated                 | 2.20 dB                 | (1)   |
| Conducted spurious emission 9KHz-12.75 GHz | 1.60 dB                 | (1)   |
| Conducted Emission 9KHz-30MHz              | 3.39 dB                 | (1)   |
| Radiated Emission 30~1000MHz               | 4.24 dB                 | (1)   |
| Radiated Emission 1~18GHz                  | 5.16 dB                 | (1)   |
| Radiated Emission 18-40GHz                 | 5.54 dB                 | (1)   |
| Occupied Bandwidth                         | -----                   | (1)   |
| Emission Mask                              | -----                   | (1)   |
| Modulation Characteristic                  | -----                   | (1)   |
| Transmitter Frequency Behavior             | -----                   | (1)   |

(1) This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=1.96$ .


## 5. TEST CONDITIONS AND RESULTS

### 5.1. Conducted Output Power

#### LIMIT

N/A

#### TEST CONFIGURATION

*Note: Measurement setup for testing on Antenna connector*

#### TEST PROCEDURE

1. The transmitter output port was connected to base station.
2. The RF output of EUT was connected to the power meter by RF cable and attenuator, the path loss was compensated to the results for each measurement.
3. Set EUT at maximum power through base station.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure the maximum burst average power.

#### TEST MODE:

Please refer to the clause 3.3

#### TEST RESULTS

☒ **Passed**      ☐ **Not Applicable**


| EUT Mode    | Frequency (MHz)   | Max Avg.Power<br>QPSK (dBm) | Max Avg.Power<br>16QAM (dBm) |
|-------------|-------------------|-----------------------------|------------------------------|
| LTE Band 2  | 1850.70 - 1909.30 | 21.41                       | 21.29                        |
| LTE Band 4  | 1710.70 – 1754.30 | 22.39                       | 21.14                        |
| LTE Band 7  | 2502.50 – 2567.50 | 21.39                       | 21.08                        |
| LTE Band 17 | 706.50 – 713.50   | 22.50                       | 22.24                        |

## 5.2. 99% & -26 dB Occupied Bandwidth

### LIMIT

N/A

### TEST CONFIGURATION



*Note: Measurement setup for testing on Antenna connector*

### TEST PROCEDURE

1. The EUT's output RF connector was connected with a short cable to the spectrum analyzer
2. RBW was set to about 1% of emission BW, VBW= 3 times RBW.
3. -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.

### TEST MODE:

Please refer to the clause 3.3

### TEST RESULTS

☒ **Passed**      ☐ **Not Applicable**

| LTE Band 2 |         |                            |       |                       |       |
|------------|---------|----------------------------|-------|-----------------------|-------|
| Bandwidth  | Channel | 99% Occupy bandwidth (MHz) |       | -26dB bandwidth (MHz) |       |
|            |         | QPSK                       | 16QAM | QPSK                  | 16QAM |
| 1.4MHz     | Low     | 1.11                       | 1.13  | 1.50                  | 1.15  |
|            | Mid     | 1.11                       | 1.11  | 1.47                  | 1.46  |
|            | High    | 1.11                       | 1.13  | 1.45                  | 1.45  |
| 3MHz       | Low     | 2.69                       | 2.68  | 2.99                  | 3.05  |
|            | Mid     | 2.68                       | 2.68  | 3.03                  | 3.02  |
|            | High    | 2.69                       | 2.68  | 2.98                  | 3.04  |
| 5MHz       | Low     | 4.55                       | 4.54  | 5.39                  | 5.39  |
|            | Mid     | 4.53                       | 4.57  | 5.30                  | 5.51  |
|            | High    | 4.53                       | 4.55  | 5.37                  | 5.34  |
| 10MHz      | Low     | 8.96                       | 8.95  | 9.86                  | 9.78  |
|            | Mid     | 8.96                       | 8.96  | 10.03                 | 9.93  |
|            | High    | 8.92                       | 8.94  | 9.82                  | 10.01 |
| 15MHz      | Low     | 13.51                      | 13.51 | 15.21                 | 15.03 |
|            | Mid     | 13.54                      | 13.54 | 15.55                 | 15.02 |
|            | High    | 13.43                      | 13.51 | 15.01                 | 15.30 |
| 20MHz      | Low     | 17.98                      | 18.02 | 20.16                 | 20.21 |
|            | Mid     | 18.05                      | 18.05 | 20.22                 | 20.18 |
|            | High    | 17.95                      | 17.95 | 19.91                 | 19.75 |


| LTE Band 4 |         |                            |       |                       |       |
|------------|---------|----------------------------|-------|-----------------------|-------|
| Bandwidth  | Channel | 99% Occupy bandwidth (MHz) |       | -26dB bandwidth (MHz) |       |
|            |         | QPSK                       | 16QAM | QPSK                  | 16QAM |
| 1.4MHz     | Low     | 1.11                       | 1.11  | 1.48                  | 1.46  |
|            | Mid     | 1.11                       | 1.17  | 1.47                  | 1.53  |
|            | High    | 1.11                       | 1.13  | 1.48                  | 1.49  |
| 3MHz       | Low     | 2.68                       | 2.68  | 3.02                  | 3.07  |
|            | Mid     | 2.68                       | 2.68  | 3.05                  | 3.07  |
|            | High    | 2.68                       | 2.68  | 3.04                  | 3.05  |
| 5MHz       | Low     | 4.53                       | 4.57  | 5.33                  | 5.51  |
|            | Mid     | 4.52                       | 4.56  | 5.34                  | 5.41  |
|            | High    | 4.55                       | 4.53  | 5.39                  | 5.39  |
| 10MHz      | Low     | 8.95                       | 8.97  | 9.93                  | 10.15 |
|            | Mid     | 8.95                       | 8.95  | 10.02                 | 9.95  |
|            | High    | 8.95                       | 8.97  | 9.88                  | 9.81  |
| 15MHz      | Low     | 13.51                      | 13.51 | 15.39                 | 14.92 |
|            | Mid     | 13.51                      | 13.51 | 15.33                 | 15.28 |
|            | High    | 13.54                      | 13.51 | 15.38                 | 14.98 |
| 20MHz      | Low     | 17.98                      | 17.98 | 19.91                 | 19.98 |
|            | Mid     | 17.95                      | 17.91 | 19.98                 | 19.78 |
|            | High    | 17.91                      | 18.02 | 19.71                 | 19.75 |

| LTE Band 7 |         |                            |       |                       |       |
|------------|---------|----------------------------|-------|-----------------------|-------|
| Bandwidth  | Channel | 99% Occupy bandwidth (MHz) |       | -26dB bandwidth (MHz) |       |
|            |         | QPSK                       | 16QAM | QPSK                  | 16QAM |
| 5MHz       | Low     | 4.53                       | 4.54  | 5.54                  | 5.39  |
|            | Mid     | 4.55                       | 4.57  | 5.44                  | 5.53  |
|            | High    | 4.53                       | 4.56  | 5.41                  | 5.40  |
| 10MHz      | Low     | 8.94                       | 8.96  | 9.88                  | 10.11 |
|            | Mid     | 8.97                       | 8.96  | 9.94                  | 9.95  |
|            | High    | 8.96                       | 8.94  | 9.83                  | 9.89  |
| 15MHz      | Low     | 13.49                      | 13.54 | 15.40                 | 14.89 |
|            | Mid     | 13.51                      | 13.54 | 15.56                 | 15.25 |
|            | High    | 13.51                      | 13.51 | 15.25                 | 14.91 |
| 20MHz      | Low     | 17.98                      | 17.98 | 20.03                 | 20.05 |
|            | Mid     | 18.02                      | 18.02 | 19.88                 | 20.16 |
|            | High    | 17.95                      | 18.02 | 19.89                 | 20.11 |


| LTE Band 17 |         |                            |       |                       |       |
|-------------|---------|----------------------------|-------|-----------------------|-------|
| Bandwidth   | Channel | 99% Occupy bandwidth (MHz) |       | -26dB bandwidth (MHz) |       |
|             |         | QPSK                       | 16QAM | QPSK                  | 16QAM |
| 5MHz        | Low     | 4.53                       | 4.57  | 5.34                  | 5.49  |
|             | Mid     | 4.53                       | 4.57  | 5.43                  | 5.46  |
|             | High    | 4.54                       | 4.54  | 5.42                  | 5.42  |
| 10MHz       | Low     | 8.94                       | 8.96  | 9.90                  | 10.06 |
|             | Mid     | 8.97                       | 8.97  | 10.03                 | 10.00 |
|             | High    | 8.97                       | 8.97  | 9.92                  | 9.83  |

LTE Band 2-1.4MHz


QPSK



*Channel Low*



## Channel Mid




### Channel High




## LTE Band 2-1.4MHz


16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-3MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-3MHz


## 16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-5MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-5MHz


## 16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-10MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-10MHz


## 16QAM



## Channel Low



## Channel Mid




## Channel High




## LTE Band 2-15MHz


## QPSK



## Channel Low



## Channel Mid




## Channel High




## LTE Band 2-15MHz


## 16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-20MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 2-20MHz


## 16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-1.4MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-1.4MHz


16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-3MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-3MHz


## 16QAM



## Channel Low



## Channel Mid




## Channel High




## LTE Band 4-5MHz


## QPSK



## Channel Low



## Channel Mid




## Channel High




## LTE Band 4-5MHz


## 16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-10MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-10MHz


## 16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-15MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-15MHz


## 16QAM



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-20MHz


## QPSK



## Channel Low




## Channel Mid




## Channel High

## LTE Band 4-20MHz


## 16QAM



## Channel Low



## Channel Mid




## Channel High




## LTE Band 7-5MHz


## QPSK



## Channel Low



## Channel Mid



## Channel High