



P5744-103

ON GMD

10

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions : (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. FCC ID : 2AJE7SMC-DIV5

4xR1

60

注 記





- 版下データNo. C05147-Aを使用する。
地 : アーバンホワイト1
指示以外のスミ部 : DIC 545 (ダークグレー)
- 印刷された文字は鮮明であること。
- 裏面の糊印刷は704 接着剤を使用のこと。
材質はC110C (ポリカーボネート) $t=0.18$ とする。
- 指示無き寸法公差は、JIS B0405-mのこと。

Label material: Polycarbonate Film

The FCC ID label is permanently affixed on the device with an acrylic type adhesive.

FINISH: 表面処理 / PAINT: 塗装 / MASS: 質量 / PACKING: 包装区分 / MATERIAL: 材質 / MATERIAL SIZE: 材料寸法


△						FINISH			
△						PAINT			
△						MASS			
△						PACKING	B	EX600-WSV*	1
△								EX600-WEN*	1
○	-	初版	2016-10-17	K. Kuniti	-	MATERIAL	C110C	MODEL	QTY
REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO	MATERIAL SIZE	t=0.18	THIRD ANGLE	
TOLERANCES JIS B 0405		DRAWN		SCALE					
GRADE		DATE		2 : 1					
RANGE (mm)	f ±	m ±	c ±	DESIGNED	DWG NAME				
0.5 ≤ D ≤ 3	0.05	0.1	0.2	K. Kuniti	FCC IDラベル				
3 < D ≤ 6	0.05	0.1	0.3	DATE	DWG NO				
6 < D ≤ 30	0.1	0.2	0.5	2016-10-17	P5744-103				
30 < D ≤ 120	0.15	0.3	0.8	CHECKED	REVISION				
120 < D ≤ 400	0.2	0.5	1.2	DATE					
400 < D ≤ 1000	0.3	0.8	2	APPROVED					
1000 < D ≤ 2000	0.5	1.2	3	DATE					
DWG REC		DWG ID		BA48112700		SMC Corporation			



*Label material: C110C, (Polycarbonate)

The FCC ID label is permanently affixed on the device with an acrylic type adhesive.
(Refer to FCC label drawing (P5744-103) for details.)






Label Location





3D Model

REV		QTY		DESCRIPTION		DATE PREPARED		REV NO		FINISH		PAINT		MASS		PACKING	
TOLERANCES		JIS B 0405		DRAWN		C. Shiroo		SCALE		MATERIAL		THIRD ANGLE		MODEL		Q	
RANGE (mm)		GRADE		DATE		2016-10-14		:		MATERIAL SIZE		③					
0.50/0.3		0.05/0.1		DESIGNED		K. Kuniti		DWG NAME									
3/0.56		0.05/0.1		DATE		2016-10-14		FCC ID Label Location									
6/0.30		0.1/0.2		CHECKED				DWG NO									
30/0.5120		0.15/0.3		DATE				Wireless Master unit(EX600-WEN3/4-X40)									
120/0.5400		0.2/0.5		APPROVED													
400/0.51000		0.3/0.8		DATE													
1000/0.52000		0.5/1.2															
DWG REC								DWG ID								SMC Corporation	


FCC ID:2AJE7SMC-DIV5



Label Location



Label Location



3D Model

※Label material: C110C, (Polycarbonate)

The FCC ID label is permanently affixed on the device with an acrylic type adhesive.
(Refer to FCC label drawing (P5744-103) for details.)

				FINISH			
				PAINT			
				MASS			
				PACKING			
REV	QTY	DESCRIPTION	DATE PREPARED	REV NO		MODEL	QTY
TOLERANCES JIS B 0405				SCALE		THIRD ANGLE	
RANGE (mm)		GRADE	DATE	DESIGNED			
0.560±0.3		0.05 0.1 0.2	2016-10-14	K. Kuniti			
3±0.06		0.05 0.1 0.3	2016-10-14				
6±0.030		0.1 0.2 0.5					
30±0.120		0.15 0.3 0.8					
120±0.400		0.2 0.5 1.2					
400±0.1000		0.3 0.8 2					
1000±0.2000		0.5 1.2 3					
CHECKED				DWG NAME	FCC ID Label Location		
DATE				DWG NO			
APPROVED				Wireless Slave unit(EX600-WSV3/4-X41)			
DATE							