





5250~5350MHz

Low Channel




Mid Channel






High Channel



5470~5725MHz

Low Channel






Mid Channel



High Channel







IEEE802.11n HT20 mode

5150~5250MHz

Low Channel




Mid Channel





High Channel



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China




5250~5350MHz

Low Channel




Mid Channel





High Channel




5470~5725MHz

Low Channel






Mid Channel



High Channel






IEEE802.11n HT40 mode

5150~52500MHz

Low Channel



High Channel





5250~5350MHz

Low Channel




High Channel






5470~5725MHz

Low Channel



Mid Channel





High Channel







IEEE802.11ac HT20 mode

5150~5250MHz

Low Channel



Mid Channel






High Channel



5250~5350MHz

Low Channel






Mid Channel




High Channel






5470~5725MHz

Low Channel




Mid Channel





High Channel





IEEE802.11ac HT40 mode

5150~5250MHz

Low Channel



High Channel





5250~5350MHz

Low Channel



High Channel





5470~5725MHz

Low Channel



Mid Channel





High Channel





IEEE802.11ac HT80 mode

5150~5250MHz



5250~5350MHz





5470~5725MHz

Low Channel



High Channel





IEEE802.11ac HT160 mode

5150~5350MHz



5470~5725MHz






IEEE802.11ax HE20 mode

5150~5250MHz

Low Channel




Mid Channel






High Channel



5250~5350MHz

Low Channel






Mid Channel




High Channel





5470~5725MHz

Low Channel



Mid Channel





High Channel



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



IEEE802.11ax HE40 mode

5150~5250MHz

Low Channel



High Channel

