

Package Standard Operation Procedure

SPEC. REVISED & ISSUED

Description

Initial release

TITLE :	WSMS-140X433AU1_Gasmatics (R)
	P/N: 990-100-0459R

WSMS-140X433AU1_Gasmatics (R)
P/N: 990-100-0459R

Gemtek 正文科技股份有限公司
Wireless Broadband Anywhere Gemtek Technology Co., Ltd.

WRITER	DATE M/D/Y
--------	------------

Kate Jin	8/7/2018
----------	----------

	REV.
	T01

Note:

1. Pallet-layer height: Air transportation: 4 layers

Sea transportation: 6 layers


2. 防水頭線材繞成90*90mm(+/-10mm)圓圈，並用束線捆綁

3. 裝箱后Box Label需朝上



4. 棧板打包方式依廠內作業規範

5. 各零件內容之檢驗，請依各料號之材料承認書

Box label 朝上
Box open side




6 pcs box in 1 carton

16 pcs carton in 1 pallet
(for Air)

防水頭線材繞成
80*80mm+/-10mm
圓圈，並用束線捆綁



螺絲用膠帶
貼在隔板上



No	TITLE	Q'TY
1	WSMS-140	1
2	PE Bag	1
3	Antenna	1
4	Screw	1

No	TITLE	Q'TY
5	Hold-paper	1
6	Box	1
7	Carton	1/6
8	Pallet	1/96

TOLERANCE (UNLESS OTHERWISE SPEC.)		DESIGNED BY:
0 ~ 29.99	±0.10	Kate Jin
30.0 ~ 119.99	±0.15	
120.0 ~ 299.99	±0.20	
300 or GREATER	±0.40	APPROVED BY:
ANGULAR TOL.	0±0.50°	Costa Tsai

THIRD ANGLE
PROJECTION

DWG TITLE:

PACKAGE

MODEL NAME:

WSMS-140X433AU1_Gasmatrics (R)



Gemtek 正文科技股份有限公司
Wireless Broadband Anywhere Gemtek Technology Co., Ltd.

INFORMATION CONTAINED ON ALL SHEETS OF THIS PRINT
CAN NOT BE REPRODUCED OR USED, IN WHOLE OR IN
PART, WITHOUT GEMTEK'S CONSENT. THIS NOTICE DOES
NOT IMPLY PUBLICATION.

UNIT	SCALE	SIZE	SHEET	REV.
			1	1.0

DWG / PART NO.

990-100-0459R



Telemetry Unit

Model name: WSMS-140_G

Type: Input Hall Effect

Linde P/N: ZZ 037601

FCC ID: MXF-WSMS-140

BLE No.:



XXXXXXXXXXXX

LoRa MAC:



10XXXXXX

IP rating: IP66

Linde



Made in Taiwan

LoRa MAC:


10XXXXXX

LoRa MAC label

注意

1. Label 張貼處如圖所示，請注意張貼方向。
2. BLE No.: Gemtek Wi-Fi system 跳一號
ex.DCFB02320000,2,4....
3. LoRa MAC: Gemtek LoRa system 10XXXXXX (共8碼)
10 (1-2碼): 固定不變為10
XXXXXX (3-8碼): 為流水碼
4. 其他打印資訊 - 固定不變
5. Barcode Type: Code 128
6. 字體皆為 Arial
7. 各零件內容之檢驗，請依各料號之材料承認書。

Description	Back label	P/N	420-120-1334R	Description	LoRa MAC label	P/N	420-900-0018G



Telemetry Unit

Model name: WSMS-140_G
 Type: Input Hall Effect
 Linde P/N: ZZ 037601

BLE No.: 
 XXXXXXXXXXXXX

LoRa MAC: 
 10XXXXXXX

Box label

注意

1. Box label 張貼處如圖所示，請注意張貼方向。
2. BLE No.: 同 Back label
3. LoRa MAC: 同 Back label
4. Barcode Type: Code 128
5. 字體皆為 Arial
6. 各零件內容之檢驗，請依各料號之材料承認書。

Description	Box label	P/N	42K-902-0624R	Description		P/N	
 正文科技股份有限公司 Wireless Broadband Anywhere Gemtek Technology Co., Ltd.				TITLE : Package Standard Operation Procedure		REV.	
						990-100-0459R	
						1.0	

Carton label

Telemetry Unit

Model name: WSMS-140_G

Type: Input Hall Effect

Linde P/N: ZZ 037601



LoRa MAC:10XXXXXX



LoRa MAC:10XXXXXX



LoRa MAC:10XXXXXX



LoRa MAC:10XXXXXX



LoRa MAC:10XXXXXX




LoRa MAC:10XXXXXX

Q'TY : 6 PCS

CNT. ID:

MADE IN TAIWAN



依實際出貨數量變更

依實際生產地變更

注意

1. Carton label 張貼處如圖所示，請注意張貼方向。
2. LoRa MAC: 同 Back label
3. Barcode Type: Code 128
4. 字體皆為 Arial
5. 各零件內容之檢驗，請依各料號之材料承認書。

Description	Carton label	P/N	42K-900-0715R	Description	P/N	REV.
Gemtek 正文科技股份有限公司 Wireless Broadband Anywhere Gemtek Technology Co., Ltd.				TITLE : Package Standard Operation Procedure	990-100-0459R	1.0