

Report No.:SAR/2021/4000902 Page: 28 of 291

				Ü			
30KHz	80MHz	DFT-QPSK	Low	Inner Full	25.62	28.07	PASS
30KHz	80MHz	DFT-QPSK	Low	Inner 1RB Left	25.01	27.46	PASS
30KHz	80MHz	DFT-QPSK	Low	Inner 1RB Right	25.03	27.48	PASS
30KHz	80MHz	DFT-QPSK	Mid	Inner Full	25.65	28.1	PASS
30KHz	80MHz	DFT-QPSK	Mid	Inner 1RB Left	25.02	27.47	PASS
30KHz	80MHz	DFT-QPSK	Mid	Inner 1RB Right	25.05	27.5	PASS
30KHz	80MHz	DFT-QPSK	High	Inner Full	25.58	28.03	PASS
30KHz	80MHz	DFT-QPSK	High	Inner 1RB Left	25.08	27.53	PASS
30KHz	80MHz	DFT-QPSK	High	Inner 1RB Right	25.06	27.51	PASS
30KHz	80MHz	DFT-16QAM	Low	Inner Full	24.6	27.05	PASS
30KHz	80MHz	DFT-16QAM	Low	Inner 1RB Left	24.05	26.5	PASS
30KHz	80MHz	DFT-16QAM	Low	Inner 1RB Right	24.06	26.51	PASS
30KHz	80MHz	DFT-16QAM	Mid	Inner Full	24.55	27	PASS
30KHz	80MHz	DFT-16QAM	Mid	Inner 1RB Left	24.21	26.66	PASS
30KHz	80MHz	DFT-16QAM	Mid	Inner 1RB Right	24.14	26.59	PASS
30KHz	80MHz	DFT-16QAM	High	Inner Full	24.55	27	PASS
30KHz	80MHz	DFT-16QAM	High	Inner 1RB Left	24.11	26.56	PASS
30KHz	80MHz	DFT-16QAM	High	Inner 1RB Right	24.06	26.51	PASS
30KHz	80MHz	DFT-64QAM	Low	Inner Full	23.07	25.52	PASS
30KHz	80MHz	DFT-64QAM	Low	Inner 1RB Left	22.38	24.83	PASS
30KHz	80MHz	DFT-64QAM	Low	Inner 1RB Right	22.30	24.75	PASS
30KHz	80MHz	DFT-64QAM	Mid	Inner Full	23.05	25.5	PASS
30KHz	80MHz	DFT-64QAM	Mid	Inner 1RB Left	22.31	24.76	PASS
30KHz	80MHz	DFT-64QAM	Mid	Inner 1RB Right	22.34	24.79	PASS
30KHz	80MHz	DFT-64QAM	High	Inner Full	23.1	25.55	PASS
30KHz	80MHz	DFT-64QAM	High	Inner 1RB Left	22.29	24.74	PASS
30KHz	80MHz	DFT-64QAM	High	Inner 1RB Right	22.26	24.71	PASS
30KHz	80MHz	DFT-256QAM	Low	Inner Full	21.1	23.55	PASS
30KHz	80MHz	DFT-256QAM	Low	Inner 1RB Left	20.09	22.54	PASS
30KHz	80MHz	DFT-256QAM	Low	Inner 1RB Right	20.1	22.55	PASS
30KHz	80MHz	DFT-256QAM	Mid	Inner Full	21.03	23.48	PASS
30KHz	80MHz	DFT-256QAM	Mid	Inner 1RB Left	20.05	22.5	PASS
30KHz	80MHz	DFT-256QAM	Mid	Inner 1RB Right	20.27	22.72	PASS
30KHz	80MHz	DFT-256QAM	High	Inner Full	21.06	23.51	PASS
30KHz	80MHz	DFT-256QAM	High	Inner 1RB Left	20.04	22.49	PASS
30KHz	80MHz	DFT-256QAM	High	Inner 1RB Right	20.06	22.51	PASS
30KHz	80MHz	CP-QPSK	Low	Inner Full	24.05	26.5	PASS
30KHz	80MHz	CP-QPSK	Low	Inner 1RB Left	23.15	25.6	PASS
30KHz	80MHz	CP-QPSK	Low	Inner 1RB Right	23.23	25.68	PASS
	30KHz	30KHz         80MHz           30KHz <th>30KHz         80MHz         DFT-QPSK           30KHz         80MHz         DFT-16QAM           30KHz         80MHz         DFT-64QAM           30KHz<!--</th--><th>30KHz         80MHz         DFT-QPSK         Low           30KHz         80MHz         DFT-QPSK         Low           30KHz         80MHz         DFT-QPSK         Mid           30KHz         80MHz         DFT-QPSK         Mid           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-16QAM         Low           30KHz         80MHz         DFT-16QAM         Low           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-64QAM         Low           30KHz         80MHz         DFT-64QAM         Mid</th><th>30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Left</th><th>30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left         25.01           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right         25.03           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Right         25.05           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Right         25.05           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left         25.08           30KHz         80MHz         DFT-16QPSK         High         Inner 1RB Left         25.08           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right         24.06           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right         24.14           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Right         24.14           30K</th><th>30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left         25.01         27.46           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right         25.03         27.48           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02         27.47           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02         27.5           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right         25.08         28.03           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right         25.08         27.53           30KHz         80MHz         DFT-16QAK         Low         Inner 1RB Right         25.06         27.51           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05         26.5           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right         24.06         26.51           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Left         24.21         26.66           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right</th></th>	30KHz         80MHz         DFT-QPSK           30KHz         80MHz         DFT-16QAM           30KHz         80MHz         DFT-64QAM           30KHz </th <th>30KHz         80MHz         DFT-QPSK         Low           30KHz         80MHz         DFT-QPSK         Low           30KHz         80MHz         DFT-QPSK         Mid           30KHz         80MHz         DFT-QPSK         Mid           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-16QAM         Low           30KHz         80MHz         DFT-16QAM         Low           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-64QAM         Low           30KHz         80MHz         DFT-64QAM         Mid</th> <th>30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Left</th> <th>30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left         25.01           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right         25.03           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Right         25.05           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Right         25.05           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left         25.08           30KHz         80MHz         DFT-16QPSK         High         Inner 1RB Left         25.08           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right         24.06           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right         24.14           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Right         24.14           30K</th> <th>30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left         25.01         27.46           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right         25.03         27.48           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02         27.47           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02         27.5           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right         25.08         28.03           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right         25.08         27.53           30KHz         80MHz         DFT-16QAK         Low         Inner 1RB Right         25.06         27.51           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05         26.5           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right         24.06         26.51           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Left         24.21         26.66           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right</th>	30KHz         80MHz         DFT-QPSK         Low           30KHz         80MHz         DFT-QPSK         Low           30KHz         80MHz         DFT-QPSK         Mid           30KHz         80MHz         DFT-QPSK         Mid           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-QPSK         High           30KHz         80MHz         DFT-16QAM         Low           30KHz         80MHz         DFT-16QAM         Low           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         Mid           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-16QAM         High           30KHz         80MHz         DFT-64QAM         Low           30KHz         80MHz         DFT-64QAM         Mid	30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Left           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Left	30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left         25.01           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right         25.03           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Right         25.05           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Right         25.05           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Left         25.08           30KHz         80MHz         DFT-16QPSK         High         Inner 1RB Left         25.08           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right         24.06           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right         24.14           30KHz         80MHz         DFT-16QAM         High         Inner 1RB Right         24.14           30K	30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Left         25.01         27.46           30KHz         80MHz         DFT-QPSK         Low         Inner 1RB Right         25.03         27.48           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02         27.47           30KHz         80MHz         DFT-QPSK         Mid         Inner 1RB Left         25.02         27.5           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right         25.08         28.03           30KHz         80MHz         DFT-QPSK         High         Inner 1RB Right         25.08         27.53           30KHz         80MHz         DFT-16QAK         Low         Inner 1RB Right         25.06         27.51           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Left         24.05         26.5           30KHz         80MHz         DFT-16QAM         Low         Inner 1RB Right         24.06         26.51           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Left         24.21         26.66           30KHz         80MHz         DFT-16QAM         Mid         Inner 1RB Right



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 29 of 291

N41	30KHz	80MHz	CP-QPSK	Mid	Inner Full	24.02	26.47	PASS
N41	30KHz	80MHz	CP-QPSK	Mid	Inner 1RB Left	23.31	25.76	PASS
N41	30KHz	80MHz	CP-QPSK	Mid	Inner 1RB Right	23.26	25.71	PASS
N41	30KHz	80MHz	CP-QPSK	High	Inner Full	24.06	26.51	PASS
N41	30KHz	80MHz	CP-QPSK	High	Inner 1RB Left	23.2	25.65	PASS
N41	30KHz	80MHz	CP-QPSK	High	Inner 1RB Right	23.18	25.63	PASS
N41	30KHz	80MHz	CP-16QAM	Low	Inner Full	23.5	25.95	PASS
N41	30KHz	80MHz	CP-16QAM	Low	Inner 1RB Left	22.51	24.96	PASS
N41	30KHz	80MHz	CP-16QAM	Low	Inner 1RB Right	22.36	24.81	PASS
N41	30KHz	80MHz	CP-16QAM	Mid	Inner Full	23.52	25.97	PASS
N41	30KHz	80MHz	CP-16QAM	Mid	Inner 1RB Left	22.58	25.03	PASS
N41	30KHz	80MHz	CP-16QAM	Mid	Inner 1RB Right	22.44	24.89	PASS
N41	30KHz	80MHz	CP-16QAM	High	Inner Full	23.49	25.94	PASS
N41	30KHz	80MHz	CP-16QAM	High	Inner 1RB Left	22.55	25	PASS
N41	30KHz	80MHz	CP-16QAM	High	Inner 1RB Right	22.64	25.09	PASS
N41	30KHz	80MHz	CP-64QAM	Low	Inner Full	22.06	24.51	PASS
N41	30KHz	80MHz	CP-64QAM	Low	Inner 1RB Left	21.39	23.84	PASS
N41	30KHz	80MHz	CP-64QAM	Low	Inner 1RB Right	21.35	23.8	PASS
N41	30KHz	80MHz	CP-64QAM	Mid	Inner Full	22.05	24.5	PASS
N41	30KHz	80MHz	CP-64QAM	Mid	Inner 1RB Left	21.29	23.74	PASS
N41	30KHz	80MHz	CP-64QAM	Mid	Inner 1RB Right	21.28	23.73	PASS
N41	30KHz	80MHz	CP-64QAM	High	Inner Full	22.08	24.53	PASS
N41	30KHz	80MHz	CP-64QAM	High	Inner 1RB Left	21.33	23.78	PASS
N41	30KHz	80MHz	CP-64QAM	High	Inner 1RB Right	21.36	23.81	PASS
N41	30KHz	80MHz	CP-256QAM	Low	Inner Full	19.21	21.66	PASS
N41	30KHz	80MHz	CP-256QAM	Low	Inner 1RB Left	18.27	20.72	PASS
N41	30KHz	80MHz	CP-256QAM	Low	Inner 1RB Right	18.24	20.69	PASS
N41	30KHz	80MHz	CP-256QAM	Mid	Inner Full	19.19	21.64	PASS
N41	30KHz	80MHz	CP-256QAM	Mid	Inner 1RB Left	18.30	20.75	PASS
N41	30KHz	80MHz	CP-256QAM	Mid	Inner 1RB Right	18.27	20.72	PASS
N41	30KHz	80MHz	CP-256QAM	High	Inner Full	19.22	21.67	PASS
N41	30KHz	80MHz	CP-256QAM	High	Inner 1RB Left	18.32	20.77	PASS
N41	30KHz	80MHz	CP-256QAM	High	Inner 1RB Right	18.29	20.74	PASS
N41	30KHz	90MHz	DFT-QPSK	Low	Inner Full	25.65	28.1	PASS
N41	30KHz	90MHz	DFT-QPSK	Low	Inner 1RB Left	25.05	27.5	PASS
N41	30KHz	90MHz	DFT-QPSK	Low	Inner 1RB Right	25.08	27.53	PASS
N41	30KHz	90MHz	DFT-QPSK	Mid	Inner Full	25.68	28.13	PASS
N41	30KHz	90MHz	DFT-QPSK	Mid	Inner 1RB Left	25.08	27.53	PASS
N41	30KHz	90MHz	DFT-QPSK	Mid	Inner 1RB Right	25.09	27.54	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 30 of 291

					3-			
N41	30KHz	90MHz	DFT-QPSK	High	Inner Full	25.61	28.06	PASS
N41	30KHz	90MHz	DFT-QPSK	High	Inner 1RB Left	25.12	27.57	PASS
N41	30KHz	90MHz	DFT-QPSK	High	Inner 1RB Right	25.07	27.52	PASS
N41	30KHz	90MHz	DFT-16QAM	Low	Inner Full	24.65	27.1	PASS
N41	30KHz	90MHz	DFT-16QAM	Low	Inner 1RB Left	24.22	26.67	PASS
N41	30KHz	90MHz	DFT-16QAM	Low	Inner 1RB Right	24.12	26.57	PASS
N41	30KHz	90MHz	DFT-16QAM	Mid	Inner Full	24.58	27.03	PASS
N41	30KHz	90MHz	DFT-16QAM	Mid	Inner 1RB Left	24.26	26.71	PASS
N41	30KHz	90MHz	DFT-16QAM	Mid	Inner 1RB Right	24.23	26.68	PASS
N41	30KHz	90MHz	DFT-16QAM	High	Inner Full	24.61	27.06	PASS
N41	30KHz	90MHz	DFT-16QAM	High	Inner 1RB Left	24.15	26.6	PASS
N41	30KHz	90MHz	DFT-16QAM	High	Inner 1RB Right	24.16	26.61	PASS
N41	30KHz	90MHz	DFT-64QAM	Low	Inner Full	23.15	25.6	PASS
N41	30KHz	90MHz	DFT-64QAM	Low	Inner 1RB Left	22.42	24.87	PASS
N41	30KHz	90MHz	DFT-64QAM	Low	Inner 1RB Right	22.36	24.81	PASS
N41	30KHz	90MHz	DFT-64QAM	Mid	Inner Full	23.29	25.74	PASS
N41	30KHz	90MHz	DFT-64QAM	Mid	Inner 1RB Left	22.41	24.86	PASS
N41	30KHz	90MHz	DFT-64QAM	Mid	Inner 1RB Right	22.38	24.83	PASS
N41	30KHz	90MHz	DFT-64QAM	High	Inner Full	23.13	25.58	PASS
N41	30KHz	90MHz	DFT-64QAM	High	Inner 1RB Left	22.18	24.63	PASS
N41	30KHz	90MHz	DFT-64QAM	High	Inner 1RB Right	22.16	24.61	PASS
N41	30KHz	90MHz	DFT-256QAM	Low	Inner Full	21.12	23.57	PASS
N41	30KHz	90MHz	DFT-256QAM	Low	Inner 1RB Left	20.09	22.54	PASS
N41	30KHz	90MHz	DFT-256QAM	Low	Inner 1RB Right	20.15	22.6	PASS
N41	30KHz	90MHz	DFT-256QAM	Mid	Inner Full	21.13	23.58	PASS
N41	30KHz	90MHz	DFT-256QAM	Mid	Inner 1RB Left	20.15	22.6	PASS
N41	30KHz	90MHz	DFT-256QAM	Mid	Inner 1RB Right	20.32	22.77	PASS
N41	30KHz	90MHz	DFT-256QAM	High	Inner Full	21.15	23.6	PASS
N41	30KHz	90MHz	DFT-256QAM	High	Inner 1RB Left	20.15	22.6	PASS
N41	30KHz	90MHz	DFT-256QAM	High	Inner 1RB Right	20.14	22.59	PASS
N41	30KHz	90MHz	CP-QPSK	Low	Inner Full	24.15	26.6	PASS
N41	30KHz	90MHz	CP-QPSK	Low	Inner 1RB Left	23.26	25.71	PASS
N41	30KHz	90MHz	CP-QPSK	Low	Inner 1RB Right	23.29	25.74	PASS
N41	30KHz	90MHz	CP-QPSK	Mid	Inner Full	24.12	26.57	PASS
N41	30KHz	90MHz	CP-QPSK	Mid	Inner 1RB Left	23.39	25.84	PASS
N41	30KHz	90MHz	CP-QPSK	Mid	Inner 1RB Right	23.29	25.74	PASS
N41	30KHz	90MHz	CP-QPSK	High	Inner Full	24.18	26.63	PASS
N41	30KHz	90MHz	CP-QPSK	High	Inner 1RB Left	23.23	25.68	PASS
N41	30KHz	90MHz	CP-QPSK	High	Inner 1RB Right	23.27	25.72	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 31 of 291

					9			
N41	30KHz	90MHz	CP-16QAM	Low	Inner Full	23.54	25.99	PASS
N41	30KHz	90MHz	CP-16QAM	Low	Inner 1RB Left	22.52	24.97	PASS
N41	30KHz	90MHz	CP-16QAM	Low	Inner 1RB Right	22.38	24.83	PASS
N41	30KHz	90MHz	CP-16QAM	Mid	Inner Full	23.55	26	PASS
N41	30KHz	90MHz	CP-16QAM	Mid	Inner 1RB Left	22.51	24.96	PASS
N41	30KHz	90MHz	CP-16QAM	Mid	Inner 1RB Right	22.48	24.93	PASS
N41	30KHz	90MHz	CP-16QAM	High	Inner Full	23.58	26.03	PASS
N41	30KHz	90MHz	CP-16QAM	High	Inner 1RB Left	22.55	25	PASS
N41	30KHz	90MHz	CP-16QAM	High	Inner 1RB Right	22.6	25.05	PASS
N41	30KHz	90MHz	CP-64QAM	Low	Inner Full	22.11	24.56	PASS
N41	30KHz	90MHz	CP-64QAM	Low	Inner 1RB Left	21.41	23.86	PASS
N41	30KHz	90MHz	CP-64QAM	Low	Inner 1RB Right	21.43	23.88	PASS
N41	30KHz	90MHz	CP-64QAM	Mid	Inner Full	22.17	24.62	PASS
N41	30KHz	90MHz	CP-64QAM	Mid	Inner 1RB Left	21.26	23.71	PASS
N41	30KHz	90MHz	CP-64QAM	Mid	Inner 1RB Right	21.28	23.73	PASS
N41	30KHz	90MHz	CP-64QAM	High	Inner Full	22.15	24.6	PASS
N41	30KHz	90MHz	CP-64QAM	High	Inner 1RB Left	21.34	23.79	PASS
N41	30KHz	90MHz	CP-64QAM	High	Inner 1RB Right	21.38	23.83	PASS
N41	30KHz	90MHz	CP-256QAM	Low	Inner Full	19.31	21.76	PASS
N41	30KHz	90MHz	CP-256QAM	Low	Inner 1RB Left	18.27	20.72	PASS
N41	30KHz	90MHz	CP-256QAM	Low	Inner 1RB Right	18.21	20.66	PASS
N41	30KHz	90MHz	CP-256QAM	Mid	Inner Full	19.15	21.6	PASS
N41	30KHz	90MHz	CP-256QAM	Mid	Inner 1RB Left	18.30	20.75	PASS
N41	30KHz	90MHz	CP-256QAM	Mid	Inner 1RB Right	18.22	20.67	PASS
N41	30KHz	90MHz	CP-256QAM	High	Inner Full	19.21	21.66	PASS
N41	30KHz	90MHz	CP-256QAM	High	Inner 1RB Left	18.31	20.76	PASS
N41	30KHz	90MHz	CP-256QAM	High	Inner 1RB Right	18.28	20.73	PASS
N41	30KHz	100MHz	DFT-QPSK	Low	Inner Full	25.66	28.11	PASS
N41	30KHz	100MHz	DFT-QPSK	Low	Inner 1RB Left	25.21	27.66	PASS
N41	30KHz	100MHz	DFT-QPSK	Low	Inner 1RB Right	25.13	27.58	PASS
N41	30KHz	100MHz	DFT-QPSK	Mid	Inner Full	25.69	28.14	PASS
N41	30KHz	100MHz	DFT-QPSK	Mid	Inner 1RB Left	25.32	27.77	PASS
N41	30KHz	100MHz	DFT-QPSK	Mid	Inner 1RB Right	25.35	27.8	PASS
N41	30KHz	100MHz	DFT-QPSK	High	Inner Full	25.72	28.17	PASS
N41	30KHz	100MHz	DFT-QPSK	High	Inner 1RB Left	25.48	27.93	PASS
N41	30KHz	100MHz	DFT-QPSK	High	Inner 1RB Right	25.36	27.81	PASS
N41	30KHz	100MHz	DFT-16QAM	Low	Inner Full	24.63	27.08	PASS
N41	30KHz	100MHz	DFT-16QAM	Low	Inner 1RB Left	24.18	26.63	PASS
N41	30KHz	100MHz	DFT-16QAM	Low	Inner 1RB Right	24.15	26.6	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 32 of 291

N41	30KHz	100MHz	DFT-16QAM	Mid	Inner Full	24.59	27.04	PASS
N41	30KHz	100MHz	DFT-16QAM	Mid	Inner 1RB Left	24.28	26.73	PASS
N41	30KHz	100MHz	DFT-16QAM	Mid	Inner 1RB Right	24.24	26.69	PASS
N41	30KHz	100MHz	DFT-16QAM	High	Inner Full	24.58	27.03	PASS
N41	30KHz	100MHz	DFT-16QAM	High	Inner 1RB Left	24.21	26.66	PASS
N41	30KHz	100MHz	DFT-16QAM	High	Inner 1RB Right	24.15	26.6	PASS
N41	30KHz	100MHz	DFT-64QAM	Low	Inner Full	23.17	25.62	PASS
N41	30KHz	100MHz	DFT-64QAM	Low	Inner 1RB Left	22.35	24.8	PASS
N41	30KHz	100MHz	DFT-64QAM	Low	Inner 1RB Right	22.30	24.75	PASS
N41	30KHz	100MHz	DFT-64QAM	Mid	Inner Full	23.14	25.59	PASS
N41	30KHz	100MHz	DFT-64QAM	Mid	Inner 1RB Left	22.33	24.78	PASS
N41	30KHz	100MHz	DFT-64QAM	Mid	Inner 1RB Right	22.31	24.76	PASS
N41	30KHz	100MHz	DFT-64QAM	High	Inner Full	23.11	25.56	PASS
N41	30KHz	100MHz	DFT-64QAM	High	Inner 1RB Left	22.28	24.73	PASS
N41	30KHz	100MHz	DFT-64QAM	High	Inner 1RB Right	22.26	24.71	PASS
N41	30KHz	100MHz	DFT-256QAM	Low	Inner Full	21.14	23.59	PASS
N41	30KHz	100MHz	DFT-256QAM	Low	Inner 1RB Left	20.11	22.56	PASS
N41	30KHz	100MHz	DFT-256QAM	Low	Inner 1RB Right	20.13	22.58	PASS
N41	30KHz	100MHz	DFT-256QAM	Mid	Inner Full	21.09	23.54	PASS
N41	30KHz	100MHz	DFT-256QAM	Mid	Inner 1RB Left	20.08	22.53	PASS
N41	30KHz	100MHz	DFT-256QAM	Mid	Inner 1RB Right	20.17	22.62	PASS
N41	30KHz	100MHz	DFT-256QAM	High	Inner Full	21.12	23.57	PASS
N41	30KHz	100MHz	DFT-256QAM	High	Inner 1RB Left	20.01	22.46	PASS
N41	30KHz	100MHz	DFT-256QAM	High	Inner 1RB Right	20.05	22.5	PASS
N41	30KHz	100MHz	CP-QPSK	Low	Inner Full	24.15	26.6	PASS
N41	30KHz	100MHz	CP-QPSK	Low	Inner 1RB Left	23.16	25.61	PASS
N41	30KHz	100MHz	CP-QPSK	Low	Inner 1RB Right	23.24	25.69	PASS
N41	30KHz	100MHz	CP-QPSK	Mid	Inner Full	24.12	26.57	PASS
N41	30KHz	100MHz	CP-QPSK	Mid	Inner 1RB Left	23.28	25.73	PASS
N41	30KHz	100MHz	CP-QPSK	Mid	Inner 1RB Right	23.31	25.76	PASS
N41	30KHz	100MHz	CP-QPSK	High	Inner Full	24.14	26.59	PASS
N41	30KHz	100MHz	CP-QPSK	High	Inner 1RB Left	23.21	25.66	PASS
N41	30KHz	100MHz	CP-QPSK	High	Inner 1RB Right	23.24	25.69	PASS
N41	30KHz	100MHz	CP-16QAM	Low	Inner Full	23.52	25.97	PASS
N41	30KHz	100MHz	CP-16QAM	Low	Inner 1RB Left	22.56	25.01	PASS
N41	30KHz	100MHz	CP-16QAM	Low	Inner 1RB Right	22.48	24.93	PASS
N41	30KHz	100MHz	CP-16QAM	Mid	Inner Full	23.58	26.03	PASS
N41	30KHz	100MHz	CP-16QAM	Mid	Inner 1RB Left	22.55	25	PASS
N41	30KHz	100MHz	CP-16QAM	Mid	Inner 1RB Right	22.49	24.94	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 33 of 291

N41	30KHz	100MHz	CP-16QAM	High	Inner Full	23.44	25.89	PASS
N41	30KHz	100MHz	CP-16QAM	High	Inner 1RB Left	22.59	25.04	PASS
N41	30KHz	100MHz	CP-16QAM	High	Inner 1RB Right	22.67	25.12	PASS
N41	30KHz	100MHz	CP-64QAM	Low	Inner Full	22.17	24.62	PASS
N41	30KHz	100MHz	CP-64QAM	Low	Inner 1RB Left	21.42	23.87	PASS
N41	30KHz	100MHz	CP-64QAM	Low	Inner 1RB Right	21.46	23.91	PASS
N41	30KHz	100MHz	CP-64QAM	Mid	Inner Full	22.17	24.62	PASS
N41	30KHz	100MHz	CP-64QAM	Mid	Inner 1RB Left	21.28	23.73	PASS
N41	30KHz	100MHz	CP-64QAM	Mid	Inner 1RB Right	21.24	23.69	PASS
N41	30KHz	100MHz	CP-64QAM	High	Inner Full	22.22	24.67	PASS
N41	30KHz	100MHz	CP-64QAM	High	Inner 1RB Left	21.33	23.78	PASS
N41	30KHz	100MHz	CP-64QAM	High	Inner 1RB Right	21.31	23.76	PASS
N41	30KHz	100MHz	CP-256QAM	Low	Inner Full	19.25	21.7	PASS
N41	30KHz	100MHz	CP-256QAM	Low	Inner 1RB Left	18.22	20.67	PASS
N41	30KHz	100MHz	CP-256QAM	Low	Inner 1RB Right	18.24	20.69	PASS
N41	30KHz	100MHz	CP-256QAM	Mid	Inner Full	19.21	21.66	PASS
N41	30KHz	100MHz	CP-256QAM	Mid	Inner 1RB Left	18.31	20.76	PASS
N41	30KHz	100MHz	CP-256QAM	Mid	Inner 1RB Right	18.24	20.69	PASS
N41	30KHz	100MHz	CP-256QAM	High	Inner Full	19.26	21.71	PASS
N41	30KHz	100MHz	CP-256QAM	High	Inner 1RB Left	18.35	20.8	PASS
N41	30KHz	100MHz	CP-256QAM	High	Inner 1RB Right	18.33	20.78	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 34 of 291

#### MIMO:

Band	scs	Bandwidth	Modulation	Channel	RB Config	Ant3 [dBm]	Ant8 [dBm]	Total [dBm]	EIRP dBm	Verdict
N41	15kHz	10MHz	CP-QPSK	Low	Inner_1RB_Left	21.36	21.67	24.53	26.98	PASS
N41	15kHz	10MHz	CP-QPSK	Low	Inner_1RB_Right	22.03	22.04	25.05	27.5	PASS
N41	15kHz	10MHz	CP-QPSK	Low	Inner_Full	21.82	21.87	24.86	27.31	PASS
N41	15kHz	10MHz	CP-QPSK	Mid	Inner_1RB_Left	21.89	21.88	24.9	27.35	PASS
N41	15kHz	10MHz	CP-QPSK	Mid	Inner_1RB_Right	21.96	21.89	24.94	27.39	PASS
N41	15kHz	10MHz	CP-QPSK	Mid	Inner_Full	21.72	21.77	24.76	27.21	PASS
N41	15kHz	10MHz	CP-QPSK	High	Inner_1RB_Left	21.92	21.85	24.9	27.35	PASS
N41	15kHz	10MHz	CP-QPSK	High	Inner_1RB_Right	22.01	22.03	25.03	27.48	PASS
N41	15kHz	10MHz	CP-QPSK	High	Inner_Full	21.84	21.96	24.91	27.36	PASS
N41	15kHz	10MHz	CP-16QAM	Low	Inner_1RB_Left	21.24	21.38	24.32	26.77	PASS
N41	15kHz	10MHz	CP-16QAM	Low	Inner_1RB_Right	21.6	21.64	24.63	27.08	PASS
N41	15kHz	10MHz	CP-16QAM	Low	Inner_Full	21.34	21.32	24.34	26.79	PASS
N41	15kHz	10MHz	CP-16QAM	Mid	Inner_1RB_Left	21.31	21.27	24.3	26.75	PASS
N41	15kHz	10MHz	CP-16QAM	Mid	Inner_1RB_Right	21.41	21.39	24.41	26.86	PASS
N41	15kHz	10MHz	CP-16QAM	Mid	Inner_Full	21.26	21.28	24.28	26.73	PASS
N41	15kHz	10MHz	CP-16QAM	High	Inner_1RB_Left	21.45	21.45	24.46	26.91	PASS
N41	15kHz	10MHz	CP-16QAM	High	Inner_1RB_Right	21.8	21.65	24.74	27.19	PASS
N41	15kHz	10MHz	CP-16QAM	High	Inner_Full	21.55	21.57	24.57	27.02	PASS
N41	15kHz	10MHz	CP-64QAM	Low	Inner_1RB_Left	19.99	19.98	23	25.45	PASS
N41	15kHz	10MHz	CP-64QAM	Low	Inner_1RB_Right	20.12	20.12	23.13	25.58	PASS
N41	15kHz	10MHz	CP-64QAM	Low	Inner_Full	19.97	19.95	22.97	25.42	PASS
N41	15kHz	10MHz	CP-64QAM	Mid	Inner_1RB_Left	20.11	20.2	23.17	25.62	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*\*

\*\*Total \*\*

\*\*Total \*\*\*

\*\*Total \*\*

\*\*T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技園中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 35 of 291

					ι α	90.	00	0. 20.		
N41	15kHz	10MHz	CP-64QAM	Mid	Inner_1RB_Right	20.27	19.84	23.07	25.52	PASS
N41	15kHz	10MHz	CP-64QAM	Mid	Inner_Full	19.9	19.89	22.91	25.36	PASS
N41	15kHz	10MHz	CP-64QAM	High	Inner_1RB_Left	20.06	19.89	22.99	25.44	PASS
N41	15kHz	10MHz	CP-64QAM	High	Inner_1RB_Right	20.11	20.03	23.08	25.53	PASS
N41	15kHz	10MHz	CP-64QAM	High	Inner_Full	20.04	20.03	23.05	25.5	PASS
N41	15kHz	10MHz	CP-256QAM	Low	Inner_1RB_Left	19.98	20.02	23.01	25.46	PASS
N41	15kHz	10MHz	CP-256QAM	Low	Inner_1RB_Right	20.12	20.12	23.13	25.58	PASS
N41	15kHz	10MHz	CP-256QAM	Low	Inner_Full	19.91	19.95	22.94	25.39	PASS
N41	15kHz	10MHz	CP-256QAM	Mid	Inner_1RB_Left	20.19	19.88	23.05	25.5	PASS
N41	15kHz	10MHz	CP-256QAM	Mid	Inner_1RB_Right	20.35	20.28	23.33	25.78	PASS
N41	15kHz	10MHz	CP-256QAM	Mid	Inner_Full	19.92	19.89	22.92	25.37	PASS
N41	15kHz	10MHz	CP-256QAM	High	Inner_1RB_Left	19.86	19.92	22.9	25.35	PASS
N41	15kHz	10MHz	CP-256QAM	High	Inner_1RB_Right	20.47	20.46	23.48	25.93	PASS
N41	15kHz	10MHz	CP-256QAM	High	Inner_Full	20.06	20.04	23.06	25.51	PASS
N41	15kHz	15MHz	CP-QPSK	Low	Inner_1RB_Left	21.8	21.79	24.81	27.26	PASS
N41	15kHz	15MHz	CP-QPSK	Low	Inner_1RB_Right	22.08	22.07	25.09	27.54	PASS
N41	15kHz	15MHz	CP-QPSK	Low	Inner_Full	22.06	22.05	25.07	27.52	PASS
N41	15kHz	15MHz	CP-QPSK	Mid	Inner_1RB_Left	21.99	21.9	24.96	27.41	PASS
N41	15kHz	15MHz	CP-QPSK	Mid	Inner_1RB_Right	22.14	21.99	25.08	27.53	PASS
N41	15kHz	15MHz	CP-QPSK	Mid	Inner_Full	21.95	21.95	24.96	27.41	PASS
N41	15kHz	15MHz	CP-QPSK	High	Inner_1RB_Left	21.95	21.9	24.94	27.39	PASS
N41	15kHz	15MHz	CP-QPSK	High	Inner_1RB_Right	22.04	22.03	25.05	27.5	PASS
N41	15kHz	15MHz	CP-QPSK	High	Inner_Full	22.06	22.04	25.06	27.51	PASS
N41	15kHz	15MHz	CP-16QAM	Low	Inner_1RB_Left	21.27	21.22	24.26	26.71	PASS
N41	15kHz	15MHz	CP-16QAM	Low	Inner_1RB_Right	21.65	21.59	24.63	27.08	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sas.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 36 of 291

					•					
N41	15kHz	15MHz	CP-16QAM	Low	Inner_Full	21.57	21.52	24.56	27.01	PASS
N41	15kHz	15MHz	CP-16QAM	Mid	Inner_1RB_Left	21.42	21.35	24.4	26.85	PASS
N41	15kHz	15MHz	CP-16QAM	Mid	Inner_1RB_Right	21.57	21.56	24.58	27.03	PASS
N41	15kHz	15MHz	CP-16QAM	Mid	Inner_Full	21.46	21.45	24.47	26.92	PASS
N41	15kHz	15MHz	CP-16QAM	High	Inner_1RB_Left	21.35	21.36	24.37	26.82	PASS
N41	15kHz	15MHz	CP-16QAM	High	Inner_1RB_Right	21.56	21.56	24.57	27.02	PASS
N41	15kHz	15MHz	CP-16QAM	High	Inner_Full	21.56	21.56	24.57	27.02	PASS
N41	15kHz	15MHz	CP-64QAM	Low	Inner_1RB_Left	19.79	20.01	22.91	25.36	PASS
N41	15kHz	15MHz	CP-64QAM	Low	Inner_1RB_Right	20.17	20.33	23.26	25.71	PASS
N41	15kHz	15MHz	CP-64QAM	Low	Inner_Full	20.28	20.27	23.29	25.74	PASS
N41	15kHz	15MHz	CP-64QAM	Mid	Inner_1RB_Left	20.28	20.25	23.28	25.73	PASS
N41	15kHz	15MHz	CP-64QAM	Mid	Inner_1RB_Right	20.11	20.17	23.15	25.6	PASS
N41	15kHz	15MHz	CP-64QAM	Mid	Inner_Full	20.15	20.17	23.17	25.62	PASS
N41	15kHz	15MHz	CP-64QAM	High	Inner_1RB_Left	20.08	20.1	23.1	25.55	PASS
N41	15kHz	15MHz	CP-64QAM	High	Inner_1RB_Right	20.05	20.05	23.06	25.51	PASS
N41	15kHz	15MHz	CP-64QAM	High	Inner_Full	20.08	20.05	23.08	25.53	PASS
N41	15kHz	15MHz	CP-256QAM	Low	Inner_1RB_Left	19.86	19.81	22.85	25.3	PASS
N41	15kHz	15MHz	CP-256QAM	Low	Inner_1RB_Right	20.19	20.34	23.28	25.73	PASS
N41	15kHz	15MHz	CP-256QAM	Low	Inner_Full	20.19	20.22	23.22	25.67	PASS
N41	15kHz	15MHz	CP-256QAM	Mid	Inner_1RB_Left	20.36	20.3	23.34	25.79	PASS
N41	15kHz	15MHz	CP-256QAM	Mid	Inner_1RB_Right	20.22	20.08	23.16	25.61	PASS
N41	15kHz	15MHz	CP-256QAM	Mid	Inner_Full	20.15	20.13	23.15	25.6	PASS
N41	15kHz	15MHz	CP-256QAM	High	Inner_1RB_Left	20.13	19.88	23.02	25.47	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Research.



Report No.:SAR/2021/4000902 Page: 37 of 291

N41         15kHz         15MHz         CP-266QAM         High         Inner_1RB_Right         20.37         20.1         23.25         25.7         PASS           N41         15kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         25.51         PASS           N41         15kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.8         21.79         24.81         27.26         PASS           N41         15kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         22.08         22.07         25.09         27.54         PASS           N41         15kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         22.08         22.07         25.09         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.99         21.92         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         24.96         27.41         PASS           N41         15kHz         20MHz         CP-						ıα	gc.	01	01 201		
N41         15kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.8         21.79         24.81         27.26         PASS           N41         15kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         22.08         22.07         25.09         27.54         PASS           N41         15kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.99         21.9         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.99         21.9         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         25.08         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.51         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.51         PASS           N41         15kHz         20MHz         CP-16QA	N41	15kHz	15MHz	CP-256QAM	High	Inner_1RB_Right	20.37	20.1	23.25	25.7	PASS
N41         15kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         22.08         22.07         25.09         27.54         PASS           N41         15kHz         20MHz         CP-QPSK         Low         Inner_Full         22.06         22.05         25.07         27.52         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         25.08         27.53         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         25.08         27.51         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.95         21.92         24.94         27.39         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.51         PASS           N41         15kHz         20MHz         CP-16QA	N41	15kHz	15MHz	CP-256QAM	High	Inner_Full	20.06	20.03	23.06	25.51	PASS
N41         15kHz         20MHz         CP-QPSK         Low         Inner_Full         22.06         22.05         25.07         27.52         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.99         21.9         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         25.08         27.53         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.19         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.95         21.9         24.94         27.39         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.51         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.06         27.51         PASS           N41         15kHz         20MHz         CP-16QAM         Low <td>N41</td> <td>15kHz</td> <td>20MHz</td> <td>CP-QPSK</td> <td>Low</td> <td>Inner_1RB_Left</td> <td>21.8</td> <td>21.79</td> <td>24.81</td> <td>27.26</td> <td>PASS</td>	N41	15kHz	20MHz	CP-QPSK	Low	Inner_1RB_Left	21.8	21.79	24.81	27.26	PASS
N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.99         21.9         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         25.08         27.53         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.95         21.95         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.95         21.9         24.94         27.39         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.95         21.9         24.94         27.39         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.92         22.03         25.06         27.51         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.27         21.22         24.26         26.71         PASS           N41         15kHz         20MHz         CP-16QAM	N41	15kHz	20MHz	CP-QPSK	Low	Inner_1RB_Right	22.08	22.07	25.09	27.54	PASS
N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         25.08         27.53         PASS           N41         15kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.14         21.99         25.08         27.51         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.95         21.9         24.94         27.39         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.51         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         25.06         27.51         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.27         21.22         24.63         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.57         21.52         24.56         27.01         PASS           N41         15kHz         20MHz         CP-16QAM <t< td=""><td>N41</td><td>15kHz</td><td>20MHz</td><td>CP-QPSK</td><td>Low</td><td>Inner_Full</td><td>22.06</td><td>22.05</td><td>25.07</td><td>27.52</td><td>PASS</td></t<>	N41	15kHz	20MHz	CP-QPSK	Low	Inner_Full	22.06	22.05	25.07	27.52	PASS
N41         15kHz         20MHz         CP-QPSK         Mid         Inner_Full         21.95         24.96         27.41         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.95         21.95         24.94         27.39         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.5         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.06         22.04         25.06         27.51         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.27         21.22         24.26         26.71         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.65         21.59         24.63         27.08         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.55         21.52         24.56         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Mi	N41	15kHz	20MHz	CP-QPSK	Mid	Inner_1RB_Left	21.99	21.9	24.96	27.41	PASS
N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Left         21.95         21.9         24.94         27.39         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.5         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.06         22.04         25.06         27.51         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.27         21.22         24.26         26.71         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.65         21.59         24.63         27.08         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.42         21.35         24.4         26.85         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP	N41	15kHz	20MHz	CP-QPSK	Mid	Inner_1RB_Right	22.14	21.99	25.08	27.53	PASS
N41         15kHz         20MHz         CP-QPSK         High         Inner_1RB_Right         22.04         22.03         25.05         27.5         PASS           N41         15kHz         20MHz         CP-QPSK         High         Inner_Full         22.06         22.04         25.06         27.51         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.27         21.22         24.26         26.71         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.65         21.59         24.63         27.08         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_Full         21.57         21.52         24.63         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.42         21.35         24.4         26.85         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP-16QAM </td <td>N41</td> <td>15kHz</td> <td>20MHz</td> <td>CP-QPSK</td> <td>Mid</td> <td>Inner_Full</td> <td>21.95</td> <td>21.95</td> <td>24.96</td> <td>27.41</td> <td>PASS</td>	N41	15kHz	20MHz	CP-QPSK	Mid	Inner_Full	21.95	21.95	24.96	27.41	PASS
N41         15kHz         20MHz         CP-QPSK         High         Inner_Full         22.06         22.04         25.06         27.51         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.27         21.22         24.26         26.71         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.65         21.59         24.63         27.08         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.65         21.59         24.63         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.57         21.56         24.58         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.56         21.45         24.47         26.92         PASS           N41         15kHz         20MHz         CP-	N41	15kHz	20MHz	CP-QPSK	High	Inner_1RB_Left	21.95	21.9	24.94	27.39	PASS
N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Left         21.27         21.22         24.26         26.71         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.65         21.59         24.63         27.08         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_Full         21.57         21.52         24.56         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.42         21.35         24.4         26.85         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.46         21.45         24.47         26.92         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Left         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64Q	N41	15kHz	20MHz	CP-QPSK	High	Inner_1RB_Right	22.04	22.03	25.05	27.5	PASS
N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.65         21.59         24.63         27.08         PASS           N41         15kHz         20MHz         CP-16QAM         Low         Inner_1RB_Right         21.57         21.52         24.63         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.42         21.35         24.4         26.85         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.46         21.45         24.47         26.92         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Left         21.35         21.36         24.37         26.82         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         <	N41	15kHz	20MHz	CP-QPSK	High	Inner_Full	22.06	22.04	25.06	27.51	PASS
N41         15kHz         20MHz         CP-16QAM         Low         Inner_Full         21.57         21.52         24.56         27.01         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.42         21.35         24.4         26.85         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.46         21.45         24.47         26.92         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Left         21.35         21.36         24.37         26.82         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_Full         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64Q	N41	15kHz	20MHz	CP-16QAM	Low	Inner_1RB_Left	21.27	21.22	24.26	26.71	PASS
N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Left         21.42         21.35         24.4         26.85         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_Full         21.46         21.45         24.47         26.92         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Left         21.35         21.36         24.37         26.82         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_Full         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Left         19.79         20.01         22.91         25.36         PASS           N41         15kHz         20MHz         CP-64QA	N41	15kHz	20MHz	CP-16QAM	Low	Inner_1RB_Right	21.65	21.59	24.63	27.08	PASS
N41         15kHz         20MHz         CP-16QAM         Mid         Inner_1RB_Right         21.57         21.56         24.58         27.03         PASS           N41         15kHz         20MHz         CP-16QAM         Mid         Inner_Full         21.46         21.45         24.47         26.92         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Left         21.35         21.36         24.37         26.82         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_Full         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Left         19.79         20.01         22.91         25.36         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Right         20.17         20.33         23.26         25.71         PASS           N41         15kHz         20MHz         CP-64	N41	15kHz	20MHz	CP-16QAM	Low	Inner_Full	21.57	21.52	24.56	27.01	PASS
N41         15kHz         20MHz         CP-16QAM         Mid         Inner_Full         21.46         21.45         24.47         26.92         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Left         21.35         21.36         24.37         26.82         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_Full         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Left         19.79         20.01         22.91         25.36         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Right         20.17         20.33         23.26         25.71         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_Full         20.28         20.27         23.29         25.74         PASS           N41         15kHz         20MHz         CP-64QAM </td <td>N41</td> <td>15kHz</td> <td>20MHz</td> <td>CP-16QAM</td> <td>Mid</td> <td>Inner_1RB_Left</td> <td>21.42</td> <td>21.35</td> <td>24.4</td> <td>26.85</td> <td>PASS</td>	N41	15kHz	20MHz	CP-16QAM	Mid	Inner_1RB_Left	21.42	21.35	24.4	26.85	PASS
N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Left         21.35         21.36         24.37         26.82         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Left         19.79         20.01         22.91         25.36         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Right         20.17         20.33         23.26         25.71         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_Full         20.28         20.27         23.29         25.74         PASS           N41         15kHz         20MHz         CP-64QAM         Mid         Inner_1RB_Left         20.28         20.25         23.28         25.73         PASS	N41	15kHz	20MHz	CP-16QAM	Mid	Inner_1RB_Right	21.57	21.56	24.58	27.03	PASS
N41         15kHz         20MHz         CP-16QAM         High         Inner_1RB_Right         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-16QAM         High         Inner_Full         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Left         19.79         20.01         22.91         25.36         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Right         20.17         20.33         23.26         25.71         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_Full         20.28         20.27         23.29         25.74         PASS           N41         15kHz         20MHz         CP-64QAM         Mid         Inner_1RB_Left         20.28         20.25         23.28         25.73         PASS	N41	15kHz	20MHz	CP-16QAM	Mid	Inner_Full	21.46	21.45	24.47	26.92	PASS
N41         15kHz         20MHz         CP-16QAM         High         Inner_Full         21.56         21.56         24.57         27.02         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Left         19.79         20.01         22.91         25.36         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Right         20.17         20.33         23.26         25.71         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_Full         20.28         20.27         23.29         25.74         PASS           N41         15kHz         20MHz         CP-64QAM         Mid         Inner_1RB_Left         20.28         20.25         23.28         25.73         PASS	N41	15kHz	20MHz	CP-16QAM	High	Inner_1RB_Left	21.35	21.36	24.37	26.82	PASS
N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Left         19.79         20.01         22.91         25.36         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Right         20.17         20.33         23.26         25.71         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_Full         20.28         20.27         23.29         25.74         PASS           N41         15kHz         20MHz         CP-64QAM         Mid         Inner_1RB_Left         20.28         20.25         23.28         25.73         PASS	N41	15kHz	20MHz	CP-16QAM	High	Inner_1RB_Right	21.56	21.56	24.57	27.02	PASS
N41         15kHz         20MHz         CP-64QAM         Low         Inner_1RB_Right         20.17         20.33         23.26         25.71         PASS           N41         15kHz         20MHz         CP-64QAM         Low         Inner_Full         20.28         20.27         23.29         25.74         PASS           N41         15kHz         20MHz         CP-64QAM         Mid         Inner_1RB_Left         20.28         20.25         23.28         25.73         PASS	N41	15kHz	20MHz	CP-16QAM	High	Inner_Full	21.56	21.56	24.57	27.02	PASS
N41         15kHz         20MHz         CP-64QAM         Low         Inner_Full         20.28         20.27         23.29         25.74         PASS           N41         15kHz         20MHz         CP-64QAM         Mid         Inner_1RB_Left         20.28         20.25         23.28         25.73         PASS	N41	15kHz	20MHz	CP-64QAM	Low	Inner_1RB_Left	19.79	20.01	22.91	25.36	PASS
N41 15kHz 20MHz CP-64QAM Mid Inner_1RB_Left 20.28 20.25 23.28 25.73 PASS	N41	15kHz	20MHz	CP-64QAM	Low	Inner_1RB_Right	20.17	20.33	23.26	25.71	PASS
	N41	15kHz	20MHz	CP-64QAM	Low	Inner_Full	20.28	20.27	23.29	25.74	PASS
N41         15kHz         20MHz         CP-64QAM         Mid         Inner_1RB_Right         20.11         20.17         23.15         25.6         PASS	N41	15kHz	20MHz	CP-64QAM	Mid	Inner_1RB_Left	20.28	20.25	23.28	25.73	PASS
	N41	15kHz	20MHz	CP-64QAM	Mid	Inner_1RB_Right	20.11	20.17	23.15	25.6	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 38 of 291

N41         15kHz         20MHz         CP-64QAM         Mid         Inner_Full         20.15         20.17         23.17         25.62         PASS           N41         15kHz         20MHz         CP-64QAM         High         Inner_1RB_Left         20.08         20.1         23.1         25.55         PASS           N41         15kHz         20MHz         CP-64QAM         High         Inner_1RB_Right         20.05         20.05         23.08         25.51         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         19.86         19.81         22.85         25.3         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Left         20.19         20.32         23.22         25.73         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Left         20.19         20.22         23.22         25.67         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         C						ι α	go.	00	01 201		
N41         15kHz         20MHz         CP-64QAM         High         Inner_1RB_Right         20.05         20.05         23.06         25.51         PASS           N41         15kHz         20MHz         CP-64QAM         High         Inner_1RB_Right         20.08         20.05         23.06         25.53         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Right         20.19         20.34         23.28         25.73         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Right         20.19         20.24         23.22         25.67         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.22         23.22         25.67         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_Full         20.13         23.16         25.67         PASS           N41         15kHz         20MHz         CP-256QAM	N41	15kHz	20MHz	CP-64QAM	Mid	Inner_Full	20.15	20.17	23.17	25.62	PASS
N41         15kHz         20MHz         CP-64QAM         High         Inner_Full         20.08         20.05         23.08         25.53         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Left         19.86         19.81         22.85         25.33         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Right         20.19         20.34         23.28         25.73         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Right         20.19         20.22         23.22         25.67         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.13         19.88         23.02         25.77         PASS           N41         15kHz         20MHz	N41	15kHz	20MHz	CP-64QAM	High	Inner_1RB_Left	20.08	20.1	23.1	25.55	PASS
N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Left         19.86         19.81         22.85         25.3         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Right         20.19         20.34         23.28         25.73         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Left         20.19         20.22         23.22         25.67         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Left         20.36         20.3         23.34         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Left         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         19.88         23.02         25.77         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         29.05         25.71         PASS           N41         15kHz         20MHz         CP-QPSK	N41	15kHz	20MHz	CP-64QAM	High	Inner_1RB_Right	20.05	20.05	23.06	25.51	PASS
N41         15kHz         20MHz         CP-256QAM         Low         Inner_1RB_Right         20.19         20.34         23.28         25.73         PASS           N41         15kHz         20MHz         CP-256QAM         Low         Inner_Full         20.19         20.22         23.22         25.67         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Left         20.36         20.3         23.34         25.79         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_Full         20.15         20.13         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         19.88         23.02         25.77         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_Full         20.05         20.13         23.05         25.7         PASS           N41         15kHz         30MHz         CP-QPS	N41	15kHz	20MHz	CP-64QAM	High	Inner_Full	20.08	20.05	23.08	25.53	PASS
N41         15kHz         20MHz         CP-256QAM         Low         Inner_Full         20.19         20.22         23.22         25.67         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Left         20.36         20.3         23.34         25.79         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.15         25.6         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         19.88         23.02         25.47         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.37         20.1         23.25         25.7         PASS           N41         15kHz         30MHz         CP-2FSGAM         High         Inner_1RB_Right         21.63         21.72         24.68         27.13         PASS           N41         15kHz         30MHz         <	N41	15kHz	20MHz	CP-256QAM	Low	Inner_1RB_Left	19.86	19.81	22.85	25.3	PASS
N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Left         20.36         20.3         23.34         25.79         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.15         20.13         23.15         25.6         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         19.88         23.02         25.47         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.37         20.1         23.25         25.7         PASS           N41         15kHz         20MHz         CP-2FSK         Low         Inner_1RB_Right         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         <	N41	15kHz	20MHz	CP-256QAM	Low	Inner_1RB_Right	20.19	20.34	23.28	25.73	PASS
N41         15kHz         20MHz         CP-256QAM         Mid         Inner_1RB_Right         20.22         20.08         23.16         25.61         PASS           N41         15kHz         20MHz         CP-256QAM         Mid         Inner_Full         20.15         20.13         23.15         25.6         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         19.88         23.02         25.47         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.37         20.1         23.25         25.7         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.06         20.03         23.06         25.51         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz	N41	15kHz	20MHz	CP-256QAM	Low	Inner_Full	20.19	20.22	23.22	25.67	PASS
N41         15kHz         20MHz         CP-256QAM         Mid         Inner_Full         20.15         20.13         23.15         25.6         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         19.88         23.02         25.47         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.37         20.1         23.25         25.7         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.06         20.03         23.06         25.51         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.79         21.79         24.8         27.25         PASS           N41         15kHz         30MHz         CP-Q	N41	15kHz	20MHz	CP-256QAM	Mid	Inner_1RB_Left	20.36	20.3	23.34	25.79	PASS
N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Left         20.13         19.88         23.02         25.47         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.37         20.1         23.25         25.7         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_Full         20.06         20.03         23.06         25.51         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.63         21.81         24.83         27.25         PASS           N41         15kHz         30MHz         CP-	N41	15kHz	20MHz	CP-256QAM	Mid	Inner_1RB_Right	20.22	20.08	23.16	25.61	PASS
N41         15kHz         20MHz         CP-256QAM         High         Inner_1RB_Right         20.37         20.1         23.25         25.7         PASS           N41         15kHz         20MHz         CP-256QAM         High         Inner_Full         20.06         20.03         23.06         25.51         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.69         21.64         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.83         21.81         24.83         27.25         PASS           N41         15kHz         30MHz         CP-QP	N41	15kHz	20MHz	CP-256QAM	Mid	Inner_Full	20.15	20.13	23.15	25.6	PASS
N41         15kHz         20MHz         CP-256QAM         High         Inner_Full         20.06         20.03         23.06         25.51         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.79         21.79         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.83         21.81         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK </td <td>N41</td> <td>15kHz</td> <td>20MHz</td> <td>CP-256QAM</td> <td>High</td> <td>Inner_1RB_Left</td> <td>20.13</td> <td>19.88</td> <td>23.02</td> <td>25.47</td> <td>PASS</td>	N41	15kHz	20MHz	CP-256QAM	High	Inner_1RB_Left	20.13	19.88	23.02	25.47	PASS
N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Left         21.69         21.64         24.68         27.13         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.69         25.05         27.5         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Left         21.79         21.79         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.83         21.81         24.83         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.82         21.91         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         High </td <td>N41</td> <td>15kHz</td> <td>20MHz</td> <td>CP-256QAM</td> <td>High</td> <td>Inner_1RB_Right</td> <td>20.37</td> <td>20.1</td> <td>23.25</td> <td>25.7</td> <td>PASS</td>	N41	15kHz	20MHz	CP-256QAM	High	Inner_1RB_Right	20.37	20.1	23.25	25.7	PASS
N41         15kHz         30MHz         CP-QPSK         Low         Inner_1RB_Right         21.63         21.72         24.69         27.14         PASS           N41         15kHz         30MHz         CP-QPSK         Low         Inner_Full         22.02         22.06         25.05         27.5         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Left         21.79         21.79         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.83         21.81         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.92         21.91         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.85         21.89         24.88         27.33         PASS           N41         15kHz         30MHz         CP-QPSK <td>N41</td> <td>15kHz</td> <td>20MHz</td> <td>CP-256QAM</td> <td>High</td> <td>Inner_Full</td> <td>20.06</td> <td>20.03</td> <td>23.06</td> <td>25.51</td> <td>PASS</td>	N41	15kHz	20MHz	CP-256QAM	High	Inner_Full	20.06	20.03	23.06	25.51	PASS
N41         15kHz         30MHz         CP-QPSK         Low         Inner_Full         22.02         22.06         25.05         27.5         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Left         21.79         21.79         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.83         21.81         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.82         21.91         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.85         21.89         24.88         27.33         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.98         21.97         24.99         27.44         PASS           N41         15kHz         30MHz         CP-16QAM </td <td>N41</td> <td>15kHz</td> <td>30MHz</td> <td>CP-QPSK</td> <td>Low</td> <td>Inner_1RB_Left</td> <td>21.69</td> <td>21.64</td> <td>24.68</td> <td>27.13</td> <td>PASS</td>	N41	15kHz	30MHz	CP-QPSK	Low	Inner_1RB_Left	21.69	21.64	24.68	27.13	PASS
N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Left         21.79         21.79         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.83         21.81         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_Full         21.92         21.91         24.93         27.38         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.85         21.89         24.88         27.33         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.93         21.97         24.99         27.44         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS           N41         15kHz         30MHz         CP-16QAM	N41	15kHz	30MHz	CP-QPSK	Low	Inner_1RB_Right	21.63	21.72	24.69	27.14	PASS
N41         15kHz         30MHz         CP-QPSK         Mid         Inner_1RB_Right         21.83         21.81         24.83         27.28         PASS           N41         15kHz         30MHz         CP-QPSK         Mid         Inner_Full         21.92         21.91         24.93         27.38         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.85         21.89         24.88         27.33         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.98         21.97         24.99         27.44         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.16         21.53         24.36         26.81         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS	N41	15kHz	30MHz	CP-QPSK	Low	Inner_Full	22.02	22.06	25.05	27.5	PASS
N41         15kHz         30MHz         CP-QPSK         Mid         Inner_Full         21.92         21.91         24.93         27.38         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.85         21.89         24.88         27.33         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_Full         21.98         21.97         24.99         27.44         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Left         21.16         21.53         24.36         26.81         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS	N41	15kHz	30MHz	CP-QPSK	Mid	Inner_1RB_Left	21.79	21.79	24.8	27.25	PASS
N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Left         21.81         21.77         24.8         27.25         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.85         21.89         24.88         27.33         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_Full         21.98         21.97         24.99         27.44         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Left         21.16         21.53         24.36         26.81         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS	N41	15kHz	30MHz	CP-QPSK	Mid	Inner_1RB_Right	21.83	21.81	24.83	27.28	PASS
N41         15kHz         30MHz         CP-QPSK         High         Inner_1RB_Right         21.85         21.89         24.88         27.33         PASS           N41         15kHz         30MHz         CP-QPSK         High         Inner_Full         21.98         21.97         24.99         27.44         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Left         21.16         21.53         24.36         26.81         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS	N41	15kHz	30MHz	CP-QPSK	Mid	Inner_Full	21.92	21.91	24.93	27.38	PASS
N41         15kHz         30MHz         CP-QPSK         High         Inner_Full         21.98         21.97         24.99         27.44         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Left         21.16         21.53         24.36         26.81         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS	N41	15kHz	30MHz	CP-QPSK	High	Inner_1RB_Left	21.81	21.77	24.8	27.25	PASS
N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Left         21.16         21.53         24.36         26.81         PASS           N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS	N41	15kHz	30MHz	CP-QPSK	High	Inner_1RB_Right	21.85	21.89	24.88	27.33	PASS
N41         15kHz         30MHz         CP-16QAM         Low         Inner_1RB_Right         21.32         21.49         24.42         26.87         PASS	N41	15kHz	30MHz	CP-QPSK	High	Inner_Full	21.98	21.97	24.99	27.44	PASS
	N41	15kHz	30MHz	CP-16QAM	Low	Inner_1RB_Left	21.16	21.53	24.36	26.81	PASS
N41         15kHz         30MHz         CP-16QAM         Low         Inner_Full         21.51         21.51         24.52         26.97         PASS	N41	15kHz	30MHz	CP-16QAM	Low	Inner_1RB_Right	21.32	21.49	24.42	26.87	PASS
	N41	15kHz	30MHz	CP-16QAM	Low	Inner_Full	21.51	21.51	24.52	26.97	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 39 of 291

					•					
N41	15kHz	30MHz	CP-16QAM	Mid	Inner_1RB_Left	21.22	21.2	24.22	26.67	PASS
N41	15kHz	30MHz	CP-16QAM	Mid	Inner_1RB_Right	21.39	21.38	24.4	26.85	PASS
N41	15kHz	30MHz	CP-16QAM	Mid	Inner_Full	21.45	21.42	24.45	26.9	PASS
N41	15kHz	30MHz	CP-16QAM	High	Inner_1RB_Left	21.18	21.19	24.2	26.65	PASS
N41	15kHz	30MHz	CP-16QAM	High	Inner_1RB_Right	21.31	21.28	24.31	26.76	PASS
N41	15kHz	30MHz	CP-16QAM	High	Inner_Full	21.43	21.47	24.46	26.91	PASS
N41	15kHz	30MHz	CP-64QAM	Low	Inner_1RB_Left	20.12	20.27	23.21	25.66	PASS
N41	15kHz	30MHz	CP-64QAM	Low	Inner_1RB_Right	20.4	20.49	23.46	25.91	PASS
N41	15kHz	30MHz	CP-64QAM	Low	Inner_Full	20.98	21	24	26.45	PASS
N41	15kHz	30MHz	CP-64QAM	Mid	Inner_1RB_Left	19.98	20.2	23.1	25.55	PASS
N41	15kHz	30MHz	CP-64QAM	Mid	Inner_1RB_Right	20.26	20.22	23.25	25.7	PASS
N41	15kHz	30MHz	CP-64QAM	Mid	Inner_Full	20.07	20.07	23.08	25.53	PASS
N41	15kHz	30MHz	CP-64QAM	High	Inner_1RB_Left	20.09	19.92	23.02	25.47	PASS
N41	15kHz	30MHz	CP-64QAM	High	Inner_1RB_Right	19.82	19.81	22.83	25.28	PASS
N41	15kHz	30MHz	CP-64QAM	High	Inner_Full	19.95	19.96	22.97	25.42	PASS
N41	15kHz	30MHz	CP-256QAM	Low	Inner_1RB_Left	20.2	20.19	23.21	25.66	PASS
N41	15kHz	30MHz	CP-256QAM	Low	Inner_1RB_Right	20.39	20.4	23.41	25.86	PASS
N41	15kHz	30MHz	CP-256QAM	Low	Inner_Full	21.02	21.03	24.04	26.49	PASS
N41	15kHz	30MHz	CP-256QAM	Mid	Inner_1RB_Left	19.9	20.14	23.03	25.48	PASS
N41	15kHz	30MHz	CP-256QAM	Mid	Inner_1RB_Right	19.91	20.13	23.03	25.48	PASS
N41	15kHz	30MHz	CP-256QAM	Mid	Inner_Full	20.09	20.1	23.11	25.56	PASS
N41	15kHz	30MHz	CP-256QAM	High	Inner_1RB_Left	20.06	19.9	22.99	25.44	PASS
N41	15kHz	30MHz	CP-256QAM	High	Inner_1RB_Right	19.79	20.08	22.95	25.4	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Research.



Report No.:SAR/2021/4000902 Page: 40 of 291

N41         15kHz         30MHz         CP-256QAM         High         Inner_Full         19.95         19.96         22.97         25.42         PASS           N41         15kHz         40MHz         CP-QPSK         Low         Inner_1RB_Left         21.24         21.33         24.3         26.75         PASS           N41         15kHz         40MHz         CP-QPSK         Low         Inner_1RB_Right         21.44         21.47         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         Low         Inner_1RB_Left         21.73         21.55         24.65         27.1         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Right         21.71         21.36         24.57         27.49         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Right         21.71         21.36         24.47         26.92         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.42         26.97         PASS           N41         15kHz         40MHz         CP-16QAM         Low </th <th></th> <th></th> <th></th> <th></th> <th></th> <th>ıα</th> <th>go.</th> <th>40</th> <th>01 231</th> <th></th> <th></th>						ıα	go.	40	01 231		
N41         15kHz         40MHz         CP-QPSK         Low         Inner_IRB_Right         21.54         21.47         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         Low         Inner_IRB_Right         21.54         21.47         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_IRB_Left         21.73         21.56         27.1         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_IRB_Right         21.71         21.36         24.55         27         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_IRB_Right         21.55         21.36         24.47         26.92         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_IRB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_IRB_Right         21.58         21.42         24.27         26.97         PASS           N41         15kHz         40MHz         CP-16QAM         Low	N41	15kHz	30MHz	CP-256QAM	High	Inner_Full	19.95	19.96	22.97	25.42	PASS
N41         15kHz         40MHz         CP-QPSK         Low         Inner_Full         22         21.99         25.01         27.46         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Left         21.73         21.55         24.65         27.1         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Right         21.71         21.36         24.55         27         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Right         21.75         21.36         24.47         26.92         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.93         24.47         26.92         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.23         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Low	N41	15kHz	40MHz	CP-QPSK	Low	Inner_1RB_Left	21.24	21.33	24.3	26.75	PASS
N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Left         21.73         21.55         24.65         27.1         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Right         21.77         21.36         24.55         27         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Left         21.55         22.11         25.04         27.49         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.93         24.93         27.33         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.29         24.1         26.55         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Mid </td <td>N41</td> <td>15kHz</td> <td>40MHz</td> <td>CP-QPSK</td> <td>Low</td> <td>Inner_1RB_Right</td> <td>21.54</td> <td>21.47</td> <td>24.52</td> <td>26.97</td> <td>PASS</td>	N41	15kHz	40MHz	CP-QPSK	Low	Inner_1RB_Right	21.54	21.47	24.52	26.97	PASS
N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Right         21.71         21.36         24.55         27         PASS           N41         15kHz         40MHz         CP-QPSK         Mid         Inner_1RB_Right         21.55         22.11         25.04         27.49         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.55         21.36         24.47         26.92         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_Full         21.91         21.93         24.93         27.38         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Left         20.87         21.29         24.1         26.55         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_Full         21.48         21.47         24.49         26.94         PASS           N41         15kHz         40MHz         CP-16QAM	N41	15kHz	40MHz	CP-QPSK	Low	Inner_Full	22	21.99	25.01	27.46	PASS
N41         15kHz         40MHz         CP-QPSK         Mid         Inner_Full         21.95         22.11         25.04         27.49         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Left         21.55         21.36         24.47         26.92         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.28         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Left         20.87         21.29         24.1         26.55         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.48         21.47         24.49         26.94         PASS           N41         15kHz         40MHz         CP-16QA	N41	15kHz	40MHz	CP-QPSK	Mid	Inner_1RB_Left	21.73	21.55	24.65	27.1	PASS
N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Left         21.55         21.36         24.47         26.92         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Left         20.87         21.29         24.1         26.55         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.42         21.49         26.94         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.4         21.91         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM <t< td=""><td>N41</td><td>15kHz</td><td>40MHz</td><td>CP-QPSK</td><td>Mid</td><td>Inner_1RB_Right</td><td>21.71</td><td>21.36</td><td>24.55</td><td>27</td><td>PASS</td></t<>	N41	15kHz	40MHz	CP-QPSK	Mid	Inner_1RB_Right	21.71	21.36	24.55	27	PASS
N41         15kHz         40MHz         CP-QPSK         High         Inner_1RB_Right         21.58         21.44         24.52         26.97         PASS           N41         15kHz         40MHz         CP-QPSK         High         Inner_Full         21.91         21.93         24.93         27.38         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Left         20.87         21.29         24.1         26.55         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.4         21.47         24.49         26.94         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.41         21.42         24.28         26.73         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.42         21.19         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16Q	N41	15kHz	40MHz	CP-QPSK	Mid	Inner_Full	21.95	22.11	25.04	27.49	PASS
N41         15kHz         40MHz         CP-QPSK         High         Inner_Full         21.91         21.93         24.93         27.38         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Left         20.87         21.29         24.1         26.55         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.44         21.42         24.28         26.73         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.4         21.19         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.48         21.51         24.51         26.67         PASS           N41         15kHz         40MHz         CP-16QA	N41	15kHz	40MHz	CP-QPSK	High	Inner_1RB_Left	21.55	21.36	24.47	26.92	PASS
N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Left         20.87         21.29         24.1         26.55         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.48         21.47         24.49         26.94         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.44         21.49         24.28         26.73         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.4         21.19         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP	N41	15kHz	40MHz	CP-QPSK	High	Inner_1RB_Right	21.58	21.44	24.52	26.97	PASS
N41         15kHz         40MHz         CP-16QAM         Low         Inner_1RB_Right         21.2         21.32         24.27         26.72         PASS           N41         15kHz         40MHz         CP-16QAM         Low         Inner_Full         21.48         21.47         24.49         26.94         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.14         21.4         24.28         26.73         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.4         21.49         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_Full         21.48         21.51         24.51         26.96         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_TRB_Right         21.25         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP-64QAM	N41	15kHz	40MHz	CP-QPSK	High	Inner_Full	21.91	21.93	24.93	27.38	PASS
N41         15kHz         40MHz         CP-16QAM         Low         Inner_Full         21.48         21.47         24.49         26.94         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.14         21.4         24.28         26.73         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.4         21.19         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.42         21.19         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Left         21.11         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.22         26.74         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.1         PASS           N41         15kHz         40MHz         CP-64	N41	15kHz	40MHz	CP-16QAM	Low	Inner_1RB_Left	20.87	21.29	24.1	26.55	PASS
N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Left         21.14         21.4         24.28         26.73         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.4         21.19         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_Full         21.48         21.51         24.51         26.96         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Left         21.11         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.22         26.74         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_TRB_Right         21.25         21.31         24.22         26.74         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.12         PASS           N41         15kHz         40MHz         CP-	N41	15kHz	40MHz	CP-16QAM	Low	Inner_1RB_Right	21.2	21.32	24.27	26.72	PASS
N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.4         21.19         24.31         26.76         PASS           N41         15kHz         40MHz         CP-16QAM         Mid         Inner_1RB_Right         21.48         21.51         24.51         26.96         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Left         21.11         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.29         26.74         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.46         21.43         24.46         26.91         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.1         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.12         PASS           N41         15kHz         40MHz         <	N41	15kHz	40MHz	CP-16QAM	Low	Inner_Full	21.48	21.47	24.49	26.94	PASS
N41         15kHz         40MHz         CP-16QAM         Mid         Inner_Full         21.48         21.51         24.51         26.96         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Left         21.11         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.29         26.74         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.46         21.43         24.46         26.91         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.1         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.12         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz         CP-	N41	15kHz	40MHz	CP-16QAM	Mid	Inner_1RB_Left	21.14	21.4	24.28	26.73	PASS
N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Left         21.11         21.31         24.22         26.67         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.29         26.74         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.46         21.43         24.46         26.91         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.1         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.12         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.51         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz <t< td=""><td>N41</td><td>15kHz</td><td>40MHz</td><td>CP-16QAM</td><td>Mid</td><td>Inner_1RB_Right</td><td>21.4</td><td>21.19</td><td>24.31</td><td>26.76</td><td>PASS</td></t<>	N41	15kHz	40MHz	CP-16QAM	Mid	Inner_1RB_Right	21.4	21.19	24.31	26.76	PASS
N41         15kHz         40MHz         CP-16QAM         High         Inner_1RB_Right         21.25         21.31         24.29         26.74         PASS           N41         15kHz         40MHz         CP-16QAM         High         Inner_Full         21.46         21.43         24.46         26.91         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.1         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.12         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_Full         20.08         20.02         23.06         25.51         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Right         19.81         19.41         22.62         25.05         PASS	N41	15kHz	40MHz	CP-16QAM	Mid	Inner_Full	21.48	21.51	24.51	26.96	PASS
N41         15kHz         40MHz         CP-16QAM         High         Inner_Full         21.46         21.43         24.46         26.91         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.1         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.12         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_Full         20.08         20.02         23.06         25.51         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Right         19.81         19.41         22.62         25.07         PASS	N41	15kHz	40MHz	CP-16QAM	High	Inner_1RB_Left	21.11	21.31	24.22	26.67	PASS
N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Left         19.54         19.74         22.65         25.1         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.12         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_Full         20.08         20.02         23.06         25.51         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Right         19.81         19.41         22.62         25.07         PASS	N41	15kHz	40MHz	CP-16QAM	High	Inner_1RB_Right	21.25	21.31	24.29	26.74	PASS
N41         15kHz         40MHz         CP-64QAM         Low         Inner_1RB_Right         19.84         19.48         22.67         25.12         PASS           N41         15kHz         40MHz         CP-64QAM         Low         Inner_Full         20.08         20.02         23.06         25.51         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Right         19.81         19.41         22.62         25.07         PASS	N41	15kHz	40MHz	CP-16QAM	High	Inner_Full	21.46	21.43	24.46	26.91	PASS
N41         15kHz         40MHz         CP-64QAM         Low         Inner_Full         20.08         20.02         23.06         25.51         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Right         19.81         19.41         22.62         25.07         PASS	N41	15kHz	40MHz	CP-64QAM	Low	Inner_1RB_Left	19.54	19.74	22.65	25.1	PASS
N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Left         19.71         19.47         22.6         25.05         PASS           N41         15kHz         40MHz         CP-64QAM         Mid         Inner_1RB_Right         19.81         19.41         22.62         25.07         PASS	N41	15kHz	40MHz	CP-64QAM	Low	Inner_1RB_Right	19.84	19.48	22.67	25.12	PASS
N41 15kHz 40MHz CP-64QAM Mid Inner_1RB_Right 19.81 19.41 22.62 25.07 PASS	N41	15kHz	40MHz	CP-64QAM	Low	Inner_Full	20.08	20.02	23.06	25.51	PASS
	N41	15kHz	40MHz	CP-64QAM	Mid	Inner_1RB_Left	19.71	19.47	22.6	25.05	PASS
N41         15kHz         40MHz         CP-64QAM         Mid         Inner_Full         20.14         20.08         23.12         25.57         PASS	N41	15kHz	40MHz	CP-64QAM	Mid	Inner_1RB_Right	19.81	19.41	22.62	25.07	PASS
	N41	15kHz	40MHz	CP-64QAM	Mid	Inner_Full	20.14	20.08	23.12	25.57	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 41 of 291

					`					
N41	15kHz	40MHz	CP-64QAM	High	Inner_1RB_Left	19.66	19.64	22.66	25.11	PASS
N41	15kHz	40MHz	CP-64QAM	High	Inner_1RB_Right	19.7	19.39	22.56	25.01	PASS
N41	15kHz	40MHz	CP-64QAM	High	Inner_Full	20.06	19.98	23.03	25.48	PASS
N41	15kHz	40MHz	CP-256QAM	Low	Inner_1RB_Left	19.48	19.31	22.41	24.86	PASS
N41	15kHz	40MHz	CP-256QAM	Low	Inner_1RB_Right	19.75	19.84	22.81	25.26	PASS
N41	15kHz	40MHz	CP-256QAM	Low	Inner_Full	20.11	19.93	23.03	25.48	PASS
N41	15kHz	40MHz	CP-256QAM	Mid	Inner_1RB_Left	19.74	19.5	22.63	25.08	PASS
N41	15kHz	40MHz	CP-256QAM	Mid	Inner_1RB_Right	19.82	19.42	22.63	25.08	PASS
N41	15kHz	40MHz	CP-256QAM	Mid	Inner_Full	20.13	20.06	23.11	25.56	PASS
N41	15kHz	40MHz	CP-256QAM	High	Inner_1RB_Left	19.65	19.33	22.5	24.95	PASS
N41	15kHz	40MHz	CP-256QAM	High	Inner_1RB_Right	19.56	19.38	22.48	24.93	PASS
N41	15kHz	40MHz	CP-256QAM	High	Inner_Full	20.02	19.92	22.98	25.43	PASS
N41	15kHz	50MHz	CP-QPSK	Low	Inner_1RB_Left	21.6	21.84	24.73	27.18	PASS
N41	15kHz	50MHz	CP-QPSK	Low	Inner_1RB_Right	22.17	21.92	25.06	27.51	PASS
N41	15kHz	50MHz	CP-QPSK	Low	Inner_Full	22	22	25.01	27.46	PASS
N41	15kHz	50MHz	CP-QPSK	Mid	Inner_1RB_Left	21.95	21.8	24.89	27.34	PASS
N41	15kHz	50MHz	CP-QPSK	Mid	Inner_1RB_Right	21.9	21.81	24.87	27.32	PASS
N41	15kHz	50MHz	CP-QPSK	Mid	Inner_Full	21.98	22.03	25.02	27.47	PASS
N41	15kHz	50MHz	CP-QPSK	High	Inner_1RB_Left	21.87	21.75	24.82	27.27	PASS



N41

N41

N41

N41

N41

N41

15kHz

15kHz

15kHz

15kHz

15kHz

15kHz

50MHz

50MHz

50MHz

50MHz

50MHz

50MHz

**CP-QPSK** 

**CP-QPSK** 

CP-16QAM

CP-16QAM

CP-16QAM

CP-16QAM

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Inner\_1RB\_Right

Inner\_Full

Inner\_1RB\_Left

Inner 1RB Right

Inner\_Full

Inner\_1RB\_Left

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

High

High

Low

Low

Low

Mid

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

21.74

21.89

21.6

21.64

21.52

21.5

24.91

24.96

24.43

24.64

24.55

24.45

27.36

27.41

26.88

27.09

27

26.9

**PASS** 

**PASS** 

**PASS** 

**PASS** 

**PASS** 

**PASS** 

22.06

22.01

21.24

21.62

21.55

21.38



Report No.:SAR/2021/4000902 Page: 42 of 291

N41	15kHz	50MHz	CP-16QAM	Mid	Inner_1RB_Right	21.43	21.56	24.51	26.96	PASS
N41	15kHz	50MHz	CP-16QAM	Mid	Inner_Full	21.5	21.58	24.55	27	PASS
N41	15kHz	50MHz	CP-16QAM	High	Inner_1RB_Left	21.3	21.49	24.41	26.86	PASS
N41	15kHz	50MHz	CP-16QAM	High	Inner_1RB_Right	21.58	21.61	24.61	27.06	PASS
N41	15kHz	50MHz	CP-16QAM	High	Inner_Full	21.48	21.42	24.46	26.91	PASS
N41	15kHz	50MHz	CP-64QAM	Low	Inner_1RB_Left	19.86	19.69	22.79	25.24	PASS
N41	15kHz	50MHz	CP-64QAM	Low	Inner_1RB_Right	20.29	20.15	23.23	25.68	PASS
N41	15kHz	50MHz	CP-64QAM	Low	Inner_Full	20.1	20.01	23.07	25.52	PASS
N41	15kHz	50MHz	CP-64QAM	Mid	Inner_1RB_Left	20.06	19.76	22.92	25.37	PASS
N41	15kHz	50MHz	CP-64QAM	Mid	Inner_1RB_Right	20.14	19.91	23.04	25.49	PASS
N41	15kHz	50MHz	CP-64QAM	Mid	Inner_Full	20.06	20.04	23.06	25.51	PASS
N41	15kHz	50MHz	CP-64QAM	High	Inner_1RB_Left	19.92	19.99	22.97	25.42	PASS
N41	15kHz	50MHz	CP-64QAM	High	Inner_1RB_Right	19.98	19.82	22.91	25.36	PASS
N41	15kHz	50MHz	CP-64QAM	High	Inner_Full	20.1	19.91	23.02	25.47	PASS
N41	15kHz	50MHz	CP-256QAM	Low	Inner_1RB_Left	19.85	19.79	22.83	25.28	PASS
N41	15kHz	50MHz	CP-256QAM	Low	Inner_1RB_Right	20.28	20.17	23.24	25.69	PASS
N41	15kHz	50MHz	CP-256QAM	Low	Inner_Full	20.13	19.99	23.07	25.52	PASS
N41	15kHz	50MHz	CP-256QAM	Mid	Inner_1RB_Left	20.09	20.04	23.08	25.53	PASS
N41	15kHz	50MHz	CP-256QAM	Mid	Inner_1RB_Right	20.13	19.99	23.07	25.52	PASS
N41	15kHz	50MHz	CP-256QAM	Mid	Inner_Full	20.04	19.99	23.03	25.48	PASS
N41	15kHz	50MHz	CP-256QAM	High	Inner_1RB_Left	19.91	19.74	22.84	25.29	PASS
N41	15kHz	50MHz	CP-256QAM	High	Inner_1RB_Right	20.02	19.76	22.9	25.35	PASS
N41	15kHz	50MHz	CP-256QAM	High	Inner_Full	20.13	19.9	23.03	25.48	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Research.



Report No.:SAR/2021/4000902 Page: 43 of 291

					•				
N41	30kHz	10MHz	CP-QPSK	Low	Inner_1RB_Left	21.99	22.07	25.04	PASS
N41	30kHz	10MHz	CP-QPSK	Low	Inner_1RB_Right	22.02	22.1	25.07	PASS
N41	30kHz	10MHz	CP-QPSK	Low	Inner_Full	22.18	22.15	25.18	PASS
N41	30kHz	10MHz	CP-QPSK	Mid	Inner_1RB_Left	22.09	22.08	25.10	PASS
N41	30kHz	10MHz	CP-QPSK	Mid	Inner_1RB_Right	22.25	21.84	25.06	PASS
N41	30kHz	10MHz	CP-QPSK	Mid	Inner_Full	21.99	22	25.01	PASS
N41	30kHz	10MHz	CP-QPSK	High	Inner_1RB_Left	21.88	21.91	24.91	PASS
N41	30kHz	10MHz	CP-QPSK	High	Inner_1RB_Right	22.21	21.93	25.08	PASS
N41	30kHz	10MHz	CP-QPSK	High	Inner_Full	22.22	22.14	25.19	PASS
N41	30kHz	10MHz	CP-16QAM	Low	Inner_1RB_Left	21.74	21.57	24.67	PASS
N41	30kHz	10MHz	CP-16QAM	Low	Inner_1RB_Right	21.13	21.58	24.37	PASS
N41	30kHz	10MHz	CP-16QAM	Low	Inner_Full	20.82	21.81	24.35	PASS
N41	30kHz	10MHz	CP-16QAM	Mid	Inner_1RB_Left	22.08	21.58	24.85	PASS
N41	30kHz	10MHz	CP-16QAM	Mid	Inner_1RB_Right	21.42	21.54	24.49	PASS
N41	30kHz	10MHz	CP-16QAM	Mid	Inner_Full	21.45	21.72	24.60	PASS
N41	30kHz	10MHz	CP-16QAM	High	Inner_1RB_Left	21.54	21.58	24.57	PASS
N41	30kHz	10MHz	CP-16QAM	High	Inner_1RB_Right	22.34	21.66	25.02	PASS
N41	30kHz	10MHz	CP-16QAM	High	Inner_Full	21.64	21.73	24.70	PASS
N41	30kHz	10MHz	CP-64QAM	Low	Inner_1RB_Left	20.34	19.9	23.14	PASS
N41	30kHz	10MHz	CP-64QAM	Low	Inner_1RB_Right	20.64	20.23	23.45	PASS
N41	30kHz	10MHz	CP-64QAM	Low	Inner_Full	20.07	20.22	23.16	PASS
N41	30kHz	10MHz	CP-64QAM	Mid	Inner_1RB_Left	20.58	19.89	23.26	PASS
N41	30kHz	10MHz	CP-64QAM	Mid	Inner_1RB_Right	20.55	20.1	23.34	PASS
N41	30kHz	10MHz	CP-64QAM	Mid	Inner_Full	20.08	20.19	23.15	PASS
N41	30kHz	10MHz	CP-64QAM	High	Inner_1RB_Left	20.5	20.07	23.30	PASS
N41	30kHz	10MHz	CP-64QAM	High	Inner_1RB_Right	20.61	20.13	23.39	PASS
N41	30kHz	10MHz	CP-64QAM	High	Inner_Full	20.03	20.12	23.09	PASS
N41	30kHz	10MHz	CP-256QAM	Low	Inner_1RB_Left	20.34	20.15	23.26	PASS
N41	30kHz	10MHz	CP-256QAM	Low	Inner_1RB_Right	20.63	20.25	23.45	PASS
N41	30kHz	10MHz	CP-256QAM	Low	Inner_Full	20.16	20.25	23.22	PASS
N41	30kHz	10MHz	CP-256QAM	Mid	Inner_1RB_Left	20.64	19.92	23.31	PASS
N41	30kHz	10MHz	CP-256QAM	Mid	Inner_1RB_Right	20.71	19.76	23.27	PASS
N41	30kHz	10MHz	CP-256QAM	Mid	Inner_Full	20.09	20.13	23.12	PASS
N41	30kHz	10MHz	CP-256QAM	High	Inner_1RB_Left	20.51	19.98	23.26	PASS
N41	30kHz	10MHz	CP-256QAM	High	Inner_1RB_Right	20.58	20.21	23.41	PASS
N41	30kHz	10MHz	CP-256QAM	High	Inner_Full	20.06	20.21	23.15	PASS
N41	30kHz	15MHz	CP-QPSK	Low	Inner_1RB_Left	21.91	21.97	24.95	PASS
N41	30kHz	15MHz	CP-QPSK	Low	Inner_1RB_Right	22.04	22.06	25.06	PASS
N41	30kHz	15MHz	CP-QPSK	Low	Inner_Full	22.07	22.09	25.09	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.



Report No.:SAR/2021/4000902 Page: 44 of 291

NA1						3.3				
N41   30kHz   15MHz   CP-QPSK   Mild   Inner_Full   21.88   21.91   24.91   PASS	N41	30kHz	15MHz	CP-QPSK	Mid	Inner_1RB_Left	21.86	21.9	24.89	PASS
N41   30kHz   15MHz   CP-QPSK   High   Inner_1RB_Right   21.8   21.71   24.77   PASS	N41	30kHz	15MHz	CP-QPSK	Mid	Inner_1RB_Right	21.88	21.8	24.85	PASS
N41         30kHz         15MHz         CP-QPSK         High         Inner_fRB_Right         21.86         21.8         24.89         PASS           N41         30kHz         15MHz         CP-QPSK         High         Inner_fRB_Left         21.68         21.50         QA63         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_fRB_Right         22.03         21.75         24.63         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_fRB_Right         22.03         21.71         24.62         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_fRB_Right         21.31         21.05         24.19         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_fRB_Right         21.49         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_fRB_Right         21.49         21.57         24.43         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_fRB_Right         21.53         21.15         24.48         PASS	N41	30kHz	15MHz	CP-QPSK	Mid	Inner_Full	21.88	21.91	24.91	PASS
N41         30kHz         15MHz         CP-QPSK         High         Inner_Full         22.09         21.88         25.00         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_1RB_Left         21.68         21.55         24.63         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_1RB_Right         22.03         21.76         24.91         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_1RB_Left         21.31         21.05         24.19         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Left         21.31         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Left         21.34         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Left         21.24         20.97         24.07         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Reft         21.53         21.55         24.48         PASS <td>N41</td> <td>30kHz</td> <td>15MHz</td> <td>CP-QPSK</td> <td>High</td> <td>Inner_1RB_Left</td> <td>21.8</td> <td>21.71</td> <td>24.77</td> <td>PASS</td>	N41	30kHz	15MHz	CP-QPSK	High	Inner_1RB_Left	21.8	21.71	24.77	PASS
N41         30kHz         15MHz         CP-16QAM         Low         Inner_1RB_Left         21.68         21.55         24.63         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_1RB_Right         22.03         21.76         24.91         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_1RB_Right         22.03         21.76         24.91         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Right         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Right         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Left         21.35         24.43         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.53         21.45         24.32         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.5         20.15         23.34         PASS	N41	30kHz	15MHz	CP-QPSK	High	Inner_1RB_Right	21.96	21.8	24.89	PASS
N41         30kHz         15MHz         CP-16QAM         Low         Inner_FB_Right         22.03         21.76         24.91         PASS           N41         30kHz         15MHz         CP-16QAM         Low         Inner_Full         21.51         21.71         24.62         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Left         21.31         21.05         24.19         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Right         21.49         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_Full         21.49         21.05         24.43         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.35         24.48         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_Full         21.58         21.36         24.48         PASS           N41         30kHz         15MHz         CP-6QAM         Low         Inner_FB_Right         20.5         20.15         23.34         PASS           N41 <td>N41</td> <td>30kHz</td> <td>15MHz</td> <td>CP-QPSK</td> <td>High</td> <td>Inner_Full</td> <td>22.09</td> <td>21.88</td> <td>25.00</td> <td>PASS</td>	N41	30kHz	15MHz	CP-QPSK	High	Inner_Full	22.09	21.88	25.00	PASS
N41         30kHz         15MHz         CP-16QAM         Low         Inner_Full         21.51         21.71         24.62         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_Full         21.31         21.05         24.19         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_IRB_Right         21.49         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_IRB_Right         21.49         21.05         24.43         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_IRB_Right         21.52         21.15         24.35         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_IRB_Right         21.56         21.15         24.35         PASS           N41         30kHz         15MHz         CP-6QAM         Low         Inner_IRB_Right         20.5         20.15         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_IRB_Right         20.5         20.15         23.31         PASS	N41	30kHz	15MHz	CP-16QAM	Low	Inner_1RB_Left	21.68	21.55	24.63	PASS
N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Left         21.31         21.05         24.19         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Right         21.49         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Right         21.49         21.35         24.43         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.53         21.15         24.35         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Left         21.53         21.15         24.35         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.5         20.15         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.6         20.21         23.34         PASS	N41	30kHz	15MHz	CP-16QAM	Low	Inner_1RB_Right	22.03	21.76	24.91	PASS
N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Right         21.49         21.07         24.30         PASS           N41         30kHz         15MHz         CP-16QAM         Mid         Inner_1RB_Right         21.49         21.35         24.43         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.53         21.57         24.07         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.53         21.15         24.35         PASS           N41         30kHz         15MHz         CP-6QAM         High         Inner_1RB_Right         21.58         21.36         24.48         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.46         -999         20.46         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS	N41	30kHz	15MHz	CP-16QAM	Low	Inner_Full	21.51	21.71	24.62	PASS
N41         30kHz         15MHz         CP-16QAM         Mid         Inner_Full         21.49         21.35         24.43         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Left         21.24         20.87         24.07         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.53         21.15         24.35         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.66         20         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.11         19.92         23.03         PASS	N41	30kHz	15MHz	CP-16QAM	Mid	Inner_1RB_Left	21.31	21.05	24.19	PASS
N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Left         21.24         20.87         24.07         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.53         21.15         24.35         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.25         20.15         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.66         -999         20.46         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.61         20.17         23.41         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.03         PASS	N41	30kHz	15MHz	CP-16QAM	Mid	Inner_1RB_Right	21.49	21.07	24.30	PASS
N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.53         21.15         24.35         PASS           N41         30kHz         15MHz         CP-16QAM         High         Inner_1RB_Right         21.58         21.36         24.48         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.5         20.15         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.66         -999         20.46         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.61         20.17         23.41         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.11         19.92         23.03         PASS <td>N41</td> <td>30kHz</td> <td>15MHz</td> <td>CP-16QAM</td> <td>Mid</td> <td>Inner_Full</td> <td>21.49</td> <td>21.35</td> <td>24.43</td> <td>PASS</td>	N41	30kHz	15MHz	CP-16QAM	Mid	Inner_Full	21.49	21.35	24.43	PASS
N41         30kHz         15MHz         CP-16QAM         High         Inner_Full         21.58         21.36         24.48         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.5         20.15         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_Full         20.46         -999         20.46         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.61         20.17         23.41         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.09         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.34         20.12         23.24         PASS <t< td=""><td>N41</td><td>30kHz</td><td>15MHz</td><td>CP-16QAM</td><td>High</td><td>Inner_1RB_Left</td><td>21.24</td><td>20.87</td><td>24.07</td><td>PASS</td></t<>	N41	30kHz	15MHz	CP-16QAM	High	Inner_1RB_Left	21.24	20.87	24.07	PASS
N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Left         20.23         20         23.13         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.5         20.15         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.46         -999         20.46         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.61         20.17         23.41         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.09         PASS           N41         30kHz         15MHz         CP-264QAM         High         Inner_1RB_Left         20.12         23.24         PASS           N4	N41	30kHz	15MHz	CP-16QAM	High	Inner_1RB_Right	21.53	21.15	24.35	PASS
N41         30kHz         15MHz         CP-64QAM         Low         Inner_1RB_Right         20.5         20.15         23.34         PASS           N41         30kHz         15MHz         CP-64QAM         Low         Inner_Full         20.46         -999         20.46         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.61         20.17         23.41         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_Full         20.11         19.92         23.03         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.09         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_Full         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_Full         20.14         19.89         23.03         PASS	N41	30kHz	15MHz	CP-16QAM	High	Inner_Full	21.58	21.36	24.48	PASS
N41         30kHz         15MHz         CP-64QAM         Low         Inner_Full         20.46         -999         20.46         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_Full         20.61         20.17         23.41         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_Full         20.11         19.92         23.03         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.09         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.12         23.24         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_Full         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Left         20.13         20.05         23.10         PASS           N41	N41	30kHz	15MHz	CP-64QAM	Low	Inner_1RB_Left	20.23	20	23.13	PASS
N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.61         20.17         23.41         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Left         20.11         19.92         23.03         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.09         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.14         19.98         23.09         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.34         20.12         23.24         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS	N41	30kHz	15MHz	CP-64QAM	Low	Inner_1RB_Right	20.5	20.15	23.34	PASS
N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.66         20         23.35         PASS           N41         30kHz         15MHz         CP-64QAM         Mid         Inner_1RB_Right         20.11         19.92         23.03         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.34         20.12         23.24         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.34         20.12         23.24         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_Full         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Left         20.13         20.05         23.10         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_TBB_Left         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_TBB_Left         20.12         19.93         23.04         PASS	N41	30kHz	15MHz	CP-64QAM	Low	Inner_Full	20.46	-999	20.46	PASS
N41         30kHz         15MHz         CP-64QAM         Mid         Inner_Full         20.11         19.92         23.03         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.09         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.34         20.12         23.24         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Left         20.13         20.05         23.10         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.12         19.93         23.04         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS <td>N41</td> <td>30kHz</td> <td>15MHz</td> <td>CP-64QAM</td> <td>Mid</td> <td>Inner_1RB_Left</td> <td>20.61</td> <td>20.17</td> <td>23.41</td> <td>PASS</td>	N41	30kHz	15MHz	CP-64QAM	Mid	Inner_1RB_Left	20.61	20.17	23.41	PASS
N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Left         20.17         19.98         23.09         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.34         20.12         23.24         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Left         20.13         20.05         23.10         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.12         19.93         23.04         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PA	N41	30kHz	15MHz	CP-64QAM	Mid	Inner_1RB_Right	20.66	20	23.35	PASS
N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.34         20.12         23.24         PASS           N41         30kHz         15MHz         CP-64QAM         High         Inner_1RB_Right         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Left         20.13         20.05         23.10         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_Full         20.12         19.93         23.04         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Left         20.47         20.16         23.33         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS <td>N41</td> <td>30kHz</td> <td>15MHz</td> <td>CP-64QAM</td> <td>Mid</td> <td>Inner_Full</td> <td>20.11</td> <td>19.92</td> <td>23.03</td> <td>PASS</td>	N41	30kHz	15MHz	CP-64QAM	Mid	Inner_Full	20.11	19.92	23.03	PASS
N41         30kHz         15MHz         CP-64QAM         High         Inner_Full         20.14         19.89         23.03         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Left         20.13         20.05         23.10         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_Full         20.12         19.93         23.04         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Left         20.47         20.16         23.33         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Left         20.05         19.94         23.01         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.06         20.03         23.06         PASS	N41	30kHz	15MHz	CP-64QAM	High	Inner_1RB_Left	20.17	19.98	23.09	PASS
N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Left         20.13         20.05         23.10         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_Full         20.12         19.93         23.04         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Left         20.47         20.16         23.33         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_Full         20.05         19.94         23.01         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS	N41	30kHz	15MHz	CP-64QAM	High	Inner_1RB_Right	20.34	20.12	23.24	PASS
N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.38         19.68         23.05         PASS           N41         30kHz         15MHz         CP-256QAM         Low         Inner_1RB_Right         20.12         19.93         23.04         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Left         20.47         20.16         23.33         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_Full         20.05         19.94         23.01         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_Full         20.02         19.86         22.95         PASS	N41	30kHz	15MHz	CP-64QAM	High	Inner_Full	20.14	19.89	23.03	PASS
N41         30kHz         15MHz         CP-256QAM         Low         Inner_Full         20.12         19.93         23.04         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Left         20.47         20.16         23.33         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.05         19.94         23.01         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_Full         20.02         19.86         22.95         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS	N41	30kHz	15MHz	CP-256QAM	Low	Inner_1RB_Left	20.13	20.05	23.10	PASS
N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Left         20.47         20.16         23.33         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_Full         20.05         19.94         23.01         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_Full         20.02         19.86         22.95         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS	N41	30kHz	15MHz	CP-256QAM	Low	Inner_1RB_Right	20.38	19.68	23.05	PASS
N41         30kHz         15MHz         CP-256QAM         Mid         Inner_1RB_Right         20.59         20.06         23.34         PASS           N41         30kHz         15MHz         CP-256QAM         Mid         Inner_Full         20.05         19.94         23.01         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.02         19.86         22.95         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.87         21.85         24.87         PASS	N41	30kHz	15MHz	CP-256QAM	Low	Inner_Full	20.12	19.93	23.04	PASS
N41         30kHz         15MHz         CP-256QAM         Mid         Inner_Full         20.05         19.94         23.01         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_Full         20.02         19.86         22.95         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_Full         22.04         21.99         25.03         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         21.87         21.85         24.87         PASS	N41	30kHz	15MHz	CP-256QAM	Mid	Inner_1RB_Left	20.47	20.16	23.33	PASS
N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Left         20.06         20.03         23.06         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_Full         20.02         19.86         22.95         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_Full         22.04         21.99         25.03         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         21.87         21.85         24.87         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	15MHz	CP-256QAM	Mid	Inner_1RB_Right	20.59	20.06	23.34	PASS
N41         30kHz         15MHz         CP-256QAM         High         Inner_1RB_Right         20.36         20.17         23.28         PASS           N41         30kHz         15MHz         CP-256QAM         High         Inner_Full         20.02         19.86         22.95         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_Full         22.04         21.99         25.03         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.87         21.85         24.87         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	15MHz	CP-256QAM	Mid	Inner_Full	20.05	19.94	23.01	PASS
N41         30kHz         15MHz         CP-256QAM         High         Inner_Full         20.02         19.86         22.95         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_Full         22.04         21.99         25.03         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.87         21.85         24.87         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	15MHz	CP-256QAM	High	Inner_1RB_Left	20.06	20.03	23.06	PASS
N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Left         21.84         21.74         24.80         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_Full         22.04         21.99         25.03         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.87         21.85         24.87         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	15MHz	CP-256QAM	High	Inner_1RB_Right	20.36	20.17	23.28	PASS
N41         30kHz         20MHz         CP-QPSK         Low         Inner_1RB_Right         21.86         21.88         24.88         PASS           N41         30kHz         20MHz         CP-QPSK         Low         Inner_Full         22.04         21.99         25.03         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.87         21.85         24.87         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	15MHz	CP-256QAM	High	Inner_Full	20.02	19.86	22.95	PASS
N41         30kHz         20MHz         CP-QPSK         Low         Inner_Full         22.04         21.99         25.03         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.87         21.85         24.87         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	20MHz	CP-QPSK	Low	Inner_1RB_Left	21.84	21.74	24.80	PASS
N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Left         21.87         21.85         24.87         PASS           N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	20MHz	CP-QPSK	Low	Inner_1RB_Right	21.86	21.88	24.88	PASS
N41         30kHz         20MHz         CP-QPSK         Mid         Inner_1RB_Right         22.01         21.75         24.89         PASS	N41	30kHz	20MHz	CP-QPSK	Low	Inner_Full	22.04	21.99	25.03	PASS
	N41	30kHz	20MHz	CP-QPSK	Mid	Inner_1RB_Left	21.87	21.85	24.87	PASS
N41         30kHz         20MHz         CP-QPSK         Mid         Inner_Full         21.88         22.07         24.99         PASS	N41	30kHz	20MHz	CP-QPSK	Mid	Inner_1RB_Right	22.01	21.75	24.89	PASS
	N41	30kHz	20MHz	CP-QPSK	Mid	Inner_Full	21.88	22.07	24.99	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.



Report No.:SAR/2021/4000902 Page: 45 of 291

N41	30kHz	20MHz	CP-QPSK	High	Inner_1RB_Left	21.87	21.65	24.77	PASS
N41	30kHz	20MHz	CP-QPSK	High	Inner_1RB_Right	21.99	21.82	24.92	PASS
N41	30kHz	20MHz	CP-QPSK	High	Inner_Full	22.05	21.98	25.03	PASS
N41	30kHz	20MHz	CP-16QAM	Low	Inner_1RB_Left	21.25	21.16	24.22	PASS
N41	30kHz	20MHz	CP-16QAM	Low	Inner_1RB_Right	21.38	21.09	24.25	PASS
N41	30kHz	20MHz	CP-16QAM	Low	Inner_Full	21.47	21.53	24.51	PASS
N41	30kHz	20MHz	CP-16QAM	Mid	Inner_1RB_Left	21.34	21.26	24.31	PASS
N41	30kHz	20MHz	CP-16QAM	Mid	Inner_1RB_Right	21.38	21.07	24.24	PASS
N41	30kHz	20MHz	CP-16QAM	Mid	Inner_Full	21.34	21.41	24.39	PASS
N41	30kHz	20MHz	CP-16QAM	High	Inner_1RB_Left	21.45	21.07	24.27	PASS
N41	30kHz	20MHz	CP-16QAM	High	Inner_1RB_Right	21.53	21.13	24.34	PASS
N41	30kHz	20MHz	CP-16QAM	High	Inner_Full	21.5	21.38	24.45	PASS
N41	30kHz	20MHz	CP-64QAM	Low	Inner_1RB_Left	20.25	19.53	22.92	PASS
N41	30kHz	20MHz	CP-64QAM	Low	Inner_1RB_Right	20.43	19.69	23.09	PASS
N41	30kHz	20MHz	CP-64QAM	Low	Inner_Full	20.16	20.11	23.15	PASS
N41	30kHz	20MHz	CP-64QAM	Mid	Inner_1RB_Left	20.5	19.75	23.15	PASS
N41	30kHz	20MHz	CP-64QAM	Mid	Inner_1RB_Right	20.57	19.72	23.18	PASS
N41	30kHz	20MHz	CP-64QAM	Mid	Inner_Full	19.99	20.02	23.02	PASS
N41	30kHz	20MHz	CP-64QAM	High	Inner_1RB_Left	20.19	19.53	22.88	PASS
N41	30kHz	20MHz	CP-64QAM	High	Inner_1RB_Right	20.4	20.23	23.33	PASS
N41	30kHz	20MHz	CP-64QAM	High	Inner_Full	20.01	20.01	23.02	PASS
N41	30kHz	20MHz	CP-256QAM	Low	Inner_1RB_Left	21.82	19.96	24.00	PASS
N41	30kHz	20MHz	CP-256QAM	Low	Inner_1RB_Right	20.5	20.14	23.33	PASS
N41	30kHz	20MHz	CP-256QAM	Low	Inner_Full	20.13	20.05	23.10	PASS
N41	30kHz	20MHz	CP-256QAM	Mid	Inner_1RB_Left	20.62	20.21	23.43	PASS
N41	30kHz	20MHz	CP-256QAM	Mid	Inner_1RB_Right	20.59	20.09	23.36	PASS
N41	30kHz	20MHz	CP-256QAM	Mid	Inner_Full	20.05	19.95	23.01	PASS
N41	30kHz	20MHz	CP-256QAM	High	Inner_1RB_Left	22.38	19.97	24.35	PASS
N41	30kHz	20MHz	CP-256QAM	High	Inner_1RB_Right	20.4	19.72	23.08	PASS
N41	30kHz	20MHz	CP-256QAM	High	Inner_Full	19.95	19.86	22.92	PASS
N41	30kHz	30MHz	CP-QPSK	Low	Inner_1RB_Left	21.5	21.63	24.58	PASS
N41	30kHz	30MHz	CP-QPSK	Low	Inner_1RB_Right	21.81	21.77	24.80	PASS
N41	30kHz	30MHz	CP-QPSK	Low	Inner_Full	22	22.06	25.04	PASS
N41	30kHz	30MHz	CP-QPSK	Mid	Inner_1RB_Left	21.75	21.79	24.78	PASS
N41	30kHz	30MHz	CP-QPSK	Mid	Inner_1RB_Right	21.88	21.74	24.82	PASS
N41	30kHz	30MHz	CP-QPSK	Mid	Inner_Full	21.99	22.05	25.03	PASS
N41	30kHz	30MHz	CP-QPSK	High	Inner_1RB_Left	21.66	21.56	24.62	PASS
N41	30kHz	30MHz	CP-QPSK	High	Inner_1RB_Right	21.91	21.83	24.88	PASS
N41	30kHz	30MHz	CP-QPSK	High	Inner_Full	21.94	22.05	25.01	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.



Report No.:SAR/2021/4000902 Page: 46 of 291

					•				
N41	30kHz	30MHz	CP-16QAM	Low	Inner_1RB_Left	21.13	20.89	24.02	PASS
N41	30kHz	30MHz	CP-16QAM	Low	Inner_1RB_Right	21.27	21.03	24.16	PASS
N41	30kHz	30MHz	CP-16QAM	Low	Inner_Full	21.5	21.53	24.53	PASS
N41	30kHz	30MHz	CP-16QAM	Mid	Inner_1RB_Left	21.37	21.15	24.27	PASS
N41	30kHz	30MHz	CP-16QAM	Mid	Inner_1RB_Right	21.44	20.95	24.21	PASS
N41	30kHz	30MHz	CP-16QAM	Mid	Inner_Full	21.36	21.51	24.45	PASS
N41	30kHz	30MHz	CP-16QAM	High	Inner_1RB_Left	21.28	20.95	24.13	PASS
N41	30kHz	30MHz	CP-16QAM	High	Inner_1RB_Right	21.46	21.11	24.30	PASS
N41	30kHz	30MHz	CP-16QAM	High	Inner_Full	21.47	21.48	24.49	PASS
N41	30kHz	30MHz	CP-64QAM	Low	Inner_1RB_Left	20.21	19.56	22.91	PASS
N41	30kHz	30MHz	CP-64QAM	Low	Inner_1RB_Right	20.23	19.61	22.94	PASS
N41	30kHz	30MHz	CP-64QAM	Low	Inner_Full	20.2	19.94	23.08	PASS
N41	30kHz	30MHz	CP-64QAM	Mid	Inner_1RB_Left	20.39	19.52	22.99	PASS
N41	30kHz	30MHz	CP-64QAM	Mid	Inner_1RB_Right	20.6	19.49	23.09	PASS
N41	30kHz	30MHz	CP-64QAM	Mid	Inner_Full	20.13	20.02	23.09	PASS
N41	30kHz	30MHz	CP-64QAM	High	Inner_1RB_Left	20.3	19.34	22.86	PASS
N41	30kHz	30MHz	CP-64QAM	High	Inner_1RB_Right	20.29	19.63	22.98	PASS
N41	30kHz	30MHz	CP-64QAM	High	Inner_Full	19.94	20.01	22.99	PASS
N41	30kHz	30MHz	CP-256QAM	Low	Inner_1RB_Left	20.09	19.88	23.00	PASS
N41	30kHz	30MHz	CP-256QAM	Low	Inner_1RB_Right	20.22	19.58	22.92	PASS
N41	30kHz	30MHz	CP-256QAM	Low	Inner_Full	20.19	19.99	23.10	PASS
N41	30kHz	30MHz	CP-256QAM	Mid	Inner_1RB_Left	20.4	20.02	23.22	PASS
N41	30kHz	30MHz	CP-256QAM	Mid	Inner_1RB_Right	20.49	19.58	23.07	PASS
N41	30kHz	30MHz	CP-256QAM	Mid	Inner_Full	20.13	20.07	23.11	PASS
N41	30kHz	30MHz	CP-256QAM	High	Inner_1RB_Left	20.32	19.77	23.06	PASS
N41	30kHz	30MHz	CP-256QAM	High	Inner_1RB_Right	20.3	20.09	23.21	PASS
N41	30kHz	30MHz	CP-256QAM	High	Inner_Full	20.05	19.94	23.01	PASS
N41	30kHz	40MHz	CP-QPSK	Low	Inner_1RB_Left	21.32	21.55	24.45	PASS
N41	30kHz	40MHz	CP-QPSK	Low	Inner_1RB_Right	21.61	21.67	24.65	PASS
N41	30kHz	40MHz	CP-QPSK	Low	Inner_Full	21.97	21.95	24.97	PASS
N41	30kHz	40MHz	CP-QPSK	Mid	Inner_1RB_Left	21.49	21.5	24.51	PASS
N41	30kHz	40MHz	CP-QPSK	Mid	Inner_1RB_Right	21.69	21.6	24.66	PASS
N41	30kHz	40MHz	CP-QPSK	Mid	Inner_Full	21.91	21.96	24.95	PASS
N41	30kHz	40MHz	CP-QPSK	High	Inner_1RB_Left	21.51	21.35	24.44	PASS
N41	30kHz	40MHz	CP-QPSK	High	Inner_1RB_Right	21.62	21.49	24.57	PASS
N41	30kHz	40MHz	CP-QPSK	High	Inner_Full	22	21.79	24.91	PASS
N41	30kHz	40MHz	CP-16QAM	Low	Inner_1RB_Left	20.88	20.87	23.89	PASS
N41	30kHz	40MHz	CP-16QAM	Low	Inner_1RB_Right	21.16	20.99	24.09	PASS
N41	30kHz	40MHz	CP-16QAM	Low	Inner_Full	21.48	21.46	24.48	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 47 of 291

N41	30kHz	40MHz	CP-16QAM	Mid	Inner_1RB_Left	21.15	20.79	23.98	PASS
N41	30kHz	40MHz	CP-16QAM	Mid	Inner_1RB_Right	21.25	20.9	24.09	PASS
N41	30kHz	40MHz	CP-16QAM	Mid	Inner_Full	21.48	21.57	24.54	PASS
N41	30kHz	40MHz	CP-16QAM	High	Inner_1RB_Left	21.09	20.7	23.91	PASS
N41	30kHz	40MHz	CP-16QAM	High	Inner_1RB_Right	21.25	20.87	24.07	PASS
N41	30kHz	40MHz	CP-16QAM	High	Inner_Full	21.37	21.35	24.37	PASS
N41	30kHz	40MHz	CP-64QAM	Low	Inner_1RB_Left	20.11	19.3	22.73	PASS
N41	30kHz	40MHz	CP-64QAM	Low	Inner_1RB_Right	20.29	19.86	23.09	PASS
N41	30kHz	40MHz	CP-64QAM	Low	Inner_Full	20.12	19.97	23.06	PASS
N41	30kHz	40MHz	CP-64QAM	Mid	Inner_1RB_Left	20.11	19.36	22.76	PASS
N41	30kHz	40MHz	CP-64QAM	Mid	Inner_1RB_Right	20.42	19.35	22.93	PASS
N41	30kHz	40MHz	CP-64QAM	Mid	Inner_Full	20.05	20.01	23.04	PASS
N41	30kHz	40MHz	CP-64QAM	High	Inner_1RB_Left	20.14	19.24	22.72	PASS
N41	30kHz	40MHz	CP-64QAM	High	Inner_1RB_Right	19.98	19.91	22.96	PASS
N41	30kHz	40MHz	CP-64QAM	High	Inner_Full	20.09	19.93	23.02	PASS
N41	30kHz	40MHz	CP-256QAM	Low	Inner_1RB_Left	20.05	19.27	22.69	PASS
N41	30kHz	40MHz	CP-256QAM	Low	Inner_1RB_Right	20.26	19.35	22.84	PASS
N41	30kHz	40MHz	CP-256QAM	Low	Inner_Full	20.05	19.97	23.02	PASS
N41	30kHz	40MHz	CP-256QAM	Mid	Inner_1RB_Left	20.19	19.29	22.77	PASS
N41	30kHz	40MHz	CP-256QAM	Mid	Inner_1RB_Right	20.52	19.28	22.95	PASS
N41	30kHz	40MHz	CP-256QAM	Mid	Inner_Full	20.03	19.92	22.99	PASS
N41	30kHz	40MHz	CP-256QAM	High	Inner_1RB_Left	20.15	19.25	22.73	PASS
N41	30kHz	40MHz	CP-256QAM	High	Inner_1RB_Right	20.03	19.92	22.99	PASS
N41	30kHz	40MHz	CP-256QAM	High	Inner_Full	20.03	19.83	22.94	PASS
N41	30kHz	50MHz	CP-QPSK	Low	Inner_1RB_Left	21.6	21.74	24.68	PASS
N41	30kHz	50MHz	CP-QPSK	Low	Inner_1RB_Right	22.05	21.93	25.00	PASS
N41	30kHz	50MHz	CP-QPSK	Low	Inner_Full	22.02	22	25.02	PASS
N41	30kHz	50MHz	CP-QPSK	Mid	Inner_1RB_Left	21.85	21.81	24.84	PASS
N41	30kHz	50MHz	CP-QPSK	Mid	Inner_1RB_Right	21.98	21.8	24.90	PASS
N41	30kHz	50MHz	CP-QPSK	Mid	Inner_Full	22.03	22.03	25.04	PASS
N41	30kHz	50MHz	CP-QPSK	High	Inner_1RB_Left	21.69	21.74	24.73	PASS
N41	30kHz	50MHz	CP-QPSK	High	Inner_1RB_Right	21.93	21.82	24.89	PASS
N41	30kHz	50MHz	CP-QPSK	High	Inner_Full	22.04	21.83	24.95	PASS
N41	30kHz	50MHz	CP-16QAM	Low	Inner_1RB_Left	21.15	20.99	24.08	PASS
N41	30kHz	50MHz	CP-16QAM	Low	Inner_1RB_Right	21.63	21.3	24.48	PASS
N41	30kHz	50MHz	CP-16QAM	Low	Inner_Full	21.51	21.41	24.47	PASS
N41	30kHz	50MHz	CP-16QAM	Mid	Inner_1RB_Left	21.34	21.19	24.28	PASS
N41	30kHz	50MHz	CP-16QAM	Mid	Inner_1RB_Right	21.43	21.21	24.33	PASS
N41	30kHz	50MHz	CP-16QAM	Mid	Inner_Full	21.51	21.45	24.49	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 48 of 291

N41	30kHz	50MHz	CP-16QAM	High	Inner_1RB_Left	21.31	20.95	24.14	PASS
N41	30kHz	50MHz	CP-16QAM	High	Inner_1RB_Right	21.54	21.18	24.37	PASS
N41	30kHz	50MHz	CP-16QAM	High	Inner_Full	21.53	21.27	24.41	PASS
N41	30kHz	50MHz	CP-64QAM	Low	Inner_1RB_Left	20.14	20.09	23.13	PASS
N41	30kHz	50MHz	CP-64QAM	Low	Inner_1RB_Right	20.61	19.76	23.22	PASS
N41	30kHz	50MHz	CP-64QAM	Low	Inner_Full	20.09	20.05	23.08	PASS
N41	30kHz	50MHz	CP-64QAM	Mid	Inner_1RB_Left	20.53	19.62	23.11	PASS
N41	30kHz	50MHz	CP-64QAM	Mid	Inner_1RB_Right	20.6	20.01	23.33	PASS
N41	30kHz	50MHz	CP-64QAM	Mid	Inner_Full	20.11	20.03	23.08	PASS
N41	30kHz	50MHz	CP-64QAM	High	Inner_1RB_Left	20.37	20.02	23.21	PASS
N41	30kHz	50MHz	CP-64QAM	High	Inner_1RB_Right	20.37	19.63	23.03	PASS
N41	30kHz	50MHz	CP-64QAM	High	Inner_Full	20.13	19.96	23.06	PASS
N41	30kHz	50MHz	CP-256QAM	Low	Inner_1RB_Left	20.23	20.1	23.18	PASS
N41	30kHz	50MHz	CP-256QAM	Low	Inner_1RB_Right	20.63	20.27	23.46	PASS
N41	30kHz	50MHz	CP-256QAM	Low	Inner_Full	20.07	20	23.05	PASS
N41	30kHz	50MHz	CP-256QAM	Mid	Inner_1RB_Left	20.47	19.6	23.07	PASS
N41	30kHz	50MHz	CP-256QAM	Mid	Inner_1RB_Right	20.67	19.98	23.35	PASS
N41	30kHz	50MHz	CP-256QAM	Mid	Inner_Full	20.17	20.12	23.16	PASS
N41	30kHz	50MHz	CP-256QAM	High	Inner_1RB_Left	20.43	19.53	23.01	PASS
N41	30kHz	50MHz	CP-256QAM	High	Inner_1RB_Right	20.3	19.68	23.01	PASS
N41	30kHz	50MHz	CP-256QAM	High	Inner_Full	20.13	19.9	23.03	PASS
N41	30kHz	60MHz	CP-QPSK	Low	Inner_1RB_Left	21.46	21.67	24.58	PASS
N41	30kHz	60MHz	CP-QPSK	Low	Inner_1RB_Right	21.76	21.78	24.78	PASS
N41	30kHz	60MHz	CP-QPSK	Low	Inner_Full	21.93	21.93	24.94	PASS
N41	30kHz	60MHz	CP-QPSK	Mid	Inner_1RB_Left	21.73	21.72	24.74	PASS
N41	30kHz	60MHz	CP-QPSK	Mid	Inner_1RB_Right	21.92	21.72	24.83	PASS
N41	30kHz	60MHz	CP-QPSK	Mid	Inner_Full	21.97	21.96	24.98	PASS
N41	30kHz	60MHz	CP-QPSK	High	Inner_1RB_Left	21.82	21.62	24.73	PASS
N41	30kHz	60MHz	CP-QPSK	High	Inner_1RB_Right	21.9	21.76	24.84	PASS
N41	30kHz	60MHz	CP-QPSK	High	Inner_Full	22.01	21.8	24.92	PASS
N41	30kHz	60MHz	CP-16QAM	Low	Inner_1RB_Left	21.12	20.99	24.07	PASS
N41	30kHz	60MHz	CP-16QAM	Low	Inner_1RB_Right	21.4	21.12	24.27	PASS
N41	30kHz	60MHz	CP-16QAM	Low	Inner_Full	21.46	21.51	24.50	PASS
N41	30kHz	60MHz	CP-16QAM	Mid	Inner_1RB_Left	21.32	21.16	24.25	PASS
N41	30kHz	60MHz	CP-16QAM	Mid	Inner_1RB_Right	21.48	20.88	24.20	PASS
N41	30kHz	60MHz	CP-16QAM	Mid	Inner_Full	21.57	21.57	24.58	PASS
N41	30kHz	60MHz	CP-16QAM	High	Inner_1RB_Left	21.4	20.99	24.21	PASS
N41	30kHz	60MHz	CP-16QAM	High	Inner_1RB_Right	21.48	21.14	24.32	PASS
N41	30kHz	60MHz	CP-16QAM	High	Inner_Full	21.52	21.36	24.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 49 of 291

					3				
N41	30kHz	60MHz	CP-64QAM	Low	Inner_1RB_Left	20.25	19.96	23.12	PASS
N41	30kHz	60MHz	CP-64QAM	Low	Inner_1RB_Right	20.57	20.04	23.32	PASS
N41	30kHz	60MHz	CP-64QAM	Low	Inner_Full	20.13	19.97	23.06	PASS
N41	30kHz	60MHz	CP-64QAM	Mid	Inner_1RB_Left	20.31	20	23.17	PASS
N41	30kHz	60MHz	CP-64QAM	Mid	Inner_1RB_Right	20.58	19.53	23.10	PASS
N41	30kHz	60MHz	CP-64QAM	Mid	Inner_Full	20.18	20.03	23.12	PASS
N41	30kHz	60MHz	CP-64QAM	High	Inner_1RB_Left	20.63	19.42	23.08	PASS
N41	30kHz	60MHz	CP-64QAM	High	Inner_1RB_Right	20.23	20.05	23.15	PASS
N41	30kHz	60MHz	CP-64QAM	High	Inner_Full	20.12	19.89	23.02	PASS
N41	30kHz	60MHz	CP-256QAM	Low	Inner_1RB_Left	20.12	19.46	22.81	PASS
N41	30kHz	60MHz	CP-256QAM	Low	Inner_1RB_Right	20.47	20.1	23.30	PASS
N41	30kHz	60MHz	CP-256QAM	Low	Inner_Full	20.17	19.93	23.06	PASS
N41	30kHz	60MHz	CP-256QAM	Mid	Inner_1RB_Left	20.48	19.99	23.25	PASS
N41	30kHz	60MHz	CP-256QAM	Mid	Inner_1RB_Right	20.54	19.97	23.27	PASS
N41	30kHz	60MHz	CP-256QAM	Mid	Inner_Full	20.11	20.04	23.09	PASS
N41	30kHz	60MHz	CP-256QAM	High	Inner_1RB_Left	20.44	19.55	23.03	PASS
N41	30kHz	60MHz	CP-256QAM	High	Inner_1RB_Right	20.22	19.59	22.93	PASS
N41	30kHz	60MHz	CP-256QAM	High	Inner_Full	20.1	19.77	22.95	PASS
N41	30kHz	70MHz	CP-QPSK	Low	Inner_1RB_Left	21.25	21.17	24.22	PASS
N41	30kHz	70MHz	CP-QPSK	Low	Inner_1RB_Right	21.26	21.06	24.17	PASS
N41	30kHz	70MHz	CP-QPSK	Low	Inner_Full	21.22	21.24	24.24	PASS
N41	30kHz	70MHz	CP-QPSK	Mid	Inner_1RB_Left	21.24	21.17	24.22	PASS
N41	30kHz	70MHz	CP-QPSK	Mid	Inner_1RB_Right	21.27	21.17	24.23	PASS
N41	30kHz	70MHz	CP-QPSK	Mid	Inner_Full	21.26	21.16	24.22	PASS
N41	30kHz	70MHz	CP-QPSK	High	Inner_1RB_Left	21.26	21.03	24.16	PASS
N41	30kHz	70MHz	CP-QPSK	High	Inner_1RB_Right	21.28	21.02	24.16	PASS
N41	30kHz	70MHz	CP-QPSK	High	Inner_Full	21.27	21.02	24.16	PASS
N41	30kHz	70MHz	CP-16QAM	Low	Inner_1RB_Left	21.25	20.82	24.05	PASS
N41	30kHz	70MHz	CP-16QAM	Low	Inner_1RB_Right	21.26	20.82	24.06	PASS
N41	30kHz	70MHz	CP-16QAM	Low	Inner_Full	21.24	20.82	24.05	PASS
N41	30kHz	70MHz	CP-16QAM	Mid	Inner_1RB_Left	21.25	21.14	24.21	PASS
N41	30kHz	70MHz	CP-16QAM	Mid	Inner_1RB_Right	21.27	21.13	24.21	PASS
N41	30kHz	70MHz	CP-16QAM	Mid	Inner_Full	21.27	21.15	24.22	PASS
N41	30kHz	70MHz	CP-16QAM	High	Inner_1RB_Left	21.31	21	24.17	PASS
N41	30kHz	70MHz	CP-16QAM	High	Inner_1RB_Right	21.31	21.01	24.17	PASS
N41	30kHz	70MHz	CP-16QAM	High	Inner_Full	21.3	21.01	24.17	PASS
N41	30kHz	70MHz	CP-64QAM	Low	Inner_1RB_Left	20.9	20.33	23.63	PASS
N41	30kHz	70MHz	CP-64QAM	Low	Inner_1RB_Right	20.93	20.31	23.64	PASS
N41	30kHz	70MHz	CP-64QAM	Low	Inner_Full	20.92	20.33	23.65	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 50 of 291

					3				
N41	30kHz	70MHz	CP-64QAM	Mid	Inner_1RB_Left	20.93	20.61	23.78	PASS
N41	30kHz	70MHz	CP-64QAM	Mid	Inner_1RB_Right	20.92	20.62	23.78	PASS
N41	30kHz	70MHz	CP-64QAM	Mid	Inner_Full	20.93	20.61	23.78	PASS
N41	30kHz	70MHz	CP-64QAM	High	Inner_1RB_Left	20.99	20.49	23.76	PASS
N41	30kHz	70MHz	CP-64QAM	High	Inner_1RB_Right	20.99	20.47	23.75	PASS
N41	30kHz	70MHz	CP-64QAM	High	Inner_Full	20.97	20.52	23.76	PASS
N41	30kHz	70MHz	CP-256QAM	Low	Inner_1RB_Left	17.91	17.52	20.73	PASS
N41	30kHz	70MHz	CP-256QAM	Low	Inner_1RB_Right	17.91	17.53	20.73	PASS
N41	30kHz	70MHz	CP-256QAM	Low	Inner_Full	17.9	17.52	20.72	PASS
N41	30kHz	70MHz	CP-256QAM	Mid	Inner_1RB_Left	17.94	16.27	20.2	PASS
N41	30kHz	70MHz	CP-256QAM	Mid	Inner_1RB_Right	17.96	17.82	20.9	PASS
N41	30kHz	70MHz	CP-256QAM	Mid	Inner_Full	17.97	17.8	20.9	PASS
N41	30kHz	70MHz	CP-256QAM	High	Inner_1RB_Left	17.96	17.67	20.83	PASS
N41	30kHz	70MHz	CP-256QAM	High	Inner_1RB_Right	17.94	17.68	20.82	PASS
N41	30kHz	70MHz	CP-256QAM	High	Inner_Full	17.95	17.68	20.83	PASS
N41	30kHz	80MHz	CP-QPSK	Low	Inner_1RB_Left	21.24	21.45	24.36	PASS
N41	30kHz	80MHz	CP-QPSK	Low	Inner_1RB_Right	21.68	21.6	24.65	PASS
N41	30kHz	80MHz	CP-QPSK	Low	Inner_Full	22	22	25.01	PASS
N41	30kHz	80MHz	CP-QPSK	Mid	Inner_1RB_Left	21.42	21.47	24.46	PASS
N41	30kHz	80MHz	CP-QPSK	Mid	Inner_1RB_Right	21.69	21.57	24.64	PASS
N41	30kHz	80MHz	CP-QPSK	Mid	Inner_Full	22.05	22	25.04	PASS
N41	30kHz	80MHz	CP-QPSK	High	Inner_1RB_Left	21.69	21.44	24.58	PASS
N41	30kHz	80MHz	CP-QPSK	High	Inner_1RB_Right	21.52	21.55	24.55	PASS
N41	30kHz	80MHz	CP-QPSK	High	Inner_Full	21.99	21.81	24.91	PASS
N41	30kHz	80MHz	CP-16QAM	Low	Inner_1RB_Left	20.91	20.88	23.91	PASS
N41	30kHz	80MHz	CP-16QAM	Low	Inner_1RB_Right	21.18	20.97	24.09	PASS
N41	30kHz	80MHz	CP-16QAM	Low	Inner_Full	21.48	21.51	24.51	PASS
N41	30kHz	80MHz	CP-16QAM	Mid	Inner_1RB_Left	20.98	20.65	23.83	PASS
N41	30kHz	80MHz	CP-16QAM	Mid	Inner_1RB_Right	21.15	20.84	24.01	PASS
N41	30kHz	80MHz	CP-16QAM	Mid	Inner_Full	21.53	21.52	24.54	PASS
N41	30kHz	80MHz	CP-16QAM	High	Inner_1RB_Left	21.28	20.8	24.06	PASS
N41	30kHz	80MHz	CP-16QAM	High	Inner_1RB_Right	21.22	20.84	24.04	PASS
N41	30kHz	80MHz	CP-16QAM	High	Inner_Full	21.51	21.34	24.44	PASS
N41	30kHz	80MHz	CP-64QAM	Low	Inner_1RB_Left	19.69	19.28	22.50	PASS
N41	30kHz	80MHz	CP-64QAM	Low	Inner_1RB_Right	20.48	19.88	23.20	PASS
N41	30kHz	80MHz	CP-64QAM	Low	Inner_Full	20.13	20.05	23.10	PASS
N41	30kHz	80MHz	CP-64QAM	Mid	Inner_1RB_Left	20.17	19.35	22.79	PASS
N41	30kHz	80MHz	CP-64QAM	Mid	Inner_1RB_Right	20.35	19.31	22.87	PASS
N41	30kHz	80MHz	CP-64QAM	Mid	Inner_Full	20.19	20.02	23.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 51 of 291

N41	30kHz	80MHz	CP-64QAM	High	Inner_1RB_Left	20.47	19.32	22.94	PASS
N41	30kHz	80MHz	CP-64QAM	High	Inner_1RB_Right	20.08	19.86	22.98	PASS
N41	30kHz	80MHz	CP-64QAM	High	Inner_Full	20.15	19.91	23.04	PASS
N41	30kHz	80MHz	CP-256QAM	Low	Inner_1RB_Left	19.82	19.81	22.83	PASS
N41	30kHz	80MHz	CP-256QAM	Low	Inner_1RB_Right	20.39	19.84	23.13	PASS
N41	30kHz	80MHz	CP-256QAM	Low	Inner_Full	20.12	20.06	23.10	PASS
N41	30kHz	80MHz	CP-256QAM	Mid	Inner_1RB_Left	20.36	19.33	22.89	PASS
N41	30kHz	80MHz	CP-256QAM	Mid	Inner_1RB_Right	20.34	19.31	22.87	PASS
N41	30kHz	80MHz	CP-256QAM	Mid	Inner_Full	20.22	20.09	23.17	PASS
N41	30kHz	80MHz	CP-256QAM	High	Inner_1RB_Left	20.41	19.76	23.11	PASS
N41	30kHz	80MHz	CP-256QAM	High	Inner_1RB_Right	19.98	19.95	22.98	PASS
N41	30kHz	80MHz	CP-256QAM	High	Inner_Full	20.11	19.91	23.02	PASS
N41	30kHz	90MHz	CP-QPSK	Low	Inner_1RB_Left	21.29	21.43	24.37	PASS
N41	30kHz	90MHz	CP-QPSK	Low	Inner_1RB_Right	21.57	21.53	24.56	PASS
N41	30kHz	90MHz	CP-QPSK	Low	Inner_Full	21.96	21.94	24.96	PASS
N41	30kHz	90MHz	CP-QPSK	Mid	Inner_1RB_Left	21.47	21.47	24.48	PASS
N41	30kHz	90MHz	CP-QPSK	Mid	Inner_1RB_Right	21.61	21.41	24.52	PASS
N41	30kHz	90MHz	CP-QPSK	Mid	Inner_Full	21.97	21.97	24.98	PASS
N41	30kHz	90MHz	CP-QPSK	High	Inner_1RB_Left	21.51	21.34	24.44	PASS
N41	30kHz	90MHz	CP-QPSK	High	Inner_1RB_Right	21.71	21.51	24.62	PASS
N41	30kHz	90MHz	CP-QPSK	High	Inner_Full	21.91	21.86	24.90	PASS
N41	30kHz	90MHz	CP-16QAM	Low	Inner_1RB_Left	20.79	20.85	23.83	PASS
N41	30kHz	90MHz	CP-16QAM	Low	Inner_1RB_Right	21.12	20.98	24.06	PASS
N41	30kHz	90MHz	CP-16QAM	Low	Inner_Full	21.54	21.5	24.53	PASS
N41	30kHz	90MHz	CP-16QAM	Mid	Inner_1RB_Left	20.96	20.62	23.80	PASS
N41	30kHz	90MHz	CP-16QAM	Mid	Inner_1RB_Right	21.14	20.75	23.96	PASS
N41	30kHz	90MHz	CP-16QAM	Mid	Inner_Full	21.46	21.45	24.47	PASS
N41	30kHz	90MHz	CP-16QAM	High	Inner_1RB_Left	20.96	20.52	23.76	PASS
N41	30kHz	90MHz	CP-16QAM	High	Inner_1RB_Right	21.16	20.77	23.98	PASS
N41	30kHz	90MHz	CP-16QAM	High	Inner_Full	21.41	21.32	24.38	PASS
N41	30kHz	90MHz	CP-64QAM	Low	Inner_1RB_Left	19.6	19.71	22.67	PASS
N41	30kHz	90MHz	CP-64QAM	Low	Inner_1RB_Right	20.56	19.51	23.08	PASS
N41	30kHz	90MHz	CP-64QAM	Low	Inner_Full	20.19	19.92	23.07	PASS
N41	30kHz	90MHz	CP-64QAM	Mid	Inner_1RB_Left	20.12	19.29	22.74	PASS
N41	30kHz	90MHz	CP-64QAM	Mid	Inner_1RB_Right	20.35	19.28	22.86	PASS
N41	30kHz	90MHz	CP-64QAM	Mid	Inner_Full	20.17	19.97	23.08	PASS
N41	30kHz	90MHz	CP-64QAM	High	Inner_1RB_Left	20.25	19.15	22.75	PASS
N41	30kHz	90MHz	CP-64QAM	High	Inner_1RB_Right	20.02	19.39	22.73	PASS
N41	30kHz	90MHz	CP-64QAM	High	Inner_Full	20.12	19.8	22.97	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 52 of 291

					3.3				
N41	30kHz	90MHz	CP-256QAM	Low	Inner_1RB_Left	19.75	19.39	22.58	PASS
N41	30kHz	90MHz	CP-256QAM	Low	Inner_1RB_Right	20.41	19.38	22.94	PASS
N41	30kHz	90MHz	CP-256QAM	Low	Inner_Full	20.21	19.95	23.09	PASS
N41	30kHz	90MHz	CP-256QAM	Mid	Inner_1RB_Left	20.31	19.29	22.84	PASS
N41	30kHz	90MHz	CP-256QAM	Mid	Inner_1RB_Right	20.34	19.36	22.89	PASS
N41	30kHz	90MHz	CP-256QAM	Mid	Inner_Full	20.15	19.94	23.06	PASS
N41	30kHz	90MHz	CP-256QAM	High	Inner_1RB_Left	20.29	19.61	22.97	PASS
N41	30kHz	90MHz	CP-256QAM	High	Inner_1RB_Right	19.95	19.37	22.68	PASS
N41	30kHz	90MHz	CP-256QAM	High	Inner_Full	20.08	19.79	22.95	PASS
N41	30kHz	100MHz	CP-QPSK	Low	Inner_1RB_Left	21.17	21.18	24.19	PASS
N41	30kHz	100MHz	CP-QPSK	Low	Inner_1RB_Right	21.18	21.27	24.24	PASS
N41	30kHz	100MHz	CP-QPSK	Low	Inner_Full	22.02	21.95	25.00	PASS
N41	30kHz	100MHz	CP-QPSK	Mid	Inner_1RB_Left	21.28	21.32	24.31	PASS
N41	30kHz	100MHz	CP-QPSK	Mid	Inner_1RB_Right	21.32	21.19	24.27	PASS
N41	30kHz	100MHz	CP-QPSK	Mid	Inner_Full	21.99	22.03	25.02	PASS
N41	30kHz	100MHz	CP-QPSK	High	Inner_1RB_Left	21.27	21.14	24.22	PASS
N41	30kHz	100MHz	CP-QPSK	High	Inner_1RB_Right	21.33	21.31	24.33	PASS
N41	30kHz	100MHz	CP-QPSK	High	Inner_Full	21.97	21.96	24.98	PASS
N41	30kHz	100MHz	CP-16QAM	Low	Inner_1RB_Left	20.68	20.42	23.56	PASS
N41	30kHz	100MHz	CP-16QAM	Low	Inner_1RB_Right	20.82	20.83	23.84	PASS
N41	30kHz	100MHz	CP-16QAM	Low	Inner_Full	21.57	21.43	24.51	PASS
N41	30kHz	100MHz	CP-16QAM	Mid	Inner_1RB_Left	20.88	20.46	23.69	PASS
N41	30kHz	100MHz	CP-16QAM	Mid	Inner_1RB_Right	20.86	20.54	23.71	PASS
N41	30kHz	100MHz	CP-16QAM	Mid	Inner_Full	21.53	21.43	24.49	PASS
N41	30kHz	100MHz	CP-16QAM	High	Inner_1RB_Left	20.61	20.47	23.55	PASS
N41	30kHz	100MHz	CP-16QAM	High	Inner_1RB_Right	20.95	20.58	23.78	PASS
N41	30kHz	100MHz	CP-16QAM	High	Inner_Full	21.5	21.31	24.42	PASS
N41	30kHz	100MHz	CP-64QAM	Low	Inner_1RB_Left	19.52	19.03	22.29	PASS
N41	30kHz	100MHz	CP-64QAM	Low	Inner_1RB_Right	20.17	19.19	22.72	PASS
N41	30kHz	100MHz	CP-64QAM	Low	Inner_Full	20.16	20	23.09	PASS
N41	30kHz	100MHz	CP-64QAM	Mid	Inner_1RB_Left	20.07	19.12	22.63	PASS
N41	30kHz	100MHz	CP-64QAM	Mid	Inner_1RB_Right	20.08	19.14	22.65	PASS
N41	30kHz	100MHz	CP-64QAM	Mid	Inner_Full	20.2	19.99	23.11	PASS
N41	30kHz	100MHz	CP-64QAM	High	Inner_1RB_Left	19.88	19.04	22.49	PASS
N41	30kHz	100MHz	CP-64QAM	High	Inner_1RB_Right	19.9	19.02	22.49	PASS
N41	30kHz	100MHz	CP-64QAM	High	Inner_Full	20.12	19.83	22.99	PASS
N41	30kHz	100MHz	CP-256QAM	Low	Inner_1RB_Left	19.51	19.02	22.28	PASS
N41	30kHz	100MHz	CP-256QAM	Low	Inner_1RB_Right	20.13	19.62	22.89	PASS
N41	30kHz	100MHz	CP-256QAM	Low	Inner_Full	20.22	20	23.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccetal Received.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 53 of 291

N41	30kHz	100MHz	CP-256QAM	Mid	Inner_1RB_Left	20.04	19.17	22.64	PASS
N41	30kHz	100MHz	CP-256QAM	Mid	Inner_1RB_Right	20.06	19.13	22.63	PASS
N41	30kHz	100MHz	CP-256QAM	Mid	Inner_Full	20.21	19.98	23.11	PASS
N41	30kHz	100MHz	CP-256QAM	High	Inner_1RB_Left	20.03	19.03	22.57	PASS
N41	30kHz	100MHz	CP-256QAM	High	Inner_1RB_Right	19.89	19.6	22.76	PASS
N41	30kHz	100MHz	CP-256QAM	High	Inner_Full	20.07	19.74	22.92	PASS

#### Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]

ERP [dBm] = Conducted Power [dBm] + Gain [dBi] -2.15 b: The EUT belongs to STBC, so DG = Antenna Gain.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) served are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902

Page: 54 of 291

#### Peak-to-Average Ratio(CCDF) for SA

#### **Test Result**

BandName	SCS	Bandwidth	Modulation	Channel	RBSize	Result	Limit	Verdict
N41	30kHz	100MHz	DFT-QPSK	Mid	Outer_Full	5.9	≤13	PASS
N41	30kHz	100MHz	CP-QPSK	Mid	Outer_Full	5.89	≤13	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




Report No.:SAR/2021/4000902 Page: 55 of 291

#### **Test Graphs**



NTNV-N41-30kHz-100MHz-DFT-QPSK-Mid-Outer\_Full------≤13-PASS



NTNV-N41-30kHz-100MHz-CP-QPSK-Mid-Outer\_Full------≤13-PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 56 of 291


#### **Modulation Characteristics**

#### **Test Plots**

#### Test Band = N41

Test Mode = TM1 100MHz

Test Channel = MCH





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) served are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 57 of 291

Test Mode = TM2 100MHz

#### **Test Channel = MCH**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.:SAR/2021/4000902 Page: 58 of 291


Test Mode = TM3 100MHz

#### Test Channel = MCH



Test Mode = TM4 100MHz

#### Test Channel = MCH





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 59 of 291


Test Mode = TM5 100MHz

#### Test Channel = MCH



Test Mode = TM6 100MHz

#### Test Channel = MCH





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 60 of 291


Test Mode = TM7 100MHz

#### Test Channel = MCH



Test Mode = TM8 100MHz

#### Test Channel = MCH





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.:SAR/2021/4000902 Page: 61 of 291

# 26dB Bandwidth and Occupied Bandwidth for SA Test Result

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	OBW (MHz)	EBW (MHz)	Verdict
N41	10MHz	30KHz	TM1	518598	Outer Full	8.58	9.33	PASS
N41	10MHz	30KHz	TM2	518598	Outer Full	8.57	9.09	PASS
N41	10MHz	30KHz	TM3	518598	Outer Full	8.57	9.23	PASS
N41	10MHz	30KHz	TM4	518598	Outer Full	8.56	9.34	PASS
N41	10MHz	30KHz	TM5	518598	Outer Full	8.59	9.30	PASS
N41	10MHz	30KHz	TM6	518598	Outer Full	8.57	9.29	PASS
N41	10MHz	30KHz	TM7	518598	Outer Full	8.60	9.21	PASS
N41	10MHz	30KHz	TM8	518598	Outer Full	8.58	9.22	PASS
N41	15MHz	30KHz	TM1	518598	Outer Full	12.82	13.69	PASS
N41	15MHz	30KHz	TM2	518598	Outer Full	12.86	13.64	PASS
N41	15MHz	30KHz	TM3	518598	Outer Full	12.83	13.65	PASS
N41	15MHz	30KHz	TM4	518598	Outer Full	12.86	13.76	PASS
N41	15MHz	30KHz	TM5	518598	Outer Full	12.88	13.76	PASS
N41	15MHz	30KHz	TM6	518598	Outer Full	13.60	14.18	PASS
N41	15MHz	30KHz	TM7	518598	Outer Full	13.57	14.28	PASS
N41	15MHz	30KHz	TM8	518598	Outer Full	13.59	14.39	PASS
N41	20MHz	30KHz	TM1	518598	Outer Full	17.78	19.10	PASS
N41	20MHz	30KHz	TM2	518598	Outer Full	17.80	18.64	PASS
N41	20MHz	30KHz	TM3	518598	Outer Full	17.83	18.75	PASS
N41	20MHz	30KHz	TM4	518598	Outer Full	17.80	18.63	PASS
N41	20MHz	30KHz	TM5	518598	Outer Full	18.18	19.29	PASS
N41	20MHz	30KHz	TM6	518598	Outer Full	18.24	19.19	PASS
N41	20MHz	30KHz	TM7	518598	Outer Full	18.18	18.95	PASS
N41	20MHz	30KHz	TM8	518598	Outer Full	18.27	19.05	PASS
N41	30MHz	30KHz	TM1	518598	Outer Full	26.78	28.09	PASS
N41	30MHz	30KHz	TM2	518598	Outer Full	26.68	28.11	PASS
N41	30MHz	30KHz	TM3	518598	Outer Full	26.69	28.28	PASS
N41	30MHz	30KHz	TM4	518598	Outer Full	26.83	27.98	PASS
N41	30MHz	30KHz	TM5	518598	Outer Full	27.82	29.20	PASS
N41	30MHz	30KHz	TM6	518598	Outer Full	27.78	29.13	PASS
N41	30MHz	30KHz	TM7	518598	Outer Full	27.82	28.95	PASS
N41	30MHz	30KHz	TM8	518598	Outer Full	27.87	29.02	PASS
N41	40MHz	30KHz	TM1	518598	Outer Full	35.7	37.08	PASS
N41	40MHz	30KHz	TM2	518598	Outer Full	35.76	37.32	PASS
N41	40MHz	30KHz	TM3	518598	Outer Full	35.77	37.18	PASS
N41	40MHz	30KHz	TM4	518598	Outer Full	35.68	37.63	PASS
N41	40MHz	30KHz	TM5	518598	Outer Full	37.92	39.34	PASS
N41	40MHz	30KHz	TM6	518598	Outer Full	37.78	39.16	PASS
N41	40MHz	30KHz	TM7	518598	Outer Full	37.69	39.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



Report No.:SAR/2021/4000902 Page: 62 of 291

					-			
N41	40MHz	30KHz	TM8	518598	Outer Full	35.57	37.18	PASS
N41	50MHz	30KHz	TM1	518598	Outer Full	45.67	47.70	PASS
N41	50MHz	30KHz	TM2	518598	Outer Full	45.69	47.44	PASS
N41	50MHz	30KHz	TM3	518598	Outer Full	45.47	47.23	PASS
N41	50MHz	30KHz	TM4	518598	Outer Full	45.79	47.51	PASS
N41	50MHz	30KHz	TM5	518598	Outer Full	47.54	49.39	PASS
N41	50MHz	30KHz	TM6	518598	Outer Full	47.50	49.28	PASS
N41	50MHz	30KHz	TM7	518598	Outer Full	47.44	49.14	PASS
N41	50MHz	30KHz	TM8	518598	Outer Full	47.53	49.01	PASS
N41	60MHz	30KHz	TM1	518598	Outer Full	58.03	59.65	PASS
N41	60MHz	30KHz	TM2	518598	Outer Full	57.90	59.73	PASS
N41	60MHz	30KHz	TM3	518598	Outer Full	57.88	59.99	PASS
N41	60MHz	30KHz	TM4	518598	Outer Full	57.89	60.17	PASS
N41	60MHz	30KHz	TM5	518598	Outer Full	57.70	59.80	PASS
N41	60MHz	30KHz	TM6	518598	Outer Full	58.03	59.92	PASS
N41	60MHz	30KHz	TM7	518598	Outer Full	57.86	59.75	PASS
N41	60MHz	30KHz	TM8	518598	Outer Full	57.92	59.84	PASS
N41	70MHz	30KHz	TM1	518598	Outer Full	64.53	66.83	PASS
N41	70MHz	30KHz	TM2	518598	Outer Full	64.34	66.55	PASS
N41	70MHz	30KHz	TM3	518598	Outer Full	64.64	66.76	PASS
N41	70MHz	30KHz	TM4	518598	Outer Full	64.54	66.76	PASS
N41	70MHz	30KHz	TM5	518598	Outer Full	67.48	69.96	PASS
N41	70MHz	30KHz	TM6	518598	Outer Full	67.45	69.97	PASS
N41	70MHz	30KHz	TM7	518598	Outer Full	67.39	69.73	PASS
N41	70MHz	30KHz	TM8	518598	Outer Full	67.56	69.86	PASS
N41	80MHz	30KHz	TM1	518598	Outer Full	77.33	79.63	PASS
N41	80MHz	30KHz	TM2	518598	Outer Full	77.42	79.66	PASS
N41	80MHz	30KHz	TM3	518598	Outer Full	77.33	79.71	PASS
N41	80MHz	30KHz	TM4	518598	Outer Full	77.43	79.50	PASS
N41	80MHz	30KHz	TM5	518598	Outer Full	77.27	79.68	PASS
N41	80MHz	30KHz	TM6	518598	Outer Full	77.57	79.90	PASS
N41	80MHz	30KHz	TM7	518598	Outer Full	77.76	79.92	PASS
N41	80MHz	30KHz	TM8	518598	Outer Full	77.65	79.98	PASS
N41	90MHz	30KHz	TM1	518598	Outer Full	85.86	88.51	PASS
N41	90MHz	30KHz	TM2	518598	Outer Full	86.15	88.60	PASS
N41	90MHz	30KHz	TM3	518598	Outer Full	85.77	88.39	PASS
N41	90MHz	30KHz	TM4	518598	Outer Full	85.98	88.69	PASS
N41	90MHz	30KHz	TM5	518598	Outer Full	87.79	90.27	PASS
N41	90MHz	30KHz	TM6	518598	Outer Full	87.41	90.43	PASS
N41	90MHz	30KHz	TM7	518598	Outer Full	87.58	90.30	PASS
N41	90MHz	30KHz	TM8	518598	Outer Full	87.39	90.26	PASS
N41	100MHz	30KHz	TM1	518598	Outer Full	96.73	99.52	PASS
N41	100MHz	30KHz	TM2	518598	Outer Full	96.63	99.52	PASS
				1		i		1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



Report No.:SAR/2021/4000902 Page: 63 of 291

N41	100MHz	30KHz	TM3	518598	Outer Full	96.68	99.54	PASS
N41	100MHz	30KHz	TM4	518598	Outer Full	96.76	99.5	PASS
N41	100MHz	30KHz	TM5	518598	Outer Full	97.86	100.4	PASS
N41	100MHz	30KHz	TM6	518598	Outer Full	97.53	100.5	PASS
N41	100MHz	30KHz	TM7	518598	Outer Full	97.60	100.4	PASS
N41	100MHz	30KHz	TM8	518598	Outer Full	97.61	100.5	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

Report No.:SAR/2021/4000902 Page: 64 of 291

#### **Test Graphs**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 65 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 66 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 67 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Report No.:SAR/2021/4000902 Page: 68 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 69 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 70 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate\*\*.



Report No.:SAR/2021/4000902 Page: 71 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate\*\*.

Report No.:SAR/2021/4000902 Page: 72 of 291






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.:SAR/2021/4000902 Page: 73 of 291





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,