



Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	37.47	8.40	45.87	74.00	-28.13	peak
2	9618.000	37.37	13.29	50.66	74.00	-23.34	peak
3	11004.000	40.80	14.18	54.98	74.00	-19.02	peak
4	11004.000	31.03	14.18	45.21	54.00	-8.79	AVG
5	12676.000	30.01	18.46	48.47	74.00	-25.53	peak
6	13974.000	28.64	21.70	50.34	74.00	-23.66	peak
7	17329.000	24.86	24.80	49.66	74.00	-24.34	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	36.97	7.73	44.70	74.00	-29.30	peak
2	9530.000	37.86	12.99	50.85	74.00	-23.15	peak
3	11158.000	46.12	15.88	62.00	74.00	-12.00	peak
4	11158.000	36.74	15.88	52.62	54.00	-1.38	AVG
5	13853.000	28.34	22.83	51.17	74.00	-22.83	peak
6	16735.000	28.01	22.03	50.04	74.00	-23.96	peak
7	17791.000	24.01	27.19	51.20	74.00	-22.80	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	40.03	8.56	48.59	74.00	-25.41	peak
2	9574.000	37.19	13.16	50.35	74.00	-23.65	peak
3	11158.000	39.90	14.86	54.76	74.00	-19.24	peak
4	11158.000	28.82	14.86	43.68	54.00	-10.32	AVG
5	12654.000	30.84	18.39	49.23	74.00	-24.77	peak
6	13589.000	29.80	20.36	50.16	74.00	-23.84	peak
7	17329.000	25.66	24.80	50.46	74.00	-23.54	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.73	7.89	46.62	74.00	-27.38	peak
2	9596.000	37.54	13.40	50.94	74.00	-23.06	peak
3	11400.000	42.57	17.38	59.95	74.00	-14.05	peak
4	11400.000	34.63	17.38	52.01	54.00	-1.99	AVG
5	12709.000	29.62	19.59	49.21	74.00	-24.79	peak
6	13776.000	28.51	22.55	51.06	74.00	-22.94	peak
7	17945.000	22.22	28.83	51.05	74.00	-22.95	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7858.000	38.79	8.53	47.32	74.00	-26.68	peak
2	9508.000	37.96	12.85	50.81	74.00	-23.19	peak
3	11400.000	37.19	16.02	53.21	74.00	-20.79	peak
4	11400.000	26.70	16.02	42.72	54.00	-11.28	AVG
5	12621.000	30.25	18.29	48.54	74.00	-25.46	peak
6	13611.000	29.74	20.41	50.15	74.00	-23.85	peak
7	17230.000	26.37	24.73	51.10	74.00	-22.90	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	38.22	7.64	45.86	74.00	-28.14	peak
2	9640.000	37.04	13.53	50.57	74.00	-23.43	peak
3	11444.000	43.19	17.57	60.76	74.00	-13.24	peak
4	11444.000	35.01	17.57	52.58	54.00	-1.42	AVG
5	12566.000	30.24	19.10	49.34	74.00	-24.66	peak
6	14040.000	27.37	23.44	50.81	74.00	-23.19	peak
7	17956.000	21.97	29.14	51.11	74.00	-22.89	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.52	8.30	45.82	74.00	-28.18	peak
2	9178.000	39.37	11.71	51.08	74.00	-22.92	peak
3	11444.000	37.56	16.15	53.71	74.00	-20.29	peak
4	11444.000	29.06	16.15	45.21	54.00	-8.79	AVG
5	13842.000	26.94	21.33	48.27	74.00	-25.73	peak
6	16405.000	24.13	23.60	47.73	74.00	-26.27	peak
7	17901.000	22.61	26.79	49.40	74.00	-24.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	38.63	7.64	46.27	74.00	-27.73	peak
2	9706.000	36.74	13.65	50.39	74.00	-23.61	peak
3	11488.000	42.27	17.77	60.04	74.00	-13.96	peak
4	11488.000	34.84	17.77	52.61	54.00	-1.39	AVG
5	12676.000	30.18	19.48	49.66	74.00	-24.34	peak
6	13974.000	27.17	23.50	50.67	74.00	-23.33	peak
7	17934.000	22.37	28.91	51.28	74.00	-22.72	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	37.90	8.29	46.19	74.00	-27.81	peak
2	9508.000	37.83	12.90	50.73	74.00	-23.27	peak
3	11488.000	34.79	16.29	51.08	74.00	-22.92	peak
4	12709.000	29.13	18.58	47.71	74.00	-26.29	peak
5	14249.000	27.75	21.54	49.29	74.00	-24.71	peak
6	16911.000	26.08	24.26	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7913.000	40.13	8.05	48.18	74.00	-25.82	peak
2	9541.000	37.48	13.10	50.58	74.00	-23.42	peak
3	10355.000	36.75	13.31	50.06	74.00	-23.94	peak
4	11576.000	41.80	18.04	59.84	74.00	-14.16	peak
5	11576.000	34.33	18.04	52.37	54.00	-1.63	AVG
6	14029.000	27.61	23.49	51.10	74.00	-22.90	peak
7	18000.000	21.05	29.61	50.66	74.00	-23.34	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	38.05	8.35	46.40	74.00	-27.60	peak
2	9607.000	38.10	13.33	51.43	74.00	-22.57	peak
3	11565.000	35.27	16.56	51.83	74.00	-22.17	peak
4	12643.000	29.89	18.35	48.24	74.00	-25.76	peak
5	14249.000	28.54	21.54	50.08	74.00	-23.92	peak
6	17296.000	25.69	24.98	50.67	74.00	-23.33	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	37.64	7.66	45.30	74.00	-28.70	peak
2	9640.000	37.24	13.53	50.77	74.00	-23.23	peak
3	11653.000	40.97	18.06	59.03	74.00	-14.97	peak
4	11653.000	34.10	18.06	52.16	54.00	-1.84	AVG
5	12225.000	31.58	18.74	50.32	74.00	-23.68	peak
6	13996.000	27.61	23.59	51.20	74.00	-22.80	peak
7	17868.000	22.64	28.21	50.85	74.00	-23.15	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7033.000	38.00	8.06	46.06	74.00	-27.94	peak
2	9321.000	38.18	12.10	50.28	74.00	-23.72	peak
3	11642.000	34.71	16.68	51.39	74.00	-22.61	peak
4	12709.000	30.51	18.58	49.09	74.00	-24.91	peak
5	14865.000	29.73	20.40	50.13	74.00	-23.87	peak
6	17934.000	22.75	27.00	49.75	74.00	-24.25	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9508.000	37.74	12.91	50.65	74.00	-23.35	peak
2*	10388.000	44.50	13.33	57.83	68.20	-10.37	peak
3	11004.000	35.28	15.08	50.36	74.00	-23.64	peak
4	11268.000	33.24	16.57	49.81	74.00	-24.19	peak
5	13116.000	29.10	20.56	49.66	74.00	-24.34	peak
6	17978.000	20.42	29.38	49.80	74.00	-24.20	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.84	11.88	50.72	74.00	-23.28	peak
2*	10377.000	41.59	13.01	54.60	68.20	-13.60	peak
3	11312.000	35.12	15.59	50.71	74.00	-23.29	peak
4	12687.000	32.38	18.51	50.89	74.00	-23.11	peak
5	14425.000	28.97	20.98	49.95	74.00	-24.05	peak
6	17780.000	24.77	26.06	50.83	74.00	-23.17	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.73	11.84	50.57	74.00	-23.43	peak
2*	10454.000	45.33	13.45	58.78	68.20	-9.42	peak
3	10960.000	35.55	14.93	50.48	74.00	-23.52	peak
4	13116.000	28.31	20.56	48.87	74.00	-25.13	peak
5	13644.000	27.06	22.35	49.41	74.00	-24.59	peak
6	18000.000	20.62	29.61	50.23	74.00	-23.77	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	37.65	13.30	50.95	74.00	-23.05	peak
2*	10454.000	42.50	13.21	55.71	68.20	-12.49	peak
3	11433.000	34.00	16.11	50.11	74.00	-23.89	peak
4	13149.000	30.55	19.34	49.89	74.00	-24.11	peak
5	16548.000	25.90	23.56	49.46	74.00	-24.54	peak
6	17736.000	24.36	25.83	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.31	12.97	50.28	74.00	-23.72	peak
2*	10542.000	47.02	13.66	60.68	68.20	-7.52	peak
3	11015.000	35.27	15.14	50.41	74.00	-23.59	peak
4	12709.000	30.56	19.60	50.16	74.00	-23.84	peak
5	14029.000	26.11	23.49	49.60	74.00	-24.40	peak
6	17670.000	22.89	26.22	49.11	74.00	-24.89	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.61	11.88	50.49	74.00	-23.51	peak
2*	10553.000	44.87	13.43	58.30	58.20	-9.90	peak
3	12775.000	31.12	18.82	49.94	74.00	-24.06	peak
4	13820.000	27.90	21.24	49.14	74.00	-24.86	peak
5	16152.000	26.10	23.85	49.95	74.00	-24.05	peak
6	17406.000	25.77	25.05	50.82	74.00	-23.18	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	37.33	13.31	50.64	74.00	-23.36	peak
2	10619.000	47.17	13.88	61.05	74.00	-12.95	peak
3	10619.000	34.82	13.88	48.70	54.00	-5.30	AVG
4	11103.000	34.91	15.63	50.54	74.00	-23.46	peak
5	13160.000	29.48	20.74	50.22	74.00	-23.78	peak
6	13809.000	27.40	22.83	50.23	74.00	-23.77	peak
7	17945.000	21.70	29.03	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.81	12.13	50.94	74.00	-23.06	peak
2	9695.000	37.66	13.34	51.00	74.00	-23.00	peak
3	10608.000	42.20	13.52	55.72	74.00	-18.28	peak
4	10608.000	29.70	13.52	43.22	54.00	-10.78	AVG
5	12687.000	32.04	18.51	50.55	74.00	-23.45	peak
6	13633.000	29.64	20.64	50.28	74.00	-23.72	peak
7	17835.000	24.45	26.38	50.83	74.00	-23.17	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9684.000	36.85	13.60	50.45	74.00	-23.55	peak
2	11037.000	41.23	15.27	56.50	74.00	-17.50	peak
3	11037.000	29.62	15.27	44.89	54.00	-9.11	AVG
4	11620.000	32.61	18.08	50.69	74.00	-23.31	peak
5	12599.000	31.69	19.16	50.85	74.00	-23.15	peak
6	13435.000	28.52	21.79	50.31	74.00	-23.69	peak
7	18000.000	20.93	29.61	50.54	74.00	-23.46	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.84	11.99	50.83	74.00	-23.17	peak
2	9662.000	37.50	13.34	50.84	74.00	-23.16	peak
3	11026.000	38.36	14.37	52.73	74.00	-21.27	peak
4	11026.000	27.17	14.37	41.54	54.00	-12.46	AVG
5	12368.000	32.64	17.98	50.62	74.00	-23.38	peak
6	13809.000	28.08	21.19	49.27	74.00	-24.73	peak
7	17769.000	24.79	26.00	50.79	74.00	-23.21	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	37.21	13.44	50.65	74.00	-23.35	peak
2	11092.000	44.77	15.56	60.33	74.00	-13.67	peak
3	11092.000	34.27	15.56	49.83	54.00	-4.17	AVG
4	12346.000	31.68	18.91	50.59	74.00	-23.41	peak
5	13116.000	29.71	20.56	50.27	74.00	-23.73	peak
6	14029.000	26.69	23.49	50.18	74.00	-23.82	peak
7	18000.000	20.81	29.61	50.42	74.00	-23.58	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.80	11.82	50.62	74.00	-23.38	peak
2	9728.000	36.99	13.36	50.35	74.00	-23.65	peak
3	11103.000	38.25	14.68	52.93	74.00	-21.07	peak
4	11103.000	25.60	14.68	40.28	54.00	-13.72	AVG
5	12742.000	31.82	18.70	50.52	74.00	-23.48	peak
6	14040.000	28.35	21.95	50.30	74.00	-23.70	peak
7	17703.000	25.09	25.65	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.64	11.81	50.45	74.00	-23.55	peak
2	9574.000	37.28	13.31	50.59	74.00	-23.41	peak
3	11334.000	45.68	16.96	62.64	74.00	-11.36	peak
4	11334.000	34.77	16.96	51.73	54.00	-2.27	AVG
5	12368.000	31.69	18.94	50.63	74.00	-23.37	peak
6	13974.000	26.29	23.50	49.79	74.00	-24.21	peak
7	17791.000	22.17	27.39	49.56	74.00	-24.44	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	38.68	11.52	50.20	74.00	-23.80	peak
2	9508.000	37.36	12.90	50.26	74.00	-23.74	peak
3	11345.000	38.76	15.76	54.52	74.00	-19.48	peak
4	11345.000	26.81	15.76	42.57	54.00	-11.43	AVG
5	12181.000	33.26	17.67	50.93	74.00	-23.07	peak
6	14007.000	28.84	22.01	50.85	74.00	-23.15	peak
7	17824.000	24.48	26.31	50.79	74.00	-23.21	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	38.48	12.03	50.51	74.00	-23.49	peak
2	10817.000	36.26	14.48	50.74	74.00	-23.26	peak
3	11422.000	44.86	17.46	62.32	74.00	-11.68	peak
4	11422.000	34.71	17.46	52.17	54.00	-1.83	AVG
5	12390.000	31.78	18.97	50.75	74.00	-23.25	peak
6	13820.000	27.45	22.88	50.33	74.00	-23.67	peak
7	17758.000	23.67	27.07	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.51	12.94	50.45	74.00	-23.55	peak
2	11422.000	39.71	16.07	55.78	74.00	-18.22	peak
3	11422.000	27.58	16.07	43.65	54.00	-10.35	AVG
4	12335.000	32.33	17.93	50.26	74.00	-23.74	peak
5	14447.000	28.62	20.97	49.59	74.00	-24.41	peak
6	16944.000	26.41	24.33	50.74	74.00	-23.26	peak
7	17659.000	25.42	25.42	50.84	74.00	-23.16	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9453.000	38.18	12.55	50.73	74.00	-23.27	peak
2	11037.000	35.62	15.27	50.89	74.00	-23.11	peak
3	11510.000	45.34	17.86	63.20	74.00	-10.80	peak
4	11510.000	34.66	17.86	52.52	54.00	-1.48	AVG
5	12555.000	31.47	19.09	50.56	74.00	-23.44	peak
6	13963.000	26.94	23.46	50.40	74.00	-23.60	peak
7	17967.000	21.72	29.26	50.98	74.00	-23.02	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.63	12.01	50.64	74.00	-23.36	peak
2	11510.000	40.32	16.37	56.69	74.00	-17.31	peak
3	11510.000	28.42	16.37	44.79	54.00	-9.21	AVG
4	12324.000	33.00	17.90	50.90	74.00	-23.10	peak
5	14051.000	28.88	21.93	50.81	74.00	-23.19	peak
6	16339.000	26.51	23.77	50.28	74.00	-23.72	peak
7	17780.000	24.60	26.06	50.66	74.00	-23.34	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9442.000	37.92	12.48	50.40	74.00	-23.60	peak
2	10553.000	36.27	13.70	49.97	74.00	-24.03	peak
3	11587.000	41.63	18.07	59.70	74.00	-14.30	peak
4	11587.000	34.24	18.07	52.31	54.00	-1.69	AVG
5	12577.000	31.71	19.13	50.84	74.00	-23.16	peak
6	13864.000	27.82	23.06	50.88	74.00	-23.12	peak
7	17714.000	23.40	26.66	50.06	74.00	-23.94	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.62	12.94	50.56	74.00	-23.44	peak
2	10916.000	36.77	14.09	50.86	74.00	-23.14	peak
3	11598.000	40.04	16.68	56.72	74.00	-17.28	peak
4	11598.000	28.43	16.68	45.11	54.00	-8.89	AVG
5	12258.000	32.07	17.79	49.86	74.00	-24.14	peak
6	13633.000	29.22	20.64	49.86	74.00	-24.14	peak
7	17835.000	24.59	26.38	50.97	74.00	-23.03	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.66	11.99	50.65	74.00	-23.35	peak
2*	10443.000	49.44	13.43	62.87	68.20	-5.33	peak
3	10850.000	36.06	14.59	50.65	74.00	-23.35	peak
4	12808.000	30.83	19.98	50.81	74.00	-23.19	peak
5	13655.000	27.75	22.38	50.13	74.00	-23.87	peak
6	18000.000	21.26	29.61	50.87	74.00	-23.13	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	38.95	11.52	50.47	74.00	-23.53	peak
2*	10432.000	43.81	13.14	56.95	68.20	-11.25	peak
3	11829.000	34.02	16.82	50.84	74.00	-23.16	peak
4	12324.000	32.34	17.90	50.24	74.00	-23.76	peak
5	16834.000	26.05	24.11	50.16	74.00	-23.84	peak
6	17747.000	24.42	25.89	50.31	74.00	-23.69	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	37.10	13.23	50.33	74.00	-23.67	peak
2*	10597.000	44.18	13.82	58.00	68.20	-10.20	peak
3	11576.000	32.40	18.04	50.44	74.00	-23.56	peak
4	12610.000	31.02	19.20	50.22	74.00	-23.78	peak
5	13369.000	28.53	21.52	50.05	74.00	-23.95	peak
6	17923.000	21.84	28.78	50.62	74.00	-23.38	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	39.06	11.82	50.88	74.00	-23.12	peak
2*	10586.000	41.77	13.48	55.25	68.20	-12.95	peak
3	12621.000	31.33	18.27	49.60	74.00	-24.40	peak
4	13853.000	28.39	21.38	49.77	74.00	-24.23	peak
5	14678.000	29.24	20.75	49.99	74.00	-24.01	peak
6	17241.000	25.42	24.94	50.36	74.00	-23.64	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9783.000	36.57	13.77	50.34	74.00	-23.66	peak
2	11070.000	39.08	15.44	54.52	74.00	-19.48	peak
3	11070.000	28.20	15.44	43.64	54.00	-10.36	AVG
4	11862.000	32.25	18.14	50.39	74.00	-23.61	peak
5	12709.000	30.55	19.60	50.15	74.00	-23.85	peak
6	13853.000	26.32	23.01	49.33	74.00	-24.67	peak
7	17934.000	21.45	28.91	50.36	74.00	-23.64	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.98	11.96	50.94	74.00	-23.06	peak
2	9596.000	37.09	13.30	50.39	74.00	-23.61	peak
3	10927.000	36.12	14.11	50.23	74.00	-23.77	peak
4	12698.000	31.48	18.54	50.02	74.00	-23.98	peak
5	14029.000	27.98	21.96	49.94	74.00	-24.06	peak
6	16933.000	25.65	24.30	49.95	74.00	-24.05	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.96	13.49	50.45	74.00	-23.55	peak
2	11235.000	43.32	16.38	59.70	74.00	-14.30	peak
3	11235.000	31.51	16.38	47.89	54.00	-6.11	AVG
4	11884.000	32.46	18.20	50.66	74.00	-23.34	peak
5	12588.000	30.88	19.14	50.02	74.00	-23.98	peak
6	13996.000	25.97	23.59	49.56	74.00	-24.44	peak
7	17857.000	22.35	28.08	50.43	74.00	-23.57	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	38.86	11.48	50.34	74.00	-23.66	peak
2	9585.000	37.40	13.26	50.66	74.00	-23.34	peak
3	11235.000	38.88	15.25	54.13	74.00	-19.87	peak
4	11235.000	26.92	15.25	42.17	54.00	-11.83	AVG
5	12709.000	31.01	18.58	49.59	74.00	-24.41	peak
6	13798.000	28.80	21.15	49.95	74.00	-24.05	peak
7	17945.000	23.44	27.07	50.51	74.00	-23.49	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.89	11.66	50.55	74.00	-23.45	peak
2	10960.000	35.43	14.93	50.36	74.00	-23.64	peak
3	11411.000	43.41	17.41	60.82	74.00	-13.18	peak
4	11411.000	31.14	17.41	48.55	54.00	-5.45	AVG
5	12698.000	31.12	19.56	50.68	74.00	-23.32	peak
6	13930.000	25.98	23.32	49.30	74.00	-24.70	peak
7	17967.000	20.79	29.26	50.05	74.00	-23.95	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	38.52	11.68	50.20	74.00	-23.80	peak
2	9596.000	37.46	13.30	50.76	74.00	-23.24	peak
3	11400.000	41.84	16.00	57.84	74.00	-16.16	peak
4	11400.000	30.12	16.00	46.12	54.00	-7.88	AVG
5	12302.000	32.96	17.87	50.83	74.00	-23.17	peak
6	16284.000	25.95	23.92	49.87	74.00	-24.13	peak
7	18000.000	23.52	27.41	50.93	74.00	-23.07	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.48	11.74	50.22	74.00	-23.78	peak
2	9607.000	37.38	13.48	50.86	74.00	-23.14	peak
3	11565.000	44.55	18.01	62.56	74.00	-11.44	peak
4	11565.000	32.22	18.01	50.23	54.00	-3.77	AVG
5	12401.000	31.97	18.98	50.95	74.00	-23.05	peak
6	13523.000	28.53	22.08	50.61	74.00	-23.39	peak
7	18000.000	21.17	29.61	50.78	74.00	-23.22	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.71	11.92	50.63	74.00	-23.37	peak
2	9508.000	37.62	12.90	50.52	74.00	-23.48	peak
3	11565.000	42.84	16.56	59.40	74.00	-14.60	peak
4	11565.000	31.12	16.56	47.68	54.00	-6.32	AVG
5	12687.000	32.27	18.51	50.78	74.00	-23.22	peak
6	13963.000	29.03	21.85	50.88	74.00	-23.12	peak
7	16911.000	26.35	24.26	50.61	74.00	-23.39	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9640.000	37.22	13.53	50.75	74.00	-23.25	peak
2*	10355.000	48.41	13.31	61.72	68.20	-6.48	peak
3	11840.000	31.98	18.09	50.07	74.00	-23.93	peak
4	12709.000	30.65	19.60	50.25	74.00	-23.75	peak
5	14029.000	26.19	23.49	49.68	74.00	-24.32	peak
6	17714.000	23.58	26.66	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	37.36	13.32	50.68	74.00	-23.32	peak
2*	10355.000	41.69	12.97	54.66	68.20	-13.54	peak
3	12643.000	32.10	18.35	50.45	74.00	-23.55	peak
4	14029.000	28.78	21.96	50.74	74.00	-23.26	peak
5	16405.000	26.74	23.60	50.34	74.00	-23.66	peak
6	17780.000	24.31	26.06	50.37	74.00	-23.63	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9442.000	37.96	12.48	50.44	74.00	-23.56	peak
2*	10399.000	49.02	13.35	62.37	68.20	-5.83	peak
3	11279.000	33.85	16.63	50.48	74.00	-23.52	peak
4	13105.000	29.29	20.50	49.79	74.00	-24.21	peak
5	13765.000	27.46	22.70	50.16	74.00	-23.84	peak
6	17934.000	21.55	28.91	50.46	74.00	-23.54	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.66	11.76	50.42	74.00	-23.58	peak
2*	10399.000	43.76	13.05	56.81	68.20	-11.39	peak
3	11609.000	33.05	16.68	49.73	74.00	-24.27	peak
4	12390.000	32.12	18.03	50.15	74.00	-23.85	peak
5	13259.000	30.25	19.67	49.92	74.00	-24.08	peak
6	16889.000	25.85	24.21	50.06	74.00	-23.94	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9431.000	37.91	12.41	50.32	74.00	-23.68	peak
2*	10476.000	45.98	13.49	59.47	68.20	-8.73	peak
3	11510.000	31.95	17.86	49.81	74.00	-24.19	peak
4	12698.000	31.18	19.56	50.74	74.00	-23.26	peak
5	13567.000	28.12	22.16	50.28	74.00	-23.72	peak
6	18000.000	21.02	29.61	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	38.32	12.23	50.55	74.00	-23.45	peak
2*	10476.000	42.35	13.26	55.61	68.20	-12.59	peak
3	12577.000	31.78	18.18	49.96	74.00	-24.04	peak
4	13963.000	28.39	21.85	50.24	74.00	-23.76	peak
5	16812.000	25.57	24.07	49.64	74.00	-24.36	peak
6	17934.000	23.79	27.00	50.79	74.00	-23.21	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	36.90	13.44	50.34	74.00	-23.66	peak
2*	10509.000	50.87	13.56	64.43	68.20	-3.77	peak
3	11587.000	32.81	18.07	50.88	74.00	-23.12	peak
4	12214.000	31.60	18.73	50.33	74.00	-23.67	peak
5	13864.000	27.08	23.06	50.14	74.00	-23.86	peak
6	17901.000	21.91	28.56	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9464.000	37.83	12.65	50.48	74.00	-23.52	peak
2*	10520.000	45.59	13.36	58.95	68.20	-9.25	peak
3	11873.000	34.01	16.96	50.97	74.00	-23.03	peak
4	13303.000	30.58	19.78	50.36	74.00	-23.64	peak
5	14095.000	28.68	21.86	50.54	74.00	-23.46	peak
6	16262.000	26.37	23.98	50.35	74.00	-23.65	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	36.69	13.38	50.07	74.00	-23.93	peak
2*	10553.000	49.71	13.70	63.41	68.20	-4.79	peak
3	11972.000	32.48	18.42	50.90	74.00	-23.10	peak
4	12379.000	31.82	18.95	50.77	74.00	-23.23	peak
5	13094.000	30.40	20.46	50.86	74.00	-23.14	peak
6	17934.000	21.84	28.91	50.75	74.00	-23.25	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	39.00	11.76	50.76	74.00	-23.24	peak
2	9607.000	37.50	13.33	50.83	74.00	-23.17	peak
3*	10553.000	46.71	13.43	60.14	68.20	-8.06	peak
4	11345.000	33.35	15.76	49.11	74.00	-24.89	peak
5	12764.000	31.21	18.77	49.98	74.00	-24.02	peak
6	17736.000	24.16	25.83	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.81	11.81	50.62	74.00	-23.38	peak
2	10630.000	48.25	13.92	62.17	74.00	-11.83	peak
3	10630.000	36.44	13.92	50.36	54.00	-3.64	AVG
4	11653.000	32.66	18.06	50.72	74.00	-23.28	peak
5	12632.000	31.20	19.29	50.49	74.00	-23.51	peak
6	13974.000	26.35	23.50	49.85	74.00	-24.15	peak
7	17989.000	20.39	29.49	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.28	12.01	50.29	74.00	-23.71	peak
2	10630.000	43.20	13.57	56.77	74.00	-17.23	peak
3	10630.000	32.06	13.57	45.63	54.00	-8.37	AVG
4	11631.000	33.66	16.68	50.34	74.00	-23.66	peak
5	13974.000	28.30	21.89	50.19	74.00	-23.81	peak
6	16009.000	26.23	22.93	49.16	74.00	-24.84	peak
7	17747.000	24.49	25.89	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	37.18	13.49	50.67	74.00	-23.33	peak
2	10278.000	37.31	13.25	50.56	74.00	-23.44	peak
3	11004.000	42.58	15.08	57.66	74.00	-16.34	peak
4	11004.000	31.12	15.08	46.20	54.00	-7.80	AVG
5	12621.000	31.67	19.24	50.91	74.00	-23.09	peak
6	14084.000	27.15	23.26	50.41	74.00	-23.59	peak
7	17835.000	22.79	27.86	50.65	74.00	-23.35	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9530.000	37.74	13.00	50.74	74.00	-23.26	peak
2	11004.000	40.46	14.27	54.73	74.00	-19.27	peak
3	11004.000	28.41	14.27	42.68	54.00	-11.32	AVG
4	12390.000	32.40	18.03	50.43	74.00	-23.57	peak
5	16405.000	26.04	23.60	49.64	74.00	-24.36	peak
6	16834.000	26.27	24.11	50.38	74.00	-23.62	peak
7	17934.000	23.70	27.00	50.70	74.00	-23.30	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9508.000	37.57	12.91	50.48	74.00	-23.52	peak
2	11158.000	43.31	15.93	59.24	74.00	-14.76	peak
3	11158.000	32.18	15.93	48.11	54.00	-5.89	AVG
4	11884.000	32.75	18.20	50.95	74.00	-23.05	peak
5	13105.000	29.74	20.50	50.24	74.00	-23.76	peak
6	13996.000	26.98	23.59	50.57	74.00	-23.43	peak
7	17736.000	23.63	26.86	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.05	13.26	50.31	74.00	-23.69	peak
2	11158.000	42.93	14.91	57.84	74.00	-16.16	peak
3	11158.000	31.62	14.91	46.53	54.00	-7.47	AVG
4	11642.000	33.83	16.68	50.51	74.00	-23.49	peak
5	12698.000	31.75	18.54	50.29	74.00	-23.71	peak
6	14766.000	29.49	20.64	50.13	74.00	-23.87	peak
7	17736.000	24.53	25.83	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.43	11.84	50.27	74.00	-23.73	peak
2	9739.000	37.06	13.70	50.76	74.00	-23.24	peak
3	11400.000	47.10	17.36	64.46	74.00	-9.54	peak
4	11400.000	35.25	17.36	52.61	54.00	-1.39	AVG
5	12687.000	31.46	19.52	50.98	74.00	-23.02	peak
6	13303.000	29.68	21.29	50.97	74.00	-23.03	peak
7	17934.000	21.77	28.91	50.68	74.00	-23.32	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9717.000	36.89	13.35	50.24	74.00	-23.76	peak
2	11400.000	42.12	16.00	58.12	74.00	-15.88	peak
3	11400.000	30.23	16.00	46.23	54.00	-7.77	AVG
4	12434.000	32.46	18.06	50.52	74.00	-23.48	peak
5	13523.000	30.09	20.38	50.47	74.00	-23.53	peak
6	14128.000	28.45	21.82	50.27	74.00	-23.73	peak
7	17340.000	25.09	25.01	50.10	74.00	-23.90	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	38.84	11.17	50.01	74.00	-23.99	peak
2	9640.000	36.84	13.53	50.37	74.00	-23.63	peak
3	11444.000	46.62	17.57	64.19	74.00	-9.81	peak
4	11444.000	34.46	17.57	52.03	54.00	-1.97	AVG
5	12148.000	31.83	18.66	50.49	74.00	-23.51	peak
6	13930.000	27.56	23.32	50.88	74.00	-23.12	peak
7	17164.000	26.68	23.68	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	38.43	12.07	50.50	74.00	-23.50	peak
2	11444.000	41.26	16.15	57.41	74.00	-16.59	peak
3	11444.000	29.18	16.15	45.33	54.00	-8.67	AVG
4	12214.000	32.92	17.71	50.63	74.00	-23.37	peak
5	13996.000	27.42	21.99	49.41	74.00	-24.59	peak
6	16856.000	26.04	24.14	50.18	74.00	-23.82	peak
7	17791.000	23.98	26.11	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.98	11.74	50.72	74.00	-23.28	peak
2	9695.000	36.95	13.62	50.57	74.00	-23.43	peak
3	11488.000	46.45	17.77	64.22	74.00	-9.78	peak
4	11488.000	34.76	17.77	52.53	54.00	-1.47	AVG
5	12698.000	31.14	19.56	50.70	74.00	-23.30	peak
6	13468.000	28.21	21.91	50.12	74.00	-23.88	peak
7	17802.000	22.52	27.51	50.03	74.00	-23.97	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.14	11.96	50.10	74.00	-23.90	peak
2	9717.000	36.51	13.35	49.86	74.00	-24.14	peak
3	11488.000	41.39	16.29	57.68	74.00	-16.32	peak
4	11488.000	29.00	16.29	45.29	54.00	-8.71	AVG
5	12346.000	32.37	17.95	50.32	74.00	-23.68	peak
6	13963.000	27.84	21.85	49.69	74.00	-24.31	peak
7	17208.000	25.17	24.92	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9706.000	36.82	13.65	50.47	74.00	-23.53	peak
2	11202.000	34.41	16.17	50.58	74.00	-23.42	peak
3	11565.000	43.12	18.01	61.13	74.00	-12.87	peak
4	11565.000	34.87	18.01	52.88	54.00	-1.12	AVG
5	12830.000	30.38	19.99	50.37	74.00	-23.63	peak
6	13798.000	28.03	22.79	50.82	74.00	-23.18	peak
7	17516.000	24.92	25.06	49.98	74.00	-24.02	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9530.000	37.74	13.00	50.74	74.00	-23.26	peak
2	10553.000	36.69	13.43	50.12	74.00	-23.88	peak
3	11554.000	38.71	16.51	55.22	74.00	-18.78	peak
4	11554.000	27.84	16.51	44.35	54.00	-9.65	AVG
5	12368.000	32.48	17.98	50.46	74.00	-23.54	peak
6	15910.000	26.72	22.31	49.03	74.00	-24.97	peak
7	17736.000	24.44	25.83	50.27	74.00	-23.73	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9739.000	36.80	13.70	50.50	74.00	-23.50	peak
2	10806.000	36.06	14.44	50.50	74.00	-23.50	peak
3	11642.000	42.94	18.07	61.01	74.00	-12.99	peak
4	11642.000	34.64	18.07	52.71	54.00	-1.29	AVG
5	12720.000	30.68	19.65	50.33	74.00	-23.67	peak
6	14040.000	26.49	23.44	49.93	74.00	-24.07	peak
7	17791.000	22.59	27.39	49.98	74.00	-24.02	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	38.11	12.07	50.18	74.00	-23.82	peak
2	10784.000	35.91	13.83	49.74	74.00	-24.26	peak
3	11642.000	38.08	16.68	54.76	74.00	-19.24	peak
4	11642.000	26.54	16.68	43.22	54.00	-10.78	AVG
5	12555.000	32.19	18.15	50.34	74.00	-23.66	peak
6	13908.000	28.57	21.62	50.19	74.00	-23.81	peak
7	16911.000	26.01	24.26	50.27	74.00	-23.73	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	39.19	11.74	50.93	74.00	-23.07	peak
2*	10377.000	49.84	13.34	63.18	68.20	-5.02	peak
3	11048.000	35.28	15.33	50.61	74.00	-23.39	peak
4	12610.000	31.35	19.20	50.55	74.00	-23.45	peak
5	13930.000	26.99	23.32	50.31	74.00	-23.69	peak
6	17648.000	24.27	26.01	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	37.69	13.14	50.83	74.00	-23.17	peak
2*	10377.000	45.06	13.01	58.07	68.20	-10.13	peak
3	12643.000	32.46	18.35	50.81	74.00	-23.19	peak
4	13149.000	31.48	19.34	50.82	74.00	-23.18	peak
5	14238.000	27.38	21.58	48.96	74.00	-25.04	peak
6	17076.000	25.45	24.61	50.06	74.00	-23.94	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9607.000	36.76	13.48	50.24	74.00	-23.76	peak
2*	10454.000	48.62	13.45	62.07	68.20	-6.13	peak
3	11400.000	33.47	17.36	50.83	74.00	-23.17	peak
4	12676.000	31.20	19.48	50.68	74.00	-23.32	peak
5	13666.000	27.29	22.41	49.70	74.00	-24.30	peak
6	18000.000	19.61	29.61	49.22	74.00	-24.78	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.31	11.96	50.27	74.00	-23.73	peak
2*	10454.000	45.31	13.21	58.52	68.20	-9.68	peak
3	11059.000	36.01	14.51	50.52	74.00	-23.48	peak
4	12786.000	31.87	18.86	50.73	74.00	-23.27	peak
5	14018.000	28.58	21.99	50.57	74.00	-23.43	peak
6	17461.000	25.16	25.00	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.88	13.49	50.37	74.00	-23.63	peak
2*	10542.000	48.92	13.66	62.58	68.20	-5.62	peak
3	11466.000	32.11	17.68	49.79	74.00	-24.21	peak
4	12698.000	30.42	19.56	49.98	74.00	-24.02	peak
5	13754.000	27.34	22.66	50.00	74.00	-24.00	peak
6	17945.000	21.60	29.03	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.34	13.04	50.38	74.00	-23.62	peak
2*	10542.000	43.66	13.41	57.07	68.20	-11.13	peak
3	12709.000	31.36	18.58	49.94	74.00	-24.06	peak
4	13600.000	29.65	20.54	50.19	74.00	-23.81	peak
5	16856.000	25.69	24.14	49.83	74.00	-24.17	peak
6	17912.000	23.48	26.87	50.35	74.00	-23.65	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	37.27	13.31	50.58	74.00	-23.42	peak
2	10619.000	47.28	13.88	61.16	74.00	-12.84	peak
3	10619.000	34.80	13.88	48.68	54.00	-5.32	AVG
4	11532.000	32.20	17.92	50.12	74.00	-23.88	peak
5	12654.000	30.39	19.39	49.78	74.00	-24.22	peak
6	13952.000	26.34	23.42	49.76	74.00	-24.24	peak
7	17637.000	23.79	25.91	49.70	74.00	-24.30	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.44	12.01	50.45	74.00	-23.55	peak
2	10608.000	42.35	13.52	55.87	74.00	-18.13	peak
3	10608.000	30.75	13.52	44.27	54.00	-9.73	AVG
4	11246.000	34.62	15.30	49.92	74.00	-24.08	peak
5	12357.000	31.49	17.96	49.45	74.00	-24.55	peak
6	16053.000	26.29	23.21	49.50	74.00	-24.50	peak
7	16790.000	26.05	24.03	50.08	74.00	-23.92	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.83	11.71	49.54	74.00	-24.46	peak
2	10190.000	37.18	13.19	50.37	74.00	-23.63	peak
3	11026.000	40.83	15.21	56.04	74.00	-17.96	peak
4	11026.000	30.10	15.21	45.31	54.00	-8.69	AVG
5	12610.000	31.07	19.20	50.27	74.00	-23.73	peak
6	13622.000	28.26	22.28	50.54	74.00	-23.46	peak
7	17725.000	23.48	26.75	50.23	74.00	-23.77	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.18	12.13	50.31	74.00	-23.69	peak
2	11026.000	40.71	14.37	55.08	74.00	-18.92	peak
3	11026.000	29.46	14.37	43.83	54.00	-10.17	AVG
4	12324.000	32.21	17.90	50.11	74.00	-23.89	peak
5	14018.000	28.15	21.99	50.14	74.00	-23.86	peak
6	16603.000	26.74	23.54	50.28	74.00	-23.72	peak
7	17824.000	24.34	26.31	50.65	74.00	-23.35	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.53	13.38	50.91	74.00	-23.09	peak
2	11114.000	42.10	15.68	57.78	74.00	-16.22	peak
3	11114.000	31.01	15.68	46.69	54.00	-7.31	AVG
4	11675.000	32.65	18.06	50.71	74.00	-23.29	peak
5	12885.000	30.91	20.02	50.93	74.00	-23.07	peak
6	13996.000	26.61	23.59	50.20	74.00	-23.80	peak
7	17648.000	23.96	26.01	49.97	74.00	-24.03	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9508.000	37.96	12.90	50.86	74.00	-23.14	peak
2	10278.000	37.08	12.82	49.90	74.00	-24.10	peak
3	11092.000	41.18	14.63	55.81	74.00	-18.19	peak
4	11092.000	29.14	14.63	43.77	54.00	-10.23	AVG
5	12643.000	32.33	18.35	50.68	74.00	-23.32	peak
6	13578.000	29.59	20.50	50.09	74.00	-23.91	peak
7	16966.000	26.49	24.36	50.85	74.00	-23.15	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.56	11.59	50.15	74.00	-23.85	peak
2	9673.000	36.93	13.58	50.51	74.00	-23.49	peak
3	11334.000	43.66	16.96	60.62	74.00	-13.38	peak
4	11334.000	34.63	16.96	51.59	54.00	-2.41	AVG
5	11829.000	32.44	18.06	50.50	74.00	-23.50	peak
6	13930.000	27.03	23.32	50.35	74.00	-23.65	peak
7	17714.000	23.12	26.66	49.78	74.00	-24.22	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	38.77	11.80	50.57	74.00	-23.43	peak
2	9530.000	37.59	13.00	50.59	74.00	-23.41	peak
3	11345.000	41.75	15.76	57.51	74.00	-16.49	peak
4	11345.000	30.41	15.76	46.17	54.00	-7.83	AVG
5	12203.000	32.91	17.69	50.60	74.00	-23.40	peak
6	14040.000	27.96	21.95	49.91	74.00	-24.09	peak
7	17065.000	25.97	24.58	50.55	74.00	-23.45	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.79	13.49	50.28	74.00	-23.72	peak
2	11070.000	35.55	15.44	50.99	74.00	-23.01	peak
3	11422.000	43.29	17.46	60.75	74.00	-13.25	peak
4	11422.000	33.02	17.46	50.48	54.00	-3.52	AVG
5	12676.000	31.72	19.48	51.20	74.00	-22.80	peak
6	13809.000	27.63	22.83	50.46	74.00	-23.54	peak
7	17439.000	25.39	24.81	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	39.05	11.68	50.73	74.00	-23.27	peak
2	11037.000	36.49	14.42	50.91	74.00	-23.09	peak
3	11422.000	43.60	16.07	59.67	74.00	-14.33	peak
4	11422.000	32.76	16.07	48.83	54.00	-5.17	AVG
5	12258.000	33.13	17.79	50.92	74.00	-23.08	peak
6	16944.000	25.60	24.33	49.93	74.00	-24.07	peak
7	17802.000	24.41	26.18	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.93	11.74	49.67	74.00	-24.33	peak
2	11136.000	34.47	15.81	50.28	74.00	-23.72	peak
3	11510.000	44.33	17.86	62.19	74.00	-11.81	peak
4	11510.000	34.48	17.86	52.34	54.00	-1.66	AVG
5	12676.000	30.77	19.48	50.25	74.00	-23.75	peak
6	13259.000	28.55	21.13	49.68	74.00	-24.32	peak
7	17945.000	21.27	29.03	50.30	74.00	-23.70	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9640.000	37.36	13.33	50.69	74.00	-23.31	peak
2	9992.000	37.51	12.67	50.18	74.00	-23.82	peak
3	11521.000	44.25	16.40	60.65	74.00	-13.35	peak
4	11521.000	31.97	16.40	48.37	54.00	-5.63	AVG
5	12335.000	32.62	17.93	50.55	74.00	-23.45	peak
6	13655.000	30.08	20.71	50.79	74.00	-23.21	peak
7	18000.000	22.85	27.41	50.26	74.00	-23.74	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9794.000	36.66	13.78	50.44	74.00	-23.56	peak
2	10795.000	36.06	14.41	50.47	74.00	-23.53	peak
3	11576.000	43.14	18.04	61.18	74.00	-12.82	peak
4	11576.000	34.82	18.04	52.86	54.00	-1.14	AVG
5	12731.000	30.81	19.70	50.51	74.00	-23.49	peak
6	17890.000	22.02	28.43	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.03	13.26	50.29	74.00	-23.71	peak
2	11587.000	41.04	16.64	57.68	74.00	-16.32	peak
3	11587.000	29.28	16.64	45.92	54.00	-8.08	AVG
4	12170.000	33.10	17.64	50.74	74.00	-23.26	peak
5	13930.000	27.90	21.71	49.61	74.00	-24.39	peak
6	16416.000	26.47	23.60	50.07	74.00	-23.93	peak
7	17791.000	24.52	26.11	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	37.46	13.31	50.77	74.00	-23.23	peak
2*	10443.000	47.88	13.43	61.31	68.20	-6.89	peak
3	11939.000	32.00	18.34	50.34	74.00	-23.66	peak
4	12588.000	31.36	19.14	50.50	74.00	-23.50	peak
5	13963.000	26.14	23.46	49.60	74.00	-24.40	peak
6	17989.000	21.06	29.49	50.55	74.00	-23.45	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.47	11.76	50.23	74.00	-23.77	peak
2*	10421.000	47.19	13.10	60.29	68.20	-7.91	peak
3	10861.000	36.28	13.98	50.26	74.00	-23.74	peak
4	12555.000	32.00	18.15	50.15	74.00	-23.85	peak
5	13281.000	30.67	19.72	50.39	74.00	-23.61	peak
6	17692.000	24.17	25.59	49.76	74.00	-24.24	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9024.000	39.27	10.77	50.04	74.00	-23.96	peak
2	9728.000	36.82	13.68	50.50	74.00	-23.50	peak
3*	10597.000	42.70	13.82	56.52	68.20	-11.68	peak
4	11521.000	32.54	17.88	50.42	74.00	-23.58	peak
5	12324.000	31.22	18.88	50.10	74.00	-23.90	peak
6	17835.000	22.51	27.86	50.37	74.00	-23.63	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.38	11.76	50.14	74.00	-23.86	peak
2	10597.000	39.38	13.51	52.89	74.00	-21.11	peak
3	12621.000	31.22	18.27	49.49	74.00	-24.51	peak
4	13798.000	28.49	21.15	49.64	74.00	-24.36	peak
5	15998.000	26.81	22.86	49.67	74.00	-24.33	peak
6	17989.000	23.46	27.33	50.79	74.00	-23.21	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	38.70	11.31	50.01	74.00	-23.99	peak
2	9739.000	37.17	13.70	50.87	74.00	-23.13	peak
3	11070.000	38.77	15.44	54.21	74.00	-19.79	peak
4	11070.000	27.63	15.44	43.07	54.00	-10.93	AVG
5	12676.000	31.07	19.48	50.55	74.00	-23.45	peak
6	13446.000	28.43	21.82	50.25	74.00	-23.75	peak
7	17945.000	21.22	29.03	50.25	74.00	-23.75	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	38.97	11.71	50.68	74.00	-23.32	peak
2	11048.000	38.04	14.46	52.50	74.00	-21.50	peak
3	11048.000	27.00	14.46	41.46	54.00	-12.54	AVG
4	11576.000	33.75	16.60	50.35	74.00	-23.65	peak
5	12599.000	31.58	18.20	49.78	74.00	-24.22	peak
6	16900.000	25.82	24.24	50.06	74.00	-23.94	peak
7	17890.000	23.54	26.72	50.26	74.00	-23.74	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9651.000	36.99	13.55	50.54	74.00	-23.46	peak
2	11235.000	41.21	16.38	57.59	74.00	-16.41	peak
3	11235.000	29.85	16.38	46.23	54.00	-7.77	AVG
4	11620.000	32.54	18.08	50.62	74.00	-23.38	peak
5	12731.000	30.70	19.70	50.40	74.00	-23.60	peak
6	14018.000	26.15	23.54	49.69	74.00	-24.31	peak
7	18000.000	20.65	29.61	50.26	74.00	-23.74	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.94	13.04	50.98	74.00	-23.02	peak
2	11246.000	40.07	15.30	55.37	74.00	-18.63	peak
3	11246.000	28.57	15.30	43.87	54.00	-10.13	AVG
4	12346.000	32.52	17.95	50.47	74.00	-23.53	peak
5	13116.000	31.25	19.24	50.49	74.00	-23.51	peak
6	16889.000	25.39	24.21	49.60	74.00	-24.40	peak
7	17813.000	24.30	26.24	50.54	74.00	-23.46	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	38.11	12.17	50.28	74.00	-23.72	peak
2	11400.000	42.58	17.36	59.94	74.00	-14.06	peak
3	11400.000	31.99	17.36	49.35	54.00	-4.65	AVG
4	12181.000	31.94	18.69	50.63	74.00	-23.37	peak
5	13138.000	29.66	20.64	50.30	74.00	-23.70	peak
6	13809.000	27.24	22.83	50.07	74.00	-23.93	peak
7	17934.000	21.59	28.91	50.50	74.00	-23.50	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.43	11.99	50.42	74.00	-23.58	peak
2	11411.000	40.68	16.04	56.72	74.00	-17.28	peak
3	11411.000	28.54	16.04	44.58	54.00	-9.42	AVG
4	12720.000	31.87	18.62	50.49	74.00	-23.51	peak
5	13776.000	28.75	21.09	49.84	74.00	-24.16	peak
6	16922.000	26.12	24.28	50.40	74.00	-23.60	peak
7	17725.000	25.14	25.76	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9662.000	37.04	13.56	50.60	74.00	-23.40	peak
2	11125.000	34.73	15.75	50.48	74.00	-23.52	peak
3	11565.000	42.36	18.01	60.37	74.00	-13.63	peak
4	11565.000	31.88	18.01	49.89	54.00	-4.11	AVG
5	12698.000	30.38	19.56	49.94	74.00	-24.06	peak
6	13853.000	27.00	23.01	50.01	74.00	-23.99	peak
7	17978.000	21.29	29.38	50.67	74.00	-23.33	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.00	11.48	50.48	74.00	-23.52	peak
2	9794.000	37.44	13.37	50.81	74.00	-23.19	peak
3	11554.000	39.82	16.51	56.33	74.00	-17.67	peak
4	11554.000	28.73	16.51	45.24	54.00	-8.76	AVG
5	12610.000	32.17	18.24	50.41	74.00	-23.59	peak
6	13776.000	29.08	21.09	50.17	74.00	-23.83	peak
7	17824.000	24.02	26.31	50.33	74.00	-23.67	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0114	74.50	-101.40	-26.9	46.46	-78.40	-5.04	-73.36	peak
2	0.0183	70.31	-101.36	-31.05	42.35	-82.55	-9.15	-73.40	peak
3	0.0367	64.25	-101.42	-37.17	36.31	-88.67	-15.19	-73.48	peak
4	0.0490	62.25	-101.47	-39.22	33.8	-90.72	-17.70	-73.02	peak
5	0.0709	59.82	-101.57	-41.75	30.59	-93.25	-20.91	-72.34	peak
6	0.1440	56.82	-101.65	-44.83	24.43	-96.33	-27.07	-69.26	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1647	74.76	-101.66	-26.9	23.27	-78.40	-28.23	-50.17	peak
2	0.1910	70.95	-101.70	-30.75	21.98	-82.25	-29.52	-52.73	peak
3	0.2177	67.62	-101.75	-34.13	20.84	-85.63	-30.66	-54.97	peak
4	0.2942	62.32	-101.85	-39.53	18.23	-91.03	-33.27	-57.76	peak
5	0.3644	58.94	-101.93	-42.99	16.37	-94.49	-35.13	-59.36	peak
6	0.4383	57.80	-102.01	-44.21	14.77	-95.71	-36.73	-58.98	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5995	63.38	-62.08	1.3	32.05	-50.20	-19.45	-30.75	peak
2	1.2721	60.24	-62.15	-1.91	25.52	-53.41	-25.98	-27.43	peak
3	2.2924	57.34	-61.75	-4.41	29.54	-55.91	-21.96	-33.95	peak
4	4.3262	56.17	-61.38	-5.21	29.54	-56.71	-21.96	-34.75	peak
5	12.6186	54.38	-60.92	-6.54	29.54	-58.04	-21.96	-36.08	peak
6	27.1670	52.95	-60.25	-7.3	29.54	-58.80	-21.96	-36.84	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18592.000	49.25	-5.31	43.94	74.00	-30.06	peak
2	19784.000	49.08	-5.28	43.80	74.00	-30.20	peak
3	21592.000	48.93	-4.55	44.38	74.00	-29.62	peak
4	22560.000	47.28	-3.83	43.45	74.00	-30.55	peak
5	24176.000	47.69	-2.80	44.89	74.00	-29.11	peak
6	24912.000	47.42	-2.18	45.24	74.00	-28.76	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18536.000	49.60	-5.27	44.33	74.00	-29.67	peak
2	19344.000	48.43	-5.57	42.86	74.00	-31.14	peak
3	21432.000	47.74	-4.71	43.03	74.00	-30.97	peak
4	22776.000	46.11	-3.66	42.45	74.00	-31.55	peak
5	23848.000	45.68	-3.03	42.65	74.00	-31.35	peak
6	25312.000	45.20	-1.70	43.50	74.00	-30.50	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	50.79	-4.74	46.05	74.00	-27.95	peak
2	29276.000	46.79	-1.01	45.78	74.00	-28.22	peak
3	31936.000	49.38	-1.91	47.47	74.00	-26.53	peak
4	33406.000	47.95	0.18	48.13	74.00	-25.87	peak
5	35366.000	45.40	2.59	47.99	74.00	-26.01	peak
6	38040.000	44.78	3.36	48.14	74.00	-25.86	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26448.000	51.55	-4.85	46.70	74.00	-27.30	peak
2	29416.000	48.85	-0.80	48.05	74.00	-25.95	peak
3	32062.000	50.20	-1.92	48.28	74.00	-25.72	peak
4	34484.000	47.05	0.94	47.99	74.00	-26.01	peak
5	36248.000	45.02	3.24	48.26	74.00	-25.74	peak
6	39972.000	43.45	5.13	48.58	74.00	-25.42	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.5500	47.18	-14.60	32.58	40.00	-7.42	QP
2	61.0400	47.00	-15.26	31.74	40.00	-8.26	QP
3	93.0500	39.71	-15.98	23.73	43.50	-19.77	QP
4	114.3900	34.98	-14.89	20.09	43.50	-23.41	QP
5	687.6599	31.08	-3.37	27.71	46.00	-18.29	QP
6	900.0900	36.25	0.19	36.44	46.00	-9.56	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	49.4000	42.98	-14.86	28.12	40.00	-11.88	QP
2	200.7200	28.71	-11.23	17.48	43.50	-26.02	QP
3	358.8299	29.52	-8.54	20.98	46.00	-25.02	QP
4	502.3900	31.24	-6.19	25.05	46.00	-20.95	QP
5	724.5200	29.63	-2.08	27.55	46.00	-18.45	QP
6	903.9700	35.70	0.14	35.84	46.00	-10.16	QP

TEST RESULTS


8.8. RESTRICTED BANDEDGE

Test Mode:	802.11ax HE20 Tone26 RU0 PK	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5106.630	18.11	39.97	58.08	74.00	-15.92	peak
2	5150.000	17.46	40.04	57.50	74.00	-16.50	peak

Test Mode:	802.11ax HE20 Tone26 RU0 AV	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5106.630	4.42	39.97	44.39	54.00	-9.61	AVG
2	5150.000	4.48	40.04	44.52	54.00	-9.48	AVG

Test Mode:	802.11ax HE20 Tone52 RU37 PK	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5097.140	18.67	39.96	58.63	74.00	-15.37	peak
2	5150.000	16.92	40.04	56.96	74.00	-17.04	peak

Test Mode:	802.11ax HE20 Tone52 RU37 AV	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5097.140	4.41	39.96	44.37	54.00	-9.63	AVG
2	5150.000	4.74	40.04	44.78	54.00	-9.22	AVG

Test Mode:	802.11ax HE20 Tone106 RU53 PK	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4952.600	19.45	39.68	59.13	74.00	-14.87	peak
2	5150.000	18.12	40.04	58.16	74.00	-15.84	peak

Test Mode:	802.11ax HE20 Tone106 RU53 AV	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4952.600	4.01	39.68	43.69	54.00	-10.31	AVG
2	5150.000	5.30	40.04	45.34	54.00	-8.66	AVG

Test Mode:	802.11ax HE20 Tone26 RU8 PK	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.98	40.04	56.02	74.00	-17.98	peak
2	5350.000	16.45	40.49	56.94	74.00	-17.06	peak

Test Mode:	802.11ax HE20 Tone26 RU8 AV	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	4.17	40.04	44.21	54.00	-9.79	AVG
2	5350.000	4.02	40.49	44.51	54.00	-9.49	AVG

Test Mode:	802.11ax HE20 Tone52 RU40 PK	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	16.51	40.04	56.55	74.00	-17.45	peak
2	5350.000	16.59	40.49	57.08	74.00	-16.92	peak

Test Mode:	802.11ax HE20 Tone52 RU40 AV	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	4.12	40.04	44.16	54.00	-9.84	AVG
2	5350.000	4.10	40.49	44.59	54.00	-9.41	AVG

Test Mode:	802.11ax HE20 Tone106 RU54 PK	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.240	19.55	40.03	59.58	74.00	-14.42	peak
2	5150.000	17.03	40.04	57.07	74.00	-16.93	peak
3	5350.000	16.62	40.49	57.11	74.00	-16.89	peak

Test Mode:	802.11ax HE20 Tone106 RU54 AV	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.240	4.60	40.03	44.63	54.00	-9.37	AVG
2	5150.000	4.56	40.04	44.60	54.00	-9.40	AVG
3	5350.000	4.44	40.49	44.93	54.00	-9.07	AVG

Test Mode:	802.11ax HE20 Tone26 RU0 PK	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	16.70	40.04	56.74	74.00	-17.26	peak
2	5350.000	16.79	40.49	57.28	74.00	-16.72	peak

Test Mode:	802.11ax HE20 Tone26 RU0 AV	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	4.28	40.04	44.32	54.00	-9.68	AVG
2	5350.000	4.88	40.49	45.37	54.00	-8.63	AVG

Test Mode:	802.11ax HE20 Tone52 RU37 PK	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	16.97	40.04	57.01	74.00	-16.99	peak
2	5350.000	18.09	40.49	58.58	74.00	-15.42	peak

Test Mode:	802.11ax HE20 Tone52 RU37 AV	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	4.75	40.04	44.79	54.00	-9.21	AVG
2	5350.000	5.98	40.49	46.47	54.00	-7.53	AVG

Test Mode:	802.11ax HE20 Tone106 RU53 PK	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5132.640	19.59	40.01	59.60	74.00	-14.40	peak
2	5150.000	17.88	40.04	57.92	74.00	-16.08	peak
3	5350.000	18.28	40.49	58.77	74.00	-15.23	peak

Test Mode:	802.11ax HE20 Tone106 RU53 AV	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5132.640	5.18	40.01	45.19	54.00	-8.81	AVG
2	5150.000	5.47	40.04	45.51	54.00	-8.49	AVG
3	5350.000	6.52	40.49	47.01	54.00	-6.99	AVG

Test Mode:	802.11ax HE20 Tone26 RU8 PK	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	18.27	40.49	58.76	74.00	-15.24	peak
2	5365.650	19.14	40.54	59.68	74.00	-14.32	peak

Test Mode:	802.11ax HE20 Tone26 RU8 AV	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	5.62	40.49	46.11	54.00	-7.89	AVG
2	5365.650	5.16	40.54	45.70	54.00	-8.30	AVG

Test Mode:	802.11ax HE20 Tone52 RU40 PK	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	18.78	40.49	59.27	74.00	-14.73	peak
2	5360.550	19.65	40.52	60.17	74.00	-13.83	peak

Test Mode:	802.11ax HE20 Tone52 RU40 AV	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	6.58	40.49	47.07	54.00	-6.93	AVG
2	5360.550	6.33	40.52	46.85	54.00	-7.15	AVG

Test Mode:	802.11ax HE20 Tone106 RU54 PK	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	23.87	40.49	64.36	74.00	-9.64	peak
2	5352.050	26.49	40.50	66.99	74.00	-7.01	peak

Test Mode:	802.11ax HE20 Tone106 RU54 AV	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	10.21	40.49	50.70	54.00	-3.30	AVG
2	5352.050	9.34	40.50	49.84	54.00	-4.16	AVG

Test Mode:	802.11ax HE20 Tone26 RU0 PK	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	17.58	40.76	58.34	74.00	-15.66	peak
2	5463.760	18.90	40.77	59.67	68.20	-8.53	peak
3	5470.000	17.48	40.78	58.26	68.20	-9.94	peak

Test Mode:	802.11ax HE20 Tone26 RU0 AV	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	5.45	40.76	46.21	54.00	-7.79	AVG
2	5463.760	5.37	40.77	46.14	/	/	AVG
3	5470.000	5.51	40.78	46.29	/	/	AVG

Test Mode:	802.11ax HE20 Tone52 RU37 PK	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	18.84	40.76	59.60	74.00	-14.40	peak
2	5467.360	20.11	40.78	60.89	68.20	-7.31	peak
3	5470.000	18.78	40.78	59.56	68.20	-8.64	peak

Test Mode:	802.11ax HE20 Tone52 RU37 AV	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	6.90	40.76	47.66	54.00	-6.34	AVG
2	5467.360	6.98	40.78	47.76	/	/	AVG
3	5470.000	6.96	40.78	47.74	/	/	AVG

Test Mode:	802.11ax HE20 Tone106 RU53 PK	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	22.54	40.76	63.30	74.00	-10.70	peak
2	5468.620	25.38	40.78	66.16	68.20	-2.04	peak
3	5470.000	25.36	40.78	66.14	68.20	-2.06	peak

Test Mode:	802.11ax HE20 Tone106 RU53 AV	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	9.39	40.76	50.15	54.00	-3.85	AVG
2	5468.620	10.24	40.78	51.02	/	/	AVG
3	5470.000	10.59	40.78	51.37	/	/	AVG

Test Mode:	802.11ax HE20 Tone26 RU8 PK	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	23.08	41.20	64.28	68.20	-3.92	peak
2	5726.340	23.61	41.20	64.81	68.20	-3.39	peak

Test Mode:	802.11ax HE20 Tone52 RU40 PK	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	23.39	41.20	64.59	68.20	-3.61	peak
2	5725.260	23.87	41.20	65.07	68.20	-3.13	peak

Test Mode:	802.11ax HE20 Tone106 RU54 PK	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	23.75	41.20	64.95	68.20	-3.25	peak
2	5725.620	25.04	41.20	66.24	68.20	-1.96	peak

Test Mode:	802.11ax HE20 Tone26 RU0 PK	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5640.460	21.83	41.13	62.96	68.20	-5.24	peak
2	5725.000	40.88	41.20	82.08	122.20	-40.12	peak

Test Mode:	802.11ax HE20 Tone52 RU37 PK	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5644.030	21.60	41.12	62.72	68.20	-5.48	peak
2	5725.000	41.80	41.20	83.00	122.20	-39.20	peak

Test Mode:	802.11ax HE20 Tone106 RU53 PK	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5648.110	22.49	41.13	63.62	68.20	-4.58	peak
2	5725.000	42.72	41.20	83.92	122.20	-38.28	peak

Test Mode:	802.11ax HE20 Tone26 RU8 PK	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	40.38	41.36	81.74	122.20	-40.46	peak
2	5948.760	21.51	41.55	63.06	68.20	-5.14	peak

Test Mode:	802.11ax HE20 Tone52 RU40 PK	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	38.02	41.36	79.38	122.20	-42.82	peak
2	5950.440	21.66	41.55	63.21	68.20	-4.99	peak


Test Mode:	802.11ax HE20 Tone106 RU54 PK	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	32.63	41.36	73.99	122.20	-48.21	peak
2	5928.600	22.55	41.51	64.06	68.20	-4.14	peak


8.9. SPURIOUS EMISSIONS(7 GHZ~18 GHZ)

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9156.000	38.75	11.36	50.11	74.00	-23.89	peak
2*	10344.000	43.85	13.30	57.15	68.20	-11.05	peak
3	11796.000	32.42	17.99	50.41	74.00	-23.59	peak
4	12258.000	31.22	18.79	50.01	74.00	-23.99	peak
5	13127.000	29.14	20.60	49.74	74.00	-24.26	peak
6	17912.000	20.69	28.68	49.37	74.00	-24.63	peak

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.90	11.76	50.66	74.00	-23.34	peak
2*	10344.000	47.88	12.94	60.82	68.20	-7.38	peak
3	11059.000	35.89	14.51	50.40	74.00	-23.60	peak
4	12731.000	30.96	18.66	49.62	74.00	-24.38	peak
5	14029.000	28.09	21.96	50.05	74.00	-23.95	peak
6	17945.000	23.66	27.07	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.07	13.38	50.45	74.00	-23.55	peak
2*	10399.000	45.19	13.35	58.54	68.20	-9.66	peak
3	11653.000	32.68	18.06	50.74	74.00	-23.26	peak
4	12203.000	32.03	18.71	50.74	74.00	-23.26	peak
5	13270.000	29.52	21.16	50.68	74.00	-23.32	peak
6	17945.000	21.88	29.03	50.91	74.00	-23.09	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.01	13.26	50.27	74.00	-23.73	peak
2*	10399.000	43.79	13.05	56.84	68.20	-11.36	peak
3	11048.000	35.84	14.46	50.30	74.00	-23.70	peak
4	12742.000	31.50	18.70	50.20	74.00	-23.80	peak
5	13853.000	28.49	21.38	49.87	74.00	-24.13	peak
6	16823.000	26.64	24.10	50.74	74.00	-23.26	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.64	12.97	50.61	74.00	-23.39	peak
2*	10498.000	41.78	13.53	55.31	68.20	-12.89	peak
3	11807.000	31.70	18.00	49.70	74.00	-24.30	peak
4	12412.000	30.54	18.98	49.52	74.00	-24.48	peak
5	13435.000	28.44	21.79	50.23	74.00	-23.77	peak
6	18000.000	21.18	29.61	50.79	74.00	-23.21	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.31	12.94	50.25	74.00	-23.75	peak
2	10498.000	39.90	13.33	53.23	74.00	-20.77	peak
3	12555.000	31.51	18.15	49.66	74.00	-24.34	peak
4	13600.000	29.25	20.54	49.79	74.00	-24.21	peak
5	14887.000	28.86	20.32	49.18	74.00	-24.82	peak
6	17857.000	23.98	26.51	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.24	13.49	49.73	74.00	-24.27	peak
2*	10498.000	50.54	13.53	64.07	68.20	-4.13	peak
3	11510.000	32.52	17.86	50.38	74.00	-23.62	peak
4	12742.000	29.79	19.75	49.54	74.00	-24.46	peak
5	13875.000	26.36	23.11	49.47	74.00	-24.53	peak
6	17879.000	21.84	28.32	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.09	13.04	50.13	74.00	-23.87	peak
2*	10498.000	49.35	13.33	62.68	68.20	-5.52	peak
3	11785.000	32.69	16.72	49.41	74.00	-24.59	peak
4	12698.000	31.07	18.54	49.61	74.00	-24.39	peak
5	14678.000	28.97	20.75	49.72	74.00	-24.28	peak
6	17384.000	25.71	25.05	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.72	11.66	50.38	74.00	-23.62	peak
2	9662.000	36.63	13.56	50.19	74.00	-23.81	peak
3*	10564.000	49.79	13.72	63.51	68.20	-4.69	peak
4	12412.000	31.61	18.98	50.59	74.00	-23.41	peak
5	13028.000	30.02	20.18	50.20	74.00	-23.80	peak
6	17989.000	20.97	29.49	50.46	74.00	-23.54	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.69	11.93	50.62	74.00	-23.38	peak
2*	10564.000	49.39	13.44	62.83	68.20	-5.37	peak
3	11642.000	33.31	16.68	49.99	74.00	-24.01	peak
4	12588.000	32.11	18.19	50.30	74.00	-23.70	peak
5	13842.000	29.48	21.33	50.81	74.00	-23.19	peak
6	17296.000	25.54	24.98	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	36.76	13.44	50.20	74.00	-23.80	peak
2	10652.000	47.00	13.98	60.98	74.00	-13.02	peak
3	10652.000	32.12	13.98	46.10	54.00	-7.90	AVG
4	11081.000	34.02	15.51	49.53	74.00	-24.47	peak
5	12621.000	30.49	19.24	49.73	74.00	-24.27	peak
6	13534.000	26.77	22.10	48.87	74.00	-25.13	peak
7	17912.000	21.98	28.68	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.86	12.94	50.80	74.00	-23.20	peak
2	10652.000	46.49	13.60	60.09	74.00	-13.91	peak
3	10652.000	31.82	13.60	45.42	54.00	-8.58	AVG
4	11675.000	33.25	16.69	49.94	74.00	-24.06	peak
5	13424.000	29.72	20.11	49.83	74.00	-24.17	peak
6	14425.000	28.84	20.98	49.82	74.00	-24.18	peak
7	17857.000	24.42	26.51	50.93	74.00	-23.07	peak

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9673.000	36.43	13.58	50.01	74.00	-23.99	peak
2	10982.000	41.34	15.00	56.34	74.00	-17.66	peak
3	10982.000	27.61	15.00	42.61	54.00	-11.39	AVG
4	11532.000	31.76	17.92	49.68	74.00	-24.32	peak
5	12665.000	29.78	19.42	49.20	74.00	-24.80	peak
6	13600.000	26.74	22.22	48.96	74.00	-25.04	peak
7	17802.000	22.65	27.51	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.18	11.93	50.11	74.00	-23.89	peak
2	9750.000	36.53	13.37	49.90	74.00	-24.10	peak
3	10982.000	43.07	14.22	57.29	74.00	-16.71	peak
4	10982.000	29.30	14.22	43.52	54.00	-10.48	AVG
5	11961.000	33.06	17.27	50.33	74.00	-23.67	peak
6	13985.000	28.08	21.95	50.03	74.00	-23.97	peak
7	17252.000	25.81	24.94	50.75	74.00	-23.25	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.96	13.49	50.45	74.00	-23.55	peak
2	11158.000	41.00	15.93	56.93	74.00	-17.07	peak
3	11158.000	26.92	15.93	42.85	54.00	-11.15	AVG
4	12390.000	30.94	18.97	49.91	74.00	-24.09	peak
5	12731.000	30.41	19.70	50.11	74.00	-23.89	peak
6	14018.000	25.84	23.54	49.38	74.00	-24.62	peak
7	17989.000	21.01	29.49	50.50	74.00	-23.50	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.45	13.04	50.49	74.00	-23.51	peak
2	11158.000	44.78	14.91	59.69	74.00	-14.31	peak
3	11158.000	30.34	14.91	45.25	54.00	-8.75	AVG
4	11917.000	33.38	17.12	50.50	74.00	-23.50	peak
5	12731.000	31.67	18.66	50.33	74.00	-23.67	peak
6	13930.000	28.41	21.71	50.12	74.00	-23.88	peak
7	17967.000	23.53	27.20	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9706.000	36.47	13.65	50.12	74.00	-23.88	peak
2	10201.000	36.71	13.18	49.89	74.00	-24.11	peak
3	11411.000	42.62	17.41	60.03	74.00	-13.97	peak
4	11411.000	28.91	17.41	46.32	54.00	-7.68	AVG
5	12544.000	31.49	19.06	50.55	74.00	-23.45	peak
6	13424.000	28.73	21.73	50.46	74.00	-23.54	peak
7	17967.000	21.17	29.26	50.43	74.00	-23.57	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.26	12.94	50.20	74.00	-23.80	peak
2	10212.000	37.15	12.71	49.86	74.00	-24.14	peak
3	11411.000	45.19	16.04	61.23	74.00	-12.77	peak
4	11411.000	30.75	16.04	46.79	54.00	-7.21	AVG
5	12687.000	31.21	18.51	49.72	74.00	-24.28	peak
6	14832.000	29.50	20.50	50.00	74.00	-24.00	peak
7	17318.000	25.03	24.99	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.06	11.71	49.77	74.00	-24.23	peak
2	9739.000	36.27	13.70	49.97	74.00	-24.03	peak
3	11477.000	48.13	17.73	65.86	74.00	-8.14	peak
4	11477.000	34.17	17.73	51.90	54.00	-2.10	AVG
5	12225.000	31.93	18.74	50.67	74.00	-23.33	peak
6	13611.000	28.40	22.25	50.65	74.00	-23.35	peak
7	17868.000	22.19	28.21	50.40	74.00	-23.60	peak

Test Mode:	802.11ax HE20 Tone26 RU0	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9453.000	37.88	12.59	50.47	74.00	-23.53	peak
2	11477.000	48.84	16.26	65.10	74.00	-8.90	peak
3	11477.000	36.29	16.26	52.55	54.00	-1.45	AVG
4	12742.000	31.14	18.70	49.84	74.00	-24.16	peak
5	13842.000	28.75	21.33	50.08	74.00	-23.92	peak
6	14865.000	28.97	20.40	49.37	74.00	-24.63	peak
7	17714.000	25.02	25.71	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.48	13.49	49.97	74.00	-24.03	peak
2	11048.000	34.68	15.33	50.01	74.00	-23.99	peak
3	11576.000	42.77	18.04	60.81	74.00	-13.19	peak
4	11576.000	34.11	18.04	52.15	54.00	-1.85	AVG
5	12566.000	31.46	19.10	50.56	74.00	-23.44	peak
6	13644.000	27.12	22.35	49.47	74.00	-24.53	peak
7	17989.000	21.25	29.49	50.74	74.00	-23.26	peak

Test Mode:	802.11ax HE20 Tone26 RU4	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	39.02	11.52	50.54	74.00	-23.46	peak
2	11565.000	46.15	16.56	62.71	74.00	-11.29	peak
3	11565.000	35.21	16.56	51.77	54.00	-2.23	AVG
4	12302.000	32.51	17.87	50.38	74.00	-23.62	peak
5	13963.000	27.84	21.85	49.69	74.00	-24.31	peak
6	16845.000	26.12	24.14	50.26	74.00	-23.74	peak
7	17956.000	23.88	27.13	51.01	74.00	-22.99	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	36.33	13.44	49.77	74.00	-24.23	peak
2	11323.000	32.77	16.89	49.66	74.00	-24.34	peak
3	11664.000	42.41	18.05	60.46	74.00	-13.54	peak
4	11664.000	34.72	18.05	52.77	54.00	-1.23	AVG
5	12390.000	31.23	18.97	50.20	74.00	-23.80	peak
6	13457.000	27.68	21.87	49.55	74.00	-24.45	peak
7	17956.000	21.24	29.14	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE20 Tone26 RU8	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9662.000	36.97	13.34	50.31	74.00	-23.69	peak
2	10333.000	37.47	12.93	50.40	74.00	-23.60	peak
3	11664.000	43.41	16.68	60.09	74.00	-13.91	peak
4	11664.000	35.21	16.68	51.89	54.00	-2.11	AVG
5	12687.000	31.89	18.51	50.40	74.00	-23.60	peak
6	13908.000	28.21	21.62	49.83	74.00	-24.17	peak
7	17582.000	25.00	25.09	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7165.000	39.74	7.46	47.20	74.00	-26.80	peak
2	9431.000	38.92	12.41	51.33	74.00	-22.67	peak
3	10993.000	47.52	15.04	62.56	74.00	-11.44	peak
4	10993.000	37.40	15.04	52.44	54.00	-1.56	AVG
5	13534.000	28.85	22.10	50.95	74.00	-23.05	peak
6	16493.000	27.41	21.86	49.27	74.00	-24.73	peak
7	17967.000	21.73	29.26	50.99	74.00	-23.01	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7011.000	42.03	8.04	50.07	74.00	-23.93	peak
2	9354.000	39.99	12.17	52.16	74.00	-21.84	peak
3	10993.000	45.93	14.25	60.18	74.00	-13.82	peak
4	10993.000	36.37	14.25	50.62	54.00	-3.38	AVG
5	12720.000	30.45	18.62	49.07	74.00	-24.93	peak
6	14425.000	28.90	20.98	49.88	74.00	-24.12	peak
7	17769.000	24.14	26.00	50.14	74.00	-23.86	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.03	7.84	45.87	74.00	-28.13	peak
2	9728.000	37.47	13.68	51.15	74.00	-22.85	peak
3	11147.000	46.32	15.87	62.19	74.00	-11.81	peak
4	11147.000	36.55	15.87	52.42	54.00	-1.58	AVG
5	12698.000	29.07	19.56	48.63	74.00	-25.37	peak
6	14040.000	27.33	23.44	50.77	74.00	-23.23	peak
7	17923.000	21.35	28.78	50.13	74.00	-23.87	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	37.96	8.31	46.27	74.00	-27.73	peak
2	9706.000	37.42	13.36	50.78	74.00	-23.22	peak
3	11147.000	44.97	14.87	59.84	74.00	-14.16	peak
4	11147.000	35.49	14.87	50.36	54.00	-3.64	AVG
5	12731.000	29.73	18.66	48.39	74.00	-25.61	peak
6	13974.000	28.54	21.89	50.43	74.00	-23.57	peak
7	17923.000	22.49	26.92	49.41	74.00	-24.59	peak

Test Mode:	802.11ax HE20 Tone106 RU54	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7000.000	38.30	7.12	45.42	74.00	-28.58	peak
2	9640.000	37.68	13.53	51.21	74.00	-22.79	peak
3	11411.000	46.13	17.41	63.54	74.00	-10.46	peak
4	11411.000	35.39	17.41	52.80	54.00	-1.20	AVG
5	12335.000	32.59	18.89	51.48	74.00	-22.52	peak
6	13446.000	29.23	21.82	51.05	74.00	-22.95	peak
7	17989.000	21.44	29.49	50.93	74.00	-23.07	peak

Test Mode:	802.11ax HE20 Tone106 RU54	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	39.02	8.29	47.31	74.00	-26.69	peak
2	9761.000	37.35	13.37	50.72	74.00	-23.28	peak
3	11411.000	41.49	16.04	57.53	74.00	-16.47	peak
4	11411.000	31.31	16.04	47.35	54.00	-6.65	AVG
5	12324.000	31.48	17.90	49.38	74.00	-24.62	peak
6	13820.000	27.97	21.24	49.21	74.00	-24.79	peak
7	17857.000	22.39	26.51	48.90	74.00	-25.10	peak

Test Mode:	802.11ax HE20 Tone52 RU37	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7044.000	45.28	7.21	52.49	74.00	-21.51	peak
2	9717.000	37.05	13.66	50.71	74.00	-23.29	peak
3	11477.000	47.60	17.73	65.33	74.00	-8.67	peak
4	11477.000	34.73	17.73	52.46	54.00	-1.54	AVG
5	12709.000	30.31	19.60	49.91	74.00	-24.09	peak
6	13963.000	26.90	23.46	50.36	74.00	-23.64	peak
7	17989.000	20.84	29.49	50.33	74.00	-23.67	peak

Test Mode:	802.11ax HE20 Tone52 RU37	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7000.000	38.20	8.02	46.22	74.00	-27.78	peak
2	9585.000	37.84	13.26	51.10	74.00	-22.90	peak
3	11477.000	43.68	16.26	59.94	74.00	-14.06	peak
4	11477.000	32.10	16.26	48.36	54.00	-5.64	AVG
5	13930.000	29.10	21.71	50.81	74.00	-23.19	peak
6	16009.000	25.63	22.93	48.56	74.00	-25.44	peak
7	17813.000	23.60	26.24	49.84	74.00	-24.16	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.88	7.84	45.72	74.00	-28.28	peak
2	9629.000	37.71	13.51	51.22	74.00	-22.78	peak
3	11477.000	45.95	17.73	63.68	74.00	-10.32	peak
4	11477.000	34.83	17.73	52.56	54.00	-1.44	AVG
5	13908.000	27.54	23.24	50.78	74.00	-23.22	peak
6	14678.000	27.96	20.70	48.66	74.00	-25.34	peak
7	17868.000	21.80	28.21	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	38.03	8.30	46.33	74.00	-27.67	peak
2	9607.000	37.49	13.33	50.82	74.00	-23.18	peak
3	11477.000	39.80	16.26	56.06	74.00	-17.94	peak
4	11477.000	29.11	16.26	45.37	54.00	-8.63	AVG
5	12544.000	30.49	18.14	48.63	74.00	-25.37	peak
6	13908.000	27.47	21.62	49.09	74.00	-24.91	peak
7	16856.000	25.41	24.14	49.55	74.00	-24.45	peak

Test Mode:	802.11ax HE20 Tone52 RU38	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	37.99	7.64	45.63	74.00	-28.37	peak
2	9244.000	38.99	11.71	50.70	74.00	-23.30	peak
3	11565.000	42.78	18.01	60.79	74.00	-13.21	peak
4	11565.000	34.49	18.01	52.50	54.00	-1.50	AVG
5	12753.000	30.52	19.78	50.30	74.00	-23.70	peak
6	13985.000	28.02	23.55	51.57	74.00	-22.43	peak
7	17857.000	22.21	28.08	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE20 Tone52 RU38	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7000.000	38.35	8.02	46.37	74.00	-27.63	peak
2	9266.000	38.95	11.96	50.91	74.00	-23.09	peak
3	11070.000	37.01	14.55	51.56	74.00	-22.44	peak
4	11565.000	40.82	16.56	57.38	74.00	-16.62	peak
5	11565.000	29.72	16.56	46.28	54.00	-7.72	AVG
6	14062.000	29.35	21.91	51.26	74.00	-22.74	peak
7	17164.000	25.30	24.82	50.12	74.00	-23.88	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7011.000	38.12	7.15	45.27	74.00	-28.73	peak
2	9728.000	37.84	13.68	51.52	74.00	-22.48	peak
3	11554.000	42.60	17.97	60.57	74.00	-13.43	peak
4	11554.000	34.26	17.97	52.23	54.00	-1.77	AVG
5	12401.000	31.87	18.98	50.85	74.00	-23.15	peak
6	13974.000	27.96	23.50	51.46	74.00	-22.54	peak
7	17923.000	21.72	28.78	50.50	74.00	-23.50	peak

Test Mode:	802.11ax HE20 Tone106 RU53	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7000.000	38.51	8.02	46.53	74.00	-27.47	peak
2	9640.000	37.66	13.33	50.99	74.00	-23.01	peak
3	11554.000	41.01	16.51	57.52	74.00	-16.48	peak
4	11554.000	29.10	16.51	45.61	54.00	-8.39	AVG
5	13831.000	29.12	21.30	50.42	74.00	-23.58	peak
6	16471.000	24.54	23.57	48.11	74.00	-25.89	peak
7	17989.000	21.94	27.33	49.27	74.00	-24.73	peak