



EXHIBIT 4 - TEST SETUP PHOTOGRAPHS

Conducted Emission Test Setup*	 A photograph showing a conducted emission test setup. A power supply unit is connected to a device under test (DUT) on a wooden table. The power supply unit is a silver, rectangular device with a red terminal block and a black terminal block. The DUT is a small, black, rectangular device. The setup is on a wooden table, and a power strip is visible in the background.
Radiation Emission Test Setup (Below 30MHz)	 A photograph showing a radiation emission test setup. A device under test (DUT) is placed on a turntable inside an anechoic chamber. The chamber walls are covered with white, square-shaped absorbers. The turntable is a yellow, rectangular device. The setup is used for testing radiation emissions below 30MHz.

Radiation Emission Test Setup (30MHz to 1GHz)	 A photograph of a radiation emission test setup for the 30MHz to 1GHz range. The setup is located inside an anechoic chamber with white, square-shaped absorbers on the walls. A large, silver, cylindrical probe is positioned vertically in the center of the chamber. A yellow table is visible in the background, and a bright light source is visible in the upper left corner.
Radiation Emission Test Setup (1GHz to 18GHz)	 A photograph of a radiation emission test setup for the 1GHz to 18GHz range. The setup is located inside an anechoic chamber with white, square-shaped absorbers on the walls. A red, horn-shaped antenna is positioned on the left side of the chamber. A yellow table is visible in the background, and a bright light source is visible in the upper left corner. A blue, spiky absorber is visible in the foreground.

**Radiation Emission Test
Setup (Above 18GHz)**



*** Means' only test and setup for PART 15C.**

******* END OF REPORT *******