


**[11n(HT40)]**  
**W52 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:38 5190MHz  
 Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W52\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 23.7[°C] 39.7[%]  
 Note1 : ch:38\_5190MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10380.000	H	46.0	11.2	57.2	68.2	11.0	100.0	248.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:46 5230MHz  
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W52\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 23.7[°C] 39.7[%]  
 Note1 : ch:46\_5230MHz  
 Note2 :



**Final Result**

No.	Frequency (P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]	PK [dB(μV)]	[dB(1/m)]	PK [dB(μV/m)]	PK [dB(μV/m)]	PK [dB]	[cm]	[°]	
1	10460.000	H 44.8	11.4	56.2	68.2	12.0	100.0	265.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:54 5270MHz  
 Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W53\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:54\_5270MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000	H	45.8	11.5	57.3	68.2	10.9	100.0	262.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:62 5310MHz  
 Note2 :



**Final Result**

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W53\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:62\_5310MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10620.000	H	45.6	30.6	11.7	57.3	42.3	74.0	54.0	16.7	11.7	100.0	259.0	

## Note:


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT40)]**  
**W56 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:102 5510MHz  
 Note2 :



**Final Result**

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W56\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:102\_5510MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f. [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5467.650	H	50.3		11.8	62.1		68.2	54.0	6.1		100.0	257.0	
2	5467.980	V	49.2		11.8	61.0		68.2	54.0	7.2		100.0	16.0	
3	11020.000	H	45.2	30.0	12.3	57.5	42.3	74.0	54.0	16.5	11.7	100.0	261.0	


## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel Middle**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_ch:Mid

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:110 5550MHz  
 Note2 :



**Final Result**

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel Middle**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W56\_11n(HT40)\_Tx\_Mid

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:110\_5550MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11100.000	H	45.5	30.6	12.3	57.8	42.9	74.0	54.0	16.2	11.1	100.0	264.0	


## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:134 5670MHz  
 Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W56\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:134\_5670MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11340.000	H	45.3	30.4	12.4	57.7	42.8	74.0	54.0	16.3	11.2	100.0	263.0	


## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:142 5710MHz  
 Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W56\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:142\_5710MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11420.000	H	45.0	30.5	12.5	57.5	43.0	74.0	54.0	16.5	11.0	100.0	263.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.






Japan

**[11n(HT40)]**  
**W58 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W58\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpartE  
Operator : C.Kanno  
Temp,Hum : 22.5[°C] 36.7[%]  
Note1 : CH:151 5755MHz  
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W58 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W58\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:151\_5755MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f. [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5647.447	H	49.2		11.9	61.1		68.2	54.0	7.1		100.0	259.0	
2	5643.738	V	49.8		11.9	61.7		68.2	54.0	6.5		100.0	54.0	
3	11510.000	H	45.8	30.7	12.5	58.3	43.2	74.0	54.0	15.7	10.8	100.0	268.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**[11n(HT40)]**  
**W58 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W58\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpartE  
Operator : C.Kanno  
Temp,Hum : 22.5[°C] 36.7[%]  
Note1 : CH:159 5795MHz  
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W58 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W58\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:159.5795MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11590.000	H	45.6	30.5	12.5	58.1	43.0	74.0	54.0	15.9	11.0	100.0	250.0	


## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W52**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_11ac(VHT80)\_Tx

Standard : FCC Part.15 subpart E  
 Operator : C.Kanno  
 Temp,Hum : 22.1[°C] 41.6[%]  
 Note1 : CH:42 5210MHz  
 Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W52**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W52\_11ac(VHT80)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:42\_5210MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10420.000	H	45.3	11.3	56.6	68.2	11.6	100.0	262.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11ac(VHT80)]  
W53  
BELOW 1GHz

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W53\_11ac(VHT80)\_Tx

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum : 22.1[°C] 41.6[%]  
Note1 : CH:58 5290MHz  
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W53**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W53\_11ac(VHT80)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:58\_5290MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10580.000	H	45.1	11.6	56.7	68.2	11.5	100.0	274.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.






Japan

**[11ac(VHT80)]**  
**W56 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11ac(VHT80)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum : 22.1[°C] 41.6[%]  
Note1 : CH:106 5530MHz  
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W56\_11ac(VHT80)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:106\_5530MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5463.710	H	50.4		11.8	62.2		68.2	54.0	6.0		100.0	267.0	
2	5464.430	V	50.3		11.8	62.1		68.2	54.0	6.1		100.0	14.0	
3	11060.000	H	45.5	30.5	12.3	57.8	42.8	74.0	54.0	16.2	11.2	100.0	264.0	


## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11ac(VHT80)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : C.Kanno  
 Temp,Hum : 22.1[°C] 41.6[%]  
 Note1 : CH:122 5610MHz  
 Note2 :



**Final Result**

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W56\_11ac(VHT80)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp.,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:122\_5610MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11220.000	H	45.5	30.9	12.4	57.9	43.3	74.0	54.0	16.1	10.7	100.0	262.0	


## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11ac(VHT80)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum : 22.1[°C] 41.6[%]  
Note1 : CH:138 5690MHz  
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W56\_11ac(HT80)\_Tx

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:138\_5690MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11380.000	H	45.1	30.6	12.5	57.6	43.1	74.0	54.0	16.4	10.9	100.0	265.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**[11ac(VHT80)]**  
**W58**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W58\_11ac(VHT80)\_Tx

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum : 22.1[°C] 41.6[%]  
Note1 : CH:155 5775MHz  
Note2 :



Final Result


No.	Frequency (P)	c. f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[° ]	

- Note:
1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W58**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : 359178870020360  
 Test mode : WLAN\_W58\_11ac(VHT80)\_Tx

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 22.7[°C] 42.8[%]  
 Note1 : ch:155\_5775MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f. [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5645.770	H	49.1		11.9	61.0		68.2	54.0	7.2		100.0	269.0	
2	5646.390	V	49.0		11.9	60.9		68.2	54.0	7.3		100.0	48.0	
3	11550.000	H	45.8	30.9	12.5	58.3	43.4	74.0	54.0	15.7	10.6	100.0	271.0	

## Note:


- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**Receive mode****W52 / Channel Low  
BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1084  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_Rx\_ch:Low

Standard : FCC Part.15 subpartE  
 Operator : C.Kanno  
 Temp,Hum : 22.5[°C] 36.7[%]  
 Note1 : CH:36 5180MHz  
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**W52 / Channel Low  
ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : WLAN\_W52\_11a\_Rx\_Low

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum,Atm : 22.6[°C] 42.6[%]  
Note1 : ch:36\_5180MHz  
Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

- Note:
1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**W53 / Channel High  
BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W53\_Rx\_ch:High

Standard : FCC Part.15 subpartE  
Operator : C.Kanno  
Temp,Hum : 22.5[°C] 36.7[%]  
Note1 : CH:64 5320MHz  
Note2 :



**Final Result**


No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

- Note:
1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**W53 / Channel High  
ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : WLAN\_W53\_11a\_Rx\_High

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum,Atm : 22.6[°C] 42.6[%]  
Note1 : ch:64\_5320MHz  
Note2 :

**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**W56 / Channel Low  
BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W56\_Rx\_Low

Standard : FCC Part.15 subpartE  
Operator : C.Kanno  
Temp,Hum,Atm : 22.3[°C] 35.8[%]  
Note1 : Ch:100\_5500MHz  
Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**W56 / Channel Low  
ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : WLAN\_W56\_11a\_Rx\_Low

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum,Atm : 22.6[°C] 42.6[%]  
Note1 : ch:100\_5500MHz  
Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

## W56 / Channel High BELOW 1GHz

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W56\_Rx\_High

Standard : FCC Part.15 subpartE  
Operator : C.Kanno  
Temp,Hum,Atm : 22.3[°C] 35.8[%]  
Note1 : Ch:144\_5720MHz  
Note2 :



### Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

### Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**W56 / Channel High  
ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : WLAN\_W56\_11a\_Rx\_High

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum,Atm : 22.6[°C] 42.6[%]  
Note1 : ch:144\_5720MHz  
Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.






Japan

**W58 / Channel Low  
BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W58\_Rx\_Low

Standard : FCC Part.15 subpartE  
Operator : C.Kanno  
Temp,Hum,Atm : 22.3[°C] 35.8[%]  
Note1 : Ch:149\_5745MHz  
Note2 :



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

## W58 / Channel Low ABOVE 1GHz

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : WLAN\_W58\_11a\_Rx\_Low

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum,Atm : 22.6[°C] 42.6[%]  
Note1 : ch:149\_5745MHz  
Note2 :



### Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


### Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

## W58 / Channel High BELOW 1GHz

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : 5GHz\_W58\_Rx\_High

Standard : FCC Part.15 subpartE  
Operator : C.Kanno  
Temp,Hum,Atm : 22.3[°C] 35.8[%]  
Note1 : Ch:165\_5825MHz  
Note2 :



### Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


### Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

## W58 / Channel High ABOVE 1GHz

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1084  
Serial No. : N/A  
Test mode : WLAN\_W58\_11a\_Rx\_High

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum,Atm : 22.6[°C] 42.6[%]  
Note1 : ch:165.5825MHz  
Note2 :



### Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

### Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.