


#### 802.11a CH165




	100		A)	7. 10.		7		100	
Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1241.50	44.85	( <del></del> )	68.20	23.35	500.00	200.0	Н	0.00	-4
1399.00		33.52	54.00	20.48	500.00	200.0	V	180.00	-3
1621.25		37.65	54.00	16.35	500.00	200.0	V	66.00	-2
1976.50	47.04		68.20	21.16	500.00	200.0	Н	112.00	0
2576.75	49.02		68.20	19.18	500.00	200.0	V	116.00	3
2778.00		37.97	54.00	16.03	500.00	200.0	V	178.00	3
3563.75	51.56		68.20	16.64	500.00	200.0	V	167.00	4
3982.00		41.92	54.00	12.08	500.00	200.0	V	180.00	6
5457.25	-	47.38	54.00	6.62	500.00	200.0	V	51.00	10
5621.75	61.30		68.20	6.90	500.00	200.0	V	41.00	11
7511.75		49.09	54.00	4.91	500.00	200.0	V	175.00	16
7858.25	61.91	( <del>-4-</del> 1)	68.20	6.29	500.00	200.0	V	180.00	16



Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Pol	Azimut h
0707.50	40.05		00.00	10.55	(ms)	4000 000	v	(deg)
8737.50	49.65		68.20	18.55	500.00	1000.000	V	177.00
9056.25		38.53	54.00	15.47	500.00	1000.000	V	274.00
9320.00		44.51	54.00	9.49	500.00	1000.000	V	312.00
9976.25	51.57		68.20	16.63	500.00	1000.000	Н	165.00
11648.75	65.59		74.00	8.41	500.00	1000.000	V	12.00
11650.00		52.64	54.00	1.36	500.00	1000.000	V	6.00
13368.75		41.60	54.00	12.40	500.00	1000.000	Н	348.00
13691.25	53.36		68.20	14.84	500.00	1000.000	V	6.00
14492.50		42.49	54.00	11.51	500.00	1000.000	V	90.00
15006.25	54.47		68.20	13.73	500.00	1000.000	V	354.00
17688.75	59.56		68.20	8.64	500.00	1000.000	V	337.00
17910.00		51.37	54.00	2.63	500.00	1000.000	V	263.00




Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1250.25	45.54		68.20	22.66	500.00	200.0	Н	170.00	-4
1402.50		33.49	54.00	20.51	500.00	200.0	V	5.00	-3
1693.00		34.22	54.00	19.78	500.00	200.0	V	7.00	-2
1955.50	46.62		68.20	21.58	500.00	200.0	V	4.00	0
2652.00	49.04		68.20	19.16	500.00	200.0	V	10.00	2
2767.50		38.16	54.00	15.84	500.00	200.0	V	19.00	3
3464.00	51.12		68.20	17.08	500.00	200.0	V	2.00	4
3982.00		42.16	54.00	11.84	500.00	200.0	V	2.00	6
5102.00		45.69	54.00	8.31	500.00	200.0	V	2.00	9
5599.00	60.42		68.20	7.78	500.00	200.0	V	4.00	11
6881.75	63.26		68.20	4.94	500.00	200.0	V	19.00	14
7599.25		49.68	54.00	4.32	500.00	200.0	V	5.00	16




# **EMI Final Results**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,303.750	55.17	74.00	18.83	49.47	54.00	4.53	8.72	V	125	2.00	1.000
1	8,643.750	48.27	68.20	19.93	36.40			5.51	V	125	2.00	1.000
1	9,038.750	47.39	74.00	26.61	35.60	54.00	18.40	5.41	Н	359	2.00	1.000
1	9,372.500	47.43	74.00	26.57	35.55	54.00	18.45	5.38	Н	281.7	2.00	1.000
1	9,725.000	48.60	68.20	19.60	36.31	2 2		5.66	V	19.4	2.00	1.000
1	10,930.000	48.59	74.00	25.41	36.57	54.00	17.43	6.39	Н	335	2.00	1.000
1	11,788.750	46.62	74.00	27.38	34.88	54.00	19.12	6.11	V	147.6	2.00	1.000
1	12,893.750	46.96	68.20	21.24	34.73			5.66	٧	132.7	2.00	1.000
1	13,690.000	46.53	68.20	21.67	34.75			6.20	٧	80.1	2.00	1.000
1	14,858.750	47.56	68.20	20.64	35.87			6.26	Н	274	2.00	1.000
1	15,456.250	46.98	74.00	27.02	34.98	54.00	19.02	5.58	Н	289.1	2.00	1.000
1	17,553.750	50.66	68.20	17.54	39.32			10.99	Н	266.3	2.00	1.000




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBV/m)	(dBV/m)	(dBV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1021.00		34.87	54.00	19.13	500.00	200.0	V	81.00	-5
1253.75	44.14		68.20	24.06	500.00	200.0	Н	178.00	-4
1705.25		34.35	54.00	19.65	500.00	200.0	V	42.00	-2
1971.25	46.63		68.20	21.57	500.00	200.0	V	102.00	0
2587.25	49.29		68.20	18.91	500.00	200.0	V	26.00	2
2771.00		38.10	54.00	15.90	500.00	200.0	V	20.00	3
3467.50	51.81		68.20	16.39	500.00	200.0	V	4.00	4
3982.00		42.09	54.00	11.91	500.00	200.0	V	51.00	6
5032.00		46.46	54.00	7.54	500.00	200.0	V	61.00	10
5571.00	58.51		68.20	9.69	500.00	200.0	V	81.00	10
6860.75	63.87		68.20	4.33	500.00	200.0	V	33.00	14
7520.50		49.54	54.00	4.46	500.00	200.0	V	11.00	16

RF Test Report Report No.: R2410A1477-R2V1




# **EMI Final Results**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,367.500	54.65	74.00	19.35	48.98	54.00	5.02	7.64	Н	160.3	2.00	1.000
1	8,676.250	48.01	68.20	20.19	36.54			5.39	Н	359	2.00	1.000
1	9,013.750	47.79	74.00	26.21	35.62	54.00	18.38	5.36	Н	197.9	2.00	1.000
1	9,456.250	47.05	74.00	26.95	35.43	54.00	18.57	5.44	Н	205.6	2.00	1.000
1	10,011.250	47.58	68.20	20.62	35.52			5.32	٧	0.1	2.00	1.000
1	10,947.500	48.38	74.00	25.62	36.42	54.00	17.58	6.56	Н	99.2	2.00	1.000
1	11,785.000	47.03	74.00	26.97	34.76	54.00	19.24	6.12	٧	186.5	2.00	1.000
1	13,001.250	46.74	68.20	21.46	35.05			5.82	٧	322	2.00	1.000
1	14,316.250	47.01	68.20	21.19	35.23			6.48	Н	311.8	2.00	1.000
1	14,921.250	47.45	68.20	20.75	35.62			6.62	V	88.7	2.00	1.000
1	15,511.250	46.83	74.00	27.17	35.09	54.00	18.91	5.97	٧	201.4	2.00	1.000
1	17,485.000	50.85	68.20	17.35	38.99			10.75	Н	183.1	2.00	1.000




(MHz)     (dBV/m)     (dBV/m)     (dBV/m)     (dB)     Time (ms)     (cm)     (cm)       1250.25     44.80      68.20     23.40     500.00     200.0     V     8       1383.25      33.69     54.00     20.31     500.00     200.0     V     2       1698.25      34.17     54.00     19.83     500.00     200.0     V     2       1929.25     46.63      68.20     21.57     500.00     200.0     V     8       2487.50      38.18     54.00     15.82     500.00     200.0     V     15       2632.75     49.44      68.20     18.76     500.00     200.0     V     3       3331.00     51.22      68.20     16.98     500.00     200.0     V     2       3968.00      42.47     54.00     11.53     500.00     200.0     V     3       4463.25     53.48										
1250.25	Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
1250.25 44.80  68.20 23.40 500.00 200.0 V 8   1383.25  33.69 54.00 20.31 500.00 200.0 V 2   1698.25  34.17 54.00 19.83 500.00 200.0 V 2   1929.25 46.63  68.20 21.57 500.00 200.0 V 8   2487.50  38.18 54.00 15.82 500.00 200.0 V 15   2632.75 49.44  68.20 18.76 500.00 200.0 V 3   33331.00 51.22  68.20 16.98 500.00 200.0 V 2   3968.00  42.47 54.00 11.53 500.00 200.0 V 2   4463.25 53.48  68.20 14.72 500.00 200.0 V 2   5060.00  46.35 54.00 7.65 500.00 200.0 V 1	(MHz)	(dBV/m)	(dBV/m)	(dBV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
1383.25  33.69 54.00 20.31 500.00 200.0 V 2   1698.25  34.17 54.00 19.83 500.00 200.0 V 2   1929.25 46.63  68.20 21.57 500.00 200.0 V 8   2487.50  38.18 54.00 15.82 500.00 200.0 V 15   2632.75 49.44  68.20 18.76 500.00 200.0 V 3   3331.00 51.22  68.20 16.98 500.00 200.0 V 2   3968.00  42.47 54.00 11.53 500.00 200.0 V 3   4463.25 53.48  68.20 14.72 500.00 200.0 V 2   5060.00  46.35 54.00 7.65 500.00 200.0 V 1						(ms)				
1698.25  34.17 54.00 19.83 500.00 200.0 V 2   1929.25 46.63  68.20 21.57 500.00 200.0 V 8   2487.50  38.18 54.00 15.82 500.00 200.0 V 15   2632.75 49.44  68.20 18.76 500.00 200.0 V 3   3331.00 51.22  68.20 16.98 500.00 200.0 V 2   3968.00  42.47 54.00 11.53 500.00 200.0 V 3   4463.25 53.48  68.20 14.72 500.00 200.0 V 2   5060.00  46.35 54.00 7.65 500.00 200.0 V 1	1250.25	44.80		68.20	23.40	500.00	200.0	V	8.00	-4
1929.25 46.63  68.20 21.57 500.00 200.0 V 8   2487.50  38.18 54.00 15.82 500.00 200.0 V 15   2632.75 49.44  68.20 18.76 500.00 200.0 V 3   3331.00 51.22  68.20 16.98 500.00 200.0 V 2   3968.00  42.47 54.00 11.53 500.00 200.0 V 3   4463.25 53.48  68.20 14.72 500.00 200.0 V 2   5060.00  46.35 54.00 7.65 500.00 200.0 V 1	1383.25		33.69	54.00	20.31	500.00	200.0	V	20.00	-3
2487.50  38.18 54.00 15.82 500.00 200.0 V 15   2632.75 49.44  68.20 18.76 500.00 200.0 V 3   3331.00 51.22  68.20 16.98 500.00 200.0 V 2   3968.00  42.47 54.00 11.53 500.00 200.0 V 3   4463.25 53.48  68.20 14.72 500.00 200.0 V 2   5060.00  46.35 54.00 7.65 500.00 200.0 V 1	1698.25		34.17	54.00	19.83	500.00	200.0	V	20.00	-2
2632.75 49.44  68.20 18.76 500.00 200.0 V 3   3331.00 51.22  68.20 16.98 500.00 200.0 V 2   3968.00  42.47 54.00 11.53 500.00 200.0 V 3   4463.25 53.48  68.20 14.72 500.00 200.0 V 2   5060.00  46.35 54.00 7.65 500.00 200.0 V 1	1929.25	46.63		68.20	21.57	500.00	200.0	V	80.00	-1
3331.00 51.22  68.20 16.98 500.00 200.0 V 2   3968.00  42.47 54.00 11.53 500.00 200.0 V 3   4463.25 53.48  68.20 14.72 500.00 200.0 V 2   5060.00  46.35 54.00 7.65 500.00 200.0 V 1	2487.50		38.18	54.00	15.82	500.00	200.0	V	150.00	2
3968.00 42.47 54.00 11.53 500.00 200.0 V 3 4463.25 53.48 68.20 14.72 500.00 200.0 V 2 5060.00 46.35 54.00 7.65 500.00 200.0 V 1	2632.75	49.44		68.20	18.76	500.00	200.0	V	33.00	2
4463.25 53.48 68.20 14.72 500.00 200.0 V 2 5060.00 46.35 54.00 7.65 500.00 200.0 V 1	3331.00	51.22		68.20	16.98	500.00	200.0	V	2.00	4
5060.00 46.35 54.00 7.65 500.00 200.0 V 1	3968.00		42.47	54.00	11.53	500.00	200.0	V	33.00	7
1000 0000 1000 2000 1	4463.25	53.48		68.20	14.72	500.00	200.0	V	20.00	7
	5060.00		46.35	54.00	7.65	500.00	200.0	V	11.00	10
6983.25   63.57     68.20   4.63   500.00   200.0   V   6	6983.25	63.57		68.20	4.63	500.00	200.0	V	6.00	15
7511.75 49.42 54.00 4.58 500.00 200.0 V 10	7511.75		49.42	54.00	4.58	500.00	200.0	V	109.00	16






Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Pol	Azimut h (deg)
8431.25	<u></u> -	47.54	54.00	6.46	500.00	1000.000	Н	0.00
8690.00	50.24		68.20	17.96	500.00	1000.000	V	68.00
9362.50		39.35	54.00	14.65	500.00	1000.000	Н	310.00
10465.00	52.06		68.20	16.14	500.00	1000.000	٧	222.00
10536.25	67.54		68.20	0.66	500.00	1000.000	H	236.00
11348.75		41.77	54.00	12.23	500.00	1000.000	٧	24.00
13305.00	-	41.66	54.00	12.34	500.00	1000.000	Н	352.00
13696.25	54.87	-	68.20	13.33	500.00	1000.000	H	64.00
14237.50	55.33		68.20	12.87	500.00	1000.000	V	4.00
14497.50		42.79	54.00	11.21	500.00	1000.000	V	152.00
15067.50	55.10		68.20	13.10	500.00	1000.000	V	0.00
15803.75		42.91	54.00	11.09	500.00	1000.000	V	158.00

# RF Test Report




Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.00	44.78	(222)	68.20	23.42	500.00	200.0	V	8.00	-4
1386.75	244	33.55	54.00	20.46	500.00	200.0	٧	0.00	-3
1698.25		33.93	54.00	20.07	500.00	200.0	V	4.00	-2
1955.50	46.94		68.20	21.26	500.00	200.0	V	16.00	0
2596.00	48.85		68.20	19.36	500.00	200.0	V	4.00	2
2767.50		38.18	54.00	15.82	500.00	200.0	V	11.00	3
3313.50	52.00		68.20	16.20	500.00	200.0	V	16.00	4
3978.50		42.29	54.00	11.71	500.00	200.0	V	0.00	7
5035.50	555	45.91	54.00	8.09	500.00	200.0	V	58.00	10
5558.75	60.66		68.20	7.54	500.00	200.0	V	68.00	10
6969.25	63.06	(man)	68.20	5.14	500.00	200.0	V	3.00	14
7476.75		49.75	54.00	4.25	500.00	200.0	V	11.00	16






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,290.000	50.37	74.00	23.63	38.66	54.00	15.34	8.83	Н	251.3	2.00	1.000
1	8,495.000	49.51	74.00	24.49	38.25	54.00	15.75	6.28	Н	306	2.00	1.000
1	8,693.750	48.11	68.20	20.09	36.49			5.33	٧	312.6	2.00	1.000
1	9,046.250	47.53	74.00	26.47	35.60	54.00	18.40	5.42	٧	108.7	2.00	1.000
1	9,847.500	48.02	68.20	20.18	35.93			5.54	٧	61.9	2.00	1.000
1	10,620.000				53.75	54.00	0.25	5.87	٧	312.6	2.00	1.000
1	11,496.250	48.32	74.00	25.68	36.41	54.00	17.59	6.89	Н	227.3	2.00	1.000
1	12,988.750	46.64	68.20	21.56	34.81			5.81	Η	329.6	2.00	1.000
1	14,253.750	46.80	68.20	21.40	34.85			6.15	٧	100.7	2.00	1.000
1	14,790.000	46.60	68.20	21.60	35.00			5.57	Н	360	2.00	1.000
1	15,926.250	50.18	74.00	23.82	37.74	54.00	16.26	4.56	Н	117.5	2.00	1.000
1	17,530.000	51.16	68.20	17.04	38.93			10.91	Н	141.2	2.00	1.000




			i iiiui		416				
Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.00	44.64		68.20	23.56	500.00	200.0	V	175.00	-4
1385.00		33.58	54.00	20.42	500.00	200.0	V	178.00	-3
1703.50		34.12	54.00	19.88	500.00	200.0	V	180.00	-2
1896.00	46.71		68.20	21.49	500.00	200.0	V	178.00	-1
2468.25	49.38		68.20	18.82	500.00	200.0	V	180.00	2
2774.50		37.97	54.00	16.03	500.00	200.0	V	180.00	3
3520.00	51.19		68.20	17.01	500.00	200.0	V	167.00	4
3980.25		42.09	54.00	11.91	500.00	200.0	V	170.00	7
5229.75	57.69		68.20	10.51	500.00	200.0	V	101.00	10
5411.75		49.01	54.00	4.99	500.00	200.0	V	67.00	10
7625.50		49.59	54.00	4.41	500.00	200.0	V	125.00	16
7868.75	63.45		68.20	4.75	500.00	200.0	V	180.00	16






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,267.500	50.13	74.00	23.87	38.25	54.00	15.75	8.60	Н	358.3	2.00	1.000
1	8,815.000	49.59	68.20	18.61	37.66			5.40	V	297.9	2.00	1.000
1	9,120.000	47.42	74.00	26.58	35.48	54.00	18.52	5.47	V	160.9	2.00	1.000
1	9,466.250	47.37	74.00	26.63	35.54	54.00	18.46	5.45	٧	11	2.00	1.000
1	10,130.000	46.79	68.20	21.41	35.53			5.49	Η	173.5	2.00	1.000
1	11,021.250				49.28	54.00	4.72	6.51	Н	102.6	2.00	1.000
1	12,327.500	46.98	74.00	27.02	34.51	54.00	19.49	6.01	H	358.3	2.00	1.000
1	12,891.250	47.31	68.20	20.89	34.83			5.66	Н	284	2.00	1.000
1	14,180.000	46.53	68.20	21.67	34.43			5.77	Ι	149.9	2.00	1.000
1	14,911.250	48.00	68.20	20.20	35.58			6.68	Н	228.8	2.00	1.000
1	15,487.500	46.51	74.00	27.49	35.04	54.00	18.96	5.83	Н	315.4	2.00	1.000
1	17,551.250	51.15	68.20	17.05	39.24			10.98	V	50.7	2.00	1.000




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBV/m)	(dBV/m)	(dBV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1299.25	44.05		68.20	24.15	500.00	200.0	Н	0.00	-4
1385.00		35.09	54.00	18.91	500.00	200.0	V	62.00	-3
1682.50		33.91	54.00	20.09	500.00	200.0	V	103.00	-2
1990.50	47.48		68.20	20.72	500.00	200.0	V	177.00	0
2632.75	49.31		68.20	18.89	500.00	200.0	V	103.00	2
2774.50		38.14	54.00	15.86	500.00	200.0	V	145.00	3
3516.50	51.34		68.20	16.86	500.00	200.0	V	174.00	4
3966.25		42.24	54.00	11.76	500.00	200.0	V	180.00	7
5135.25		45.71	54.00	8.29	500.00	200.0	V	87.00	10
5233.25	59.05		68.20	9.15	500.00	200.0	٧	78.00	10
6834.50	62.86		68.20	5.34	500.00	200.0	٧	164.00	14
7492.50		49.69	54.00	4.31	500.00	200.0	٧	45.00	16






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,290.000	50.27	74.00	23.73	38.62	54.00	15.38	8.83	H	244.5	2.00	1.000
1	8,943.750	51.44	68.20	16.76	44.64			5.26	Н	338.7	2.00	1.000
1	9,111.250	46.98	74.00	27.02	35.60	54.00	18.40	5.47	Н	252.2	2.00	1.000
1	9,495.000	47.19	74.00	26.81	35.43	54.00	18.57	5.48	V	0	2.00	1.000
1	10,335.000	47.54	68.20	20.66	35.77			5.79	Н	220.8	2.00	1.000
1	11,181.250				47.44	54.00	6.56	7.14	Η	102.4	2.00	1.000
1	11,920.000	45.48	74.00	28.52	33.95	54.00	20.05	5.47	Ι	322.8	2.00	1.000
1	13,041.250	47.09	68.20	21.11	34.74			5.84	Ι	275.5	2.00	1.000
1	14,428.750	46.17	68.20	22.03	33.55			6.15	٧	288.4	2.00	1.000
1	15,503.750	46.84	74.00	27.16	35.10	54.00	18.90	5.96	٧	295.8	2.00	1.000
1	16,787.500	47.88	68.20	20.32	35.93			5.29	V	177.2	2.00	1.000
1	17,522.500	50.64	68.20	17.56	38.91			10.88	V	82.9	2.00	1.000




Eroguanov	MaxPeak	Average	Limit	Margin	Meas.	Bandwidth	Pol	Azimuth	Corr.
Frequency (MHz)	(dBV/m)	(dBV/m)	(dBV/m)	(dB)	Time (ms)	(kHz)	FOI	(deg)	(dB/m)
1266.00	44.63		68.20	23.57	500.00	1000.000	V	177.00	-4
1407.75		33.17	54.00	20.83	500.00	1000.000	V	20.00	-3
1462.00	1222	33.81	54.00	20.19	500.00	1000.000	V	88.00	-3
1995.75	46.27		68.20	21.93	500.00	1000.000	V	48.00	0
2566.25	48.72		68.20	19.48	500.00	1000.000	V	88.00	3
2827.00		37.76	54.00	16.24	500.00	1000.000	V	0.00	3
3546.25	51.07		68.20	17.13	500.00	1000.000	V	2.00	4
3978.50	(1200)	41.83	54.00	12.17	500.00	1000.000	V	0.00	7
5443.25	122	47.72	54.00	6.28	500.00	1000.000	V	72.00	10
5460.75	58.72		68.20	9.48	500.00	1000.000	V	64.00	10
6722.50	63.33		68.20	4.87	500.00	1000.000	V	56.00	15
7387.50		50.78	54.00	3.22	500.00	1000.000	V	0.00	16






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,282.500	50.16	74.00	23.84	38.56	54.00	15.44	8.75	Н	256.3	2.00	1.000
1	8,692.500	48.83	68.20	19.37	36.88			5.34	H	264.3	2.00	1.000
1	9,056.250	53.28	74.00	20.72	48.33	54.00	5.67	5.44	H	303.6	2.00	1.000
1	9,448.750	46.98	74.00	27.02	35.39	54.00	18.61	5.43	Ι	72.4	2.00	1.000
1	9,950.000	47.94	68.20	20.26	35.97			5.41	Ι	111.7	2.00	1.000
1	11,322.500	58.07	74.00	15.93	46.21	54.00	7.79	7.41	Ξ	135.9	2.00	1.000
1	11,826.250	45.93	74.00	28.07	34.38	54.00	19.62	5.99	Η	319.6	2.00	1.000
1	12,780.000	45.93	68.20	22.27	34.62			5.48	٧	103.3	2.00	1.000
1	14,210.000	46.14	68.20	22.06	34.51			5.92	Ι	303.6	2.00	1.000
1	14,907.500	47.40	68.20	20.80	35.59			6.70	٧	79.1	2.00	1.000
1	15,501.250	47.55	74.00	26.45	35.21	54.00	18.79	5.94	Н	272	2.00	1.000
1	17,543.750	50.92	68.20	17.28	39.14			10.96	Н	143.3	2.00	1.000




				_		<u> </u>			
Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.00	44.08	(1000)	68.20	24.12	500.00	200.0	V	240.00	-4
1403.38		33.61	54.00	20.39	500.00	200.0	V	132.00	-3
1546.88	120	34.71	54.00	19.29	500.00	100.0	V	239.00	-3
1999.25	45.97		68.20	22.23	500.00	200.0	٧	225.00	0
2566.25	48.81	13 <del>555</del> 1	68.20	19.39	500.00	100.0	Н	215.00	3
2775.38		38.10	54.00	15.90	500.00	200.0	V	229.00	3
3359.00	52.10		68.20	16.10	500.00	200.0	V	240.00	4
3968.00	100	42.31	54.00	11.69	500.00	200.0	V	232.00	7
4456.25	53.66		68.20	14.54	500.00	200.0	V	240.00	7
5457.25	5.55	47.42	54.00	6.58	500.00	200.0	V	234.00	10
6225.50	62.18		68.20	6.02	500.00	200.0	V	68.00	14
7356.88		50.31	54.00	3.69	500.00	200.0	V	144.00	15

RF Test Report Report No.: R2410A1477-R2V1




# **EMI Final Results**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,271.250	50.47	74.00	23.53	38.50	54.00	15.50	8.64	V	281.8	2.00	1.000
1	8,556.250	48.53	68.20	19.67	36.91			5.85	,H	261	2.00	1.000
1	9,045.000	46.99	74.00	27.01	35.44	54.00	18.56	5.42	Н	268.4	2.00	1.000
1	9,207.500	50.99	68.20	17.21	44.03			5.52	Н	130.3	2.00	1.000
1	10,127.500	47.38	68.20	20.82	35.48			5.49	Н	207	2.00	1.000
1	10,913.750	47.94	74.00	26.06	36.38	54.00	17.62	6.22	Н	357.5	2.00	1.000
1	11,426.250	48.65	74.00	25.35	36.67	54.00	17.33	7.32	Н	237.8	2.00	1.000
1	13,070.000	47.03	68.20	21.17	34.87			5.85	٧	67.8	2.00	1.000
1	13,375.000	46.41	74.00	27.59	34.56	54.00	19.44	5.52	Н	146	2.00	1.000
1	14,913.750	48.18	68.20	20.02	36.12			6.67	٧	60.1	2.00	1.000
1	15,470.000	47.56	74.00	26.44	35.25	54.00	18.75	5.69	Н	306.4	2.00	1.000
1	17,512.500	50.75	68.20	17.45	38.90			10.85	Н	283.8	2.00	1.000
											10.000.00	




Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.88	43.87		68.20	24.33	500.00	200.0	н	36.00	-4
1398.13	43.87	33.11	54.00	20.89	500.00	100.0	H	185.00	-3
1706.13		33.37	54.00	20.63	500.00	100.0	V	2.00	-2
1954.63	45.41		68.20	22.79	500.00	100.0	V	153.00	0
2436.75	48.18		68.20	20.02	500.00	200.0	V	240.00	2
2766.63		37.10	54.00	16.90	500.00	100.0	V	0.00	3
3507.75	50.26		68.20	17.94	500.00	100.0	V	0.00	4
3984.63		40.44	54.00	13.56	500.00	200.0	V	228.00	6
4430.00	51.05		68.20	17.15	500.00	100.0	V	0.00	7
5405.63		42.46	54.00	11.54	500.00	200.0	V	128.00	10
6806.50	58.58		68.20	9.62	500.00	200.0	V	192.00	15
7286.00		47.61	54.00	6.39	500.00	100.0	٧	13.00	16

RF Test Report Report No.: R2410A1477-R2V1




# **EMI Final Results**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,265.000	49.61	74.00	24.39	38.30	54.00	15.70	8.58	Н	198.2	2.00	1.000
1	8,681.250	48.92	68.20	19.28	36.43			5.38	Н	251.3	2.00	1.000
1	9,040.000	47.36	74.00	26.64	35.52	54.00	18.48	5.41	Н	259	2.00	1.000
1	9,271.250	50.03	68.20	18.17	41.22			5.52	Н	130	2.00	1.000
1	10,350.000	47.34	68.20	20.86	36.06			5.76	Н	289.5	2.00	1.000
1	10,970.000	48.28	74.00	25.72	36.38	54.00	17.62	6.60	٧	59	2.00	1.000
1	11,672.500	47.19	74.00	26.81	35.56	54.00	18.44	6.59	Н	221	2.00	1.000
1	13,002.500	46.84	68.20	21.36	34.92			5.82	Н	266.4	2.00	1.000
1	13,341.250	46.49	74.00	27.51	34.35	54.00	19.65	5.47	Н	342.7	2.00	1.000
1	14,917.500	48.39	68.20	19.81	35.83			6.65	V	28.1	2.00	1.000
1	15,513.750	47.10	74.00	26.90	35.40	54.00	18.60	5.96	Н	130	2.00	1.000
1	17,487.500	50.92	68.20	17.28	38.80			10.76	V	5.3	2.00	1.000




Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1248.50	44.39		68.20	23.81	500.00	200.0	V	48.00	-4
1400.75		33.60	54.00	20.40	500.00	200.0	V	68.00	-3
1719.25		33.88	54.00	20.12	500.00	200.0	V	135.00	-2
1957.25	47.00		68.20	21.20	500.00	200.0	٧	151.00	0
2566.25	49.86		68.20	18.34	500.00	200.0	٧	167.00	3
2774.50		38.07	54.00	15.93	500.00	200.0	V	106.00	3
3329.25	51.84		68.20	16.36	500.00	200.0	٧	151.00	4
3971.50		42.01	54.00	11.99	500.00	200.0	V	180.00	7
5117.75		46.56	54.00	7.44	500.00	200.0	٧	68.00	10
5644.50	59.02		68.20	9.18	500.00	200.0	٧	68.00	11
7513.50		49.32	54.00	4.68	500.00	200.0	٧	171.00	16
7802.25	62.30		68.20	5.90	500.00	200.0	٧	171.00	16

RF Test Report Report No.: R2410A1477-R2V1




# **EMI Final Results**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,287.500	55.18	74.00	18.82	49.04	54.00	4.96	8.80	Н	155.1	2.00	1.000
1	8,775.000	48.56	68.20	19.64	36.84			5.37	Н	355.7	2.00	1.000
1	9,041.250	47.89	74.00	26.11	35.62	54.00	18.38	5.41	٧	19.8	2.00	1.000
1	9,390.000	47.14	74.00	26.86	35.60	54.00	18.40	5.39	Н	62.1	2.00	1.000
1	10,002.500	47.50	68.20	20.70	35.95			5.33	Н	193.5	2.00	1.000
1	10,685.000	47.60	74.00	26.40	35.44	54.00	18.56	5.77	Н	341	2.00	1.000
1	11,330.000	48.54	74.00	25.46	36.75	54.00	17.25	7.41	Н	317.9	2.00	1.000
1	12,877.500	46.27	68.20	21.93	34.79			5.63	Н	360	2.00	1.000
1	13,542.500	47.61	68.20	20.59	35.49			6.13	Н	341	2.00	1.000
1	14,967.500	47.07	68.20	21.13	35.02			6.38	Н	263.7	2.00	1.000
1	15,478.750	47.03	74.00	26.97	35.05	54.00	18.95	5.76	٧	74.4	2.00	1.000
1	17,478.750	50.98	68.20	17.22	38.76			10.73	V	274.4	2.00	1.000



Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.00	43.87		68.20	24.33	500.00	200.0	V	21.00	-4
1396.38		33.83	54.00	20.17	500.00	200.0	٧	123.00	-3
1691.25		34.08	54.00	19.92	500.00	200.0	V	5.00	-2
1931.88	47.10		68.20	21.10	500.00	200.0	٧	96.00	0
2433.25	48.72		68.20	19.48	500.00	200.0	V	4.00	2
2827.88		38.32	54.00	15.68	500.00	200.0	V	338.00	3
3327.50	51.74		68.20	16.46	500.00	200.0	V	212.00	4
3980.25		42.43	54.00	11.57	500.00	200.0	V	123.00	7
5117.75		49.07	54.00	4.93	500.00	200.0	٧	0.00	10
5149.25	71.99		74.00	2.01	500.00	200.0	٧	0.00	10
6961.38	64.70		68.20	3.50	500.00	200.0	V	4.00	14
7503.88		49.04	54.00	4.96	500.00	200.0	٧	176.00	16






Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Pol	Azimut h (deg)
8320.00		46.46	54.00	7.54	500.00	1000.000	Н	340.00
8661.25		· ·	68.20	17.73	500.00	1000.000		340.00
9300.00		39.37	54.00	14.63	500.00	1000.000	V	1.00
10397.50	66.15		68.20	2.05	500.00	1000.000	Н	76.00
10520.00	51.90	E 110)	68.20	16.30	500.00	1000.000	Н	3.00
11643.75		41.51	54.00	12.49	500.00	1000.000	V	174.00
13367.50		41.58	54.00	12.42	500.00	1000.000	Н	24.00
13497.50	53.34		68.20	14.86	500.00	1000.000	٧	42.00
14407.50	55.09	-	68.20	13.11	500.00	1000.000	Н	358.00
14486.25		42.86	54.00	11.14	500.00	1000.000	٧	357.00
15698.75		41.66	54.00	12.34	500.00	1000.000	V	115.00
16452.50	53.42		68.20	14.78	500.00	1000.000	Н	301.00


#### RF Test Report

### 802.11ac (VHT20) CH48




Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m
1033.25	200	36.51	54.00	17.49	500.00	200.0	V	16.00	-5
1252.00	45.24		68.20	22.96	500.00	200.0	٧	27.00	-4
1645.75	575	34.26	54.00	19.74	500.00	200.0	V	72.00	-2
1953.75	46.37		68.20	21.83	500.00	200.0	V	21.00	0
2676.50	49.07		68.20	19.13	500.00	200.0	V	1.00	2
2772.75	100	38.10	54.00	15.90	500.00	200.0	V	4.00	3
3593.50	51.60		68.20	16.60	500.00	200.0	٧	33.00	4
3968.00	5.75	42.12	54.00	11.88	500.00	200.0	V	111.00	7
5046.00		48.31	54.00	5.69	500.00	200.0	V	2.00	10
5485.25	62.79		68.20	5.41	500.00	200.0	V	62.00	10
6981.50	63.01	0222	68.20	5.19	500.00	200.0	V	121.00	15
7609.75		49.40	54.00	4.60	500.00	200.0	V	4.00	16






# **EMI Final Results**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,383.750			X	49.95	54.00	4.05	7.41	Н	172.9	2.00	1.000
1	8,747.500	48.26	68.20	19.94	36.72		8	5.31	H	196	2.00	1.000
1	9,006.250	47.16	74.00	26.84	35.74	54.00	18.26	5.35	H	305.8	2.00	1.000
1	9,350.000	47.53	74.00	26.47	35.67	54.00	18.33	5.37	Ĥ	360	2.00	1.000
1	10,156.250	47.24	68.20	20.96	35.54			5.41	H	62.7	2.00	1.000
1	11,060.000	48.07	74.00	25.93	36.02	54.00	17.98	6.43	٧	156.6	2.00	1.000
1	12,180.000	46.12	74.00	27.88	33.75	54.00	20.25	5.68	H	243.1	2.00	1.000
1	12,893.750	46.64	68.20	21.56	34.61			5.66	V	117.7	2.00	1.000
1	13,981.250	46.21	68.20	21.99	34.36			5.49	Н	274.5	2.00	1.000
1	14,827.500	47.57	68.20	20.63	35.65		3	5.95	V	0	2.00	1.000
1	15,483.750	47.12	74.00	26.88	35.33	54.00	18.67	5.80	٧	164.6	2.00	1.000
1	17,523.750	50.94	68.20	17.26	38.88			10.89	V	94.2	2.00	1.000




	123		3.		¥:				
Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.25	43.86		68.20	24.34	500.00	200.0	V	1.00	-4
1393.75		33.48	54.00	20.52	500.00	200.0	V	0.00	-3
1698.25		34.06	54.00	19.94	500.00	200.0	V	175.00	-2
1924.00	47.11		68.20	21.09	500.00	200.0	V	0.00	-1
2589.00	49.39		68.20	18.81	500.00	200.0	V	0.00	2
2809.50		38.10	54.00	15.90	500.00	200.0	V	0.00	3
3528.75	52.02	2.22	68.20	16.18	500.00	200.0	V	1.00	4
3976.75		42.10	54.00	11.90	500.00	200.0	V	70.00	7
5436.25		49.67	54.00	4.33	500.00	200.0	V	70.00	10
5480.00	61.11		68.20	7.09	500.00	200.0	V	50.00	10
6857.25	63.17		68.20	5.03	500.00	200.0	V	1.00	14
7504.75		49.32	54.00	4.68	500.00	200.0	V	17.00	16






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,415.000	50.24	74.00	23.76	39.10	54.00	14.90	7.06	Η	306.7	2.00	1.000
1	8,757.500	48.59	68.20	19.61	36.76			5.33	Н	322.1	2.00	1.000
1	9,066.250	47.46	74.00	26.54	35.60	54.00	18.40	5.45	٧	83.8	2.00	1.000
1	9,465.000	46.98	74.00	27.02	35.54	54.00	18.46	5.45	<b>V</b>	30.3	2.00	1.000
1	10,522.500	67.89	68.20	0.31				5.58	<b>V</b>	298.2	2.00	1.000
1	10,953.750	48.20	74.00	25.80	36.51	54.00	17.49	6.63	Ι	352.9	2.00	1.000
1	11,605.000	47.32	74.00	26.68	35.70	54.00	18.30	6.80	Ι	237.1	2.00	1.000
1	13,033.750	46.63	68.20	21.57	34.71			5.83	٧	91.2	2.00	1.000
1	14,230.000	46.62	68.20	21.58	34.68			6.03	٧	175.5	2.00	1.000
1	14,891.250	47.22	68.20	20.98	35.61			6.58	H	153	2.00	1.000
1	15,470.000	47.44	74.00	26.56	34.72	54.00	19.28	5.69	Н	298.7	2.00	1.000
1	17,483.750	50.93	68.20	17.27	38.94			10.75	٧	336.7	2.00	1.000




Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	44.54		68.20	23.66	500.00	200.0	V	0.00	-4
1388.50		34.07	54.00	19.93	500.00	200.0	٧	212.00	-3
1699.13		34.34	54.00	19.66	500.00	200.0	V	38.00	-2
1802.38	46.54		68.20	21.66	500.00	200.0	V	3.00	-2
2448.13	49.34		68.20	18.86	500.00	200.0	V	116.00	2
2821.75		38.50	54.00	15.50	500.00	200.0	٧	116.00	3
3542.75	51.31		68.20	16.89	500.00	200.0	٧	30.00	4
3984.63		42.43	54.00	11.57	500.00	200.0	V	265.00	6
5352.25		49.54	54.00	4.46	500.00	200.0	٧	309.00	10
5603.38	60.86		68.20	7.34	500.00	200.0	٧	0.00	11
6871.25	63.84		68.20	4.36	500.00	200.0	٧	46.00	14
7503.00		48.92	54.00	5.08	500.00	200.0	V	256.00	16






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,247.500	50.25	74.00	23.75	38.21	54.00	15.79	8.41	٧	82.2	2.00	1.000
1	8,466.250	48.62	74.00	25.38	36.70	54.00	17.30	6.51	Н	355.3	2.00	1.000
1	9,088.750	47.43	74.00	26.57	35.25	54.00	18.75	5.47	Ι	194.3	2.00	1.000
1	9,781.250	48.43	68.20	19.77	36.09			5.61	Η	325	2.00	1.000
1	10,600.000	63.65	68.20	4.55				5.80	٧	313.1	2.00	1.000
1	10,605.000				52.06	54.00	1.94	5.82	٧	313.1	2.00	1.000
1	11,427.500	48.25	74.00	25.75	36.45	54.00	17.55	7.31	Н	239.7	2.00	1.000
1	12,981.250	46.70	68.20	21.50	34.79			5.80	Ι	186.6	2.00	1.000
1	14,166.250	46.39	68.20	21.81	34.79			5.72	V	166.3	2.00	1.000
1	14,873.750	47.37	68.20	20.83	35.40			6.41	Н	247.4	2.00	1.000
1	15,908.750	47.27	74.00	26.73	34.12	54.00	19.88	4.62	V	158.6	2.00	1.000
1	17,490.000	51.11	68.20	17.09	38.88			10.77	V	212.1	2.00	1.000




		F1 17 17 17							
Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.25	43.94		68.20	24.26	500.00	200.0	V	179.00	-4
1407.75		33.43	54.00	20.57	500.00	200.0	V	152.00	-3
1680.75		34.04	54.00	19.96	500.00	200.0	V	173.00	-2
1985.25	46.61		68.20	21.59	500.00	200.0	V	173.00	0
2456.00	49.61		68.20	18.59	500.00	200.0	V	163.00	2
2765.75	1555	38.12	54.00	15.88	500.00	200.0	٧	178.00	3
3385.25	51.45		68.20	16.75	500.00	200.0	V	117.00	4
3968.00		42.14	54.00	11.86	500.00	200.0	V	158.00	7
4433.50	52.92		68.20	15.28	500.00	200.0	V	171.00	7
5427.50		49.15	54.00	4.85	500.00	200.0	V	48.00	10
6883.50	63.96		68.20	4.24	500.00	200.0	V	107.00	14
7517.00		49.06	54.00	4.94	500.00	200.0	V	180.00	16






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,511.250	50.96	68.20	17.24	41.14			6.16	Η	312.9	2.00	1.000
1	9,087.500	47.23	74.00	26.77	35.18	54.00	18.82	5.47	Н	222.1	2.00	1.000
1	9,420.000	47.55	74.00	26.45	35.56	54.00	18.44	5.41	Н	205.7	2.00	1.000
1	9,791.250	47.60	68.20	20.60	35.86			5.60	Η	353.9	2.00	1.000
1	10,640.000	58.19	74.00	15.81	46.29	54.00	7.71	5.89	V	89.4	2.00	1.000
1	11,410.000	48.30	74.00	25.70	36.90	54.00	17.10	7.42	H	287.9	2.00	1.000
1	12,315.000	46.69	74.00	27.31	34.67	54.00	19.33	6.00	Н	49.9	2.00	1.000
1	12,883.750	46.86	68.20	21.34	34.82			5.64	Н	66.4	2.00	1.000
1	13,622.500	47.71	68.20	20.49	35.48			6.24	Н	271.5	2.00	1.000
1	15,956.250	50.96	74.00	23.04	34.87	54.00	19.13	4.47	Н	3.4	2.00	1.000
1	16,486.250	47.15	68.20	21.05	35.50			6.11	Н	280	2.00	1.000
1	17,452.500	50.01	68.20	18.19	38.05			10.47	Н	280	2.00	1.000




Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1246.75	44.72		68.20	23.48	500.00	200.0	Н	97.00	-4
1406.00		33.52	54.00	20.48	500.00	200.0	V	161.00	-3
1691.25		34.02	54.00	19.98	500.00	200.0	V	132.00	-2
1995.75	46.29		68.20	21.91	500.00	200.0	V	124.00	0
2561.00	49.10		68.20	19.10	500.00	200.0	V	140.00	3
2774.50		37.89	54.00	16.11	500.00	200.0	V	176.00	3
3322.25	51.48		68.20	16.72	500.00	200.0	٧	37.00	4
3966.25		42.10	54.00	11.90	500.00	200.0	V	77.00	7
5275.25	58.67		68.20	9.53	500.00	200.0	V	61.00	10
5415.25		49.67	54.00	4.33	500.00	200.0	٧	53.00	10
6717.25	63.47		68.20	4.73	500.00	200.0	٧	53.00	14
7515.25		48.72	54.00	5.28	500.00	200.0	V	116.00	16





Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,245.000	50.07	74.00	23.93	38.20	54.00	15.80	8.38	Н	315.9	2.00	1.000
1	8,800.000	52.98	68.20	15.22	46.99			5.42	Н	332.1	2.00	1.000
1	9,058.750	47.38	74.00	26.62	35.47	54.00	18.53	5.44	Н	215.1	2.00	1.000
1	9,352.500	47.45	74.00	26.55	35.58	54.00	18.42	5.37	V	62.3	2.00	1.000
1	9,800.000	47.97	68.20	20.23	35.96			5.59	V	227.5	2.00	1.000
1	11,000.000	56.12	74.00	17.88	45.71	54.00	8.29	6.54	V	149.9	2.00	1.000
1	12,848.750	46.82	68.20	21.38	34.89			5.58	H	354.6	2.00	1.000
1	13,287.500	46.55	74.00	27.45	34.01	54.00	19.99	5.50	Н	168.7	2.00	1.000
1	14,172.500	46.47	68.20	21.73	34.69			5.74	V	227.5	2.00	1.000
1	14,867.500	46.67	68.20	21.53	35.20			6.35	V	111.1	2.00	1.000
1	15,505.000	46.56	74.00	27.44	34.92	54.00	19.08	5.97	Н	315.9	2.00	1.000
1	17,465.000	50.47	68.20	17.73	38.64			10.62	V	111.1	2.00	1.000



					The state of the s	internal control			
Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m
1268.63	44.44		68.20	23.76	500.00	200.0	Н	0.00	-4
1374.50		34.22	54.00	19.78	500.00	200.0	V	303.00	-3
1699.13		34.32	54.00	19.68	500.00	200.0	V	173.00	-2
1955.50	46.27		68.20	21.93	500.00	200.0	V	248.00	0
2658.13	49.48		68.20	18.72	500.00	200.0	٧	76.00	2
2736.88		38.44	54.00	15.56	500.00	200.0	٧	11.00	3
3533.13	52.00	(1 <del></del> )	68.20	16.20	500.00	200.0	V	6.00	4
3967.13		42.62	54.00	11.38	500.00	200.0	V	1.00	7
5432.75	<u> </u>	49.58	54.00	4.42	500.00	200.0	V	314.00	10
5460.75	59.03	( <del></del> -	68.20	9.17	500.00	200.0	٧	0.00	10
6873.00	63.15		68.20	5.05	500.00	200.0	٧	36.00	14
7508.25		49.24	54.00	4.76	500.00	200.0	V	130.00	16